

Fiyat Listesi 2021



Fiyat Listesi 2022

Yenilikleri gerçekleřtirmek

Daha iyi makineler, yeni pazarlar, yalın üretim ve gelişmiş servis desteęi: Omron Endüstriyel Otomasyon, yıllardır yenilikleri gerçekleřtiriyor.

Bunu sizinle beraber daha yakın çalışarak yapıyoruz, makine ve fabrika otomasyonundaki en son bilgileri sunarak, fikirlerinizin hayata geçmesine destek oluyoruz.

Daha fazla ürün bilgisine “industrial.omron.com.tr” internet sitemizden veya telefonla bizi arayarak ulaşabilirsiniz.

Sipariş:

Tel: +90 (216) 556 51 30

E-Posta: satis@eu.omron.com

Online Destek:

industrial.omron.com.tr

myomron.com

TABLE OF CONTENTS

Product family		Product family		Product family	
1S-Series Drives	page 203	F3SG Safety Light Curtain	page 118	K6 Accessories	page 214
1S-Series Motors	page 203	FH Smart Camera	page 228	Laser measurement system ZS	page 129
Accessories for BCR/Smart Cameras	page 226	FH Smart Camera accessories	page 229	Low Voltage Switch Gear J7KN Contactor	page 32
Accessories for Industrial Cameras	page 217	Fiber optic amplifier E3X	page 146	Low Voltage Switch Gear J7MN motor protection	page 32
Accessories Inspection Non-OMRON	page 229	Fiber sensing head E32	page 134	Low Voltage Switch Gear J7TK Thermal overload	page 36
Accessories NJs and NX1	page 193	G9SE	page 118	Machine Controllers NJ Series	page 191
Accessories Servo-2	page 205	G9SR	page 118	Machine Controllers NX1	page 191
Accessory for Control System	page 17	Human Machine Interface NA	page 21	Machine Controllers NX1P2	page 192
Accessory for Counter	page 59	Human Machine Interface NB	page 20	Machine Controllers NX701	page 193
Accessory for Human Machine Interface	page 21	Human Machine Interface NS10	page 20	MicroHAWK Code Readers	page 218
Accessory for Industrial Relay	page 31	Human Machine Interface NS12	page 20	MicroHAWK Smart Cameras	page 221
Accessory for Industrial Switch	page 49	Human Machine Interface NS15	page 20	Mobile Flow license	page 213
Accessory for Inverter	page 90	Human Machine Interface NS5	page 19	Mobile Other licenses	page 213
Accessory for Monitoring Product	page 63	Human Machine Interface NS8	page 20	Monitoring Product 61F	page 59
Accessory for Motion Control	page 102	Human Machine Interface Other HMI	page 21	Monitoring Product K7L	page 60
Accessory for photoelectric sensor	page 156	Human Machine Interface Software	page 19	Monitoring Product K8AK	page 60
Accessory for Power Supply	page 70	In Panel TC EJ1	page 24	Monitoring Product K8DS	page 61
Accessory for Programmable Relay	page 71	Inductive proximity sensor E2A	page 172	Monitoring Product K8DT	page 62
Accessory for proximity sensor	page 182	Inductive proximity sensor E2B	page 175	Motion PLC-based control	page 101
Accessory for remote I/O	page 24	Inductive proximity sensor E2E	page 169	Multi-axis Controller CK3E	page 192
Accessory for rotary encoder	page 134	Inductive proximity sensor E2F	page 171	Multi-axis Controller CK3M	page 192
Accessory for safety component	page 117	Inductive proximity sensor E2Q	page 172	MX2 Bundle	page 102
Accessory for safety limit switch	page 108	Inductive proximity sensor TL-T/W	page 172	New E2E	page 158
Accessory for sensor system	page 132	Industrial Cameras	page 214	N-Smart Separate Amp. Sensors	page 131
Accessory for Servo	page 98	Industrial Relay G2R-S	page 27	NX1P option boards	page 192
Accessory for Socket	page 39	Industrial Relay G2RV	page 30	NXR-series	page 196
Accessory for Solid State Relay	page 52	Industrial Relay G2RV-SR	page 30	NX-safety	page 197
Accessory for Temp & Process	page 77	Industrial Relay G7 Power Relay	page 26	NX-series	page 193
Accessory for Timer	page 81	Industrial Relay LY	page 25	NY IPC	page 208
Accessory for vision system	page 189	Industrial Relay MK-I/-S	page 26	Other Control System	page 16
After-Sales Services	page 229	Industrial Relay MY-GS	page 31	Other Counter	page 58
Auto ID Product V600	page 5	Industrial Relay MY-S	page 28	Other Industrial Switch	page 47
Auto ID Product V680	page 5	Industrial Switch A16	page 46	Other Low Voltage Switch Gear	page 36
Capacitive sensor E2K	page 171	Industrial Switch A22	page 44	Other Monitoring Product	page 63
Code Verification Products	page 221	Industrial Switch D4C	page 43	Other Panel Indicator	page 65
Control System CJ	page 10	Industrial Switch D4MC	page 41	Other photoelectric sensor	page 155
Control System CP1 Expansions and Optional boards	page 13	Industrial Switch HL	page 43	Other Power supply	page 70
Control System CP1E-E	page 7	Industrial Switch SHL	page 44	Other Programmable Relay	page 71
Control System CP1E-N	page 7	Industrial Switch WL	page 42	Other proximity sensor	page 180
Control System CP1L/H	page 6	Industrial Switch Z15	page 40	Other remote I/O	page 24
Control System CP2	page 15	Industrial Switch ZC	page 42	Other Safety	page 112
Control System CS1	page 7	Industrial Switch ZE/ZV	page 43	Other sensing component	page 131
Control System Software	page 14	Inverter J1000	page 85	Other Socket	page 38
Control System XW2	page 8	Inverter V1000	page 84	Other Timer	page 81
Counter H7CX	page 57	Inverters A1000	page 86	Panel Indicators K3GN	page 64
Counter H7EC/R/T	page 56	Inverters MX2	page 87	Panel Indicators K3HB	page 64
Counter H7GP/HP	page 57	Inverters RX / RX2	page 88	Panel Indicators K3MA	page 64
Counter H8PS	page 56	Inverters SX	page 89	Photo microsensor built-in amp	page 148
E5_D series	page 77	IoT Flow/Pressure sensors	page 131	Photoelectric sensor E3AS	page 137
F3SG Accessories	page 127	K6	page 213	Photoelectric sensor E3C-LDA	page 147
					page

Product family		Product family		Product family	
Photoelectric sensor E3F1	page 154	Safety light curtain	page 108	Vision sensor FQ	page 187
Photoelectric sensor E3FA / E3RA	page 149	Safety limit switch	page 103	Xpectia vision system FZ OEM	page 188
Photoelectric sensor E3JK-Lite	page 154	Safety limit switch D4B	page 110		
Photoelectric sensor E3JM	page 136	Safety non-contact switch	page 109		
Photoelectric sensor E3S	page 144	Safety relay	page 104		
Photoelectric sensor E3S-D	page 155	Safety unit G9SA / B	page 104		
Photoelectric sensor E3T	page 146	Safety unit G9SX	page 105		
Photoelectric sensor E3Z	page 139	Scada software	page 212		
Power monitor	page 82	Scada software (OEM and accessories)	page 213		
Power Supply S8FS	page 68	Servo G5-series	page 94		
Power Supply S8VK-C	page 67	Servo G-series	page 93		
Power Supply S8VK-G	page 67	Servo SmartStep2	page 98		
Power Supply S8VK-S	page 67	Smart sensors ZX	page 129		
Power Supply S8VS	page 66	Socket P2RF	page 38		
Pre-Sales Services	page 233	Socket PF	page 37		
Profile measurement system ZG	page 129	Socket PTF	page 37		
Programmable Relay ZEN	page 70	Socket PY	page 37		
Q2A: High Performance Vector Control inverter	page 86	Socket PYF	page 37		
Q2V: High Performance inverter	page 82	Software HMI	page 212		
Remote I/O CRT (CompoNet)	page 23	Solid State Relay G3N	page 49		
Remote I/O DRT (DeviceNet)	page 22	Solid State Relay G3PA	page 50		
Remote I/O GRT (SmartSlice)	page 22	Solid State Relay G3PB	page 50		
Remote I/O GT1	page 22	Solid State Relay G3PJ	page 51		
Remote I/O PRT (PROFIBUS)	page 22	Solid State Relay G3PW	page 50		
Remote I/O SRT (CompoBus/S)	page 21	Solid State Relay G3R	page 51		
Robot Mobile Heavy Duty	page 200	Solid State Relay G3RV-SR	page 51		
Robot OAT Accessories	page 202	Special Control System	page 16		
Robot OAT Articulated	page 199	Special Industrial Switch	page 48		
Robot OAT Collaborative	page 199	Special Socket	page 38		
Robot OAT Collaborative Accessories	page 201	Temp & Process E5_C series	page 73		
Robot OAT Delta	page 198	Temp & Process E5AN-H	page 73		
Robot OAT Mobile Accessories	page 201	Temp & Process E5C2	page 71		
Robot OAT Mobile Light Duty	page 199	Temp & Process E5CN-H	page 73		
Robot OAT Other	page 200	Temp & Process E5CS-V	page 72		
Robot OAT Scara	page 197	Temp & Process E5EN-H	page 73		
Rotary encoder E6A2	page 132	Temp & Process Thermo Sensor	page 72		
Rotary encoder E6B2	page 132	Terminal Block Accessories Push-in	page 55		
Rotary encoder E6C2-C	page 133	Terminal Block Accessory Screw	page 55		
Rotary encoder E6C3-A	page 134	Terminal Block Push-in	page 53		
Rotary encoder E6C3-C	page 133	Terminal Block Screw	page 52		
Rotary encoder E6CP	page 133	Timer H3CR	page 77		
Rotary encoder E6F	page 133	Timer H3DK	page 78		
S8V Circuit Breakers	page 70	Timer H3DS	page 79		
S8VK Accessory	page 68	Timer H3DT	page 81		
S8VK-T	page 69	Timer H3Y	page 79		
S8VK-X	page 69	Timer H5CX	page 80		
Safety Area	page 111	Ultrasonic sensor	page 129		
Safety Controller	page 112	UPS BU2RWL-series	page 82		
Safety DeviceNet component	page 110	UPS options	page 82		
Safety door switch or guard lock	page 105	UPS S8BA-series	page 82		

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Auto ID Product V600											
CJ1W-V600C11	ID Sensor Unit, single-head, compatible with V600 RFID series	1522.00	EC001422	108924	4536854870866			AA	AAB	JPN	8473.3080.00
CJ1W-V600C12	ID Sensor Unit, double-head, compatible with V600 RFID series	2153.00	EC001422	148904	4536854870873			AA	AAB	JPN	8473.3080.00
CS1W-V600C12	ID Sensor Unit, double-head, compatible with V600 RFID series	2206.00	EC001422	108923	4536854870859			AA	AAB	JPN	8473.3080.00
V600-D23P54	V600 RFID	75.35	EC002996	108931	4536854629921		10	AA	AAB	JPN	8473.3080.00
V600-D23P55	V600 RFID	30.41	EC002996	108943	4536854707070		50	AA	AAB	JPN	8473.3080.00
V600-D23P66N	V600 ID tag, rectangular, 34 x 34 x 3.5mm, 254 byte capacity	27.61	EC002996	108942	4536854707148		20	AA	AAB	JPN	8473.3080.00
V600-D8KF04	V600 ID tag, rectangular	212.90	EC002996	684616	4547648173049		4	AA	AAB	JPN	8473.3080.00
V600-H11	V600 R/W Head, rectangular, 53 x 40 x 23 mm, 2 m cable	444.20	EC002998	108952	4536854707353			AA	AAB	JPN	8473.3080.00
V600-HA51 2M	https://industrial.omron.eu/en/home	550.50	EC002998	151533	4536854629938			AA	AAB	JPN	8473.3080.00
V600-HAM81 0.5M	V600 RFID intelligent flag controller, multi-functional (read/write), 8-bit, PNP open collector outputs, 24 VDC, 0.5m cable	814.50	EC002998	108964	4536854707728			AA	AAB	JPN	8473.3080.00
V600-HAR81 0.5M	V600 Intelligent Flag controller, read-only type (8-bit data), 0.5m cable with dedicated connector	697.00	EC002998	108965	4536854707742			AA	AAB	JPN	8473.3080.00
V600-HS51 2M	V600 RFID read/write head, separate amplifier type, 12 dia. X 35mm deep, 2m cable	270.30	EC002998	108955	4536854707797			AA	AAB	JPN	8473.3080.00
V600-HS63 2M	V600 RFID read/write head, rectangular 53 x 40 x 23mm, 2m cable with connector	260.70	EC002998	146058	4536854707810			AA	AAB	JPN	8473.3080.00
V600-CA5D02	V600 ID Controller, double-head, RS-232C/422/485 communications	2196.00	EC002997	224996	4547648240079			AA	AAB	JPN	8473.3080.00
V780-HMD68-EIP-EU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), EtherNet/IP, IP54, 24 VDC	2759.00	EC002998	687037	4549734218641			AA	AAB	JPN	9031.8080.00
V780-HMD68-ETN-EU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), Ethernet, IP54, 24 VDC	2717.00	EC002998	680457	4549734137638			AA	AAB	JPN	9031.8080.00
Auto ID Product V680											
V680-CA5D01-V2	V680 ID controller, single-head, RS-232C/422/485 communications	1527.00	EC002997	237733	4547648409377			AA	AAD	JPN	9031.8080.00
V680-CH1D	V680 Handheld Reader Writer 2.5m	1476.00	EC002997	245174	4547648488570			AA	AAD	JPN	9031.8080.00
V680S-HMD63-EIP	V680S RFID reader/writer unit, 50 x 50 x 30 mm, EtherNet/IP, IP67, 24 VDC	848.50	EC002998	419015	4548583561960	#		AA	AAD	JPN	9031.8080.00
V680S-HMD63-ETN	V680S RFID reader/writer unit, 50 x 50 x 30 mm, Modbus TCP/IP, IP67, 24 VDC	943.00	EC002998	419014	4548583561953			AA	AAD	JPN	9031.8080.00
V680S-HMD63-PNT	V680S RFID reader/writer unit, 50 x 50 x 30 mm, PROFINET, IP67, 24 VDC	848.50	EC002998	419011	4548583561977			AA	AAD	JPN	9031.8080.00
V680S-HMD64-EIP	V680S RFID reader/writer unit, 75 x 75 x 40 mm, EtherNet/IP, IP67, 24 VDC	1106.00	EC002998	419016	4548583561984	#		AA	AAD	JPN	9031.8080.00
V680S-HMD64-ETN	V680S ID reader/writer unit, Modbus TCP, IP67, longer distance, 24VDC	1248.00	EC002998	376241	4548583407695			AA	AAD	JPN	9031.8080.00
V680S-HMD64-PNT	V680S RFID reader/writer unit, 75x75x40 mm, PROFINET, IP67, 24 VDC	1106.00	EC002998	419012	4548583561991			AA	AAD	JPN	9031.8080.00
V680S-HMD66-EIP	V680S RFID reader/writer unit, 120 x 120 x 40 mm, EtherNet/IP, IP67, 24 VDC	1360.00	EC002998	419017	4548583562004	#		AA	AAD	JPN	9031.8080.00
V680S-HMD66-ETN	V680S ID reader/writer unit, Modbus TCP, IP67, longer distance, 24VDC	1546.00	EC002998	376240	4548583407688			AA	AAD	JPN	9031.8080.00
V680S-HMD66-PNT	V680S RFID reader/writer unit, 120x120x40 mm, PROFINET, IP67, 24 VDC	1360.00	EC002998	419013	4548583562011			AA	AAD	JPN	9031.8080.00
V680-D1KP52MT	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 8mm diameter x 5mm	32.36	EC002996	237730	4547648393645		10	AA	AAD	JPN	8526.9200.90
V680-D1KP53M	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 10 mm diameter x 4.5 mm	31.92	EC002996	323787	4547648616966		50	AA	AAD	JPN	8526.9200.90
V680-D1KP54T	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, round, 0 mm diameter x 2.7 mm	30.10	EC002996	346282	4547648826693		50	AA	AAD	JPN	8526.9200.90
V680-D1KP66MT	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on metallic surfaces	33.78	EC002996	237732	4547648393652		20	AA	AAD	JPN	8526.9200.90
V680-D1KP66T	V680 ID Tag, I-CODE SLI, EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on non-metallic surfaces	27.76	EC002996	237731	4547648393669			AA	AAD	JPN	8526.9200.90
V680S-D2KF67	V680S RF Tag, 2 kbytes, 40x40x5 for flush mounting on nonmetallic surface	40.03	EC002996	386321	4548583453951	#	20	AA	AAD	JPN	8473.3080.00
V680S-D2KF67M	V680S RF Tag, 2 kbytes, 40 x 40 x 5 for flush mounting on metallic surface	73.30	EC002996	386322	4548583453968		20	AA	AAD	JPN	8473.3080.00
V680S-D8KF68	V680S RF Tag, 8 kbytes, 86x54x10 for flush mounting on nonmetallic surface	151.40	EC002996	386319	4548583454019		10	AA	AAD	JPN	8473.3080.00
V680-H01-V02	Square antenna with integrated amplifier, 250x200x35mm, cable 0.5 meters	2901.00	EC002998	260925	4547648637008			AA	AAD	JPN	9031.8080.00
V680-HA63A 5M	V680 Amplifier unit, for 1KB ID Tags, 5m cable	536.00	EC002998	231865	4547648318495			AA	AAD	JPN	8473.3080.00
V680-HA63B 5M	V680 Amplifier unit, for 2KB ID Tags, 5m cable	491.30	EC002998	231855	4547648318518			AA	AAD	JPN	8473.3080.00
V680-HAM42-DRT	V680 DeviceNet Slave controller	876.00	EC002998	246937	4547648546140			AA	AAD	JPN	9031.8080.00
V680-HS51 2M	V680 Read/Write Antenna, cylindrical type, M12 x 35 mm, standard cable, non-waterproof connector, 2m	246.50	EC002998	245177	4547648514545			AA	AAD	JPN	9031.8080.00
V680-HS52-W 2M	V680 Read/Write Antenna, Cylinder type, standard cable with IP67 connector, 2m	223.30	EC002998	231857	4547648318402			AA	AAD	JPN	8473.3080.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V680-HS63-W 12.5M	V680 Read/Write Antenna, Square type,40x53x23mm, standard cable with IP67 connector, 12.5m	261.60	EC002998	231862	4547648318464			AA	AAD	JPN	8473.3080.00
V680-HS63-W 2M	V680 Read/Write Antenna, Square type,40x53x23mm, standard cable with IP67 connector, 2m	198.10	EC002998	231861	4547648318457			AA	AAD	JPN	8473.3080.00
V680S-A41 10M	V680S ID reader/writer Ethernet and power cable, M12 - RJ45, length 10 m	324.90	EC003015	376247	4548583408043			AA	AAD	JPN	9031.8080.00
V680S-A41 5M	V680S ID reader/writer Ethernet and power cable, M12 - RJ45, length 5m	285.00	EC003015	376246	4548583408036			AA	AAD	JPN	9031.8080.00
Control System CP1L/H											
CP1H-X40DR-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 1 x analog input, 20K steps program + 32K words data memory	946.50	EC000236	209400	4547648203579	#		BA	BAB	CHN	8471.4100.00
CP1H-X40DT1-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 1 x analog input, 20K steps program + 32K words data memory	946.50	EC000236	209402	4547648203593	#		BA	BAB	CHN	8471.4100.00
CP1H-X40DT-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A, 1 x analog input, 20K steps program + 32K words data memory	946.50	EC000236	209401	4547648203586	#		BA	BAB	CHN	8471.4100.00
CP1H-XA40DR-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 4 x analog inputs, 2 x analog outputs, 20K steps program + 32K words data memory	1455.00	EC000236	209397	4547648203548	#		BA	BAB	CHN	8471.4100.00
CP1H-XA40DT1-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 4 x analog inputs, 2 x analog outputs, 20K steps program + 32K words data memory	1455.00	EC000236	209399	4547648203562	#		BA	BAB	CHN	8471.4100.00
CP1H-XA40DT-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A, 4 x analog inputs, 2 x analog outputs, 20K steps program + 32K words data memory	1455.00	EC000236	209398	4547648203555	#		BA	BAB	CHN	8471.4100.00
CP1L-EL20DR-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 2 x analog inputs, 5K steps program + 10K words data memory, 1 x Ethernet port	380.30	EC000236	667993	4548583751880			BA	BAB	NLD	8471.4100.00
CP1L-EL20DT1-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x PNP outputs 0.3 A, 2 x analog inputs, 5K steps program + 10K words data memory, 1 x Ethernet port	380.30	EC000236	667994	4548583751897			BA	BAB	NLD	8471.4100.00
CP1L-EL20DT-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x NPN outputs 0.3 A, 2 x analog inputs, 5K steps program + 10K words data memory, 1 x Ethernet port	380.30	EC000236	667986	4548583751903			BA	BAB	NLD	8471.4100.00
CP1L-EM30DR-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x relay outputs 2 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	492.30	EC000236	667992	4548583751910	#		BA	BAB	NLD	8471.4100.00
CP1L-EM30DT1-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x PNP outputs 0.3 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	492.30	EC000236	667990	4548583751927	#		BA	BAB	NLD	8471.4100.00
CP1L-EM30DT-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x NPN outputs 0.3 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	492.30	EC000236	667988	4548583751934			BA	BAB	NLD	8471.4100.00
CP1L-EM40DR-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	613.50	EC000236	667987	4548583751941	#		BA	BAB	NLD	8471.4100.00
CP1L-EM40DT1-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	613.50	EC000236	667991	4548583751958	#		BA	BAB	NLD	8471.4100.00
CP1L-EM40DT-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A, 2 x analog inputs, 10K steps program + 32K words data memory, 1 x Ethernet port	613.50	EC000236	667989	4548583751965			BA	BAB	NLD	8471.4100.00
CP1L-J14DR-A	PLC, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x relay outputs 2 A, 1K steps program + 10K words data memory	328.20	EC000236	668664	4548583764675			BA	BAB	NLD	8471.4100.00
CP1L-L10DR-A	PLC, 100-240 VAC supply, 6 x 24 VDC inputs, 4 x relay outputs 2 A, 5K steps program + 10K words data memory	302.20	EC000236	668681	4548583764736			BA	BAB	NLD	8471.4100.00
CP1L-L10DR-D	PLC, 24 VDC supply, 6 x 24 VDC inputs, 4 x relay outputs 2 A, 5K steps program + 10K words data memory	292.40	EC000236	668679	4548583764743			BA	BAB	NLD	8471.4100.00
CP1L-L10DT1-D	PLC, 24 VDC supply, 6 x 24 VDC inputs, 4 x PNP outputs 0.3 A, 5K steps program + 10K words data memory	287.00	EC000236	668671	4548583764750			BA	BAB	NLD	8471.4100.00
CP1L-L14DR-A	PLC, 100-240 VAC supply, 8 x 24 VDC inputs, 6 x relay outputs 2 A, 5K steps program + 10K words data memory	383.90	EC000236	668670	4548583764781			BA	BAB	NLD	8471.4100.00
CP1L-L14DR-D	PLC, 24 VDC supply, 8 x 24 VDC inputs, 6 x relay outputs 2 A, 5K steps program + 10K words data memory	337.90	EC000236	668663	4548583764798			BA	BAB	NLD	8471.4100.00
CP1L-L14DT1-D	PLC, 24 VDC supply, 8 x 24 VDC inputs, 6 x PNP outputs 0.3 A, 5K steps program + 10K words data memory	341.20	EC000236	668660	4548583764804			BA	BAB	NLD	8471.4100.00
CP1L-L14DT-D	PLC, 24 VDC supply, 8 x 24 VDC inputs, 6 x NPN outputs 0.3 A, 5K steps program + 10K words data memory	340.30	EC000236	668666	4548583764828			BA	BAB	NLD	8471.4100.00
CP1L-L20DR-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 5K steps program + 10K words data memory	443.60	EC000236	668673	4548583764835			BA	BAB	NLD	8471.4100.00
CP1L-L20DR-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 5K steps program + 10K words data memory	443.60	EC000236	668692	4548583764842	#		BA	BAB	NLD	8471.4100.00
CP1L-L20DT1-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x PNP outputs 0.3 A, 5K steps program + 10K words data memory	443.60	EC000236	668690	4548583764859			BA	BAB	NLD	8471.4100.00
CP1L-L20DT-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x NPN outputs 0.3 A, 5K steps program + 10K words data memory	443.60	EC000236	668694	4548583764873			BA	BAB	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1L-M30DR-A	PLC, 100-240 VAC supply, 18 x 24 VDC inputs, 12 x relay outputs 2 A, 10K steps program + 32K words data memory	556.50	EC000236	668695	4548583764880	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DR-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x relay outputs 2 A, 10K steps program + 32K words data memory	556.50	EC000236	668668	4548583764897	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DT1-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x PNP outputs 0.3 A, 10K steps program + 32K words data memory	556.50	EC000236	668688	4548583764903			BA	BAB	NLD	8471.4100.00
CP1L-M30DT-D	PLC, 24 VDC supply, 18 x 24 VDC inputs, 12 x NPN outputs 0.3 A, 10K steps program + 32K words data memory	556.50	EC000236	668662	4548583764927			BA	BAB	NLD	8471.4100.00
CP1L-M40DR-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 10K steps program + 32K words data memory	644.50	EC000236	668686	4548583764934			BA	BAB	NLD	8471.4100.00
CP1L-M40DR-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 10K steps program + 32K words data memory	644.50	EC000236	668689	4548583764941			BA	BAB	NLD	8471.4100.00
CP1L-M40DT1-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A, 10K steps program + 32K words data memory	644.50	EC000236	668678	4548583764958	#		BA	BAB	NLD	8471.4100.00
CP1L-M40DT-D	PLC, 24 VDC supply, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A, 10K steps program + 32K words data memory	644.50	EC000236	668674	4548583764972	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DR-A	PLC, 100-240 VAC supply, 36 x 24 VDC inputs, 24 x relay outputs 2 A, 10K steps program + 32K words data memory	823.50	EC000236	668661	4548583764989			BA	BAB	NLD	8471.4100.00
CP1L-M60DR-D	PLC, 24 VDC supply, 36 x 24 VDC inputs, 24 x relay outputs 2 A, 10K steps program + 32K words data memory	823.50	EC000236	668676	4548583764996	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DT1-D	PLC, 24 VDC supply, 36 x 24 VDC inputs, 24 x PNP outputs 0.3 A, 10K steps program + 32K words data memory	823.50	EC000236	668665	4548583765009	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DT-A	PLC, 100-240 VAC, 36x 24 VDC inputs, 24 x NPN outputs 0.3 A, 10 K steps program + 32K words data memory	823.50	EC000236	668669	4548583765016			BA	BAB	NLD	8471.4100.00
CP1L-M60DT-D	PLC, 24 VDC supply, 36 x 24 VDC inputs, 24 x NPN outputs 0.3 A, 10K steps program + 32K words data memory	823.50	EC000236	668672	4548583765023			BA	BAB	NLD	8471.4100.00

Control System CP1E-E

CP1E-E10DR-A	PLC, 100-240 VAC supply, 6 x 24 VDC inputs, 4 x relay outputs 2 A, 2K steps program + 2K words data memory	195.60	EC000236	333280	4547648800792			BA	BAC	CHN	8471.6070.00
CP1E-E10DR-D	PLC, 24 VDC supply, 6 x 24 VDC inputs, 4 x relay outputs 2 A, 2K steps program + 2K words data memory	195.60	EC000236	333283	4547648800822			BA	BAC	CHN	8471.6070.00
CP1E-E10DT1-D	PLC, 24 VDC supply, 6 x 24 VDC inputs, 4 x PNP outputs 0.3 A, 2K steps program + 2K words data memory	195.60	EC000236	333285	4547648800846			BA	BAC	CHN	8471.6070.00
CP1E-E20SDR-A	PLC, 100-240 VAC supply, 12 x 24 VDC inputs, 8 x relay outputs 2 A, 2K steps program + 2K words data memory, no expandability	173.50	EC000236	377342	4548583371194	#		BA	BAC	CHN	8471.6070.00
CP1E-E40SDR-A	PLC, 100-240 VAC supply, 24 x 24 VDC inputs, 16 x relay outputs 2 A, 2K steps program + 2K words data memory	289.80	EC000236	377331	4548583371217			BA	BAC	CHN	8471.6070.00

Control System CP1E-N

CP1E-N60DR-A	PLC, 100-240 VAC supply, 36 x 24 VDC inputs, 24 x relay outputs 2 A, 8K steps program + 8K words data memory, RS-232C port	793.50	EC000236	333293	4547648800921			BA	BAD	CHN	8471.6070.00
CP1E-NA20DT1-D	PLC, 24 VDC supply, 12 x 24 VDC inputs, 8 x PNP outputs 0.3 A, 2 x analog inputs, 1 x analog output, resolution 1/6000, 8K steps program + 8K words data memory, RS-232C port	690.00	EC000236	328740	4547648800785	#		BA	BAD	CHN	8471.6070.00

Control System CS1

CS1D-CPU65H	CPU for duplex system, 60K steps program, 128K words data memory, 7 duplex expansion racks max, hot standby CPUs, hot swap I/O	6015.00	EC000236	155442	4536854886287			BA	BAF	JPN	8471.4100.00
CS1H-CPU63H	CPU, 20K steps program, 32K words data memory, 7 expansion racks max.	2433.00	EC000236	135643	4536854781650			BA	BAF	JPN	8471.4100.00
CS1H-CPU65H	CPU, 60K steps program, 128K words data memory, 7 expansion racks max.	3809.00	EC000236	135644	4536854781698			BA	BAF	JPN	8471.4100.00
CS1H-CPU66H	CPU, 120K steps program, 256K words data memory, 7 expansion racks max.	5295.00	EC000236	144821	4536854781711			BA	BAF	JPN	8471.4100.00
CS1H-CPU67H	CPU, 250K steps program, 448K words data memory, 7 expansion racks max.	7990.00	EC000236	135645	4536854781704			BA	BAF	JPN	8471.4100.00
CS1G-CPU42H	CPU, 10K steps program, 64K words data memory, 2 expansion racks max.	1424.00	EC000236	135641	4536854781612			BA	BAF	JPN	8471.4100.00
CS1G-CPU43H	CPU, 20K steps program, 64K words data memory, 2 expansion racks max.	1575.00	EC000236	147099	4536854781629			BA	BAF	JPN	8471.4100.00
CS1G-CPU44H	CPU, 30K steps program, 64K words data memory, 3 expansion racks max.	2014.00	EC000236	135642	4536854781636			BA	BAF	JPN	8471.4100.00
CS1G-CPU45H	CPU, 60K steps program, 128K words data memory, 7 expansion racks max.	2814.00	EC000236	153562	4536854781643			BA	BAF	JPN	8471.4100.00
CS1D-BC052	Duplex CPU backplane, 5 I/O slots, use CS1D-PA207R power supplies only	1473.00	EC000810	135744	4536854880513			BA	BAF	JPN	8538.9099.99
CS1D-BI092	Duplex expansion backplane, 9 I/O slots, use CS1D-PA207R power supplies only	1610.00	EC000810	149080	4536854880520			BA	BAF	JPN	8538.9099.99
CS1W-BC033	CPU backplane with C200H I/O BUS, 3 I/O slots	276.00	EC000810	135557	4536854845659			BA	BAF	CHN	8538.9099.99
CS1W-BC053	CPU backplane with C200H I/O BUS, 5 I/O slots	308.40	EC000810	135558	4536854845666			BA	BAF	CHN	8538.9099.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CS1W-BC083	CPU backplane with C200H I/O BUS, 8 I/O slots	396.80	EC000810	135559	4536854845673			BA	BAF	CHN	8538.9099.99
CS1W-BC103	CPU backplane with C200H I/O BUS, 10 I/O slots	547.00	EC000810	156857	4536854845680			BA	BAF	CHN	8538.9099.99
CS1W-BI053	Expansion backplane with C200H I/O BUS, 5 I/O slots	370.90	EC000810	135561	4536854845703			BA	BAF	CHN	8538.9099.99
CS1W-BI083	Expansion backplane with C200H I/O BUS, 8 I/O slots	529.00	EC000810	135562	4536854845710			BA	BAF	CHN	8538.9099.99
CS1W-BI103	Expansion backplane with C200H I/O BUS, 10 I/O slots	655.50	EC000810	135563	4536854845727			BA	BAF	CHN	8538.9099.99
CS1D-PA207R	Power supply unit for duplex system, 100-120/200-240 VAC high power, RUN output, CS1 duplex backplanes only	871.00	EC000599	135743	4536854880483			BA	BAF	JPN	8523.8090.00
CS1W-CLK23	Controller Link unit for CS-series, 2-wire twisted pair, screw connectors	883.50	EC001423	296520	4547648706674			BA	BAF	CHN	8537.1098.99
CS1W-DRM21-V1	DeviceNet master/slave unit for CS-series	950.00	EC001423	296523	4547648708548			BA	BAF	CHN	8537.1098.99
CS1W-EIP21	EtherNet/IP unit for CS-series, 100Base-TX, 1 x RJ45 socket, supports CIP, FINS/UDP and FINS/TCP	1635.00	EC001423	296519	4547648706650	#		BA	BAF	CHN	8471.6070.00
CS1W-ETN21	Ethernet unit for CS-series, 100Base-TX and 10 Base-T, 1 x RJ45 socket, TCP/IP & UDP/IP socket services, FTP, SMTP, FINS	1788.00	EC001423	296515	4547648706568	#		BA	BAF	CHN	8471.6070.00
CS1W-PNT21	PROFINET IO Controller (master) unit for CS-series, 1 x RJ45 socket	1110.00	EC001423	343249	4547648831093			BA	BAF	NLD	8529.1095.00
CS1W-PRM21	PROFIBUS DP master unit for CS-series	1326.00	EC001423	168023	4547648010962			BA	BAF	NLD	8529.1095.00
CS1W-SCB21-V1	Serial communications board, 2 x RS-232C ports, supports protocol macro backup from memory card	517.50	EC001423	296510	4547648706490			BA	BAF	CHN	8538.9099.99
CS1W-SCB41-V1	Serial communications board, 1 x RS-232C port, 1 x RS422/485 port, supports protocol macro backup from memory card	585.00	EC001423	296511	4547648706506			BA	BAF	CHN	8538.9099.99
CS1W-SCU21-V1	Serial communications unit, 2 x RS-232C ports, Protocol Macro, Host Link, 1:N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	987.00	EC001423	296512	4547648706513			BA	BAF	CHN	8537.1098.99
CS1W-SCU31-V1	Serial communication unit, 2x RS-422/485 ports, Protocol Macro, Host Link, 1:N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	1031.00	EC001423	296518	4547648706643			BA	BAF	CHN	8537.1098.99
CS1D-DPL01	Duplex unit	1495.00	EC002584	152430	4536854880490			BA	BAF	JPN	8523.8090.00
CS1W-ID211	Digital input unit, 16 x 24 VDC inputs, NPN/PNP	265.50	EC001419	182912	4547648096539			BA	BAF	CHN	8471.6070.00
CS1W-ID231	Digital input unit, 32 x 24 VDC inputs, NPN/PNP	493.30	EC001419	182913	4547648096546			BA	BAF	CHN	8471.6070.00
CS1W-ID261	Digital input unit, 64 x 24 VDC inputs, NPN/PNP	783.50	EC001419	182914	4547648096553			BA	BAF	CHN	8471.6070.00
CS1W-OD211	Digital output unit, 16 x relay outputs, 2 A, 24 VDC/250 VAC, 2 commons	372.30	EC001419	182918	4547648096591			BA	BAF	CHN	8471.6070.00
CS1W-OD211	Digital output unit, 16 x transistor outputs, NPN, 0.5 A, 12-24 VDC	312.20	EC001419	182919	4547648096607			BA	BAF	CHN	8471.6070.00
CS1W-OD212	Digital output unit, 16 x transistor outputs, PNP with short circuit protection, 0.5 A, 24 VDC	501.50	EC001419	182910	4547648096614			BA	BAF	CHN	8471.6070.00
CS1W-OD231	Digital output unit, 32 x transistor outputs, NPN, 0.5 A, 12-24 VDC	540.00	EC001419	182920	4547648096621			BA	BAF	CHN	8471.6070.00
CS1W-OD232	Digital output unit, 32 x transistor outputs, PNP with short circuit protection, 0.5 A, 24 VDC	733.50	EC001419	182911	4547648096638			BA	BAF	CHN	8471.6070.00
CS1W-OD261	Digital output unit, 64 x transistor outputs, NPN, 0.3 A, 12-24 VDC	1053.00	EC001419	182921	4547648096645			BA	BAF	CHN	8471.6070.00
CS1W-OD262	Digital output unit, 64 x transistor outputs, PNP with short circuit protection, 0.3 A, 24 VDC	1227.00	EC001419	135626	4536854615290			BA	BAF	JPN	8471.6070.00
CS1W-AD041-V1	Analog input unit, 4 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1:4000 / 8000	1041.00	EC001420	143686	4536854819704			BA	BAF	JPN	8471.6070.00
CS1W-AD081-V1	Analog input unit, 8 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1:4000 / 8000	1680.00	EC001420	135647	4536854819711			BA	BAF	JPN	8471.6070.00
CS1W-DA041	Analog output unit, 4 x outputs 4 to 20 mA, 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, resolution 12 bit, screw terminals	1107.00	EC001420	135612	4536854493584			BA	BAF	JPN	8471.6070.00
CS1W-DA08-C	Analog output unit, 8 x outputs 4 to 20 mA, resolution 12 bit, screw terminals	1673.00	EC001420	144480	4536854493577			BA	BAF	JPN	8471.6070.00
CS1W-DA08-V	Analog output unit, 8 x outputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, resolution 12 bit, screw terminals	1680.00	EC001420	142228	4536854493560			BA	BAF	JPN	8471.6070.00
CS1W-MAD44	Analog I/O unit, 4 x inputs 4 to 20 mA, 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 x outputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to +10 V, resolution 12 bit, screw terminals	1922.00	EC001420	135688	4536854445248			BA	BAF	JPN	8471.6070.00
CS1W-CT021	High speed counter unit, 2 encoder inputs, 500 kHz, open collector (5/12/24 VDC) & line driver inputs, 4 integrated outputs	979.00	EC001422	135576	4536854681639			BA	BAF	NLD	9029.1000.90
CS1W-CT041	High speed counter unit, 4 encoder inputs, 500 kHz, open collector (5/12/24 VDC) & line driver inputs, 4 integrated outputs	1312.00	EC001422	153791	4536854681646			BA	BAF	NLD	9029.1000.90
CS1W-CTS21	Position input unit, SSI absolute encoder 2 channels, 9 to 31 bit, Gray/Binary/Taunenbaum/Raw coding, 4x digital inputs, 4x digital outputs NPN and PNP	1181.00	EC001422	135577	4536854842627			BA	BAF	NLD	9029.1000.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Control System XW2											
XW2Z-200S-CV	Cable, RS-232C, for programming PLC or HMI 9-pin port from PC 9-pin port, 2 m	101.40	EC001681	147534	4536854488191			BA	BAJ	JPN	8536.9010.00
XW2Z-200S-V	Cable, RS-232C, for programming PLC or HMI 9-pin port from PC 9-pin port, 2 m	96.55	EC001681	149609	4536854230660			BA	BAJ	JPN	8536.9010.00
XW2Z-200T	Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 2 m	94.25	EC001681	105353	4536854230226			BA	BAJ	JPN	8536.9010.00
XW2Z-500T	Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 5 m	93.70	EC001681	155978	4536854230233			BA	BAJ	JPN	8536.9010.00
XW2D-20G6	General-purpose I/O terminal block, MIL20 socket, M3 captive screws, 20 points	39.65	EC002780	695855	4549734583084			BA	BAJ	VNM	8536.9010.00
XW2D-34G6	General-purpose I/O terminal block, MIL34 socket, M3 captive screws, 34 points	51.85	EC002780	695854	4549734583114			BA	BAJ	VNM	8536.9010.00
XW2D-40G6	General-purpose I/O terminal block, MIL40 socket, M3 captive screws, 40 points	60.70	EC002780	695853	4549734583145	#		BA	BAJ	VNM	8536.9010.00
XW2D-50G6	General-purpose I/O terminal block, MIL50 socket, M3 captive screws, 50 points	55.35	EC002780	695850	4549734583176			BA	BAJ	VNM	8536.9010.00
XW2F-20G7-IN16	Terminal block, MIL20 socket, 20 point input, screwless connections	76.25	EC002780	172652	4547648093880			BA	BAJ	JPN	8536.9010.00
XW2F-20G7-OUT16	Terminal block, MIL20 socket, 20 point output, screwless connections	76.25	EC002780	172653	4547648093897			BA	BAJ	JPN	8536.9010.00
XW2R-E40G-T	DIN-rail mounting terminal block, MIL40 socket, screw clamp, 40 points, general-purpose	60.20	EC002780	372890	4548583367388			BA	BAJ	JPN	8536.9010.00
XW2R-J34GD-T	DIN-rail mounting terminal block, MIL34 socket, screw clamp, 34 points, general-purpose, philips screw	38.75	EC002780	670880	4548583546455			BA	BAJ	JPN	8536.9010.00
XW2R-J40G-T	DIN-rail mounting terminal block, MIL40 socket, M3 screws, 40 points, general-purpose	60.40	EC002780	372885	4548583367326			BA	BAJ	JPN	8536.9010.00
XW2R-P32GD-C2-COM	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32 I/O points (3-wire connection), for Omron input units with MIL40 connectors	64.65	EC002780	410805	4548583546547			BA	BAJ	JPN	8536.9010.00
XW2R-P34G-C4	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32x OUT + power, for Omron PLC units with MIL40 connectors	40.63	EC002780	373002	4548583367579			BA	BAJ	JPN	8536.9010.00
XW2R-P34GD-T	DIN-rail mounting terminal block, MIL34 socket, screw clamp, 34 points, general-purpose, push in spring	41.74	EC002780	670881	4548583547131			BA	BAJ	JPN	8536.9010.00
XW2R-P40G-T	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 40 points, general-purpose	47.20	EC002780	372996	4548583367432			BA	BAJ	JPN	8536.9010.00
XW2B-20G4	General-purpose I/O terminal block, MIL20 socket, screw clamp, 20 points	60.05	EC002780	154108	4536854229503			BA	BAJ	JPN	8536.9010.00
XW2B-20G5	General-purpose I/O terminal block, MIL20 socket, M3.5 screws, 20 points	53.55	EC002780	152948	4536854229541			BA	BAJ	JPN	8536.9010.00
XW2B-34G4	General-purpose I/O terminal block, MIL34 socket, screw clamp, 34 points	82.70	EC002780	107557	4536854229510			BA	BAJ	JPN	8536.9010.00
XW2B-40G4	General-purpose I/O terminal block, MIL40 socket, screw clamp, 40 points	97.55	EC002780	156303	4536854229527	#		BA	BAJ	JPN	8536.9010.00
XW2B-40G5	General-purpose I/O terminal block, MIL40 socket, M3.5 screws, 40 points	90.90	EC002780	150730	4536854229565			BA	BAJ	JPN	8536.9010.00
XW2B-50G4	General-purpose I/O terminal block, MIL50 socket, screw clamp, 50 points	87.50	EC002780	105351	4536854229534			BA	BAJ	JPN	8536.9010.00
XW2B-50G5	General-purpose I/O terminal block, MIL50 socket, M3.5 screws, 50 points	105.40	EC002780	143060	4536854229572			BA	BAJ	JPN	8536.9010.00
XW2G-40G7	DIN-rail mounting input terminal block for CJ1W-CTL41-E, MIL40 socket, screwless terminals (use with XW2Z-xxxK cable)	111.10	EC002780	180645	4547648089852	#		BA	BAJ	NLD	8536.9010.00
XW2Z-0030FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 0.3 m	22.92	EC000237	377664	4548583449138			BA	BAJ	CHN	8544.4290.90
XW2Z-0050FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 0.5 m	23.78	EC000237	377665	4548583449145			BA	BAJ	CHN	8544.4290.90
XW2Z-0100DL-L	I/O connection cable, unshielded, MIL20 to open ends, 1 m	26.93	EC000237	377642	4548583448919			BA	BAJ	CHN	8544.4290.90
XW2Z-0100FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 1 m	34.60	EC000237	377666	4548583449152			BA	BAJ	CHN	8544.4290.90
XW2Z-0100FN-L	I/O connection cable, unshielded, MIL40 to open ends, 1 m	32.79	EC000237	377671	4548583449206			BA	BAJ	CHN	8544.4290.90
XW2Z-0150FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 1.5 m	59.80	EC000237	377667	4548583449169			BA	BAJ	CHN	8544.4290.90
XW2Z-0150FN-L	I/O connection cable, unshielded, MIL40 to open ends, 1.5 m	51.45	EC000237	377672	4548583449213			BA	BAJ	CHN	8544.4290.90
XW2Z-0200BN-L	I/O connection cable, unshielded, FCN40 to open ends, 2 m	70.90	EC000237	377622	4548583448711			BA	BAJ	CHN	8544.4290.90
XW2Z-0200EE-L	I/O connection cable, unshielded, MIL34 to MIL34, 2 m	34.69	EC000237	377653	4548583449022			BA	BAJ	CHN	8544.4290.90
XW2Z-0200FN-L	I/O connection cable, unshielded, MIL40 to open ends, 2 m	40.74	EC000237	377673	4548583449220			BA	BAJ	CHN	8544.4290.90
XW2Z-0300BN-L	I/O connection cable, unshielded, FCN40 to open ends, 3 m	96.10	EC000237	377623	4548583448728			BA	BAJ	CHN	8544.4290.90
XW2Z-0300FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 3 m	59.20	EC000237	377669	4548583449183			BA	BAJ	CHN	8544.4290.90
XW2Z-0300FN-L	I/O connection cable, unshielded, MIL40 to open ends, 3 m	36.54	EC000237	377675	4548583449244			BA	BAJ	CHN	8544.4290.90
XW2Z-050B	I/O connection cable, FCN40 to MIL40, 0.5 m	61.00	EC000237	107459	4536854230479			BA	BAJ	JPN	8536.9010.00
XW2Z-100A	I/O connection cable, FCN24 to MIL20, 1 m	63.40	EC000237	107454	4536854230370			BA	BAJ	JPN	8536.9010.00
XW2Z-100B	I/O connection cable, FCN40 to MIL40, 1 m	86.50	EC000237	107457	4536854230448	#		BA	BAJ	JPN	8536.9010.00
XW2Z-100K	I/O connection cable, MIL40 to MIL40, 1 m	55.35	EC000237	107448	4536854792908	#		BA	BAJ	JPN	8536.9010.00
XW2Z-150B	I/O connection cable, FCN40 to MIL40, 1.5 m	66.80	EC000237	107460	4536854230523			BA	BAJ	JPN	8536.9010.00
XW2Z-150K	I/O connection cable, MIL40 to MIL40, 1.5 m	66.80	EC000237	107449	4536854792915			BA	BAJ	JPN	8536.9010.00
XW2Z-200B	I/O connection cable, FCN40 to MIL40, 2 m	97.25	EC000237	151789	4536854230455	#		BA	BAJ	JPN	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW2Z-200K	I/O connection cable, MIL40 to MIL40, 2 m	72.90	EC000237	107451	4536854792939			BA	BAJ	JPN	8536.9010.00
XW2Z-300B	I/O connection cable, FCN40 to MIL40, 3 m	104.00	EC000237	107458	4536854230462			BA	BAJ	JPN	8536.9010.00
XW2Z-300K	I/O connection cable, MIL40 to MIL40, 3 m	98.30	EC000237	107450	4536854792922			BA	BAJ	JPN	8536.9010.00
XW2Z-500B	I/O connection cable, FCN40 to MIL40, 5 m	123.70	EC000237	150731	4536854230486			BA	BAJ	JPN	8536.9010.00
XW2Z-500K	I/O connection cable, MIL40 to MIL40, 5 m	109.40	EC000237	103604	4536854792946			BA	BAJ	JPN	8536.9010.00
XW2Z-C50K	I/O connection cable, MIL40 to MIL40, 0,5 m	70.05	EC000237	153570	4536854633157			BA	BAJ	JPN	8536.9010.00
Control System CJ											
CJ2H-CPU64	CPU, 50K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	2538.00	EC000236	268696	4547648638630			BA	BAK	JPN	8471.4100.00
CJ2H-CPU64-EIP	CPU with built-in EtherNet/IP port, 50K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	3392.00	EC000236	249799	4547648519113			BA	BAK	JPN	8471.6070.00
CJ2H-CPU65	CPU, 100K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	3076.00	EC000236	268697	4547648638647			BA	BAK	JPN	8471.4100.00
CJ2H-CPU65-EIP	CPU with built-in EtherNet/IP port, 100K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	3658.00	EC000236	249800	4547648519120			BA	BAK	JPN	8471.6070.00
CJ2H-CPU66-EIP	CPU with built-in EtherNet/IP port, 150K steps program, 32K words data memory, 32K words x 10 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	4922.00	EC000236	249801	4547648519144			BA	BAK	JPN	8537.1098.99
CJ2H-CPU67-EIP	CPU with built-in EtherNet/IP port, 250K steps program, 32K words data memory, 32K words x 15 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	6335.00	EC000236	249802	4547648519151			BA	BAK	JPN	8471.6070.00
CJ2M-CPU11	CPU, 5K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	440.10	EC000236	392391	4548583498389	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU12	CPU, 10K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	633.50	EC000236	392392	4548583498396	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU13	CPU, 20K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	887.00	EC000236	392393	4548583498402			BA	BAK	NLD	8471.4100.00
CJ2M-CPU14	CPU, 30K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	1106.00	EC000236	392394	4548583498419			BA	BAK	NLD	8471.4100.00
CJ2M-CPU15	CPU, 60K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, RS-232C serial port, USB programming port, 3 expansion racks max.	1352.00	EC000236	392395	4548583498426			BA	BAK	NLD	8471.4100.00
CJ2M-CPU31	CPU with built-in EtherNet/IP port, 5K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, option port for RS-232C/485, USB programming port, 3 expansion racks max.	1112.00	EC000236	392396	4548583498433	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU32	CPU with built-in EtherNet/IP port, 10K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, option port for RS-232C/485, USB programming port, 3 expansion racks max.	1197.00	EC000236	392397	4548583498440	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU33	CPU with built-in EtherNet/IP port, 20K steps program, 32K words data memory, 32K words x 1 bank EM, 2560 I/O max, option port for RS-232C/485, USB programming port, 3 expansion racks max.	1472.00	EC000236	392398	4548583498457	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU34	CPU with built-in EtherNet/IP port, 30K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, option port for RS-232C/485, USB programming port, 3 expansion racks max.	1735.00	EC000236	392399	4548583498464	#		BA	BAK	NLD	8471.4100.00
CJ2M-CPU35	CPU with built-in EtherNet/IP port, 60K steps program, 32K words data memory, 32K words x 4 banks EM, 2560 I/O max, option port for RS-232C/485, USB programming port, 3 expansion racks max.	1972.00	EC000236	392400	4548583498471	#		BA	BAK	NLD	8471.4100.00
CJ1W-PA202	Power supply unit, 100-240 VAC, output capacity: 14 W	208.40	EC000599	136004	4536854806018	#		BA	BAK	JPN	8504.4030.00
CJ1W-PA205C	Power supply unit, 100-240 VAC, output capacity: 25 W, with maintenance forecast monitor	384.20	EC000599	183314	4547648156936			BA	BAK	JPN	8504.4030.00
CJ1W-PA205R	Power supply unit, 100-240 VAC, output capacity: 25 W, with RUN output	295.50	EC000599	386939	4548583452244	#		BA	BAK	CHN	8504.4030.00
CJ1W-PD022	Power supply unit, 24 VDC, output capacity: 19.6 W	131.40	EC000599	315604	4547648706117	#		BA	BAK	CHN	8504.4030.00
CJ1W-PD025	Power supply unit, 24 VDC, output capacity: 25 W	291.60	EC000599	136016	4536854827761	#		BA	BAK	JPN	8504.4030.00
CJ1W-TC001	Temperature control unit, R/S/K/J/T/L/B thermocouple inputs, transistor (NPN) output, 4 loops	898.00	EC001421	135989	4536854740749			BA	BAK	JPN	8471.6070.00
CJ1W-TC002	Temperature control unit, R/S/K/J/T/L/B thermocouple inputs, transistor (PNP) output, 4 loops	915.50	EC001421	142660	4536854740534	#		BA	BAK	JPN	8471.6070.00
CJ1W-TC004	Temperature control unit, R/S/K/J/T/L/B thermocouple inputs, transistor (PNP) output, 2 loops, heater burnout detection function	795.00	EC001421	155601	4536854903519	#		BA	BAK	JPN	8471.6070.00
CJ1W-TC101	Temperature control unit, Pt100 RTD inputs, transistor (NPN) output, 4 loops	887.00	EC001421	151404	4536854740565			BA	BAK	JPN	8471.6070.00
CJ1W-TC102	Temperature control unit, Pt100 RTD inputs, transistor (PNP) output, 4 loops	887.00	EC001421	143742	4536854740572	#		BA	BAK	JPN	8471.6070.00
CJ1W-TC104	Temperature control unit, Pt100 RTD inputs, transistor (PNP) output, 2 loops, heater burnout detection function	795.00	EC001421	135992	4536854740596			BA	BAK	JPN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CJ1W-CLK23	Controller Link unit for CJ-series, 2-wire twisted pair, screw connectors	869.00	EC001423	258834	4547648597661			BA	BAK	CHN	8471.6070.00
CJ1W-CORT21	User-defined CAN interface unit (11- and 29-bit identifiers)	930.00	EC001423	172669	4547648093477	#		BA	BAK	NLD	8529.1095.00
CJ1W-CRM21	CompoNet master unit for CJ-series	633.50	EC001423	315606	4547648708661			BA	BAK	CHN	8471.6070.00
CJ1W-DRM21	DeviceNet master/slave unit for CJ-series	813.00	EC001423	258836	4547648597197	#		BA	BAK	CHN	8471.6070.00
CJ1W-ECT21	EtherCAT Slave Unit, 2 x RJ45 socket	829.00	EC001423	659361	4548583576568			BA	BAK	NLD	8471.8000.00
CJ1W-EIP21	EtherNet/IP unit for CJ-series, 100Base-TX, 1 x RJ45 socket, supports CIP, FINS/UDP and FINS/TCP	1526.00	EC001423	258403	4547648597692	#		BA	BAK	CHN	8471.6070.00
CJ1W-ETN21	Ethernet unit for CJ-series, 100Base-TX and 10 Base-T, 1 x RJ45 socket, TCP/IP & UDP/IP socket services, FTP, SMTP, FINS	1469.00	EC001423	258832	4547648597586	#		BA	BAK	CHN	8471.6070.00
CJ1W-PNT21	PROFINET IO Controller (master) unit for CJ-series, 1 x RJ45 socket	1070.00	EC001423	291927	4547648476584			BA	BAK	NLD	8529.1095.00
CJ1W-PRM21	PROFIBUS DP master unit for CJ-series	1191.00	EC001423	168022	4547648010955	#		BA	BAK	NLD	8529.1095.00
CJ1W-PRT21	PROFIBUS DP slave unit, up to 100 words in and out, 180 words maximum	802.50	EC001423	136031	4536854859908			BA	BAK	NLD	8529.1095.00
CJ1W-SCU21-V1	Serial communication unit, 2x RS-232C ports, Protocol Macro, Host Link, 1:N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	563.00	EC001423	258830	4547648597272	#		BA	BAK	CHN	8471.6070.00
CJ1W-SCU22	Serial high-speed communication unit, 2x RS-232C ports, Protocol Macro, Host Link, 1:N NT Link, No protocol, Serial Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, up to 230 kbps	1331.00	EC001423	323397	4547648779173			BA	BAK	JPN	8471.8000.00
CJ1W-SCU31-V1	Serial communication unit, 2x RS422/485 ports, Protocol Macro, Host Link, 1:N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	771.00	EC001423	258835	4547648597685	#		BA	BAK	CHN	8471.6070.00
CJ1W-SCU32	Serial high-speed communication unit, 2x RS-422/485 ports, Protocol Macro, Host Link, 1:N NT Link, No protocol, Serial Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, up to 230 kbps	1331.00	EC001423	323398	4547648779180			BA	BAK	JPN	8471.8000.00
CJ1W-SCU41-V1	Serial communication unit, 1x RS-232C port + 1x RS422/485 port, Protocol Macro, Host Link, 1:N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	707.50	EC001423	258831	4547648597517	#		BA	BAK	CHN	8471.6070.00
CJ1W-SCU42	Serial high-speed communication unit, 1x RS-232C port + 1x RS-422/485 port, Protocol Macro, Host Link, 1:N NT Link, No protocol, Serial Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, up to 230 kbps	1271.00	EC001423	323399	4547648779197			BA	BAK	JPN	8471.8000.00
CJ1W-SRM21	CompoBus/S master unit for CJ-series	426.00	EC001423	258837	4547648597494			BA	BAK	CHN	8471.6070.00
CJ1W-IC101	Expansion I/O control unit, connects to right hand side of CPU	229.20	EC002584	315594	4547648705998		2	BA	BAK	CHN	8471.6070.00
CJ1W-II101	Expansion I/O interface unit, connects to left hand side of expansion I/O rack, up to 3 expansion racks	265.50	EC002584	315595	4547648706001		2	BA	BAK	CHN	8471.6070.00
CJ1W-IA111	Digital input unit, 16 x 100-120 VAC inputs, screw terminal	318.80	EC001419	315597	4547648706025			BA	BAK	CHN	8471.6070.00
CJ1W-IA201	Digital input unit, 8 x 200-240 VAC inputs, screw terminal	247.00	EC001419	315598	4547648706049			BA	BAK	CHN	8471.6070.00
CJ1W-ID201	Digital input unit, 8 x 24 VDC, independent inputs, screw terminal	162.90	EC001419	382928	4548583424968			BA	BAK	NLD	8471.6070.00
CJ1W-ID211	Digital input unit, 16 x 24 VDC inputs, screw terminal	202.50	EC001419	382929	4548583424975	#		BA	BAK	NLD	8471.6070.00
CJ1W-ID211(SL)	Digital input unit, 16 x 24 VDC inputs, screwless clamp terminal	202.50	EC001419	171731	4547648023092	#		BA	BAK	NLD	8471.6070.00
CJ1W-ID212	Digital high-speed input unit, 16 x 24 VDC inputs, screw terminal	256.20	EC001419	382930	4548583424982			BA	BAK	NLD	8471.6070.00
CJ1W-ID231	Digital input unit, 32 x 24 VDC inputs, FCN40 connector (not included)	344.60	EC001419	177393	4547648050302	#		BA	BAK	CHN	8471.6070.00
CJ1W-ID232	Digital input unit, 32 x 24 VDC inputs, MIL40 connector (not included)	336.20	EC001419	177394	4547648050319	#		BA	BAK	CHN	8471.6070.00
CJ1W-ID233	Digital high-speed input unit, 32 x 24 VDC inputs, MIL40 connector (not included)	436.40	EC001419	270545	4547648610537			BA	BAK	CHN	8471.6070.00
CJ1W-ID261	Digital input unit, 64 x 24 VDC inputs, 2 x FCN40 connectors (not included)	566.50	EC001419	177395	4547648050326	#		BA	BAK	CHN	8471.6070.00
CJ1W-ID262	Digital input unit, 64 x 24 VDC inputs, MIL40 connector (not included)	588.00	EC001419	177396	4547648050333	#		BA	BAK	CHN	8471.6070.00
CJ1W-IDP01	Digital quick response input unit, 16 x 24 VDC inputs, single shot pulse capture 30 µs minimum, screw terminal	373.50	EC001419	315602	4547648706094			BA	BAK	CHN	8471.6070.00
CJ1W-INT01	Digital interrupt input unit, 16 x 24 VDC inputs, 2 max per CPU, screw terminal	514.00	EC001419	315596	4547648706018			BA	BAK	CHN	8471.6070.00
CJ1W-OA201	Digital output unit, 8 x triac outputs, 250 VAC, 0.6 A, screw terminal	267.20	EC001419	315599	4547648706056			BA	BAK	CHN	8471.6070.00
CJ1W-OC201	Digital output unit, 8 x relay outputs, 250 VAC/24 VDC, 2 A max, independent commons, screw terminal	239.10	EC001419	382931	4548583424999			BA	BAK	NLD	8471.6070.00
CJ1W-OC201(SL)	Digital output unit, 8 x relay outputs, 250 VAC/24 VDC, 2 A max, independent commons, screwless clamp terminal	239.10	EC001419	171732	4547648023108			BA	BAK	NLD	8471.6070.00
CJ1W-OC211	Digital output unit, 16 x relay outputs, 250 VAC/24 VDC, 2 A max, screw terminal	301.50	EC001419	382932	4548583425002	#		BA	BAK	NLD	8471.6070.00
CJ1W-OC211(SL)	Digital output unit, 16 x relay outputs, 250 VAC/24 VDC, 2 A max, screwless clamp terminal	301.50	EC001419	171733	4547648023122	#		BA	BAK	NLD	8471.6070.00
CJ1W-OD201	Digital output unit, 8 x transistor outputs, NPN, 2.0 A, 12 to 24 VDC, screw terminal	292.90	EC001419	315600	4547648706070			BA	BAK	CHN	8471.6070.00
CJ1W-OD202	Digital output unit, 8 x transistor outputs, PNP, 2.0 A, 24 VDC, screw terminal	276.50	EC001419	315601	4547648706087			BA	BAK	CHN	8471.6070.00
CJ1W-OD203	Digital output unit, 8 x transistor outputs, NPN, 0.5 A, 24 VDC, screw terminal	205.50	EC001419	143440	4536854961182			BA	BAK	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CJ1W-OD204	Digital output unit, 8 x transistor outputs, PNP, 0.5 A, 24 VDC, with short-circuit protection and alarm, screw terminal	219.90	EC001419	315603	4547648706100			BA	BAK	CHN	8471.6070.00
CJ1W-OD211	Digital output unit, 16 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, screw terminal	239.10	EC001419	382933	4548583425019	#		BA	BAK	NLD	8471.6070.00
CJ1W-OD211(SL)	Digital output unit, 16 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, screwless clamp terminal	239.10	EC001419	171734	4547648023139	#		BA	BAK	NLD	8471.6070.00
CJ1W-OD212	Digital output unit, 16 x transistor outputs, PNP, 0.5 A, 24 VDC, load short-circuit protection, screw terminal	276.00	EC001419	382934	4548583425026	#		BA	BAK	NLD	8471.6070.00
CJ1W-OD212(SL)	Digital output unit, 16 x transistor outputs, PNP, 0.5 A, 24 VDC, load short-circuit protection, screwless clamp terminal	276.00	EC001419	171735	4547648023146	#		BA	BAK	NLD	8471.6070.00
CJ1W-OD213	Digital high-speed output unit, 16 x transistor outputs, NPN, 0.5 A, 24VDC, screw terminal	313.80	EC001419	270548	4547648610568			BA	BAK	CHN	8471.6070.00
CJ1W-OD231	Digital output unit, 32 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, FCN40 connector (not included)	411.30	EC001419	177398	4547648050357	#		BA	BAK	CHN	8471.6070.00
CJ1W-OD232	Digital output unit, 32 x transistor outputs, PNP, 0.5 A, 24 VDC, load short-circuit protection, MIL40 connector (not included)	482.10	EC001419	177399	4547648050364	#		BA	BAK	CHN	8471.6070.00
CJ1W-OD233	Digital output unit, 32 x transistor outputs, NPN, 0.5 A, 24 VDC, MIL40 connector (not included)	415.50	EC001419	177400	4547648050371			BA	BAK	CHN	8471.6070.00
CJ1W-OD234	Digital high-speed output unit, 32 x transistor outputs, NPN, 0.5 A, 24VDC, MIL40 connector (not included)	457.40	EC001419	270546	4547648610544			BA	BAK	CHN	8471.6070.00
CJ1W-OD261	Digital output unit, 64 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 2 x FCN40 connectors (not included)	655.50	EC001419	177401	4547648050388	#		BA	BAK	CHN	8471.6070.00
CJ1W-OD262	Digital output unit, 64 x transistor outputs, PNP, 0.3 A, 24 VDC, 2 x MIL40 connectors (not included)	556.50	EC001419	136029	4536854961205	#		BA	BAK	CHN	8471.9000.00
CJ1W-MD231	Digital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 2 A max, 2 x FCN24 connectors (not included)	355.60	EC001419	104549	4536854880971			BA	BAK	CHN	8541.2900.00
CJ1W-MD232	Digital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, PNP, 0.5 A, 24 VDC, 2 A max, 2 x MIL20 connectors (not included)	450.00	EC001419	156708	4536854961212			BA	BAK	CHN	8541.2900.00
CJ1W-MD233	Digital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 2 A max, 2 x MIL20 connectors (not included)	358.80	EC001419	136023	4536854880988			BA	BAK	CHN	8541.2900.00
CJ1W-MD261	Digital I/O unit, 32 x 24 VDC inputs, 32 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 3.2 A max, 2 x FCN40 connectors (not included)	655.50	EC001419	136024	4536854880995			BA	BAK	CHN	8541.2900.00
CJ1W-MD263	Digital I/O unit, 32 x 24 VDC inputs, 32 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 3.2 A max, 2 x MIL40 connectors (not included)	560.00	EC001419	156856	4536854881008			BA	BAK	CHN	8541.2900.00
CJ1W-AD041-V1	Analog input unit, 4 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1:4000 / 8000, screw terminal	832.00	EC001420	136033	4536854912948	#		BA	BAK	NLD	8471.6070.00
CJ1W-AD041-V1(SL)	Analog input unit, 4 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1:4000 / 8000, screwless clamp terminal	832.00	EC001420	171999	4547648023252			BA	BAK	NLD	8471.6070.00
CJ1W-AD042	Analog high-speed input unit, 4 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -5 to 5 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA, screw terminal	1365.00	EC001420	318067	4547648722797			BA	BAK	JPN	8471.6070.00
CJ1W-AD04U	Universal analog input unit, 4 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, 0 to 20 mA, 4 to 20 mA, thermocouple (K, J, T, L, R, S, B), Pt100, Pt1000, JPt100, screw terminal	858.50	EC001420	235350	4547648318266	#		BA	BAK	NLD	8471.6070.00
CJ1W-AD04U(SL)	Universal analog input unit, 4 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, 0 to 20 mA, 4 to 20 mA, thermocouple (K, J, T, L, R, S, B), Pt100, Pt1000, JPt100, screwless clamp terminal	858.50	EC001420	235351	4547648318273			BA	BAK	NLD	8471.6070.00
CJ1W-AD081-V1	Analog input unit, 8 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1:4000 / 8000, screw terminal	1085.00	EC001420	136032	4536854912931	#		BA	BAK	NLD	8471.6070.00
CJ1W-AD081-V1(SL)	Analog input unit, 8 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1:4000 / 8000, screwless clamp terminal	1085.00	EC001420	172000	4547648023269			BA	BAK	NLD	8471.6070.00
CJ1W-PDC15	Isolated analog input unit, 2 x inputs 4 to 20 mA, 0 to 20 mA, 1 to 5 V, 0 to 5 V, -5 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 1.25 V, -1.25 to 1.25 V, resolution 1:64000, 10 ms conversion time, screw terminal	1018.00	EC001420	183665	4547648164108			BA	BAK	JPN	8471.6070.00
CJ1W-PH41U	Universal analog input unit, high resolution, 4 x inputs ±100mV up to ±10 V, potentiometer, 0 to 20 mA, 4 to 20 mA, thermocouple (K, J, T, E, L, U, N, R, S, B), Pt100 (3-wire), screw terminal	1588.00	EC001420	247114	4547648513999			BA	BAK	JPN	8471.4100.00
CJ1W-PTS51	Isolated thermocouple input unit, 4 x inputs type K, J, L, R, S, T, B, resolution 0.1 °C, screw terminal	753.00	EC001420	168518	4547648023214			BA	BAK	JPN	8471.6070.00
CJ1W-PTS52	Isolated RTD input unit, 4 x inputs (Pt100 (JIS, IEC), JPt100), resolution 0.1 °C, screw terminal	750.00	EC001420	168519	4547648023221			BA	BAK	JPN	8471.6070.00
CJ1W-TS561	Thermocouple input unit, 6 x inputs type J, K, resolution 0.1 °C, screw terminal	637.50	EC001420	168013	4547648023467	#		BA	BAK	NLD	8473.3080.00
CJ1W-TS561(SL)	Thermocouple input unit, 6 x inputs type J, K, resolution 0.1 °C, screwless clamp terminal	637.50	EC001420	180447	4547648023320			BA	BAK	NLD	8473.3080.00
CJ1W-TS562	RTD input unit, 6 x inputs Pt100, Pt1000, 3-wire, resolution 0.1 °C, screw terminal	623.50	EC001420	168014	4547648023474	#		BA	BAK	NLD	8473.3080.00
CJ1W-TS562(SL)	RTD input unit, 6 x inputs Pt100, Pt1000, 3-wire, resolution 0.1 °C, screwless clamp terminal	623.50	EC001420	172733	4547648023337			BA	BAK	NLD	8473.3080.00
CJ1W-DA021	Analog output unit, 2 x outputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, externally powered 24 VDC 140mA, screw terminal	665.00	EC001420	151233	4536854912962			BA	BAK	NLD	8471.6070.00
CJ1W-DA021(SL)	Analog output unit, 2 x outputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, externally powered 24 VDC 140mA, screwless clamp terminal	665.00	EC001420	172001	4547648023276			BA	BAK	NLD	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CJ1W-DA041	Analog output unit, 4 x outputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, externally powered 24 VDC 200 mA, screw terminal	739.00	EC001420	104446	4536854912955	#		BA	BAK	NLD	8471.6070.00
CJ1W-DA041(SL)	Analog output unit, 4 x outputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, externally powered 24 VDC 200mA, screwless clamp terminal	739.00	EC001420	172002	4547648023283			BA	BAK	NLD	8471.6070.00
CJ1W-DA08C	Analog output unit, 8 x outputs 4 to 20 mA, resolution 12 bit, screw terminal	1021.00	EC001420	171897	4547648023436	#		BA	BAK	NLD	8471.6070.00
CJ1W-DA08C(SL)	Analog output unit, 8 x outputs 4 to 20 mA, resolution 12 bit, screwless clamp terminal	1021.00	EC001420	172003	4547648023290			BA	BAK	NLD	8471.6070.00
CJ1W-DA08V	Analog output unit, 8 x output 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, resolution 1:4000 scalable to ±32000 or 1:8000, screw terminal	1003.00	EC001420	171896	4547648023443	#		BA	BAK	NLD	8471.6070.00
CJ1W-DA08V(SL)	Analog output unit, 8 x output 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, resolution 1:4000 scalable to ±32000 or 1:8000, screwless clamp terminal	1003.00	EC001420	172004	4547648023306			BA	BAK	NLD	8471.6070.00
CJ1W-MAD42	Analog I/O unit, 4 x inputs -10 to 10 V, 0 to 5 V, 0 to 10 V, 1 to 5 V, 4 to 20 mA, 2 x outputs -10 to 10 V, 0 to 5 V, 0 to 10 V, 1 to 5 V, 4 to 20 mA, resolution 1:4000 scalable to ±32000 or 1:8000, screw terminal	703.50	EC001420	171895	4547648023450	#		BA	BAK	NLD	8471.6070.00
CJ1W-MAD42(SL)	Analog I/O unit, 4 x inputs -10 to 10 V, 0 to 5 V, 0 to 10 V, 1 to 5 V, 4 to 20 mA, 2 x outputs -10 to 10 V, 0 to 5 V, 0 to 10 V, 1 to 5 V, 4 to 20 mA, resolution 1:4000 scalable to ±32000 or 1:8000, screwless clamp terminal	703.50	EC001420	172005	4547648023313	#		BA	BAK	NLD	8471.6070.00
CJ1W-CT021	High-speed counter unit, 2 axes, 500 kHz, RS422 line driver or open collector input	773.50	EC001422	315605	4547648708890			BA	BAK	CHN	8471.6070.00
CJ1W-CTL41-E	High-speed counter unit, 4 axes, 24 VDC open collector and line driver encoders supported, 100 kHz input max. For 24 VDC open collector signals, use XW2G-40G7-E terminal block and XW2Z-XXXX cables	623.50	EC001422	180688	4547648089753	#		BA	BAK	NLD	9029.1000.90
CJ1W-CTS21-E	High speed counter unit, 2 axes, SSI absolute encoder inputs, 9-31 bit, Gray/Binary/Taunbaum/Raw coding, screw terminal	728.50	EC001422	180381	4547648089739			BA	BAK	NLD	9029.1000.90
CJ1W-DCM11-E	DC Motor Control Unit, 24 V, 4 A (10 A peak), PWM control, plug-in terminals	891.50	EC001422	227033	4547648273626			BA	BAK	NLD	8529.1095.00
CJ2M-MD211	Pulse I/O Module for CJ2M, NPN with 10 inputs (four interrupt/quickresponse and two high-speed counter inputs) and 6 outputs (two pulse and two PWM outputs)	259.40	EC001422	341746	4547648833080	#		BA	BAK	CHN	8471.6070.00
CJ2M-MD212	Pulse I/O Module for CJ2M, PNP with 10 inputs (four interrupt/quickresponse and two high-speed counter inputs) and 6 outputs (two pulse and two PWM outputs)	259.40	EC001422	341747	4547648833097	#		BA	BAK	CHN	8471.6070.00
CJ1W-V680C11	V680 RFID Sensor unit, one channel, for CJ-series PLCs	1569.00	EC001422	244991	4547648510714			BA	BAK	JPN	9031.8080.00
CJ1W-V680C12	V680 RFID Sensor unit, two channel, for CJ-series PLCs	2237.00	EC001422	244992	4547648510721			BA	BAK	JPN	9031.8080.00
Control System CP1 Expansionsand Optional boards											
CP1W-16ER	I/O expansion unit, 16 x relay outputs 2 A	237.40	EC001419	670917	4548583810747	#		BA	BAL	NLD	8471.6070.00
CP1W-16ET	I/O expansion unit, 16 x NPN outputs 0.3 A	209.80	EC001419	670913	4548583810754			BA	BAL	NLD	8471.6070.00
CP1W-16ET1	I/O expansion unit, 16 x PNP outputs 0.3 A	209.80	EC001419	670918	4548583810761	#		BA	BAL	NLD	8471.6070.00
CP1W-20EDR1	I/O expansion unit, 12 x 24 VDC inputs, 8 x relay outputs 2 A	228.10	EC001419	670923	4548583810778	#		BA	BAL	NLD	8471.6070.00
CP1W-20EDT	I/O expansion unit, 12 x 24 VDC inputs, 8 x NPN outputs 0.3 A	236.50	EC001419	670912	4548583810785			BA	BAL	NLD	8471.6070.00
CP1W-20EDT1	I/O expansion unit, 12 x 24 VDC inputs, 8 x PNP outputs 0.3 A	236.50	EC001419	670919	4548583810792	#		BA	BAL	NLD	8471.6070.00
CP1W-32ER	I/O expansion unit, 32 x relay outputs 2 A	403.50	EC001419	670914	4548583810808	#		BA	BAL	NLD	8471.6070.00
CP1W-32ET	I/O expansion unit, 32 x NPN outputs 0.3 A	403.50	EC001419	670920	4548583810815			BA	BAL	NLD	8471.6070.00
CP1W-32ET1	I/O expansion unit, 32 x PNP outputs 0.3 A	403.50	EC001419	670910	4548583810822			BA	BAL	NLD	8471.6070.00
CP1W-40EDR	I/O expansion unit, 24 x 24 VDC inputs, 16 x relay outputs 2 A	417.90	EC001419	670909	4548583810839	#		BA	BAL	NLD	8471.6070.00
CP1W-40EDT	I/O expansion unit, 24 x 24 VDC inputs, 16 x NPN outputs 0.3 A	420.90	EC001419	670915	4548583810846			BA	BAL	NLD	8471.6070.00
CP1W-40EDT1	I/O expansion unit, 24 x 24 VDC inputs, 16 x PNP outputs 0.3 A	411.20	EC001419	670921	4548583810853	#		BA	BAL	NLD	8471.6070.00
CP1W-8ED	I/O expansion unit, 8 x 24 VDC inputs	161.80	EC001419	670916	4548583810860	#		BA	BAL	NLD	8471.6070.00
CP1W-8ER	I/O expansion unit, 8 x relay outputs 2 A	164.20	EC001419	670922	4548583810877	#		BA	BAL	NLD	8471.6070.00
CP1W-8ET	I/O expansion unit, 8 x NPN outputs 0.3 A	177.50	EC001419	670911	4548583810884			BA	BAL	NLD	8471.6070.00
CP1W-8ET1	I/O expansion unit, 8 x PNP outputs 0.3 A	182.20	EC001419	670924	4548583810891	#		BA	BAL	NLD	8471.6070.00
CP1W-AD041	I/O expansion unit, 4 x analog inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA, resolution 1:6000	414.20	EC001420	671145	4548583810907			BA	BAL	NLD	8471.6070.00
CP1W-AD042	I/O expansion unit, 4 x analog inputs 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA	227.20	EC001420	671144	4548583810983	#		BA	BAL	NLD	8471.6070.00
CP1W-ADB21	I/O option board (only CP1L-EL/EM port 1 or 2), 2 x analog inputs 0 to 10 V, resolution 1/4000 or 0 to 20 mA, resolution 1:2000	109.80	EC001420	364430	4548583106703	#		BA	BAL	CHN	8471.4100.00
CP1W-BAT01	Battery for the CP1 PLC	20.49	EC002584	678518	4549734925969	#		BA	BAL	JPN	8506.5010.90
CP1W-CIF01	CP1 RS-232C (15 m max.) serial communication option board	55.90	EC001423	672569	4548583810914	#		BA	BAL	NLD	8471.6070.00
CP1W-CIF11	CP1 RS422/485 (50 m max.) serial communication option board	55.90	EC001423	672570	4548583810921	#		BA	BAL	NLD	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1W-CIF12-V1	CP1 RS422/485 (isolated 500 m max.) serial communication option board	126.30	EC001423	688375	4549734446303	#		BA	BAL	NLD	8471.8000.00
CP1W-CIF41	CP1 Ethernet communications option, 1 x RJ45 socket	333.30	EC001423	673349	4548583810945	#		BA	BAL	NLD	8471.6070.00
CP1W-DA021	I/O expansion unit, 2 x analog outputs 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA, resolution 1:6000	403.50	EC001420	671147	4548583810952	#		BA	BAL	NLD	8471.6070.00
CP1W-DA041	I/O expansion unit, 4 x analog outputs 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA, resolution 1:6000	459.50	EC001420	671148	4548583810969	#		BA	BAL	NLD	8471.6070.00
CP1W-DA042	I/O expansion unit, 4 x analog outputs 1 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA	244.80	EC001420	671146	4548583810990	#		BA	BAL	NLD	8471.6070.00
CP1W-DAB21V	I/O option board (only CP1L-EL/EM port 1 or 2), 2 x analog outputs 0 to 10 V, resolution 1:4000	109.80	EC001420	364431	4548583106710	#		BA	BAL	CHN	8471.4100.00
CP1W-DAM01	LCD option board to CP1L and CP1H	126.20	EC002584	247844	4547648527286	#		BA	BAL	CHN	8471.6070.00
CP1W-EIP61	CP1 EtherNet/IP communications option, for datalink function only, 1 x RJ45 socket	429.30	EC001423	365009	4547648934893	#		BA	BAL	USA	8471.6070.00
CP1W-MAB221	I/O option board (only CP1L-EL/EM port 1 or 2), 2 x analog inputs 0 to 10 V, resolution 1:4000 or 0 to 20 mA, resolution 1:2000, 2 x analog outputs 0 to 10 V, resolution 1:4000	190.80	EC001420	364429	4548583106697	#		BA	BAL	CHN	8471.4100.00
CP1W-MAD11	I/O expansion unit, 2 x analog inputs 0 to 20 mA, 4 to 20 mA, 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 1 x analog output 0 to 20 mA, 4 to 20 mA, 1 to 5 V, 0 to 10 V, -10 to 10 V, resolution 1:6000	462.30	EC001420	671149	4548583810976	#		BA	BAL	NLD	8471.6070.00
CP1W-MAD42	I/O expansion unit, 4 x analog inputs and 2 x analog outputs	294.20	EC001420	671151	4548583811003	#		BA	BAL	NLD	8471.6070.00
CP1W-MAD44	I/O expansion unit, 4 x analog inputs and 4 x analog outputs	417.90	EC001420	671150	4548583811010	#		BA	BAL	NLD	8471.6070.00
CP1W-MODTCP61	CP1 Modbus TCP communications option, Master or Slave, 1 x RJ45 socket	414.30	EC001423	365010	4547648934909	#		BA	BAL	USA	8471.6070.00
CP1W-SRT21	CP1 CompoBus/S I/O data link unit	242.30	EC001423	250196	4547648511223	#		BA	BAL	CHN	8537.1098.99
CP1W-TS001	I/O expansion unit, 2 x thermocouple inputs type J, K	383.20	EC001420	673348	4548583811034	#		BA	BAL	NLD	8471.6070.00
CP1W-TS002	I/O expansion unit, 4 x thermocouple inputs type J, K	482.80	EC001420	673347	4548583811041	#		BA	BAL	NLD	8471.6070.00
CP1W-TS003	I/O expansion unit, 4 x thermocouple inputs type J, K or 2 x type J, K and 2 x analog inputs	253.80	EC001420	674253	4548583811027	#		BA	BAL	NLD	8471.6070.00
CP1W-TS004	I/O expansion unit, 12 x thermocouple inputs type J, K	417.60	EC001420	401523	4548583557932	#		BA	BAL	CHN	8471.6070.00
CP1W-TS101	I/O expansion unit, 2 x RTD inputs Pt100	383.20	EC001420	672572	4548583811058	#		BA	BAL	NLD	8537.1098.99
CP1W-TS102	I/O expansion unit, 4 x RTD inputs Pt100	482.80	EC001420	672573	4548583811065	#		BA	BAL	NLD	8537.1098.99
CP2W-BAT02	CP2-series Battery - Optional	4.69	EC002584	689916	4549734542555	#		BA	BAL	JPN	8506.5010.90
CP2W-CIFD1	CP2-series Serial Option board 2 x RS-232 ports	93.65	EC001423	689944	4549734542524	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD2	CP2-series Serial Option board 1 x RS-232, 1 x RS-485 ports	93.65	EC001423	689945	4549734542531	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD3	CP2-series Serial Option board 2 x RS-485 ports	93.65	EC001423	689946	4549734542548	#		BA	BAL	CHN	8471.8000.00

Control System Software

NA-RTSM	Soft-NA installation DVD only, for Windows 10 Pro 64 bit (requires NART-LD** license)	41.62	EC001435	694868	4549734592529	#		BA	BAM	NLD	8523.4910.00
SYSMAC-DE001L	Sysmac Studio Drive Edition	131.10	EC000809	673372	4548583988262	#		BA	BAM	NLD	8523.8090.00
SYSMAC-FE001L	Sysmac Studio Safety Edition is a license including necessary setting functions for the safety control system. (license only, you need the Sysmac Studio Standard Edition DVD media to install it)	478.50	EC000809	684740	4549734206181	#		BA	BAM	JPN	8523.8090.00
SYSMAC-LE201L	Sysmac Studio Lite license only, single user (requires SYSMAC-SE200D download or installation DVD, available separately)	961.00	EC000809	672883	4548583984103	#		BA	BAM	NLD	8523.8090.00
SYSMAC-LE203L	Sysmac Studio Lite license only, 3 user (requires SYSMAC-SE200D download or installation DVD, available separately)	1924.00	EC000809	672793	4548583983205	#		BA	BAM	NLD	8523.8090.00
SYSMAC-LU501L	Sysmac Studio Lite to Sysmac Studio Standard upgrade, 1-user licence only	1191.00	EC000809	673371	4548583988255	#		BA	BAM	NLD	8523.8090.00
SYSMAC-NE001L	Sysmac Studio NX I/O Edition	284.00	EC000809	410039	4547648994668	#		BA	BAM	NLD	8523.8090.00
SYSMAC-RTNC0000D	CNC operator DVD	42.14	EC000809	679805	4549734166874	#		BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0001L	CNC operator Additional license	1350.00	EC000809	679804	4549734166881	#		BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0101D	CNC operator SDK DVD	2371.00	EC000809	679803	4549734166898	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA401L-64	Sysmac Studio 3D Simulation Option (64 bit) 1 User License	520.50	EC000809	695814	4549734601375	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA403L-64	Sysmac Studio 3D Simulation Option (64 bit) 3 Users License	1977.00	EC000809	695813	4549734601382	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA410L-64	Sysmac Studio 3D Simulation Option (64 bit) 10 Users License	3954.00	EC000809	695812	4549734601399	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA430L-64	Sysmac Studio 3D Simulation Option (64 bit) 30 Users License	8305.00	EC000809	695811	4549734601405	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA450L-64	Sysmac Studio 3D Simulation Option (64 bit) 50 Users License	11480.00	EC000809	695810	4549734601412	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SA4XXL-64	Sysmac Studio 3D Simulation Option (64 bit) Site User License	17800.00	EC000809	695809	4549734601429	#		BA	BAM	JPN	8523.8090.00
SYSMAC-SE200D	Sysmac Studio installation DVD only, for Windows XP or Windows 7/8, 32 or 64-bit versions (requires SYSMAC-SE2*L license)	21.78	EC000809	355294	4547648909785	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE201L	Sysmac Studio license only, single user (requires SYSMAC-SE200D download or installation DVD, available separately)	1632.00	EC000809	355295	4547648909792	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE203L	Sysmac Studio license only, 3 user (requires SYSMAC-SE200D installation DVD, available separately)	3259.00	EC000809	355296	4547648909808	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE210L	Sysmac Studio license only, 10 user (requires SYSMAC-SE200D installation DVD, available separately)	6520.00	EC000809	355297	4547648909815	#		BA	BAM	NLD	8523.8090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SYSMAC-SE2XXL-ED	Sysmac Studio Educational Edition site license	290.30	EC000809	659565	4548583953949			BA	BAM	NLD	8523.8090.00
SYSMAC-TA401L	Sysmac Studio Team Option 1 User License	523.00	EC000809	680950	4549734942607			BA	BAM	NLD	8523.8090.00
SYSMAC-TA403L	Sysmac Studio Team Option 3 Users License	1066.00	EC000809	680952	4549734942621			BA	BAM	NLD	8523.8090.00
SYSMAC-TA410L	Sysmac Studio Team Option 10 Users License	2073.00	EC000809	680951	4549734942614			BA	BAM	NLD	8523.8090.00
CXONE-AL01-EV4	Single-user licence for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7/8/10 (32 and 64 bit), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	1069.00	EC000809	324682	4547648876711	#		BA	BAM	NLD	8523.8090.00
CXONE-AL01-EV4-UP	Single-user licence upgrade for CX-One V4.x, requires CDs or DVD with software (CXOne-CD-EV4, or CXOne-DVD-EV4)	331.40	EC000809	324688	4547648876773			BA	BAM	NLD	8523.8090.00
CXONE-AL03-EV4	3-user licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7/8/10 (32 and 64 bit), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	2160.00	EC000809	324683	4547648876728			BA	BAM	NLD	8523.8090.00
CXONE-AL10-EV4	10-user licence only, for CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7/8/10 (32 and 64 bit), (requires CDs or DVD, CXOne-CD-EV4, or CXOne-DVD-EV4)	4204.00	EC000809	324684	4547648876735			BA	BAM	NLD	8523.8090.00
CXONE-DVD-EV4	CX-One V4.x software, for Windows 2000/XP/Vista/Windows 7/8/10 (32 and 64 bit), supplied on 1x DVD, (requires licence number CXOne-Alxx-EV4-(xx))	16.36	EC000809	324695	4547648876841			BA	BAM	NLD	8523.8090.00
CXONE-LT01-EV4	CX-One Lite v4.x software, for Windows 2000/XP/Vista, single-user licence only, (requires CDs, CXOne-LTCD-EV4), limited to program the CPx PLC platform	265.80	EC000809	313838	4547648871129	#		BA	BAM	NLD	8523.8090.00
CXONE-LTCD-EV4	CX-One Lite v4.x software, for Windows 2000/XP/Vista, supplied on 2x CDs, (requires licence number CXOne-LT01-EV4), limited to program the CPx PLC platform	21.78	EC000809	313839	4547648871136			BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-ME-V4	CX-Supervisor V4 Machine Edition Runtime package (with USB dongle)	629.50	EC001416	695998	4549734667920	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-PLUS-V4	CX-Supervisor V4 PLUS Runtime package (with USB dongle)	988.50	EC001416	695997	4549734667937	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-TRIAL-V4	CX-Supervisor V4 trial version, with 2 hours communication (and other limitations)	53.10	EC001416	696220	4549734667944			BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-UPGR-V4	CX-Supervisor V3 to V4.0 developer upgrade	665.00	EC001416	696221	4549734667913			BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-V4	CX-Supervisor Developer package, Requires CX-SUPERVISOR-RUN-ME-V4 or CX-SUPERVISOR-RUN-PLUS-V4 runtime package with USB dongle	629.50	EC001416	695839	4549734667906	#		BA	BAM	NLD	8523.8090.00
CX-COMPOLET-EV1-01L	1 License Software with components to create programs for com. between PC's and PLC's. Developm. environment: Visual Studio, .NET2003/2005/2008/2010/2013. Developm. languages: VB, .NET, Visual C#. This packaged is bundled with SYSMAC Gateway	419.40	EC001435	342189	4547648887182			BA	BAM	NLD	8523.8090.00
Control System CP2											
CP2E-E14DR-A	CP2E series compact PLC - Essential Type; 8 DI, 6DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	284.30	EC000236	689939	4549734542470	#		BA	BAN	CHN	8471.4100.00
CP2E-E20DR-A	CP2E series compact PLC - Essential Type; 12 DI, 8DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	304.90	EC000236	689940	4549734542487	#		BA	BAN	CHN	8471.4100.00
CP2E-E30DR-A	CP2E series compact PLC - Essential Type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	414.10	EC000236	689941	4549734542494	#		BA	BAN	CHN	8471.4100.00
CP2E-E40DR-A	CP2E series compact PLC - Essential Type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	478.00	EC000236	689942	4549734542500			BA	BAN	CHN	8471.4100.00
CP2E-E60DR-A	CP2E series compact PLC - Essential Type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	577.00	EC000236	689943	4549734542517		3	BA	BAN	CHN	8471.4100.00
CP2E-N14DR-A	CP2E series compact PLC - Network type; 8 DI, 6DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	414.10	EC000236	689981	4549734542135			BA	BAN	CHN	8471.4100.00
CP2E-N14DR-D	CP2E series compact PLC - Network type; 8 DI, 6DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	414.10	EC000236	689976	4549734542180			BA	BAN	CHN	8471.4100.00
CP2E-N14DT1-D	CP2E series compact PLC - Network type; 8 DI, 6DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	414.10	EC000236	689925	4549734542333	#		BA	BAN	CHN	8471.4100.00
CP2E-N20DR-A	CP2E series compact PLC - Network type; 12 DI, 8DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	478.00	EC000236	689980	4549734542142			BA	BAN	CHN	8471.4100.00
CP2E-N20DR-D	CP2E series compact PLC - Network type; 12 DI, 8DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	478.00	EC000236	689975	4549734542197			BA	BAN	CHN	8471.4100.00
CP2E-N20DT1-D	CP2E series compact PLC - Network type; 12 DI, 8DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	478.00	EC000236	689926	4549734542340	#		BA	BAN	CHN	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP2E-N30DR-A	CP2E series compact PLC - Network type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	577.00	EC000236	689979	4549734542159			BA	BAN	CHN	8471.4100.00
CP2E-N30DR-D	CP2E series compact PLC - Network type; 18 DI, 12DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	577.00	EC000236	689974	4549734542203			BA	BAN	CHN	8471.4100.00
CP2E-N30DT1-D	CP2E series compact PLC - Network type; 18 DI, 12DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	577.00	EC000236	689927	4549734542357	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DT-D	CP2E series compact PLC - Network type; 18 DI, 12DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	577.00	EC000236	689922	4549734542302			BA	BAN	CHN	8471.4100.00
CP2E-N40DR-A	CP2E series compact PLC - Network type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	719.00	EC000236	689978	4549734542166	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-D	CP2E series compact PLC - Network type; 24 DI, 16 DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	719.00	EC000236	689973	4549734542210	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DT1-D	CP2E series compact PLC - Network type; 24 DI, 16 DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	719.00	EC000236	689928	4549734542364	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DT-D	CP2E series compact PLC - Network type; 24 DI, 16 DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	719.00	EC000236	689923	4549734542319			BA	BAN	CHN	8471.4100.00
CP2E-N60DR-A	CP2E series compact PLC - Network type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	914.00	EC000236	689977	4549734542173	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DR-D	CP2E series compact PLC - Network type; 36 DI, 24DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	914.00	EC000236	689972	4549734542227	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DT1-D	CP2E series compact PLC - Network type; 36 DI, 24DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	914.00	EC000236	689929	4549734542371	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DR-A	CP2E series compact PLC - Standard Type; 18 DI, 12DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	478.00	EC000236	689930	4549734542388	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DT1-D	CP2E series compact PLC - Standard Type; 18 DI, 12DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	478.00	EC000236	689936	4549734542449	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DR-A	CP2E series compact PLC - Standard Type; 24 DI, 16 DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	577.00	EC000236	689931	4549734542395	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DT1-D	CP2E series compact PLC - Standard Type; 24 DI, 16 DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	577.00	EC000236	689937	4549734542456	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DR-A	CP2E series compact PLC - Standard Type; 36 DI, 24DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	719.00	EC000236	689932	4549734542401	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DT1-D	CP2E series compact PLC - Standard Type; 36 DI, 24DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	719.00	EC000236	689938	4549734542463	#		BA	BAN	CHN	8471.4100.00

Other Control System

SRM1-C02-V2	CompoBus/S master PLC unit, 24 VDC supply, 256 I/O points max, RS-232C port	834.50	EC000236	111590	4536854483066			BA	BAX	JPN	8471.4100.00
W4S1-03B	3-port basic Ethernet switch	221.10	EC000734	274904	4547648602952	#		BA	BAX	JPN	8473.3080.00
W4S1-05B	5-port basic ethernet switch	351.50	EC000734	274905	4547648603027	#		BA	BAX	JPN	8473.3080.00
W4S1-05C	5-port enhanced ethernet switch	419.20	EC000734	274906	4547648603041	#		BA	BAX	JPN	8473.3080.00
W4S1-05D	5-port enhanced Ethernet switch	315.00	EC000734	702123	4549734712224			BA	BAX	JPN	8517.6200.00
HMC-EF283	Flash memory card, 256MB	573.00	EC000192	699230	4549734599733			BA	BAX	TWN	8471.6070.00
HMC-EF583	Flash memory card, 512MB	827.00	EC000192	239897	4547648276399			BA	BAX	JPN	8471.6070.00
G70A-ZOC16-3 DC24	Output Terminal Block for Relay or SSR, 16-point, for NPN output units	160.30	EC002780	377345	4548583411821			BA	BAX	CHN	8536.4900.99
G70A-ZOC16-4 DC24	Output Terminal Block for Relay or SSR, 16-point, for PNP output units	160.30	EC002780	377346	4548583411838			BA	BAX	CHN	8536.4900.99

Special Control System

CJ1W-F130	Load cell input unit, 1 channel, high-performance, 10 VDC or 2.5 VDC, max. 4 x 350 Ohm load cells, screw terminal	4345.00	EC001422	372912	4547648949613			BA	BAY	JPN	8471.6070.00
-----------	---	---------	----------	--------	---------------	--	--	----	-----	-----	--------------

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Accessory for Control System											
CP1W-CN221	USB Programming cable, A-type male to B-type male, 1.8 m	10.32	EC001681	676856	4549734914413	#		BA	BAZ	CHN	8544.4290.90
CP1W-CN811	I/O expansion cable for CP1-series, 80 cm	83.95	EC002584	209406	4547648203630	#		BA	BAZ	CHN	8544.4290.90
CP1W-EXT01	CP1H CPU to CJ1W unit adapter, includes CJ endplate	100.90	EC002584	209407	4547648203647	#		BA	BAZ	CHN	8473.3080.00
CP1W-ME05M	CP1 memory cassette (for upload/download of user program)	66.65	EC000192	209405	4547648203623			BA	BAZ	CHN	8542.3255.00
CP1W-SWB06	Input simulation switch board	54.90	EC000238	239599	4536853913489			BA	BAZ	NLD	8473.3080.00
CPM2C-BAT01	Battery for CPM2C PLCs	53.30	EC002584	157651	4536854490033			BA	BAZ	JPN	8506.5090.90
CPM2C-CN111	Adapter cable, 0.1 m, converts peripheral port into RS-232C port and a peripheral port	124.90	EC001681	224547	4547648227148			BA	BAZ	CHN	8544.4290.90
CPM2A-BAT01	Battery for CPM2A/CQM1H/CJ1G/CJ1H PLCs	67.95	EC002584	659247	4548583951709	#		BA	BAZ	JPN	8506.5090.90
CJ1W-BAT01	Battery for CJ1M PLCs	52.70	EC002584	659004	4548583950603	#		BA	BAZ	JPN	8506.5090.90
CJ1W-TER01	End plate for CJ1 CPU rack or expansion rack. Only required as spare part.	105.00	EC002584	136072	4536854716195			BA	BAZ	JPN	8471.9000.00
CS1W-CN133-B2	CS1/CJ/NJ connecting cable, 12 m	603.50	EC002584	224538	4547648226875			BA	BAZ	CHN	8544.4290.90
CS1W-CN133	I/O expansion rack connecting cable for NJ/CJ/CS-series, 10 m	480.90	EC002584	224537	4547648226868			BA	BAZ	CHN	8544.4290.90
CS1W-CN223	I/O expansion rack connecting cable for NJ/CJ/CS-series, 2 m	226.40	EC002584	224550	4547648226837			BA	BAZ	CHN	8544.4290.90
CS1W-CN313	I/O expansion rack connecting cable for NJ/CJ/CS-series, 30 cm	100.50	EC002584	224548	4547648226813			BA	BAZ	CHN	8544.4290.90
CS1W-CN323	I/O expansion rack connecting cable for NJ/CJ/CS-series, 3 m	259.20	EC002584	224551	4547648226844			BA	BAZ	CHN	8544.4290.90
CS1W-CN523	I/O expansion rack connecting cable for NJ/CJ/CS-series, 5 m	302.00	EC002584	224552	4547648226851			BA	BAZ	CHN	8544.4290.90
CS1W-CN713	I/O expansion rack connecting cable for NJ/CJ/CS-series, 70 cm	150.10	EC002584	224549	4547648226820			BA	BAZ	CHN	8544.4290.90
CS1W-BAT01	Battery for CS1 PLCs	47.99	EC002584	668348	4548583960404			BA	BAZ	JPN	8506.5090.90
CS1W-SP001	Space unit for vacant I/O slots on CS1 backplane	10.45	EC002584	168049	4547648023191			BA	BAZ	JPN	8523.8090.00
CJ1W-CIF11	RS-485 adaptor, 2 or 4 wire, connects directly to RS-232C 9-pin port for serial PLC link, screw terminals on RS-485 side	169.10	EC001467	147038	4536854855863			BA	BAZ	JPN	8471.6070.00
CQM1H-CIF12	RS-422 adapter unit for CQM1H, converts peripheral port to RS-422, DIN rail mounting, 0.2 m cable (use with CQM1H-CPU lot no. 1461N or later)	283.20	EC001467	250267	4547648511049			BA	BAZ	CHN	8537.1098.99
CS1W-CIF31	Cable, PC USB to RS-232C converter cable, for Windows 98/ME/2000/XP, drivers included on CD-ROM, an Omron programming cable is also required	245.30	EC001467	103601	4536854935596	#		BA	BAZ	JPN	8471.6070.00
CS1W-CN114	Communication adapter, CQM1-PRO01 to CS1/CQM1H/CPM2C, 0.1 m	86.90	EC001681	224561	4547648227056			BA	BAZ	CHN	8544.4290.90
CS1W-CN118	Communication adapter, CS1/CQM1H/CPM2C peripheral port to 9-pin receptacle (use with XW2Z-***S-CV), 0.1 m	86.90	EC001681	224559	4547648227025			BA	BAZ	CHN	8544.4290.90
CS1W-CN226	Communication cable, CS1/CQM1H/CPM2C/CJ1 peripheral port to PC 9-pin RS-232C port, 2 m	124.50	EC001681	224557	4547648226998	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN626	Communication cable, CS1/CQM1H/CPM2C peripheral port to PC 9-pin RS-232C port, 6 m	179.60	EC001681	224558	4547648227001			BA	BAZ	CHN	8544.4290.90
XSSW-T421-BM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 0.5 m	43.05	EC002599	375715	4548583003774		10	BA	BAZ	JPN	8544.4290.90
XSSW-T421-CM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 1 m	48.68	EC002599	375716	4548583003781		10	BA	BAZ	JPN	8544.4290.90
XSSW-T421-CMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 1 m	55.05	EC002599	375724	4548583003873		10	BA	BAZ	JPN	8544.4290.90
XSSW-T421-CMD-K	Ethernet Cat.5 cable, PVC, RJ45 plug / RJ45 plug, 1 m	126.90	EC002599	375709	4547648843904		10	BA	BAZ	JPN	8544.4290.90
XSSW-T421-DM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 2 m	56.40	EC002599	375717	4548583003798		5	BA	BAZ	JPN	8544.4290.90
XSSW-T421-DMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 2 m	62.40	EC002599	375712	4547648832212			BA	BAZ	JPN	8544.4290.90
XSSW-T421-DMC-SS	EtherCAT cable, improved shield, M12 straight plug / RJ45 plug, 2 m	112.50	EC002599	671204	4548583869301		11	BA	BAZ	JPN	8544.4290.90
XSSW-T421-EM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 3 m	66.25	EC002599	375718	4548583003811		5	BA	BAZ	JPN	8544.4290.90
XSSW-T421-EM2-SS	EtherCAT cable, improved shield, M12 straight plug / M12 straight plug, 3 m	97.90	EC002599	671208	4548583869257			BA	BAZ	JPN	8544.4290.90
XSSW-T421-EMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 3 m	70.05	EC002599	375725	4548583003880		5	BA	BAZ	JPN	8544.4290.90
XSSW-T421-EMC-SS	EtherCAT cable, improved shield, M12 straight plug / RJ45 plug, 3 m	126.00	EC002599	671211	4548583869318		5	BA	BAZ	JPN	8544.4290.90
XSSW-T421-GM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 5 m	85.80	EC002599	375719	4548583003828			BA	BAZ	JPN	8544.4290.90
XSSW-T421-GMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 5 m	83.70	EC002599	375713	4547648832229		2	BA	BAZ	JPN	8544.4290.90
XSSW-T421-GMC-SS	EtherCAT cable, improved shield, M12 straight plug / RJ45 plug, 5 m	150.60	EC002599	671207	4548583869325			BA	BAZ	JPN	8544.4290.90
XSSW-T421-JM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug / M12 straight plug, 10 m	126.60	EC002599	375720	4548583003835			BA	BAZ	JPN	8544.4290.90
XSSW-T421-JMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 10 m	121.20	EC002599	375726	4548583003897	#		BA	BAZ	JPN	8544.4290.90
XSSW-T421-JMC-SS	EtherCAT cable, improved shield, M12 straight plug / RJ45 plug, 10 m	210.50	EC002599	671212	4548583869332			BA	BAZ	JPN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XS5W-T421-JMD-K	Ethernet Cat.5 cable, PVC, RJ45 plug / RJ45 plug, 10 m	229.20	EC002599	357513	4547648843942			BA	BAZ	JPN	8544.4290.90
XS5W-T421-KMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug / RJ45 plug, 15 m	147.90	EC002599	375714	4547648832236			BA	BAZ	JPN	8544.4290.90
XS5W-T422-GMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 5 m	83.70	EC002599	375732	4548583361607		5	BA	BAZ	JPN	8544.4290.90
XSG6-T421-1	RJ45 connector assembly (For AWG22 to AWG24)	40.64	EC001121	357515	4548583002180		16	BA	BAZ	CHE	8544.4290.90
XS6W-5PUR85S1000CM-G	Ethernet patch cable, S/FTP, Cat.5, PUR (Green), 10 m	65.20	EC002599	374597	4548583378797			BA	BAZ	CHN	8544.4210.00
XS6W-5PUR85S100CM-G	Ethernet patch cable, S/FTP, Cat.5, PUR (Green), 1 m	15.77	EC002599	374591	4548583378735	#		BA	BAZ	CHN	8544.4210.00
XS6W-5PUR85S1500CM-G	Ethernet patch cable, S/FTP, Cat.5, PUR (Green), 15 m	93.15	EC002599	374598	4548583378803			BA	BAZ	CHN	8544.4210.00
XS6W-5PUR85S2000CM-G	Ethernet patch cable, S/FTP, Cat.5, PUR (Green), 20 m	121.20	EC002599	374599	4548583378810			BA	BAZ	CHN	8544.4210.00
XS6W-5PUR85S200CM-G	Ethernet patch cable, S/FTP, Cat.5, PUR (Green), 2 m	21.35	EC002599	374593	4548583378759			BA	BAZ	CHN	8544.4210.00
XS6W-5PUR85S300CM-G	Ethernet patch cable, S/FTP, Cat.5, PUR (Green), 3 m	26.76	EC002599	374594	4548583378766			BA	BAZ	CHN	8544.4210.00
XS6W-5PUR85S500CM-G	Ethernet patch cable, S/FTP, Cat.5, PUR (Green), 5 m	37.52	EC002599	374595	4548583378773			BA	BAZ	CHN	8544.4210.00
XS6W-5PUR85S050CM-G	Ethernet patch cable, S/FTP, Cat.5, PUR (Green), 0.5 m	13.01	EC002599	374590	4548583378728	#		BA	BAZ	CHN	8544.4210.00
XS6W-5PUR85S750CM-G	Ethernet patch cable, S/FTP, Cat.5, PUR (Green), 7.5 m	51.45	EC002599	374596	4548583378780			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S1000CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 10 m	39.03	EC002599	374609	4548583378674			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S1000CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 10 m	39.03	EC002599	374621	4548583378551	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S1000CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 10 m	39.03	EC002599	374587	4548583378438	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S100CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 1 m	9.45	EC002599	374603	4548583378612	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S100CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 1 m	9.45	EC002599	374615	4548583378490	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S100CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 1 m	9.45	EC002599	374581	4548583378360	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S1500CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 15 m	55.50	EC002599	374610	4548583378681			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S1500CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 15 m	55.50	EC002599	374622	4548583378568			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S1500CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 15 m	55.50	EC002599	374588	4548583378445	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S150CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 1.5 m	11.07	EC002599	374582	4548583378384	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S2000CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 20 m	71.70	EC002599	374611	4548583378698			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S2000CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 20 m	71.70	EC002599	374623	4548583378575			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S2000CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 20 m	71.70	EC002599	374589	4548583378452	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S200CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 2 m	12.73	EC002599	374605	4548583378636	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S200CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 2 m	12.73	EC002599	374617	4548583378513	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S200CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 2 m	12.73	EC002599	374583	4548583378391	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S20CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 0.2 m	7.07	EC002599	374612	4548583378469			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S20CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 0.2 m	7.07	EC002599	374578	4548583378322	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S300CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 3 m	16.00	EC002599	374606	4548583378643			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S300CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 3 m	16.00	EC002599	374618	4548583378520			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S300CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 3 m	16.00	EC002599	374584	4548583378407	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S30CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 0.3 m	7.32	EC002599	374601	4548583378599			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S30CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 0.3 m	7.32	EC002599	374613	4548583378476	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S30CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 0.3 m	7.47	EC002599	374579	4548583378339	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S500CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 5 m	22.55	EC002599	374607	4548583378650	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S500CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 5 m	22.55	EC002599	374619	4548583378537	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S500CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 5 m	22.55	EC002599	374585	4548583378414	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S050CM-B	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Blue), 0.5 m	7.81	EC002599	374602	4548583378605			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S050CM-G	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Green), 0.5 m	7.81	EC002599	374614	4548583378483			BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S050CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 0.5 m	7.81	EC002599	374580	4548583378346	#		BA	BAZ	CHN	8544.4210.00
XS6W-6LSZH85S750CM-Y	Ethernet patch cable, F/UTP, Cat.6A, LSZH (Yellow), 7.5 m	30.84	EC002599	374586	4548583378421	#		BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S1000CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 10 m	91.90	EC002599	702423	4549734686044			BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S100CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1 m	27.83	EC002599	702417	4549734685986			BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S1500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 15 m	133.40	EC002599	702424	4549734686051			BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S150CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1.5 m	33.08	EC002599	702418	4549734685993			BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S2000CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 20 m	173.30	EC002599	702425	4549734686068			BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S200CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 2 m	33.60	EC002599	702419	4549734686006			BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S20CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.2 m	14.18	EC002599	702414	4549734685955			BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S300CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 3 m	35.70	EC002599	702420	4549734686013			BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S30CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.3 m	21.00	EC002599	702415	4549734685962			BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 5 m	52.00	EC002599	702421	4549734686020			BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S050CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.5 m	23.10	EC002599	702416	4549734685979			BA	BAZ	CHN	8544.4210.00
XS6W-6PUR85S750CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 7.5 m	70.35	EC002599	702422	4549734686037			BA	BAZ	CHN	8544.4210.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
C200H-BAT09	Battery for CMINIH/C200H PLCs	55.30	EC002584	659246	4548583951693			BA	BAZ	JPN	8506.5090.90
C500-BAT08	Battery for CQM1(NOT CQM1H), CK/C500/C1000H/C2000H/CV PLCs & NT/NS HMIs	61.40	EC002584	668347	4548583960398			BA	BAZ	JPN	8506.5090.90
HMC-AP001	Memory card adaptor (for memory card to PC PCMCIA port)	105.60	EC000192	103192	4536854446030			BA	BAZ	JPN	8537.1098.99
HMC-EF183	Flash memory card, 128MB	176.30	EC000192	696105	4549734599726		20	BA	BAZ	TWN	8542.3190.00
CJ-OD507-18P-5	Set of 5 screw terminal blocks (18-points) for CJ1 I/O units	125.20	EC002584	210956	4547648850391			BA	BAZ	NLD	8538.9099.99
CJ-WM01-18P-5	Set of 5 screwless clamp terminal blocks (18-points) for CJ1 I/O units	129.80	EC002584	172166	4536853882853			BA	BAZ	NLD	8538.9099.99
C500-CE241	FCN connector, 24 pin, solder type	27.46	EC002584	157398	4536854287541			BA	BAZ	JPN	8473.3080.00
C500-CE243	FCN connector, 24 pin, pressure weld type	60.70	EC002584	146377	4536854287565			BA	BAZ	JPN	8473.3080.00
C500-CE404	FCN connector, 40 pin, solder type, with right-angle connector cover	44.94	EC002584	159089	4536854288241			BA	BAZ	JPN	8473.3080.00
G7TC-OC16 DC24	Output Terminal Block for NPN output unit, 16 points, Relay coil voltage = 24 V DC	342.10	EC002780	377357	4548583411807			BA	BAZ	CHN	8536.4900.99
XW2Z-RA200C	I/O connection cable, with shield connection, MIL20 to open ends, 2 m	96.10	EC000237	670323	4548583800298			BA	BAZ	JPN	8544.4290.90
XW2Z-RO100-75-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70V-ZOC16-3, 1 m	90.55	EC000237	688652	4549734137478			BA	BAZ	JPN	8544.4290.90
XW2Z-RO100C-75	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 1 m / 0.75 m	78.55	EC000237	670320	4548583800410		3	BA	BAZ	JPN	8544.4290.90
XW2Z-RO200-175-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70V-ZOC16-3, 2.0 m and 1.75 m	158.60	EC000237	680946	4549734137416			BA	BAZ	JPN	8536.4900.99
XW2Z-RO200C-175	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70 A-ZOC16-3, 2 m / 1.75 m	94.80	EC000237	670315	4548583800434			BA	BAZ	JPN	8544.4290.90
XW2Z-RO300-275-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70V-ZOC16-3, 3.00 m and 2.75 m	138.60	EC000237	695724	4549734137386			BA	BAZ	JPN	8544.4290.90
XW2Z-RO300C-275	I/O connection cable, with shield connection, FCN40 to 2 x MIL20 for G70A-ZOC16-3, 3 m / 2.75 m	111.90	EC000237	670329	4548583800441			BA	BAZ	JPN	8544.4290.90
XW2Z-RO50C	I/O connection cable, MIL20 to MIL20 for XW2*-20G* or G70A-ZOC16-3, 0.5 m	77.95	EC000237	670335	4548583800526			BA	BAZ	JPN	8544.4290.90
XW2Z-RO75-50-D1	I/O connection cable, with shield connection, MIL40 to 2 x MIL20 for G70V-ZOC16-3, 0.75 m	155.60	EC000237	670326	4548583800564			BA	BAZ	JPN	8536.4900.99
XW2Z-RY100C	I/O connection cable, with shield connection, MIL20 to fork terminals, 1 m	73.10	EC000237	670328	4548583800243			BA	BAZ	JPN	8544.4290.90
XW2Z-RY200C	I/O connection cable, with shield connection, MIL20 to fork terminals, 2 m	88.45	EC000237	670307	4548583800267			BA	BAZ	JPN	8544.4290.90
Human Machine Interface Software											
CX-LITE-EV2	CX-Server Lite software package, (single licence) supports serial, Ethernet, controller Link communications, for Windows2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 and 2008 (32 bit), CD-ROM	359.70	EC001416	249713	4547648857680			BB	BBG	NLD	8523.8090.00
CX-OPC-EV2	CX-Server OPC software(Single Licence), for Windows2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 and 2008 (32 bit), single-user licence, CD-Rom	718.50	EC001416	249714	4547648857703			BB	BBG	NLD	8523.8090.00
NS-NSRCL1	NS-Runtime software, for Windows XP, 1 x USB Dongle	1445.00	EC001435	235310	4547648352567		#	BB	BBG	JPN	8523.8090.00
Human Machine Interface NS5											
NS5-SQ10B-V2	Touch screen HMI, 5,7 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 320x240 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, black case	1805.00	EC001412	250153	4547648587617			BB	BBI	JPN	8471.6070.00
NS5-SQ10-V2	Touch screen HMI, 5,7 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 320x240 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, beige case	1805.00	EC001412	250152	4547648587594		#	BB	BBI	JPN	8471.6070.00
NS5-SQ11B-V2	Touch screen HMI, 5,7 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 320x240 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, black case	2069.00	EC001412	250155	4547648587648			BB	BBI	JPN	8471.6070.00
NS5-SQ11-V2	Touch screen HMI, 5,7 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 320x240 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, beige case	2069.00	EC001412	250154	4547648587631		#	BB	BBI	JPN	8471.6070.00
NS5-TQ10B-V2	Touch screen HMI, 5,7 inch, high-brightness TFT, 256 colors (32,768 colors for .BMP/JPG), 320x240 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, black case	2090.00	EC001412	250157	4547648587679			BB	BBI	JPN	8471.6070.00
NS5-TQ10-V2	Touch screen HMI, 5,7 inch, high-brightness TFT, 256 colors (32,768 colors for .BMP/JPG), 320x240 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, beige case	2090.00	EC001412	250156	4547648587655			BB	BBI	JPN	8471.6070.00
NS5-TQ11B-V2	Touch screen HMI, 5,7 inch, high-brightness TFT, 256 colors (32,768 colors for .BMP/JPG), 320x240 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, black case	2291.00	EC001412	250159	4547648587709			BB	BBI	JPN	8471.6070.00
NS5-TQ11-V2	Touch screen HMI, 5,7 inch, high-brightness TFT, 256 colors (32,768 colors for .BMP/JPG), 320x240 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, beige case	2291.00	EC001412	250158	4547648587693			BB	BBI	JPN	8471.6070.00
NSH5-SQR10B	Handheld programmable terminal (HMI / touch screen), 5,7 inch, STN, 256 colors (4,096 colors for .BMP/JPG), 320x240 pixels, 60MByte memory, 24 VDC, requires NSH5 special cable, black case(Red Switch Emergency)	2338.00	EC001427	250160	4547648587716			BB	BBI	JPN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Human Machine Interface NS8											
NS8-TV00B-V2	Touch screen HMI, 8.4 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 640x480 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, black case	2841.00	EC001412	209577	4547648212069			BB	BBJ	JPN	8471.6070.00
NS8-TV00-V2	Touch screen HMI, 8.4 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 640x480 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, beige case	2841.00	EC001412	209576	4547648212052	#		BB	BBJ	JPN	8471.6070.00
NS8-TV01B-V2	Touch screen HMI, 8.4 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 640x480 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 60MByte memory, 24 VDC, black case	3201.00	EC001412	209579	4547648212083	#		BB	BBJ	JPN	8471.6070.00
NS8-TV01-V2	Touch screen HMI, 8.4 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 640x480 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 60MByte memory, 24 VDC, beige case	3201.00	EC001412	209578	4547648212076	#		BB	BBJ	JPN	8471.6070.00
Human Machine Interface NS10											
NS10-TV00B-V2	Touch screen HMI, 10.4 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 640x480 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, black case	3888.00	EC001412	209581	4547648212021			BB	BBK	JPN	8471.6070.00
NS10-TV00-V2	Touch screen HMI, 10.4 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 640x480 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, beige case	3888.00	EC001412	209580	4547648212014	#		BB	BBK	JPN	8471.6070.00
NS10-TV01B-V2	Touch screen HMI, 10.4 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 640x480 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, black case	4319.00	EC001412	209583	4547648212045			BB	BBK	JPN	8471.6070.00
NS10-TV01-V2	Touch screen HMI, 10.4 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 640x480 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, beige case	4319.00	EC001412	209582	4547648212038			BB	BBK	JPN	8471.6070.00
Human Machine Interface NS12											
NS12-TS00B-V2	Touch screen HMI, 12.1 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 800x600 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, black case	4751.00	EC001412	204266	4547648211987			BB	BBL	JPN	8471.6070.00
NS12-TS00-V2	Touch screen HMI, 12.1 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 800x600 pixels, 2 x RS-232C ports, 60MByte memory, 24 VDC, beige case	4751.00	EC001412	204265	4547648211970			BB	BBL	JPN	8471.6070.00
NS12-TS01B-V2	Touch screen HMI, 12.1 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 800x600 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, black case	5190.00	EC001412	204268	4547648212007			BB	BBL	JPN	8471.6070.00
NS12-TS01-V2	Touch screen HMI, 12.1 inch, TFT, 256 colors (32,768 colors for .BMP/JPG), 800x600 pixels, 2 x RS-232C ports, Ethernet (10/100 Base-T), 24 VDC, 60MByte memory, 24 VDC, beige case	5190.00	EC001412	204267	4547648211994			BB	BBL	JPN	8471.6070.00
Human Machine Interface NS15											
NS15-TX01B-V2	Touch screen HMI, 15 inch XGA, TFT, 256 colors, 1024x768 pixels, 1 x RS-232C & 1 x RS422 ports, Ethernet (10/100 Base-T), 60MByte memory, 24 VDC, black case	5680.00	EC001412	304977	4547648741231			BB	BBN	JPN	8531.2040.90
NS15-TX01S-V2	Touch screen HMI, 15 inch XGA, TFT, 256 colors, 1024x768 pixels, 1 x RS-232C & 1 x RS422 ports, Ethernet (10/100 Base-T), 60MByte memory, 24 VDC, silver case	5850.00	EC001412	258566	4547648624244			BB	BBN	JPN	8531.2040.90
Human Machine Interface NB											
NB10W-TW01B	Touch screen HMI, 10.1 inch WVGA (800 x 480 pixel), TFT color, Ethernet + USB Host	1659.00	EC001412	392035	4548583501881	#		BB	BBP	NLD	8531.2040.90
NB3Q-TW00B	Touch screen HMI, 3.5 inch QVGA (320 x 240 pixel), TFT color	439.90	EC001412	392036	4548583501805	#		BB	BBP	NLD	8531.2040.90
NB3Q-TW01B	Touch screen HMI, 3.5 inch QVGA (320 x 240 pixel), TFT color, Ethernet + USB Host	564.50	EC001412	392037	4548583501812	#		BB	BBP	NLD	8531.2040.90
NB5Q-TW00B	Touch screen HMI, 5.6 inch QVGA (320 x 234 pixel), TFT color	540.00	EC001412	392038	4548583501836	#		BB	BBP	NLD	8531.2040.90
NB5Q-TW01B	Touch screen HMI, 5.6 inch QVGA (320 x 234 pixel), TFT color, Ethernet + USB Host	663.00	EC001412	392039	4548583501850	#		BB	BBP	NLD	8531.2040.90
NB7W-TW00B	Touch screen HMI, 7 inch WVGA (800 x 480 pixel), TFT color	681.00	EC001412	392040	4548583501867	#		BB	BBP	NLD	8531.2040.90
NB7W-TW01B	Touch screen HMI, 7 inch WVGA (800 x 480 pixel), TFT color, Ethernet + USB Host	845.50	EC001412	392041	4548583501874	#		BB	BBP	NLD	8531.2040.90
NB10W-KBA04	Accessory HMI, protective sheets for NB10W (5 sheets)	62.90	EC002584	371955	4548583313880			BB	BBP	CHN	3919.9080.99
NB3Q-KBA04	Accessory HMI, protective sheets for NB3Q (5 sheets)	22.50	EC002584	371958	4548583313873			BB	BBP	CHN	3919.9080.99
NB5Q-KBA04	Accessory HMI, protective sheets for NB5Q (5 sheets)	24.84	EC002584	364950	4548583108073			BB	BBP	CHN	3919.9080.99
NB7W-KBA04	Protective sheets for NB7W (5 sheets)	41.22	EC002584	364953	4548583108097			BB	BBP	CHN	3919.9080.99
NB-ATT01	Attachment brackets for NB terminals (10 pcs.)	24.84	EC002584	364946	4548583132771			BB	BBP	CHN	8531.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Human Machine Interface NA											
NA5-12W101B-V1	Touch screen HMI, 12.1 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Black	4015.00	EC001412	693975	4549734556552	#		BB	BBR	NLD	8531.2040.90
NA5-12W101S-V1	Touch screen HMI, 12.1 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Silver	4015.00	EC001412	693976	4549734556545	#		BB	BBR	NLD	8531.2040.90
NA5-15W101B-V1	Touch screen HMI, 15.4 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Black	4366.00	EC001412	693973	4549734556576	#		BB	BBR	NLD	8531.2040.90
NA5-15W101S-V1	Touch screen HMI, 15.4 inch wide screen, TFT LCD, 24bit color, 1280x800 resolution, frame color : Silver	4366.00	EC001412	693974	4549734556569	#		BB	BBR	NLD	8531.2040.90
NA5-7W001B-V1	Touch screen HMI, 7 inch wide screen, TFT LCD, 24bit color, 800x480 resolution, frame color : Black	1954.00	EC001412	693979	4549734556514	#		BB	BBR	NLD	8531.2040.90
NA5-7W001S-V1	Touch screen HMI, 7 inch wide screen, TFT LCD, 24bit color, 800x480 resolution, frame color : Silver	1954.00	EC001412	693980	4549734556507	#		BB	BBR	NLD	8531.2040.90
NA5-9W001B-V1	Touch screen HMI, 9 inch wide screen, TFT LCD, 24bit color, 800x480 resolution, frame color : Black	2953.00	EC001412	693977	4549734556538	#		BB	BBR	NLD	8531.2040.90
NA5-9W001S-V1	Touch screen HMI, 9 inch wide screen, TFT LCD, 24bit color, 800x480 resolution, frame color : Silver	2953.00	EC001412	693978	4549734556521	#		BB	BBR	NLD	8531.2040.90
NA-15WKBA04	Protective cover sheets for NA5 15" HMI (contains 5 sheets)	308.90	EC002584	393041	4548583532007			BB	BBR	NLD	3919.9080.99
NA-7WATW01	High Pressure waterproof attachment for NA5 7" HMI	196.80	EC002584	667319	4548583748118			BB	BBR	NLD	8531.9000.00
Human Machine Interface OtherHMI											
NV3W-MG20L	Touch screen HMI, 3.8 inch STN Mono LED: Green/Orange/Red, RS232C, 5VDC	514.00	EC001412	659076	4548583588028			BB	BBX	JPN	8531.2040.90
NV3W-MR20L	Touch screen HMI, 3.8 inch STN Mono LED: White/Pink/Red, RS232C, 5VDC	514.00	EC001412	659074	4548583588059			BB	BBX	JPN	8531.2040.90
Accessory for Human Machine Interface											
NS12-KBA04	Anti-reflective sheets for NS10/12 HMI, pack of 5	151.90	EC002584	113736	4536854712241			BB	BBZ	JPN	3919.9080.99
NSH5-232UL-10M	NSH5 cable, 10 m (RS-232C communications, 24 VDC, function key + E-stop + enabling switch wires)	734.00	EC001681	226939	4547648269582			BB	BBZ	JPN	8531.9000.00
NSH5-ATT02	NSH5 wall mounting bracket	64.95	EC002584	213204	4547648217170			BB	BBZ	JPN	8531.9000.00
XW2Z-S002-NL	RS-232C communication cable between PC and PLC/HMI, 2 m	42.14	EC001681	659674	4548583954366			BB	BBZ	ITA	8544.4210.00
NS7-KBA05N	Protective covers (transparent) for NS8 HMI, pack of 5	280.30	EC002584	180449	4547648043533			BB	BBZ	JPN	8531.9000.00
NS-AL002	RS-232C-RS422/485 adapter (500 m, not isolated) for NS HMI	173.50	EC002584	113738	4536854712234	#		BB	BBZ	JPN	8473.3080.00
Remote I/O SRT (CompoBus/S)											
SRS1-T	CompoBus/S network terminator block, screw terminal	13.95	EC002584	338264	4547648812856			BF	BFC	CHN	8471.6070.00
SRT2-ID04-1	CompoBus/S digital input terminal, 4x 24 VDC inputs, PNP	224.00	EC001599	226528	4547648209168			BF	BFC	CHN	8471.6070.00
SRT2-ID08-1	CompoBus/S digital input terminal, 8x 24 VDC inputs, PNP	238.50	EC001599	226518	4547648209182			BF	BFC	CHN	8471.6070.00
SRT2-ID08	CompoBus/S digital input terminal, 8x 24 VDC inputs, NPN	238.50	EC001599	226529	4547648209175			BF	BFC	CHN	8471.6070.00
SRT2-ID08CL-1	CompoBus/S IP67 digital input terminal, 8x 24 VDC inputs, PNP	457.50	EC001599	338283	4547648814669			BF	BFC	CHN	8471.6070.00
SRT2-ID16-1	CompoBus/S digital input terminal, 16x 24 VDC inputs, PNP	320.70	EC001599	226519	4547648209205	#		BF	BFC	CHN	8471.6070.00
SRT2-ID16	CompoBus/S digital input terminal, 16x 24 VDC inputs, NPN	320.70	EC001599	226530	4547648209199			BF	BFC	CHN	8471.6070.00
SRT2-ID16T-1	CompoBus/S digital input terminal, 16x 24 VDC inputs, PNP, 3-tier connection	390.80	EC001599	338276	4547648814553			BF	BFC	CHN	8471.6070.00
SRT2-OD04-1	CompoBus/S digital output terminal, 4x transistor outputs, PNP, 0.3 A, 24 VDC	234.60	EC001599	226531	4547648209229			BF	BFC	CHN	8471.6070.00
SRT2-OD08-1	CompoBus/S digital output terminal, 8x transistor outputs, PNP, 0.3 A, 24 VDC	242.60	EC001599	226521	4547648209243			BF	BFC	CHN	8471.6070.00
SRT2-OD08	CompoBus/S digital output terminal, 8x transistor outputs, NPN, 0.3 A, 24 VDC	242.60	EC001599	226532	4547648209236			BF	BFC	CHN	8471.6070.00
SRT2-OD16-1	CompoBus/S digital output terminal, 16x transistor outputs, PNP, 0.3 A, 24 VDC	320.70	EC001599	226534	4547648209267			BF	BFC	CHN	8471.6070.00
SRT2-OD16	CompoBus/S digital output terminal, 16x transistor outputs, NPN, 0.3 A, 24 VDC	320.70	EC001599	226533	4547648209250			BF	BFC	CHN	8471.6070.00
SRT2-OD16P	CompoBus/S digital output module, 16x transistor outputs, PNP, 0.3 A, 24 VDC, for PCB mounting	167.00	EC001599	338292	4547648814775			BF	BFC	CHN	8471.6070.00
SRT2-OD16T-1	CompoBus/S digital output terminal, 16x transistor outputs, PNP, 0.5 A, 24 VDC	345.30	EC001599	338277	4547648814560			BF	BFC	CHN	8471.6070.00
SRT2-ROC08	CompoBus/S digital output terminal, 8x relay outputs, 3 A, max. 3 A per common	424.90	EC001599	226535	4547648209274			BF	BFC	CHN	8471.6070.00
SRT2-ROC16	CompoBus/S digital output terminal, 16x relay outputs, 3 A, max. 3 A per common	637.50	EC001599	226536	4547648209281			BF	BFC	CHN	8471.6070.00
SRT2-MD16T-1	CompoBus/S digital I/O terminal, 8x 24 VDC inputs, 8x PNP transistor outputs	466.00	EC001599	338278	4547648814577			BF	BFC	CHN	8471.6070.00
SRT2-AD04	CompoBus/S analog input terminal, 4 x inputs 0/4 to 20 mA, 0/1 to 5 V, -10 to 10 V	672.00	EC001596	111528	4536854481055			BF	BFC	JPN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SRT2-DA02	CompoBus/S analog output terminal, 2 x outputs 0/4 to 20 mA, 1 to 5 V, -10 to 10 V	774.50	EC001596	111529	4536854481062			BF	BFC	JPN	8471.6070.00
Remote I/O DRT (DeviceNet)											
DRT2-HD16C-1	DeviceNet digital input unit, IP67, 16 x inputs, 24 VDC, PNP, power via network, M12 I/O connections	948.00	EC001599	338237	4547648813037			BF	BFD	CHN	8471.6070.00
DRT2-ID08-1	DeviceNet digital input unit, 8 x inputs, 24 VDC, PNP, screw terminal block	296.60	EC001599	231467	4547648218825			BF	BFD	CHN	8471.6070.00
DRT2-ID16-1	DeviceNet digital input unit, 16 x inputs, 24 VDC, PNP, screw terminal block	475.60	EC001599	226516	4547648209052			BF	BFD	CHN	8471.6070.00
DRT2-ID16	DeviceNet digital input unit, 16 x inputs, 24 VDC, NPN, screw terminal block	475.60	EC001599	226501	4547648209045			BF	BFD	CHN	8471.6070.00
DRT2-ID16TA-1	DeviceNet digital input unit, 16 x inputs, 24 VDC, PNP, 3-tier screw terminal block	499.80	EC001599	164737	4536854960772			BF	BFD	CHN	8471.6070.00
DRT2-OD08-1	DeviceNet digital output unit, 8 x transistor outputs 0.5 A, 24 VDC, PNP, screw terminal block	375.50	EC001599	231469	4547648218849			BF	BFD	CHN	8471.6070.00
DRT2-OD16-1	DeviceNet digital output unit, 16 x transistor outputs 0.5 A, 24 VDC, PNP, screw terminal block	463.70	EC001599	226527	4547648209120			BF	BFD	CHN	8471.6070.00
DRT2-OD16	DeviceNet digital output unit, 16 x transistor outputs 0.5 A, 24 VDC, NPN, screw terminal block	463.70	EC001599	226515	4547648209113			BF	BFD	CHN	8471.6070.00
DRT2-OD16MLX	DeviceNet digital output unit, 16 x transistor outputs 0.3 A, 24 VDC, NPN, with MIL connector + 10 cm cable	427.80	EC001599	248825	4547648242615			BF	BFD	CHN	8471.6070.00
DRT2-ROS16	DeviceNet digital output unit, 16 x relay outputs, 3A, 240 VAC, 24 VDC, screw terminal block	708.50	EC001599	229626	4547648209137			BF	BFD	CHN	8538.9099.99
DRT2-MD16-1	DeviceNet digital I/O unit, 8 x inputs and 8 x outputs 0.5 A, 24 VDC, PNP, screw terminal block	444.00	EC001599	338259	4547648813273			BF	BFD	CHN	8471.6070.00
DRT2-MD16TA-1	DeviceNet digital I/O unit, 8 x inputs and 8 x outputs 0.5 A, 24 VDC, PNP, 3-tier screw terminal block	499.80	EC001599	164741	4536854960819			BF	BFD	CHN	8471.6070.00
DRT2-AD04	DeviceNet analog input unit, 4 x inputs 0/4 to 20 mA, 0/1 to 5 V, 0 to 10 V, -10 to 10 V, resolution 1:6000	704.50	EC001596	133554	4536854849206			BF	BFD	JPN	8471.6070.00
DRT2-AD04H	DeviceNet analog input unit, 4 x inputs 0/4 to 20 mA, 0/1 to 5 V, 0 to 10 V, -10 to 10 V, isolated, resolution 1:30000	740.00	EC001596	175516	4547648096737			BF	BFD	JPN	8471.6070.00
DRT2-TS04P	DeviceNet resistance thermometer input unit 4 x inputs Pt, JPt, Pt2	697.00	EC001596	175514	4547648073530			BF	BFD	JPN	8471.6070.00
DRT2-TS04T	DeviceNet thermocouple input unit, 4 x inputs type R, S, K, J, T, B, L, E, U, N, C, P(PLII)	720.00	EC001596	175515	4547648096720			BF	BFD	JPN	8471.6070.00
DRT2-DA02	DeviceNet analog output unit, 2 x outputs 0/4 to 20 mA, 0/1 to 5 V, 0 to 10 V, -10 to 10 V, resolution 1:6000	708.50	EC001596	142626	4536854849213			BF	BFD	JPN	8471.6070.00
DRT1-COM	DeviceNet communications unit, connects 8x GT1 MULTIPLE I/O units max.	616.50	EC001603	133630	4536854355400			BF	BFD	JPN	8471.6070.00
Remote I/O PRT (PROFIBUS)											
PRT1-SCU11	Gateway unit, converts PROFIBUS DP to Host Link/Compoway-F	692.50	EC001604	180927	4547648089951			BF	BFE	NLD	8529.1095.00
Remote I/O GT1											
GT1-AD04	Multiple I/O analog input terminal, 4 x inputs 0/4 to 20 mA, 0/1 to 5 V, -10 to 10 V	900.00	EC001596	121025	4536854467394			BF	BFG	JPN	8538.9099.99
GT1-DA04	Multiple I/O analog output terminal, 4 x outputs 4 to 20 mA, 0/1 to 5 V, -10 to 10 V	1105.00	EC001596	150827	4536854467400			BF	BFG	JPN	8538.9099.99
GT1-ID16-1	Multiple I/O remote terminal, 16x 24 VDC inputs, PNP	440.10	EC001599	121110	4536854373435			BF	BFG	JPN	8538.9099.99
GT1-ID32ML-1	Multiple I/O remote terminal, 32x 24 VDC inputs, PNP (requires C500-CE401 connector)	496.10	EC001599	104054	4536854373473			BF	BFG	JPN	8538.9099.99
GT1-OD16-1	Multiple I/O remote terminal, 16x transistor outputs, PNP, 0.5 A, 24 VDC	483.90	EC001599	121111	4536854373442			BF	BFG	JPN	8538.9099.99
GT1-OD32ML-1	Multiple I/O remote terminal, 32x transistor outputs, PNP, 0.5 A, 24 VDC (requires C500-CE401 connector)	560.50	EC001599	142071	4536854373480			BF	BFG	JPN	8538.9099.99
GT1-ROS16	Multiple I/O remote terminal, 16x relay outputs, 2 A	552.50	EC001599	121018	4536854397608			BF	BFG	JPN	8538.9099.99
Remote I/O GRT (SmartSlice)											
GRT1-ID4	SmartSlice 4 x digital inputs, 24 VDC, NPN	80.80	EC001599	212285	4547648219334			BF	BFH	JPN	8471.6070.00
GRT1-ID4-1	SmartSlice 4 x digital inputs, 24 VDC, PNP	80.80	EC001599	212286	4547648219341	#		BF	BFH	JPN	8471.6070.00
GRT1-ID8	SmartSlice 8 x digital inputs, 24 VDC, NPN	117.90	EC001599	235172	4547648325646			BF	BFH	NLD	8471.6070.00
GRT1-ID8-1	SmartSlice 8 x digital inputs, 24 VDC, PNP	117.90	EC001599	235173	4547648325653	#		BF	BFH	NLD	8471.6070.00
GRT1-OD4	SmartSlice 4 x digital outputs 0.5 A, 24 VDC, NPN	84.75	EC001599	212287	4547648219358			BF	BFH	JPN	8471.6070.00
GRT1-OD4-1	SmartSlice 4 x digital outputs 0.5 A, 24 VDC, PNP	84.75	EC001599	212288	4547648219365	#		BF	BFH	JPN	8471.6070.00
GRT1-OD4G-1	SmartSlice 4 x digital outputs 0.5 A, 24 VDC, PNP, with overcurrent and short-circuit protection	104.90	EC001599	230602	4547648306829			BF	BFH	NLD	8471.6070.00
GRT1-OD4G-3	SmartSlice 4 x digital outputs 2 A, 24 VDC, PNP, with overcurrent and short-circuit protection	104.90	EC001599	246036	4547648487306			BF	BFH	NLD	8471.6070.00
GRT1-OD8	SmartSlice 8 x digital outputs 0.5 A, 24 VDC, NPN	124.20	EC001599	235174	4547648325660			BF	BFH	NLD	8471.6070.00
GRT1-OD8-1	SmartSlice 8 x digital outputs 0.5 A, 24 VDC, PNP	124.20	EC001599	235175	4547648325677	#		BF	BFH	NLD	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
GRT1-OD8G-1	SmartSlice 8 x digital outputs 0.5 A, 24 VDC, PNP, with overcurrent and short-circuit protection	139.80	EC001599	235176	4547648325684			BF	BFH	NLD	8471.6070.00
GRT1-ROS2	SmartSlice 2 x relay output, normally open, 2 A, 250 VAC / 24 VDC	99.20	EC001599	212289	4547648219372			BF	BFH	JPN	8471.6070.00
GRT1-AD2	SmartSlice 2 x analog inputs, 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 20 mA, 4 to 20 mA, resolution 1:6000	346.00	EC001596	224393	4547648221498			BF	BFH	JPN	8471.5000.00
GRT1-TS2P	SmartSlice 2 x RTD temperature sensor inputs, Pt100	388.90	EC001596	238319	4547648446211			BF	BFH	JPN	8471.5000.00
GRT1-TS2T	SmartSlice 2 x thermocouple inputs	388.90	EC001596	246039	4547648511315			BF	BFH	NLD	9032.1080.90
GRT1-DA2C	SmartSlice 2 x analog outputs, 0 to 20 mA, 4 to 20 mA, resolution 1:6000	345.20	EC001596	224394	4547648221504			BF	BFH	JPN	8471.5000.00
GRT1-DA2V	SmartSlice 2 x analog outputs, 1 to 5 V, 0 to 5 V, 0 to 10 V, -10 to 10 V, resolution 1:6000	345.20	EC001596	224395	4547648221511			BF	BFH	JPN	8471.5000.00
GRT1-CP1-L	SmartSlice positioning unit, 1 x encoder input (A/B/Z), 100 kHz, 24 VDC PNP / RS422 line driver inputs, 1 x 24 VDC PNP control input, 2 x PNP 0.5 A range control outputs	324.90	EC001601	228280	4547648298209			BF	BFH	NLD	9029.1000.90
GRT1-CT1	SmartSlice high speed counter unit, 1 x encoder input (A/B/Z), 60 kHz, 24 VDC NPN inputs, 1 x NPN 0.5 A range control output	235.60	EC001601	228278	4547648298186			BF	BFH	NLD	9029.1000.90
GRT1-CT1-1	SmartSlice high speed counter unit, 1 x encoder input (A/B/Z), 60 kHz, 24 VDC PNP inputs, 1 x PNP 0.5 A range control output	235.60	EC001601	228279	4547648298193			BF	BFH	NLD	9029.1000.90
GRT1-CRT	SmartSlice communication adaptor for CompoNet (End plate to be ordered separately)	368.00	EC001603	248724	4547648561389			BF	BFH	JPN	8471.6070.00
GRT1-DRT	SmartSlice communication adaptor for DeviceNet, connects up to 64 GRT1 I/O units (End plate to be ordered separately)	420.20	EC001603	211521	4547648219327	#		BF	BFH	JPN	8471.6070.00
GRT1-ECT	SmartSlice communication adaptor for EtherCAT, connects up to 64 GRT1 I/O units (End plate to be ordered separately)	519.50	EC001603	350103	4548583003019			BF	BFH	NLD	8529.1095.00
GRT1-END	SmartSlice end plate	37.66	EC002584	212290	4547648219389	#		BF	BFH	JPN	8471.5000.00
GRT1-END-M	SmartSlice end plate with PROFINET memory	151.90	EC002584	258405	4547648476607			BF	BFH	NLD	8473.3080.00
GRT1-PC8-1	SmartSlice I/O power feed module, 24 VDC input, 4 x V and 8 x G terminals	48.39	EC001600	235180	4547648325721			BF	BFH	NLD	8504.4030.00
GRT1-PD2	SmartSlice I/O power feed module, 24 VDC input	48.39	EC001600	212291	4547648219396			BF	BFH	JPN	8471.5000.00
GRT1-PD8	SmartSlice I/O power feed module, 24 VDC input, 8 x V and 4 x G terminals	48.39	EC001600	235177	4547648325691			BF	BFH	NLD	8504.4030.00
GRT1-PD8-1	SmartSlice I/O power connection module, 4 x V and 8 x G terminals	48.39	EC001600	235178	4547648325707			BF	BFH	NLD	8504.4030.00
GRT1-PNT	SmartSlice communication adaptor for PROFINET IO, connects up to 63 GRT1 I/O units (End plate to be ordered separately)	756.00	EC001603	258404	4547648476591			BF	BFH	NLD	8529.1095.00
GRT1-PRT	SmartSlice communication adaptor for PROFIBUS DPV1, connects up to 64 GRT1 I/O units (End plate to be ordered separately)	499.80	EC001603	230167	4547648192071			BF	BFH	NLD	8529.1095.00
GRT1-TBL	SmartSlice left-side turn-back unit	99.20	EC002584	212293	4547648219419			BF	BFH	JPN	8471.5000.00
GRT1-TBR	SmartSlice right-side turn-back unit	48.39	EC002584	212292	4547648219402			BF	BFH	JPN	8471.5000.00
GCN2-100	SmartSlice turn-back cable (1 m)	54.85	EC002584	212294	4547648219426			BF	BFH	JPN	8544.4210.00
Remote I/O CRT (CompoNet)											
CRT1-ID08-1	CompoNet input unit, 8 x 24 VDC inputs, PNP, screw terminals	324.90	EC001599	248768	4547648571326			BF	BFI	JPN	8471.6070.00
CRT1-ID16	CompoNet input unit, 16 x 24 VDC inputs, NPN, screw terminals	381.20	EC001599	226103	4547648237857			BF	BFI	CHN	8471.6070.00
CRT1-ID16-1	CompoNet input unit, 16 x 24 VDC inputs, PNP, screw terminals	381.20	EC001599	226104	4547648237864			BF	BFI	CHN	8471.6070.00
CRT1-ID16TA-1	CompoNet input unit, 16 x 24 VDC inputs, PNP, 3-tier screw terminals	479.60	EC001599	237467	4547648414814			BF	BFI	JPN	8471.6070.00
CRT1-OD16-1	CompoNet output unit, 16 x transistor outputs, PNP, 0.5 A, 24 VDC, screw terminals	381.20	EC001599	226106	4547648237888			BF	BFI	CHN	8471.6070.00
CRT1-ROS08	CompoNet output unit, 8 x relay outputs 2 A, screw terminals	448.20	EC001599	248783	4547648571531			BF	BFI	JPN	8471.6070.00
CRT1-ROS16	CompoNet output unit, 16 x relay outputs 2 A, screw terminals	660.50	EC001599	237472	4547648414869			BF	BFI	JPN	8471.6070.00
CRT1-MD16-1	CompoNet I/O unit, 8 x 24 VDC inputs PNP & 8 x transistor outputs PNP 0.5 A, screw terminals	427.70	EC001599	248772	4547648571364			BF	BFI	JPN	8471.6070.00
CRT1-AD04	CompoNet analog input unit, 4 x inputs, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, resolution 1:6000, screw terminals	697.00	EC001596	226107	4547648237895			BF	BFI	CHN	8471.6070.00
CRT1-DA02	CompoNet analog output unit, 2 x inputs, 1-5 V, 0-5 V, 0-10 V, -10-10 V, resolution 1:6000, screw terminals	700.50	EC001596	226108	4547648237901			BF	BFI	CHN	8471.6070.00
CRS1-RPT01	CompoNet IP20 Repeater unit	243.30	EC001604	226092	4547648237918			BF	BFI	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Other remote I/O											
GX-ID1621	EtherCAT digital I/O unit, 16 x inputs, PNP, 1-wire, expandable	467.90	EC001599	343313	4547648821681			BF	BFX	CHN	8471.6070.00
GX-OD1621	EtherCAT digital I/O unit, 16 x outputs, PNP, 1-wire, expandable	467.90	EC001599	343317	4547648821728			BF	BFX	CHN	8471.6070.00
GX-MD1621	EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, 1-wire, expandable	467.90	EC001599	343315	4547648821704			BF	BFX	CHN	8471.6070.00
GX-AD0471	EtherCAT analog I/O unit, 4 x analog inputs, 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1:8000 (full scale)	744.50	EC001596	343327	4547648821827			BF	BFX	CHN	8471.6070.00
GX-EC0211	EtherCAT I/O unit, 2 x encoder inputs, open collector	880.00	EC001601	343325	4547648821803			BF	BFX	CHN	8471.6070.00
GX-EC0241	EtherCAT I/O unit, 2 x encoder inputs, line driver	968.00	EC001601	343326	4547648821810			BF	BFX	CHN	8471.6070.00
XWT-ID16-1	CRT1/DRT2/GX-series I/O expansion unit, 16 x 24 VDC inputs, PNP (1 max per I/O terminal, specific models only)	378.90	EC001599	226542	4547648209342			BF	BFX	CHN	8471.6070.00
XWT-OD08-1	CRT1/DRT2/GX-series I/O expansion unit, 8 x 24 VDC outputs, 0.5 A, PNP (1 max per I/O terminal, specific models only)	296.60	EC001599	226544	4547648209373			BF	BFX	CHN	8471.6070.00
XWT-OD16-1	CRT1/DRT2/GX-series I/O expansion unit, 16 x 24 VDC outputs, 0.5 A, PNP (1 max per I/O terminal, specific models only)	378.90	EC001599	226546	4547648209397			BF	BFX	CHN	8471.6070.00
Accessory for remote I/O											
GX-JC03	3-port EtherCAT Junction module, 24 VDC power supply	244.30	EC000734	355830	4548583075375	#		BF	BFZ	CHN	8471.8000.00
GX-JC06	6-port EtherCAT Junction module, 24 VDC power supply	448.20	EC000734	355831	4548583075382	#		BF	BFZ	CHN	8471.8000.00
DCN1-1C	DeviceNet T-branch tap for 1 branch line, 3 connectors with screws, side cable entry	107.70	EC002584	133602	4536853181130			BF	BFZ	JPN	8536.9010.00
DCN1-1NC	DeviceNet T-Branch tap for 1 branch line, 3 parallel clamp connectors, top cable entry	91.95	EC002584	164731	4536854895890			BF	BFZ	JPN	8536.9010.00
DCN1-1P	DeviceNet power supply tap with 2 connectors, standard terminating resistor, and fuse	231.60	EC002584	133604	4536854553288			BF	BFZ	JPN	8536.9010.00
DCN1-3C	DeviceNet T-branch tap for 3 branch lines, 5 connectors with screws, side cable entry	163.80	EC002584	133603	4536853181147			BF	BFZ	JPN	8536.9010.00
DCN1-3NC	DeviceNet T-Branch tap for 3 branch lines, 5 parallel clamp connectors, top cable entry	113.60	EC002584	226006	4536854895906			BF	BFZ	JPN	8536.9010.00
DCN2-1	DeviceNet IP67 T-branch connector (2x female, 1x male M12)	51.45	EC002584	133605	4536854446139	10		BF	BFZ	JPN	8536.9010.00
DCN4-MD4	CompoNet multidrop connector for standard flat cable	9.05	EC002584	226115	4547648206815	10		BF	BFZ	JPN	8503.0099.99
DCN4-TB4	CompoNet screw terminal connector, M3	18.57	EC002584	226114	4547648206808	10		BF	BFZ	JPN	8503.0099.99
DRS1-T	CompoNet/DeviceNet termination terminal block	10.97	EC002584	133617	4536853181604			BF	BFZ	JPN	8473.3080.00
DRS2-1	DeviceNet IP67 terminating resistor (male M12)	29.05	EC002584	133611	4536854445286	20		BF	BFZ	JPN	8536.9010.00
SCN1-TH4T	CompoBus/S network connector terminator, IDC	7.20	EC002584	111796	4536853770327			BF	BFZ	JPN	8536.9010.00
XW4B-05C4-TF-D	DeviceNet multi-branching connector, parallel with screws, connector insertion and wiring in same direction.	35.68	EC002584	167725	4536854700033	25		BF	BFZ	DEU	8536.9010.00
XW4G-05C4-TF-D	DeviceNet connector, multi-branch parallel screwless, connector insertion and wiring in same direction.	28.08	EC002584	231438	4536854936760	25		BF	BFZ	DEU	8536.9010.00
SCA1-4F10	CompoBus/S flat cable, 4-core 0.75 mmsq, 100m	386.20	EC003249	111794	4536853769260			BF	BFZ	JPN	8536.9010.00
DCA1-5CN05W1	DeviceNet thin cable, straight M12 connectors (1 male, 1 female), 5 m	185.20	EC001681	133596	4536854445446			BF	BFZ	JPN	8536.9010.00
GRT1-BT1-5	SmartSlice I/O connectors, set of 5 pcs. (12 points, screwless)	74.35	EC002584	231594	4547648325868			BF	BFZ	JPN	8471.5000.00
In Panel TC EJ1											
EJ1N-TC2A-QNHB	CelciuX ⁹ In-panel temperature controller basic unit, DIN rail mounting, 2 loops, thermocouple/Pt100/analog input, 2 x 12 VDC plus 2 x 30 VDC, 0.1 A NPN outputs, heat, cool, heat/cool, heater burnout alarm, M3 screw terminals	510.50	EC001446	225935	4547648235310	#		BG	BGA	JPN	9032.1080.90
EJ1N-TC2B-QNHB	CelciuX ⁹ In-panel temperature controller basic unit, DIN rail mounting, 2 loops, thermocouple/Pt100/analog input, 2 x 12 VDC plus 2 x 30 VDC, 0.1 A NPN outputs, heat, cool, heat/cool, heater burnout alarm, screwless clamp terminals	481.60	EC001446	225931	4547648235327			BG	BGA	JPN	9032.1080.90
EJ1N-TC4A-QQ	CelciuX ⁹ In-panel temperature controller basic unit, DIN rail mounting, 4 loops, thermocouple/Pt100/analog input, 4 x 12 VDC outputs, heat, cool, heat/cool, M3 screw terminals	596.50	EC001446	225934	4547648235297	#		BG	BGA	JPN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EJ1N-TC4B-QQ	CelciuX ^o In-panel temperature controller basic unit, DIN rail mounting, 4 loops, thermocouple/Pt100/analog input, 4 x 12 VDC outputs, heat, cool, heat/cool, screwless clamp terminals	596.50	EC001446	225930	4547648235303			BG	BGA	JPN	9032.1080.90
EJ1N-HFUA-NFLK	CelciuX ^o In-panel temperature controller high function unit, RS-232C/RS-485 port for program-less communications with CJ1/CS1 PLCs (1:1 and 1:N), Mitsubishi A and FX series PLCs (1:1 and 1:N), Mitsubishi Q series PLCs (1:1), M3 screw terminals	520.50	EC001423	225936	4547648235334			BG	BGA	JPN	9032.1080.90
EJ1N-HFUB-DRT	CelciuX ^o In-panel Temperature controller High Function unit, DeviceNet interface, screwless clamp terminals	910.00	EC001423	243922	4547648510806			BG	BGA	JPN	9032.1080.90
EJ1N-HFUE-ETN	Ethernet to Serial Gateway, Connect PROFINET or Modbus/TCP master to any Modbus-RTU slave (special support for CelciuX(EJ1), E5_N and MX2)	602.50	EC001423	355917	4548583072527			BG	BGA	NLD	9032.1080.90
EJ1C-EDUA-NFLK	CelciuX ^o In-panel temperature controller end unit, connects up to 16 x basic & high function units, 24 VDC supply, 1 x RS-485 port (115kbps, CompoWay/F, MODBUS RTU), 1 x programming port, M3 screw terminals	130.70	EC000599	225933	4547648235457	#		BG	BGA	JPN	9032.1080.90
EJ1C-EDUC-NFLK	CelciuX ^o In-panel temperature controller end unit, connects up to 16 x basic & high function units, 24 VDC supply, 1 x RS-485 port (115kbps, CompoWay/F, MODBUS RTU), 1 x programming port, removable screw connector blocks	117.30	EC000599	243921	4547648510844			BG	BGA	JPN	9032.1080.90
Industrial Relay LY											
LY1 24VDC	Relay, plug-in, 5-pin, SPDT, 15 A, 24 VDC	5.17	EC001437	116888	4536853605544		50	CC	CCA	IDN	8536.4900.99
LY1F 220/240VAC	Relay, flange mount, plug-in, SPDT, 15 A, 220/240 VAC	5.63	EC001437	116798	4536853605650		50	CC	CCA	IDN	8536.4900.99
LY2-0 220/240VAC	Relay, PCB pins, 8-pin, DPDT, 10 A, 220/240 VAC	6.40	EC001437	154171	4536853615253		50	CC	CCA	IDN	8536.4900.99
LY2-0 24VDC	Relay, PCB pins, 8-pin, DPDT, 10 A, 24 VDC	6.28	EC001437	116633	4536853615284		50	CC	CCA	IDN	8536.4900.99
LY2 100/110VAC	Relay, plug-in, 8-pin, DPDT, 10 A, 100/110 VAC	5.91	EC001437	144278	4536853611439	#	50	CC	CCA	IDN	8536.4900.99
LY2 100/110VDC	Relay, plug-in, 8-pin, DPDT, 10 A, 100/110 VDC	6.40	EC001437	153006	4536853611545		50	CC	CCA	IDN	8536.4900.99
LY2 110/120VAC	Relay, plug-in, 8-pin, DPDT, 10 A, 110/120 VAC	5.91	EC001437	116738	4536853611446	#	50	CC	CCA	IDN	8536.4900.99
LY2 12VAC	Relay, plug-in, 8-pin, DPDT, 10 A, 12 VAC	5.91	EC001437	153005	4536853611378		50	CC	CCA	IDN	8536.4900.99
LY2 12VDC	Relay, plug-in, 8-pin, DPDT, 10 A, 12 VDC	5.91	EC001437	116741	4536853611491		50	CC	CCA	IDN	8536.4900.99
LY2 220/240VAC	Relay, plug-in, 8-pin, DPDT, 10 A, 220/240 VAC	6.40	EC001437	154980	4536853611477	#	50	CC	CCA	IDN	8536.4900.99
LY2 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, 24 VAC	5.91	EC001437	150789	4536853611385		50	CC	CCA	IDN	8536.4900.99
LY2 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, 24 VDC	5.91	EC001437	116742	4536853611507	#	50	CC	CCA	IDN	8536.4900.99
LY2 48VDC	Relay, plug-in, 8-pin, DPDT, 10A, 48 VDC	5.91	EC001437	103958	4536853611521		50	CC	CCA	IDN	8536.4900.99
LY2-D 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, coil suppression, 24 VDC	13.01	EC001437	116787	4536853608477		10	CC	CCA	JPN	8536.4900.99
LY2F 220/240VAC	Relay, Flange mount, plug-in, 8-pin, DPDT, 10 A, 220/240 VAC	6.95	EC001437	116656	4536853611668		50	CC	CCA	IDN	8536.4900.99
LY2I4N 110/120VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	7.33	EC001437	116681	4536853612672		50	CC	CCA	IDN	8536.4900.99
LY2I4N 220/240VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	7.74	EC001437	116682	4536853612702		50	CC	CCA	IDN	8536.4900.99
LY2I4N 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	7.33	EC001437	103143	4536853612719		50	CC	CCA	IDN	8536.4900.99
LY2I4N 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	7.33	EC001437	157562	4536853612757		50	CC	CCA	IDN	8536.4900.99
LY2N 100/110VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, 100/110 VAC	7.11	EC001437	150790	4536853612399	#	50	CC	CCA	IDN	8536.4900.99
LY2N 220/240VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, 220/240 VAC	11.03	EC001437	116664	4536853612429		50	CC	CCA	IDN	8536.4900.99
LY2N 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, 24 VDC	9.77	EC001437	149665	4536853612450	#	50	CC	CCA	IDN	8536.4900.99
LY2N 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, 24 VAC	20.34	EC001437	151831	4536853612382		50	CC	CCA	IDN	8536.4900.99
LY2N-D2 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, coil suppressor	15.90	EC001437	156651	4536853608811	#	10	CC	CCA	JPN	8536.4900.99
LY1N-D2 24VDC	Relay, plug-in, 5-pin, SPDT, 15 A, LED indicator, coil suppression, 24 VDC	14.28	EC001437	116875	4536853604868		10	CC	CCA	JPN	8536.4900.99
LY3-0 24VDC	Relay, PCB pin, 11-pin, 3PDT, 10 A, 24 VDC	11.42	EC001437	116460	4536853619183		20	CC	CCA	IDN	8536.4900.99
LY4 24VDC	Relay, plug-in, 14-pin, 4PDT, 10 A, 24 VDC	11.41	EC001437	116449	4536853621131	#	20	CC	CCA	IDN	8536.4900.99
LY4I4N 230VAC	Relay, plug-in, 14-pin, 4PDT, 10 A, LED indicator, test button	13.47	EC001437	103147	4536853621971		20	CC	CCA	IDN	8536.4900.99
LY4N-D2 24VDC	Relay, plug-in, 14-pin, 4PDT, 10 A, LED indicator, coil suppressor, 24 VDC	23.22	EC001437	153315	4536853620509		10	CC	CCA	JPN	8536.4900.99
LY4 100/110VAC	Relay, plug-in, 14-pin, 4PDT, 10 A, 100/110 VAC	11.41	EC001437	103960	4536853621063	#	20	CC	CCA	IDN	8536.4900.99
LY4 100/110VDC	Relay, plug-in, 14-pin, 4PDT, 10 A, 100/110 VDC	11.84	EC001437	116452	4536853621186		20	CC	CCA	IDN	8536.4900.99
LY4 12VDC	Relay, plug-in, 14-pin, 4PDT, 10 A, 12 VDC	11.41	EC001437	116448	4536853621124		20	CC	CCA	IDN	8536.4900.99
LY4 230VAC	Relay, plug-in, 14-pin, 4PDT, 10 A, 230 VAC	11.84	EC001437	116367	4536853621605	#	20	CC	CCA	IDN	8536.4900.99
LY4 24VAC	Relay, plug-in, 14-pin, 4PDT, 10 A, 24 VAC	11.41	EC001437	116441	4536853621025		20	CC	CCA	IDN	8536.4900.99
LY4 48VAC	Relay, plug-in, 14-pin, 4PDT, 10 A, 48 VAC	11.41	EC001437	103961	4536853621599		20	CC	CCA	IDN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
LY4 48VDC	Relay, plug-in, 14-pin, 4PDT, 10 A, 48 VDC	11.41	EC001437	143117	4536853621162	20	CC	CCA	IDN	8536.4900.99	
LY4I4N 24VDC	Relay, plug-in, 14-pin, 4PDT, 10 A, LED indicator, test button	12.63	EC001437	116399	4536853622039	#	20	CC	CCA	IDN	8536.4900.99
LY4N 100/110VAC	Relay, plug-in, 14-pin, 4PDT, 10 A, LED indicator, 100/110 VAC	12.63	EC001437	145374	4536853621698	20	CC	CCA	IDN	8536.4900.99	
LY4N 200/220VAC	Relay, plug-in, 14-pin, 4PDT, 10 A, LED indicator, 200/220 VAC	13.47	EC001437	116375	4536853621728	20	CC	CCA	IDN	8536.4900.99	
LY4N 24VDC	Relay, plug-in, 14-pin, 4PDT, 10 A, LED indicator, 24 VDC	12.63	EC001437	116382	4536853621797	#	20	CC	CCA	IDN	8536.4900.99

Industrial Relay MK-I/S

MKS2P 110VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator	12.50	EC001437	376281	4547648413046	20	CC	CCB	CHN	8536.4900.99	
MKS2P 230VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator	9.90	EC001437	376285	4547648413084	20	CC	CCB	CHN	8536.4900.99	
MKS2P 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator	10.92	EC001437	376278	4547648413015	20	CC	CCB	CHN	8536.4900.99	
MKS2P 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator	9.20	EC001437	376289	4547648413121	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 110VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, test button	9.35	EC001437	376681	4547648413893	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 12VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, test button	9.20	EC001437	376677	4547648413855	20	CC	CCB	CHN	8536.4900.99	
MKS2PI 230VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, test button	9.86	EC001437	376685	4547648413930	20	CC	CCB	CHN	8536.4900.99	
MKS2PI 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, test button	9.15	EC001437	376678	4547648413862	20	CC	CCB	CHN	8536.4900.99	
MKS2PI 110VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, test button	9.85	EC001437	376692	4547648414005	20	CC	CCB	CHN	8536.4900.99	
MKS2PI 12VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, test button	10.77	EC001437	376688	4547648413961	20	CC	CCB	CHN	8536.4900.99	
MKS2PI 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, test button	9.20	EC001437	376689	4547648413978	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 48VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, test button	9.35	EC001437	376690	4547648413985	20	CC	CCB	CHN	8536.4900.99	
MKS2PIN 110VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	10.56	EC001437	376766	4547648440868	20	CC	CCB	CHN	8536.4900.99	
MKS2PIN 230VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	11.20	EC001437	376770	4547648440905	20	CC	CCB	CHN	8536.4900.99	
MKS2PIN 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	12.49	EC001437	376763	4547648440837	20	CC	CCB	CHN	8536.4900.99	
MKS2PIN 12VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicator, test button	12.49	EC001437	376773	4547648440936	20	CC	CCB	CHN	8536.4900.99	
MKS2PIN 24VDC	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, latchable test button, 24 VDC	10.41	EC001437	376774	4547648440943	20	CC	CCB	CHN	8536.4900.99	
MKS3P-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	10.61	EC001437	376349	4547648413725	20	CC	CCB	CHN	8536.4900.99	
MKS3P-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	11.43	EC001437	376353	4547648413763	20	CC	CCB	CHN	8536.4900.99	
MKS3P-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	10.49	EC001437	376346	4547648413695	20	CC	CCB	CHN	8536.4900.99	
MKS3P-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	10.03	EC001437	376357	4547648413800	20	CC	CCB	CHN	8536.4900.99	
MKS3P 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator	10.49	EC001437	376323	4547648413466	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.16	EC001437	376749	4547648414579	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 12VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.49	EC001437	376745	4547648414531	20	CC	CCB	CHN	8536.4900.99	
MKS3PI-5 220VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	11.20	EC001437	376752	4547648414609	20	CC	CCB	CHN	8536.4900.99	
MKS3PI-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.67	EC001437	376753	4547648414616	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.27	EC001437	376746	4547648414548	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 48VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	14.52	EC001437	377095	4547648767538	20	CC	CCB	CHN	8536.4900.99	
MKS3PI-5 110VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	11.20	EC001437	376760	4547648414685	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 12VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.32	EC001437	376756	4547648414647	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.23	EC001437	376757	4547648414654	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 48VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	11.25	EC001437	376758	4547648414661	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 60VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.36	EC001437	377096	4547648767545	20	CC	CCB	CHN	8536.4900.99	
MKS3PI 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.35	EC001437	376719	4547648414272	20	CC	CCB	CHN	8536.4900.99	
MKS3PI 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech indicator, test button	10.49	EC001437	376723	4547648414319	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	11.84	EC001437	376834	4547648441544	20	CC	CCB	CHN	8536.4900.99	
MKS3PIN-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	12.14	EC001437	376838	4547648441582	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	11.72	EC001437	376831	4547648441513	20	CC	CCB	CHN	8536.4900.99	
MKS3PIN-5 12VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	14.05	EC001437	376841	4547648441612	20	CC	CCB	CHN	8536.4900.99	
MKS3PIN-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	11.65	EC001437	376842	4547648441629	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN 230VAC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button	12.67	EC001437	376804	4547648441247	20	CC	CCB	CHN	8536.4900.99	
MKS3PIN-D-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10 A, mech & LED indicator, test button, coil suppression	12.25	EC001437	377017	4547648443371	#	20	CC	CCB	CHN	8536.4900.99

Industrial Relay G7 Power Relay

G7J-2A2B-B 24VDC	Power Relay, DPST-NO/DPST-NC, screw terminal, 24 VDC	20.12	EC001437	377177	4547648393713	20	CC	CCC	CHN	8536.4900.99
------------------	--	-------	----------	--------	---------------	----	----	-----	-----	--------------

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G7J-2A2B-T 12VDC	Power Relay, DPST-NO/DPST-NC, quick connect terminal, 12 VDC	17.06	EC001437	148665	4536853475956	20	CC	CCC	JPN	8536.4900.99	
G7J-3A1B-B 24VDC	Power Relay, 3PST-NO/SPST-NC, W-bracket mounting, 25 A, 24 VDC	21.12	EC001437	121804	4536853475390	20	CC	CCC	JPN	8536.4900.99	
G7J-3A1B-P 24VDC	Power relay, PCB mounting, 3PST-NO/SPST-NC, 25 A, 24 VDC	21.96	EC001437	149737	4536853475239	20	CC	CCC	JPN	8536.4900.99	
G7J-4A-B 24VDC	Power Relay, 4PST-NO, screw terminal, 24 VDC	24.97	EC001437	377176	4547648393706	20	CC	CCC	CHN	8536.4900.99	
G7J-4A-P 24VDC	Power relay, PCB mounting, 4PST-NO, 25 A, 24 VDC	25.99	EC001437	121790	4536853475215	20	CC	CCC	JPN	8536.4900.99	
G7J-4A-T 200/240VAC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 200/240 VAC	25.57	EC001437	151903	4536853476090	20	CC	CCC	JPN	8536.4900.99	
G7J-4A-T 24VDC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 24 VDC	25.07	EC001437	121829	4536853476144	20	CC	CCC	JPN	8536.4900.99	
G7Z-2A2B-11Z-R 24VDC	Power relay, 40 A DPST-NO, 25 A DPST-NC + 1 A SPST-NO/SPST-NC aux.,	55.05	EC001437	684139	4548583781221		CC	CCC	JPN	8536.4900.99	
G7Z-2A2B-20Z-R 24VDC	Power relay, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NO aux.,	55.05	EC001437	684142	4548583781245	10	CC	CCC	JPN	8536.4900.99	
G7Z-3A1B-11Z-R 24VDC	Power relay, 40 A 3PST-NO, 25 A SPST-NC + 1 A SPST-NO/SPST-NC aux.,	55.55	EC001437	684145	4548583781290	10	CC	CCC	JPN	8536.4900.99	
G7Z-4A-02Z-R 24VDC	Power relay, 40 A 4PST-NO + 1 A DPST-NC aux.,	55.05	EC001437	684143	4548583781337	10	CC	CCC	JPN	8536.4900.99	
G7Z-4A-11Z-R 24VDC	Power relay, 40 A 4PST-NO + 1 A SPST-NO/SPST-NC aux.,	55.05	EC001437	684147	4548583732117	10	CC	CCC	JPN	8536.4900.99	
G7Z-4A-20Z-R 24VDC	Power relay, 40 A 4PST-NO + 1 A DPST-NO aux.,	55.05	EC001437	684144	4548583781368	10	CC	CCC	JPN	8536.4900.99	
G7Z-4A 24VDC	Power relay, 40 A, 4PST-NO	70.35	EC001437	351605	4547648298964	10	CC	CCC	JPN	8536.4900.99	
P7TF-05	Socket, DIN rail/surface mounting, 5-pin, screw terminals	11.70	EC001456	377103	4536854793455	10	CC	CCC	CHN	8536.4900.99	
Industrial Relay G2R-S											
G2R-1-S 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 230 VAC	8.49	EC001437	163223	4536854936463	100	CC	CCD	MYS	8536.4900.99	
G2R-1-S 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 24 VDC	4.13	EC001437	146726	4536854937156	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-S 240VAC (S)	Relay, plug-in, SPDT, 10 A, mechanical indicator, 240 VAC	7.63	EC001437	125433	4536854936470	100	CC	CCD	MYS	8536.4900.99	
G2R-1-S 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech indicator, label facility, 24 VAC	5.06	EC001437	157868	4536854936432	100	CC	CCD	MYS	8536.4900.99	
G2R-1-S 12VDC (S)	Relay, plug-in, SPDT, 10 A, mechanical indicator, 12 VDC	4.23	EC001437	125430	4536854937149	10	CC	CCD	MYS	8536.4900.99	
G2R-1-SD 24VDC (S)	Relay, plug-in, SPDT, 10 A, mech. indicator, diode, 24 VDC	5.52	EC001437	125347	4536854937187	100	CC	CCD	MYS	8536.4900.99	
G2R-1-SN 110VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	8.89	EC001437	125342	4536854936517	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	6.41	EC001437	125339	4536854937163	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	12.32	EC001437	125344	4536854936531	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	8.12	EC001437	155293	4536854936500	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility	6.41	EC001437	125340	4536854937170	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 48VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility, 48 VDC	5.18	EC001437	125341	4536854936494	100	CC	CCD	MYS	8536.4900.99	
G2R-1-SN 120VAC (S)	Relay, plug-in, SPDT, 10 A, mech. & LED indicator, 120 VAC	8.00	EC001437	125343	4536854936524	100	CC	CCD	MYS	8536.4900.99	
G2R-1-SN 12VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, label facility, 12 VAC	7.72	EC001437	204264	4547648001137	100	CC	CCD	MYS	8536.4900.99	
G2R-1-SN 240VAC (S)	Relay, plug-in, SPDT, 10 A, mech. & LED indicator, 240 VAC	11.54	EC001437	142329	4536854936555	100	CC	CCD	MYS	8536.4900.99	
G2R-1-SND 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	8.12	EC001437	125350	4536854937194	10	CC	CCD	MYS	8536.4900.99	
G2R-1-SND 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility	8.12	EC001437	125351	4536854937200	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SND-AP3 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility, Au-plating	11.95	EC001437	177299	4547648000505	100	CC	CCD	MYS	8536.4900.99	
G2R-1-SND 48VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, label facility	8.08	EC001437	125352	4536854936616	100	CC	CCD	MYS	8536.4900.99	
G2R-1-SNDI 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, lockable test button, label facility	8.49	EC001437	125358	4536854936739	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNDI-AP3 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A gold plate contacts, mech & LED indicators, coil suppressor, lockable test button, label facility	8.49	EC001437	171112	4547648074704	100	CC	CCD	MYS	8536.4900.99	
G2R-1-SNDI 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, coil suppressor, lockable test button, label facility, 12 VDC	9.24	EC001437	157870	4536854936722	100	CC	CCD	MYS	8536.4900.99	
G2R-1-SNI 110VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility, 110 AC	8.89	EC001437	142328	4536854936678	10	CC	CCD	MYS	8536.4900.99	
G2R-1-SNI 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	6.50	EC001437	152249	4536854936630	10	CC	CCD	MYS	8536.4900.99	
G2R-1-SNI 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	11.18	EC001437	152248	4536854936692	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	8.12	EC001437	156685	4536854936661	10	CC	CCD	MYS	8536.4900.99	
G2R-1-SNI 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech & LED indicators, lockable test button, label facility	6.50	EC001437	154479	4536854936647	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-S 230VAC (S)	Relay, plug-in, DPST, 10 A, mechanical indicator, 230 VAC	8.49	EC001437	162371	4536854936814	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-S 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, label facility, 24 VDC	5.25	EC001437	125362	4536854937224	#	10	CC	CCD	MYS	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G2R-2-S 110VAC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, 110 VAC	7.32	EC001437	125365	4536854936791	100	CC	CCD	MYS		8536.4900.99
G2R-2-S 24VAC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, 24 VAC	5.65	EC001437	125364	4536854936784	10	CC	CCD	MYS		8536.4900.99
G2R-2-S 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 12 VDC	5.34	EC001437	125361	4536854937217	100	CC	CCD	MYS		8536.4900.99
G2R-2-SD 12VDC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, diode, 12 VDC	7.02	EC001437	125375	4536854936937	100	CC	CCD	MYS		8536.4900.99
G2R-2-SD 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech indicators, coil suppressor, label facility	7.02	EC001437	144581	4536854936951	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN 110VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 110 VAC	9.64	EC001437	125372	4536854936883	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 12 VDC	6.92	EC001437	125369	4536854936845	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 230VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 230 VAC	13.11	EC001437	125373	4536854936906	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 24 VAC	11.18	EC001437	125371	4536854936876	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 24 VDC	6.92	EC001437	143419	4536854936852	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 48 VDC	6.92	EC001437	125370	4536854936869	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN 120VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, 120 VAC	12.32	EC001437	157869	4536854936890	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 12 VAC	9.64	EC001437	193950	4547648001229	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN 240VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, 240 VAC	12.32	EC001437	154480	4536854936913	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN 48VAC	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 48 VAC	10.15	EC001437	679878	4547648001441	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN-AP3 230VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator	19.64	EC001437	177302	4547648000710	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN-AP3 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator	11.95	EC001437	177303	4547648000727	100	CC	CCD	MYS		8536.4900.99
G2R-2-SND 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility	9.64	EC001437	105724	4536854936999	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SND-AP3 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, mech & LED indicators, coil suppressor, label facility	9.64	EC001437	177300	4547648000635	10	CC	CCD	MYS		8536.4900.99
G2R-2-SN 110VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 110 VDC	12.73	EC001437	191253	4547648001380	100	CC	CCD	MYS		8536.4900.99
G2R-2-SND 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	9.24	EC001437	125377	4536854936982	100	CC	CCD	MYS		8536.4900.99
G2R-2-SND 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility, 48 VDC	8.89	EC001437	145666	4536854937002	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNDI 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, lockable test button, label facility	9.24	EC001437	125291	4536854937125	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNDI-AP3 24VDC (S)	Relay, plug-in, 8-pin, SPDT, 5 A, mech & LED indicators, coil suppressor, label test button, Au-plating	12.73	EC001437	171113	4547648074711	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNDI 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, lockable test button, label facility, 12 VDC	9.64	EC001437	125290	4536854937118	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility, 12 VDC	7.32	EC001437	125379	4536854937026	10	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 230VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	15.06	EC001437	125383	4536854937088	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	7.32	EC001437	125382	4536854937057	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	7.32	EC001437	125380	4536854937033	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 110VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	10.03	EC001437	154482	4536854937064	10	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 120VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, test button, 120 VAC	10.13	EC001437	148906	4536854937071	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	9.98	EC001437	171109	4547648000390	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 240VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, test button, 240 VAC	12.62	EC001437	125384	4536854937095	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 48VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	9.64	EC001437	183088	4547648000406	10	CC	CCD	MYS		8536.4900.99
G2R-2-SNI-AP3 230VAC (S)	Relay, plug-in, DPDT (gold plated), 5 A, mech. & LED indicator, test button, 230 VAC	20.04	EC001437	171111	4547648074698	100	CC	CCD	MYS		8536.4900.99
G2R-1-SNI-AP3 230VAC (S)	Relay, plug-in, SPDT (gold plated), 10 A, mech. & LED indicator, test button, 230 VAC	16.93	EC001437	171110	4547648074681	100	CC	CCD	MYS		8536.4900.99
Industrial Relay MY-S											
MY2 100/110VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 100/110 VDC	4.78	EC001437	114085	4536854362880	10	CC	CCE	JPN		8536.4900.99
MY2 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 110/120 VAC	5.77	EC001437	151180	4536854362828	10	CC	CCE	JPN		8536.4900.99
MY2 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 12 VAC	5.66	EC001437	114080	4536854362798	10	CC	CCE	JPN		8536.4900.99
MY2 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 12 VDC	5.48	EC001437	114082	4536854362859	10	CC	CCE	JPN		8536.4900.99
MY2 220/240VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility	5.92	EC001437	114081	4536854362835	#	10	CC	CCE	JPN	8536.4900.99
MY2 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility	5.70	EC001437	103514	4536854362804	10	CC	CCE	JPN		8536.4900.99
MY2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility	5.48	EC001437	114083	4536854362866	#	10	CC	CCE	JPN	8536.4900.99
MY2 48/50VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 48/50 VAC	5.74	EC001437	153319	4536854362811	10	CC	CCE	JPN		8536.4900.99
MY2 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech indicator, label facility, 48 VDC	5.62	EC001437	114084	4536854362873	10	CC	CCE	JPN		8536.4900.99
MY2IN 100/110VDC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, 100/110 VDC (A2 '+')	7.47	EC001437	155266	4536854363177	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, test button, label facility	6.64	EC001437	114101	4536854363115	#	10	CC	CCE	JPN	8536.4900.99
MY2IN1 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility, reversed polarity	6.48	EC001437	114020	4536854363320	10	CC	CCE	JPN		8536.4900.99
MY2IN 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility, 12 VAC	6.48	EC001437	156657	4536854363085	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	6.48	EC001437	114103	4536854363146	#	10	CC	CCE	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Ds.heet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MY2IN1-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	10.55	EC001437	154452	4536854363429	10	CC	CCE	JPN	8536.4900.99	
MY2IN 220/240VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	7.47	EC001437	156658	4536854363122	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, test button, label facility	6.48	EC001437	114099	4536854363092	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	6.48	EC001437	153320	4536854363153	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 48/50VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	6.48	EC001437	114100	4536854363108	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	6.67	EC001437	114104	4536854363160	#	10	CC	CCE	JPN	8536.4900.99
MY2IN-CR 220/240VAC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, RC circuit, 220/240 VAC	8.66	EC001437	114013	4536854363245	10	CC	CCE	JPN	8536.4900.99	
MY2IN-D2 12VDC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, diode, 12 VDC (A2 '+')	12.62	EC001437	114010	4536854363191	10	CC	CCE	JPN	8536.4900.99	
MY2IN-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	10.55	EC001437	143510	4536854363207	10	CC	CCE	JPN	8536.4900.99	
MY2N 100/110VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 100/110 VDC	7.07	EC001437	114093	4536854362996	10	CC	CCE	JPN	8536.4900.99	
MY2N 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 110/120 VAC	6.29	EC001437	114089	4536854362934	10	CC	CCE	JPN	8536.4900.99	
MY2N 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 12 VAC	6.08	EC001437	114087	4536854362903	10	CC	CCE	JPN	8536.4900.99	
MY2N 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 12 VDC	6.08	EC001437	156656	4536854362965	10	CC	CCE	JPN	8536.4900.99	
MY2N 220/240VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 220/240 VAC	7.07	EC001437	114090	4536854362941	10	CC	CCE	JPN	8536.4900.99	
MY2N 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 24 VAC	6.08	EC001437	104348	4536854362910	10	CC	CCE	JPN	8536.4900.99	
MY2N 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, label facility, 24 VDC	6.08	EC001437	103515	4536854362972	#	10	CC	CCE	JPN	8536.4900.99
MY2N-CR 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, label facility, 110/120 VAC	11.81	EC001437	142429	4536854363054	10	CC	CCE	JPN	8536.4900.99	
MY2N-CR 220/240VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, label facility	12.24	EC001437	114098	4536854363061	10	CC	CCE	JPN	8536.4900.99	
MY2N-D2 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	9.72	EC001437	152215	4536854363016	10	CC	CCE	JPN	8536.4900.99	
MY2N-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, coil suppressor, label facility, 24 VDC	9.29	EC001437	114095	4536854363023	#	10	CC	CCE	JPN	8536.4900.99
MY4 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 100/110 VDC	7.10	EC001437	114033	4536854363559	10	CC	CCE	JPN	8536.4900.99	
MY4 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 110/120 VAC	6.79	EC001437	145767	4536854363498	10	CC	CCE	JPN	8536.4900.99	
MY4 12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 12 VAC	6.67	EC001437	114028	4536854363467	10	CC	CCE	JPN	8536.4900.99	
MY4 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 12 VDC	6.48	EC001437	114031	4536854363528	10	CC	CCE	JPN	8536.4900.99	
MY4 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility	6.90	EC001437	147900	4536854363504	#	10	CC	CCE	JPN	8536.4900.99
MY4 24VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility	6.62	EC001437	103517	4536854363474	#	10	CC	CCE	JPN	8536.4900.99
MY4 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility	6.47	EC001437	157842	4536854363535	#	10	CC	CCE	JPN	8536.4900.99
MY4 48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 48/50 VAC	6.75	EC001437	114029	4536854363481	10	CC	CCE	JPN	8536.4900.99	
MY4 48VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech indicator, label facility, 48 VDC	6.64	EC001437	114032	4536854363542	10	CC	CCE	JPN	8536.4900.99	
MY4IN 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility, 100/110 VDC	8.40	EC001437	114054	4536854363849	#	10	CC	CCE	JPN	8536.4900.99
MY4IN1 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5 A, mech & LED indicators, lockable push to test button, label facility, 100/110 VDC	8.40	EC001437	113970	4536854364013	10	CC	CCE	JPN	8536.4900.99	
MY4IN 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, test button, label facility	7.58	EC001437	114050	4536854363788	#	10	CC	CCE	JPN	8536.4900.99
MY4IN1 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility, reversed polarity	7.58	EC001437	143511	4536854363993	10	CC	CCE	JPN	8536.4900.99	
MY4IN 12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility, 12 VAC	7.58	EC001437	114047	4536854363757	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	7.58	EC001437	114053	4536854363818	#	10	CC	CCE	JPN	8536.4900.99
MY4IN1-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	11.39	EC001437	113975	4536854364099	10	CC	CCE	JPN	8536.4900.99	
MY4IN 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	8.40	EC001437	114051	4536854363795	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 24VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, test button, label facility	7.58	EC001437	114048	4536854363764	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	7.58	EC001437	152216	4536854363825	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	7.58	EC001437	114049	4536854363771	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 48VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	7.58	EC001437	103518	4536854363832	#	10	CC	CCE	JPN	8536.4900.99
MY4IN-CR 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 100/120 VAC	9.33	EC001437	142432	4536854363900	10	CC	CCE	JPN	8536.4900.99	
MY4IN-CR 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 220/240 VAC VDC	16.83	EC001437	113963	4536854363917	10	CC	CCE	JPN	8536.4900.99	
MY4IN-D2 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 12 VDC	11.39	EC001437	114056	4536854363863	10	CC	CCE	JPN	8536.4900.99	
MY4IN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	11.39	EC001437	146835	4536854363870	#	CC	CCE	JPN	8536.4900.99	

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MY4IN-D2 48VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 48 VDC	8.49	EC001437	114057	4536854363887		10	CC	CCE	JPN	8536.4900.99
MY4IN 125VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, test button, 125 VDC (A2 '4)	9.29	EC001437	231415	4536854486012	#	10	CC	CCE	JPN	8536.4900.99
MY4N 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 100/110 VDC	8.01	EC001437	150066	4536854363665		10	CC	CCE	JPN	8536.4900.99
MY4N 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 110/120 VAC	7.35	EC001437	155268	4536854363603		10	CC	CCE	JPN	8536.4900.99
MY4N1 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5 A, mech & LED indicators, label facility, 24 VDC	9.72	EC001437	113966	4536854363948		10	CC	CCE	JPN	8536.4900.99
MY4N 12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 12 VAC	7.18	EC001437	114035	4536854363573		10	CC	CCE	JPN	8536.4900.99
MY4N 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 12 VDC	7.18	EC001437	114039	4536854363634		10	CC	CCE	JPN	8536.4900.99
MY4N 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 220/240 VAC	8.01	EC001437	147901	4536854363610	#	10	CC	CCE	JPN	8536.4900.99
MY4N 24VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 24 VAC	7.18	EC001437	114036	4536854363580		10	CC	CCE	JPN	8536.4900.99
MY4N 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 24 VDC	7.18	EC001437	114040	4536854363641	#	10	CC	CCE	JPN	8536.4900.99
MY4N 48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 48/50 VAC	7.58	EC001437	114037	4536854363597		10	CC	CCE	JPN	8536.4900.99
MY4N 48VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 48 VDC	7.35	EC001437	114041	4536854363658		10	CC	CCE	JPN	8536.4900.99
MY4N-CR 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 110/120 VAC	12.62	EC001437	114044	4536854363726		10	CC	CCE	JPN	8536.4900.99
MY4N-CR 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 220/240 VAC	13.47	EC001437	114045	4536854363733		10	CC	CCE	JPN	8536.4900.99
MY4N-D2 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	10.55	EC001437	154453	4536854363689		10	CC	CCE	JPN	8536.4900.99
MY4N-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, coil suppressor, label facility, 24 VDC	10.12	EC001437	144683	4536854363696	#	10	CC	CCE	JPN	8536.4900.99
MY4N 125VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, 125 VDC (A2 '+')	11.36	EC001437	167880	4536854485855		10	CC	CCE	JPN	8536.4900.99
MY4Z 100/110VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mechanical indicator, 100/110 VDC	13.08	EC001437	113982	4536854364228		10	CC	CCE	JPN	8536.4900.99
MY4Z 24VDC (S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5 A, mech indicator, label facility, 24 VDC	11.81	EC001437	113980	4536854364204		10	CC	CCE	JPN	8536.4900.99
MY4ZIN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	13.27	EC001437	113919	4536854364679		10	CC	CCE	JPN	8536.4900.99
MY4ZN 220/240VAC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, 220/240 VAC	14.73	EC001437	113986	4536854364280		10	CC	CCE	JPN	8536.4900.99
MY4ZN 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, label facility, 24 VDC	13.91	EC001437	113987	4536854364310		10	CC	CCE	JPN	8536.4900.99
MY4ZN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, coil suppressor label facility, 24 VDC	16.83	EC001437	114005	4536854364570		10	CC	CCE	JPN	8536.4900.99

Industrial Relay G2RV

G2RV-1-S-AP-G 21VDC	Slimline input relay (6 mm width), SPDT, 50 mA, for replacement in G2RV-SR***-AP 24DC or 24 VAC/DC	5.62	EC001437	670565	4548583793736		25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G DC11	Relay, SPCO, 6 A contacts, for replacement in G2RV-SR*00 12VDC	5.12	EC001437	670573	4548583793699		25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G 21VDC	Relay, SPCO, 6 A contacts, for replacement in G2RV-SR*00 24DC or 24 VAC/DC	5.12	EC001437	670574	4548583793705	#	25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G DC48	Relay, SPCO, 6 A contacts, for replacement in G2RV-SR*00 48VAC/DC, 100 VAC, 110 VAC, 200 VAC, 230 VAC	5.37	EC001437	670572	4548583793712	#	20	CC	CCF	MYS	8536.4900.99
G2RV-1-SHG 21VDC	Slimline relay (6 mm width), lockable test switch, SPDT, 6 A, for replacement in G2RV-SR701/501 24VDC or 24 VAC/DC	5.48	EC001437	670567	4548583793750	#	25	CC	CCF	MYS	8536.4900.99

Industrial Relay G2RV-SR

G2RV-SR500 110VAC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Push-in terminals, 110 VAC	13.71	EC001437	678033	4549734135887		10	CC	CCG	MYS	8536.4900.99
G2RV-SR500 230VAC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Push-in terminals, 230 VAC	13.71	EC001437	678019	4549734135900	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500 24VAC/DC	Slimline relay 6mm incl. socket, SPDT, 6 A, Push-in terminals, 24 VAC/DC	11.54	EC001437	678028	4549734135917	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500 48VAC/DC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Push-in terminals, 48 VAC/DC	14.36	EC001437	678030	4549734135924		10	CC	CCG	MYS	8536.4900.99
G2RV-SR500-AP 230VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 230 VAC	16.42	EC001437	678039	4549734135825		10	CC	CCG	MYS	8536.4900.99
G2RV-SR500-AP 24VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VAC/DC	14.38	EC001437	678038	4549734135832		10	CC	CCG	MYS	8536.4900.99
G2RV-SR500-AP 24VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VDC	13.08	EC001437	678007	4549734135788		10	CC	CCG	MYS	8536.4900.99
G2RV-SR500 12VDC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Push-in terminals, 12 VDC	13.17	EC001437	678027	4549734135856		10	CC	CCG	MYS	8536.4900.99
G2RV-SR500 24VDC	Slimline relay 6mm incl. socket, SPDT, 6 A, Push-in terminals, 24 VDC	13.17	EC001437	678005	4549734135863	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR501 24VAC/DC	Slimline relay 6mm incl. socket, SPDT, 6 A, Push-in terminals, 24 VAC/DC, Test switch	14.82	EC001437	678017	4549734135948	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR501 24VDC	Slimline relay 6mm incl. socket, SPDT, 6 A, Push-in terminals, 24 VDC, Test switch	12.34	EC001437	678015	4549734135931	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR700 110VAC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Screw terminals, 110 VAC	13.30	EC001437	678020	4549734136068	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR700 230VAC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Screw terminals, 230 VAC	13.30	EC001437	678040	4549734136082	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR700 24VAC/DC	Slimline relay 6mm incl. socket, SPDT, 6 A, Screw terminals, 24 VAC/DC	12.83	EC001437	678013	4549734136099	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR700 48VAC/DC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Screw terminals, 48 VAC/DC	12.80	EC001437	678010	4549734136105	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR700-AP 230VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 230 VAC	16.21	EC001437	678025	4549734136006		10	CC	CCG	MYS	8536.4900.99
G2RV-SR700-AP 24VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VAC/DC	15.10	EC001437	678026	4549734136013		10	CC	CCG	MYS	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G2RV-SR700-AP 12VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 12 VDC	12.90	EC001437	678021	4549734135955		10	CC	CCG	MYS	8536.4900.99
G2RV-SR700-AP 24VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VDC	12.90	EC001437	678034	4549734135962		10	CC	CCG	MYS	8536.4900.99
G2RV-SR700 12VDC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Screw terminals, 12 VDC	12.73	EC001437	678006	4549734136037	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR700 24VDC	Slimline relay 6 mm incl. socket, SPDT, 6 A, Screw terminals, 24 VDC	12.73	EC001437	678023	4549734136044	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR701 24VAC/DC	Slimline relay 6mm incl. socket, SPDT, 6 A, Screw terminals, 24 VAC/DC, test switch	11.94	EC001437	678016	4549734136129	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR701 24VDC	Slimline relay 6mm incl. socket, SPDT, 6 A, Screw terminals, 24 VDC, test switch	13.96	EC001437	678031	4549734136112	#	10	CC	CCG	MYS	8536.4900.99
Industrial Relay MY-GS											
MY2-GS 110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 110/120 VAC	5.29	EC001437	686134	4548583818064		10	CC	CCK	CHN	8536.4900.99
MY2-GS 220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 220/240 VAC	5.43	EC001437	686128	4548583491250			CC	CCK	CHN	8536.4900.99
MY2-GS 24VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 24 VAC	5.22	EC001437	686127	4548583491229		10	CC	CCK	CHN	8536.4900.99
MY2-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 24 VDC	5.01	EC001437	686129	4548583491267		10	CC	CCK	CHN	8536.4900.99
MY2IN-D2-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, coil suppressor, lockable push test button, 24 VDC	7.00	EC001437	686150	4549734261470		10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 110/120 VAC	6.08	EC001437	686149	4549734261432	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 220/240 VAC	5.95	EC001437	686139	4549734261456	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 24VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 24 VAC	5.95	EC001437	686148	4549734261401	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 12VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 12 VDC	6.86	EC001437	686142	4549734261340	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 24 VDC	10.00	EC001437	686143	4549734261357	#	10	CC	CCK	CHN	8536.4900.99
MY2N-GS 110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 100/110 VAC	5.58	EC001437	686137	4548583818132		10	CC	CCK	CHN	8536.4900.99
MY2N-GS 220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 220/240 VAC	11.22	EC001437	686131	4548583491304		10	CC	CCK	CHN	8536.4900.99
MY2N-GS 24VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 24 VAC	8.92	EC001437	686130	4548583491274		10	CC	CCK	CHN	8536.4900.99
MY2N-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 24 VDC	8.52	EC001437	686132	4548583491311		10	CC	CCK	CHN	8536.4900.99
MY4-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 220/240 VAC	6.34	EC001437	686152	4548583491359		10	CC	CCK	CHN	8536.4900.99
MY4-GS 24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VAC	6.06	EC001437	686151	4548583491328		10	CC	CCK	CHN	8536.4900.99
MY4-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VDC	5.94	EC001437	686153	4548583491366			CC	CCK	CHN	8536.4900.99
MY4IN-D2-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 24 VDC	6.96	EC001437	686174	4549734261692	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-D2-GS 48VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 48 VDC	6.96	EC001437	686175	4549734261708	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 110/120 VAC	6.96	EC001437	686172	4549734261654	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 220/240 VAC	6.96	EC001437	686173	4549734261678	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VAC	15.43	EC001437	686171	4549734261623	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 100/110VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 100/110 VDC	7.71	EC001437	686170	4549734261593	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 12VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 12 VDC	6.96	EC001437	686167	4549734261562	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VDC	10.44	EC001437	686168	4549734261579	#	10	CC	CCK	CHN	8536.4900.99
MY4N-D2-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, 24 VDC	7.35	EC001437	686177	4548583818682		10	CC	CCK	CHN	8536.4900.99
MY4N-GS 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 110/120 VAC	6.58	EC001437	686163	4548583818613		10	CC	CCK	CHN	8536.4900.99
MY4N-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 220/240 VAC	6.96	EC001437	686155	4548583491403			CC	CCK	CHN	8536.4900.99
MY4N-GS 24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 24 VAC	12.35	EC001437	686154	4548583491373		10	CC	CCK	CHN	8536.4900.99
MY4N-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 24 VDC	9.68	EC001437	686156	4548583491410		10	CC	CCK	CHN	8536.4900.99
Accessory for Industrial Relay											
Y92B-A100	Heat sink, economic model, for G3NA-205B/-210B/-D210B/-220B/-410B/-420B	24.00	EC002056	154222	4536853411190			CC	CCZ	JPN	8536.4900.99
Y92B-N100	Heat sink for G3NA-220/420B SSR	35.95	EC002056	107399	4536854247149		5	CC	CCZ	JPN	8536.4900.99
Y92B-N150	Heat sink for G3NA-240/440B SSR	49.33	EC002056	107400	4536854247156			CC	CCZ	JPN	8536.4900.99
Y92B-N50	Heat sink for G3NA-205/210B SSR	21.22	EC002056	105361	4536854247132	#	10	CC	CCZ	JPN	8536.4900.99
G78-16-P2RF-E	Relay common busbar for 16x P2RF socket base	5.37	EC002586	143184	4536853484668		50	CC	CCZ	JPN	8536.4900.99
G73Z-11Z-R	Auxiliary contact block, SPST-NO and SPST-NC, for use with G7Z relay	21.51	EC002057	684175	4548583732131			CC	CCZ	JPN	8536.4900.99
G70V-SID16P-1	Relay terminal, PLC Input, 16 channels, PNP, Push-in terminals	173.90	EC002780	670254	4548583798151			CC	CCZ	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G70V-SOC16P	Relay terminal, PLC Output, 16 channels, NPN, Push-in terminals	158.10	EC0002780	670257	4548583798182			CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1	Relay terminal, PLC Output, 16 channels, PNP, Push-in terminals	158.10	EC0002780	670256	4548583798175			CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1-C4	Relay terminal, PLC Output, 16 channels, internally connected, PNP, Push-in terminals	147.90	EC0002780	675390	4549734144452			CC	CCZ	JPN	8536.4900.99
P2RV-4-100C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 1 m	91.10	EC000237	379395	4548583493346	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-200C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 2 m	125.70	EC000237	379396	4548583493353			CC	CCZ	JPN	8544.4290.90
P2RV-4-300C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 3 m	94.60	EC000237	379397	4548583493360			CC	CCZ	JPN	8544.4290.90
P2RV-A100C	G2RV interface cable with flying leads for use with P2RV-8-O-F or P2RV-8-I-F module, 1 m	27.23	EC000237	379407	4548583493469			CC	CCZ	JPN	8538.9099.99
P2RV-A100C-OMR NX	G2RV interface cable for use between NX-OD4256 and P2RV-8-O-F module, 1 m	40.68	EC000237	379416	4548583493551	#		CC	CCZ	JPN	8544.4290.90
P2RV-A200C	G2RV interface cable with flying leads for use with P2RV-8-O-F or P2RV-8-I-F module, 2 m	27.23	EC000237	379408	4548583493476			CC	CCZ	JPN	8538.9099.99
Low Voltage Switch Gear J7MN motor protection											
J7MN-3P-1	Motor-protective circuit breaker, switch type, 3-pole, 0.63-1 A	29.57	EC000074	234279	4547648326957	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-10	Motor-protective circuit breaker, switch type, 3-pole, 6-10 A	35.74	EC000074	234285	4547648327015	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-13	Motor-protective circuit breaker, switch type, 3-pole, 9-13 A	35.74	EC000074	234286	4547648327022	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-17	Motor-protective circuit breaker, switch type, 3-pole, 11-17 A	35.74	EC000074	234287	4547648327039	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-1E6	Motor-protective circuit breaker, switch type, 3-pole, 1-1.6 A	32.98	EC000074	234280	4547648326964	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-22	Motor-protective circuit breaker, switch type, 3-pole, 14-22 A	35.74	EC000074	234288	4547648327046	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-26	Motor-protective circuit breaker, switch type, 3-pole, 18-26 A	35.74	EC000074	234289	4547648327053	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-2E5	Motor-protective circuit breaker, switch type, 3-pole, 1.6-2.5 A	32.98	EC000074	234281	4547648326971	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-32	Motor-protective circuit breaker, switch type, 3-pole, 22-32 A	39.19	EC000074	234290	4547648327060			CD	CDA	KOR	8536.4900.99
J7MN-3P-4	Motor-protective circuit breaker, switch type, 3-pole, 2.5-4 A	32.98	EC000074	234282	4547648326988	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-6	Motor-protective circuit breaker, switch type, 3-pole, 4-6 A	32.98	EC000074	234283	4547648326995	#		CD	CDA	KOR	8536.4900.99
J7MN-3P-8	Motor-protective circuit breaker, switch type, 3-pole, 5-8 A	32.98	EC000074	234284	4547648327008			CD	CDA	KOR	8536.4900.99
J7MN-3P-E25	Motor-protective circuit breaker, switch type, 3-pole, 0.16-0.25 A	29.57	EC000074	234276	4547648326926			CD	CDA	KOR	8536.4900.99
J7MN-3P-E4	Motor-protective circuit breaker, switch type, 3-pole, 0.25-0.4 A	29.57	EC000074	234277	4547648326933			CD	CDA	KOR	8536.4900.99
J7MN-3P-E63	Motor-protective circuit breaker, switch type, 3-pole, 0.4 A-0.63 A	29.57	EC000074	234278	4547648326940	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-1	Motor-protective circuit breaker, rotary type, 3-pole, 0.63-1 A	37.20	EC000074	234295	4547648327114	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-10	Motor-protective circuit breaker, rotary type, 3-pole, 6-10 A	43.60	EC000074	234301	4547648327176	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-13	Motor-protective circuit breaker, rotary type, 3-pole, 9-13 A	68.60	EC000074	234302	4547648327183	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-17	Motor-protective circuit breaker, rotary type, 3-pole, 11-17 A	44.29	EC000074	234303	4547648327190			CD	CDA	KOR	8536.4900.99
J7MN-3R-1E6	Motor-protective circuit breaker, rotary type, 3-pole, 1-1.6 A	47.68	EC000074	234296	4547648327121			CD	CDA	KOR	8536.4900.99
J7MN-3R-22	Motor-protective circuit breaker, rotary type, 3-pole, 14-22 A	45.48	EC000074	234304	4547648327206			CD	CDA	KOR	8536.4900.99
J7MN-3R-26	Motor-protective circuit breaker, rotary type, 3-pole, 18-26 A	102.70	EC000074	234305	4547648327213	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-2E5	Motor-protective circuit breaker, rotary type, 3-pole, 1.6-2.5 A	37.60	EC000074	234297	4547648327138	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-32	Motor-protective circuit breaker, rotary type, 3-pole, 22-32 A	56.65	EC000074	234306	4547648327220	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-4	Motor-protective circuit breaker, rotary type, 3-pole, 2.5-4 A	42.63	EC000074	234298	4547648327145	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-6	Motor-protective circuit breaker, rotary type, 3-pole, 4-6 A	39.63	EC000074	234299	4547648327152	#		CD	CDA	KOR	8536.4900.99
J7MN-3R-8	Motor-protective circuit breaker, rotary type, 3-pole, 5-8 A	39.63	EC000074	234300	4547648327169			CD	CDA	KOR	8536.4900.99
J7MN-3R-E25	Motor-protective circuit breaker, rotary type, 3-pole, 0.16-0.25 A	50.00	EC000074	234292	4547648327084			CD	CDA	KOR	8536.4900.99
J7MN-3R-E4	Motor-protective circuit breaker, rotary type, 3-pole, 0.25-0.4 A	50.00	EC000074	234293	4547648327091			CD	CDA	KOR	8536.4900.99
J7MN-3R-E63	Motor-protective circuit breaker, rotary type, 3-pole, 0.4-0.63 A	34.97	EC000074	234294	4547648327107	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-32	Motor-protective circuit breaker, rotary type, 3-pole, 22-32 A	112.30	EC000074	234308	4547648327244	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-40	Motor-protective circuit breaker, rotary type, 3-pole, 28-40 A	178.10	EC000074	234309	4547648327251	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-50	Motor-protective circuit breaker, rotary type, 3-pole, 34-50 A	187.80	EC000074	234310	4547648327268			CD	CDA	KOR	8536.4900.99
J7MN-6R-63	Motor-protective circuit breaker, rotary type, 3-pole, 45-63 A	200.40	EC000074	234311	4547648327275			CD	CDA	KOR	8536.4900.99
J7MN-9R-75	Motor-protective circuit breaker, rotary type, 3-pole, 55-75 A	162.00	EC000074	234313	4547648327299	#		CD	CDA	KOR	8536.4900.99
Low Voltage Switch Gear J7KN Contactor											
J7KNA-AR-22 110	Contactor relay, 4-pole, 2M2B, 10A thermal current/3A AC-15, 110 VAC	16.32	EC000196	119093	4536854851193		10	CD	CDB	AUT	8536.4900.99
J7KNA-AR-22 230	Contactor relay, 4-pole, 2M2B, 10 A thermal current/3 A AC-15, 230 VAC	22.34	EC000196	119094	4536854851216		10	CD	CDB	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KNA-AR-22 24D	Contact relay, 4-pole, 2M2B, 10A thermal current/3A AC-15, 24 VDC	20.46	EC000196	119016	4536854851469	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-31 24D	Contact relay, 4-pole, 3M1B, 10A thermal current/3A AC-15, 24 VDC	17.46	EC000196	119023	4536854851544	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 230	Contact relay, 4-pole, 4M, 10 A thermal current/3 A AC-15, 230 VAC	15.97	EC000196	158036	4536854851414	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24D	Contact relay, 4-pole, 4M, 10A thermal current/3A AC-15, 24 VDC	22.53	EC000196	119029	4536854851629	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24VS	Contact relay, 4-pole, 4M, 10 A thermal current/3 A AC-15 with diode suppressor, 24 VDC	23.23	EC000196	119031	4536854851667	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-01 110	Contact relay, 3-pole, 9A/4kW AC3 (20 A AC1) + 1B auxiliary, 110 VAC	14.39	EC000066	119142	4536854850462	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-01 230	Contact relay, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1B auxiliary, 230 VAC	14.39	EC000066	145970	4536854850486	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24	Contact relay, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1B auxiliary, 24 VAC	14.35	EC000066	119139	4536854850431	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24D	Contact relay, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1B auxiliary, 24 VDC	20.54	EC000066	119056	4536854850615	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24VS	Contact relay, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1B auxiliary with diode suppressor, 24 VDC	22.83	EC000066	149193	4536854850653	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-01R 24VS	Reversing interlocked pair, 9 A/4 kW + 1B auxiliary on both sides, 230 VAC	50.25	EC000010	245056	4547648525664			CD	CDB	AUT	8536.4900.99
J7KNA-09-10 110	Contact relay, 3-pole, 9A/4kW AC3 (20 A AC1) + 1M auxiliary, 110 VAC	14.45	EC000066	158034	4536854850363	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-10 230	Contact relay, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1M auxiliary, 230 VAC	14.39	EC000066	119134	4536854850387	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24	Contact relay, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1M auxiliary, 24 VAC	14.39	EC000066	119132	4536854850332	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24D	Contact relay, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1M auxiliary, 24 VDC	20.54	EC000066	119051	4536854850530	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24VS	Contact relay, 3-pole, 9 A/4 kW AC3 (20 A AC1) + 1M auxiliary with diode suppressor, 24 VDC	22.83	EC000066	119054	4536854850578	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-10 400	Mini contactor, 3-pole, 4 kW; 9 A AC3 (400 VAC) + 1 NO, 400 VAC	14.65	EC000066	119136	4536854850400	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-4 230	Contact relay, 4-pole, 9A/4kW AC3 (20 A AC1), 230 VAC	18.38	EC000066	158035	4536854850745	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-01 230	Contact relay, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1B auxiliary, 230 VAC	17.75	EC000066	119076	4536854850950	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24	Contact relay, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1B auxiliary, 24 VAC	18.21	EC000066	153496	4536854850905	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24D	Contact relay, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1B auxiliary, 24 VDC	25.32	EC000066	151253	4536854851087	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24VS	Contact relay, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1B auxiliary with diode suppressor, 24 VDC	27.59	EC000066	119087	4536854851124	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-10 230	Contact relay, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1M auxiliary, 230 VAC	17.83	EC000066	119068	4536854850851	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24	Contact relay, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1M auxiliary, 24 VAC	17.75	EC000066	119065	4536854850806	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24D	Contact relay, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1M auxiliary, 24 VDC	25.32	EC000066	119080	4536854851001	#	10	CD	CDB	AUT	8536.4900.99
J7KN-10D-01 230	Contact relay, 3-pole, 10 A/4 kW AC3 (25 A AC1) + 1B auxiliary, 230 VAC	16.88	EC000066	367266	4548583135482	CD		CDB	AUT	AUT	8536.4900.99
J7KN-10D-01 24	Contact relay, 3-pole, 10 A/4 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	16.93	EC000066	367267	4548583135499	CD		CDB	AUT	AUT	8536.4900.99
J7KN-10D-01 24D	Contact relay, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	26.68	EC000066	367268	4548583135505	CD		CDB	AUT	AUT	8536.4900.99
J7KN-14D-01 230	Contact relay, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1B auxiliary, 230 VAC	18.21	EC000066	367298	4548583135802	CD		CDB	AUT	AUT	8536.4900.99
J7KN-14D-01 24	Contact relay, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	18.41	EC000066	367299	4548583135819	CD		CDB	AUT	AUT	8536.4900.99
J7KN-14D-01 24D	Contact relay, 3-pole, 5.5 kW; 14 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	28.42	EC000066	367300	4548583135826	CD		CDB	AUT	AUT	8536.4900.99
J7KN-18D-01 230	Contact relay, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1B auxiliary, 230 VAC	27.13	EC000066	367330	4548583136120	CD		CDB	AUT	AUT	8536.4900.99
J7KN-18D-01 24	Contact relay, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	27.25	EC000066	367331	4548583136137	CD		CDB	AUT	AUT	8536.4900.99
J7KN-18D-01 24D	Contact relay, 3-pole, 7.5 kW; 18 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	35.00	EC000066	367332	4548583136144	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-01 230	Contact relay, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1B auxiliary, 230 VAC	36.87	EC000066	367362	4548583136441	CD		CDB	AUT	AUT	8536.4900.99
J7KN-22D-01 24	Contact relay, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	36.99	EC000066	367363	4548583136458	CD		CDB	AUT	AUT	8536.4900.99
J7KN-22D-01 24D	Contact relay, 3-pole, 11 kW; 22 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	41.81	EC000066	367364	4548583136465	CD		CDB	AUT	AUT	8536.4900.99
J7KNG-10-01 24D	Contact relay, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1B auxiliary	32.29	EC000066	183546	4547648171069	#		CD	CDB	AUT	8536.4900.99
J7KNG-14-01 24D	Contact relay, DC-operated (3VA), 3-pole, 14 A/5.5 kW AC3 + 1B auxiliary	34.17	EC000066	183554	4547648171144	CD		CDB	AUT	AUT	8536.4900.99
J7KNG-18-01 24D	Contact relay, DC-operated (3VA), 3-pole, 18 A/7.5 kW AC3 + 1B auxiliary	34.97	EC000066	183562	4547648171229	#		CD	CDB	AUT	8536.4900.99
J7KNG-22-01 24D	Contact relay, DC-operated (3VA), 3-pole, 22 A/11 kW AC3 + 1B auxiliary	44.31	EC000066	183570	4547648171304	CD		CDB	AUT	AUT	8536.4900.99
J7KN-10D-10 110	Contact relay, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NO aux., 110 VAC	16.86	EC000066	367274	4548583135567	CD		CDB	AUT	AUT	8536.4900.99
J7KN-10D-10 230	Contact relay, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NO aux., 230 VAC	16.80	EC000066	367278	4548583135604	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 24	Contact relay, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NO aux., 24 VAC	16.86	EC000066	367279	4548583135611	CD		CDB	AUT	AUT	8536.4900.99
J7KN-10D-10 24D	Contact relay, 3-pole, 4 kW; 10 A AC3 (380-415 VAC) + 1 NO aux., 24 VDC	26.56	EC000066	367280	4548583135628	CD		CDB	AUT	AUT	8536.4900.99
J7KN-14D-10 230	Contact relay, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1M auxiliary, 230 VAC	18.30	EC000066	367310	4548583135925	#		CD	CDB	AUT	8536.4900.99
J7KN-14D-10 24	Contact relay, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1M auxiliary, 24 VAC	18.33	EC000066	367311	4548583135932	CD		CDB	AUT	AUT	8536.4900.99
J7KN-14D-10 24D	Contact relay, 3-pole, 5.5 kW; 14 A AC3 (380-415 VAC) + 1 NO aux., 24 VDC	28.42	EC000066	367312	4548583135949	CD		CDB	AUT	AUT	8536.4900.99
J7KN-18D-10 110	Contact relay, 3-pole, 7.5 kW; 18 A AC3 (380-415 VAC) + 1 NO aux., 110 VAC	27.13	EC000066	367338	4548583136205	CD		CDB	AUT	AUT	8536.4900.99
J7KN-18D-10 230	Contact relay, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1M auxiliary, 230 VAC	27.13	EC000066	367342	4548583136243	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 24	Contact relay, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1M auxiliary, 24 VAC	27.13	EC000066	367343	4548583136250	CD		CDB	AUT	AUT	8536.4900.99
J7KN-18D-10 24D	Contact relay, 3-pole, 7.5 kW; 18 A AC3 (380-415 VAC) + 1 NO aux., 24 VDC	35.00	EC000066	367344	4548583136267	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 400	Contact relay, 3-pole, 7.5 kW; 18 A AC3 (380-415 VAC) + 1 NO aux., 400 VAC	27.68	EC000066	367345	4548583136274	CD		CDB	AUT	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KN-22D-10 230	Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1M auxiliary, 230 VAC	36.87	EC000066	367374	4548583136564			CD	CDB	AUT	8536.4900.99
J7KN-22D-10 24	Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1M auxiliary, 24 VAC	36.99	EC000066	367375	4548583136571			CD	CDB	AUT	8536.4900.99
J7KN-22D-10 24D	Contactör, 3-pole, 11 kW; 22 A AC3 (380-415 VAC) + 1 NO aux., 24 VDC	41.81	EC000066	367376	4548583136588	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-10 400	Contactör, 3-pole, 11 kW; 22 A AC3 (380-415 VAC) + 1 NO aux., 400 VAC	37.60	EC000066	367377	4548583136595			CD	CDB	AUT	8536.4900.99
J7KNG-10-10 24D	Contactör, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1M auxiliary	32.29	EC000066	183550	4547648171106			CD	CDB	AUT	8536.4900.99
J7KNG-14-10 24D	Contactör, DC-operated (3VA), 3-pole, 14 A/5.5 kW AC3 + 1M auxiliary	34.17	EC000066	183558	4547648171182			CD	CDB	AUT	8536.4900.99
J7KNG-18-10 24D	Contactör, DC-operated (3VA), 3-pole, 18 A/7.5 kW AC3 + 1M auxiliary	40.86	EC000066	183566	4547648171267			CD	CDB	AUT	8536.4900.99
J7KNG-22-10 24D	Contactör, DC-operated (3VA), 3-pole, 22 A/11 kW AC3 + 1M auxiliary	52.35	EC000066	183574	4547648171342	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-4 230	Contactör, 4-pole, 25 A AC1 (up to 690 VAC), 230 VAC	21.37	EC000066	367288	4548583135703			CD	CDB	AUT	8536.4900.99
J7KNG-22-4 24D	DC solenoid motor contactör, 4-pole, 22A, 24 VDC	49.81	EC000066	197345	4547648205979			CD	CDB	AUT	8536.4900.99
J7KN-24 230	Contactör, 3-pole, 24 A/11 kW AC-3 (50 A AC1), 230 VAC	38.16	EC000066	148113	4536854852794	#		CD	CDB	AUT	8536.4900.99
J7KN-24 24	Contactör, 3-pole, 24 A/11 kW AC-3 (50 A AC1), 24 VAC	38.16	EC000066	152417	4536854852749			CD	CDB	AUT	8536.4900.99
J7KN-24 24D	Contactör, 3-pole, 24A/11 kW AC-3 (50A AC1), 24 VDC	37.23	EC000066	151258	4536854852824			CD	CDB	AUT	8536.4900.99
J7KN-32 110	Contactör, 3-pole, 32A/15kW AC-3 (65A AC1), 110 VAC	52.10	EC000066	104537	4536854852893			CD	CDB	AUT	8536.4900.99
J7KN-32 230	Contactör, 3-pole, 32 A/15 kW AC-3 (65 A AC1), 230 VAC	52.10	EC000066	158039	4536854852916	#		CD	CDB	AUT	8536.4900.99
J7KN-32 24	Contactör, 3-pole, 32 A/15 kW AC-3 (65 A AC1), 24 VAC	52.10	EC000066	118897	4536854852862			CD	CDB	AUT	8536.4900.99
J7KN-32 24D	Contactör, 3-pole, 32A/15kW AC-3 (65A AC1), 24 VDC	56.70	EC000066	118903	4536854852947			CD	CDB	AUT	8536.4900.99
J7KN-40 230	Contactör, 3-pole, 40 A/18.5 kW AC-3 (80 A AC1), 230 VAC	63.10	EC000066	118814	4536854853036	#		CD	CDB	AUT	8536.4900.99
J7KN-40 24	Contactör, 3-pole, 40 A/18.5 kW AC-3 (80 A AC1), 24 VAC	63.55	EC000066	118810	4536854852985			CD	CDB	AUT	8536.4900.99
J7KN-40 24D	Contactör, 3-pole, 40A/18.5kW AC-3 (80A AC1), 24 VDC	66.55	EC000066	118816	4536854853067			CD	CDB	AUT	8536.4900.99
J7KNG-24 24D	Contactör, DC-operated (3VA), 3-pole, 24 A/11 kW AC3	55.15	EC000066	197786	4547648206044			CD	CDB	AUT	8536.4900.99
J7KNG-32 24D	Contactör, DC-operated (3VA), 3-pole, 32 A/15 kW AC3	78.60	EC000066	197792	4547648206105			CD	CDB	AUT	8536.4900.99
J7KNG-40 24D	Contactör, DC-operated (3VA), 3-pole, 40 A/18.5 kW AC3	91.70	EC000066	197798	4547648206167			CD	CDB	AUT	8536.4900.99
J7KN-50 230	Contactör, 3-pole, 50 A/22 kW AC-3 (110 A AC1), 230 VAC	79.90	EC000066	118823	4536854853159	#		CD	CDB	AUT	8536.4900.99
J7KN-50 24	Contactör, 3-pole, 50 A/22 kW AC-3 (110 A AC1), 24 VAC	79.90	EC000066	118819	4536854853104	#		CD	CDB	AUT	8536.4900.99
J7KN-50 24D	Contactör, 3-pole, 50 A/22 kW AC-3 (110 A AC1), 24 VDC	82.65	EC000066	118825	4536854853180			CD	CDB	AUT	8536.4900.99
J7KN-62 230	Contactör, 3-pole, 62 A/30 kW AC-3 (120 A AC1), 230 VAC	114.30	EC000066	150146	4536854853272	#		CD	CDB	AUT	8536.4900.99
J7KN-62 24	Contactör, 3-pole, 62 A/30 kW AC-3 (120 A AC1), 24 VAC	114.30	EC000066	118828	4536854853227			CD	CDB	AUT	8536.4900.99
J7KN-62 24D	Contactör, 3-pole, 62 A/30 kW AC-3 (120 A AC1), 24 VDC	112.80	EC000066	118834	4536854853302			CD	CDB	AUT	8536.4900.99
J7KN-74 230	Contactör, 3-pole, 74 A/37 kW AC-3 (130 A AC1), 230 VAC	131.60	EC000066	118841	4536854853395			CD	CDB	AUT	8536.4900.99
J7KN-115 230	Contactör, 3-pole, 55 kW; 115 A AC3 (380-415 VAC), 230 VAC/DC	205.10	EC000066	245090	4547648526005			CD	CDB	AUT	8536.4900.99
J7KN-90 230	Contactör, 3-pole, 45 kW; 90 A AC3 (380-415 VAC), 230 VAC/DC	154.10	EC000066	245085	4547648525954			CD	CDB	AUT	8536.4900.99
J7KN-151 230	Contactör, 3-pole, 150 A/75 kW AC3 (230 A AC1), 230 VAC	290.40	EC000066	183524	4547648170840			CD	CDB	ITA	8536.4900.99
J7KC-12-01 24VDC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VDC, Contacts: NO 3 NC 0, HxWxD 67.5 x 45 x 46 mm	34.05	EC000066	690066	4549734535656		10	CD	CDB	JPN	8536.4900.99
J7KC-12-10 24VDC	Motor Contactör, 3 Poles, Push-In Plus Terminals, up to 5.5 kW, 24 VDC, Contacts: NO 3 NC 0, HxWxD 67.5 x 45 x 46 mm	34.05	EC000066	690037	4549734535649		10	CD	CDB	JPN	8536.4900.99
J73KC-AM-22	Auxiliary Contact Module for Motor Contactör, Push-In Plus Terminals, Contacts: NO 2 NC 2, HxWxD 40.5 x 38.5 x 41.5 mm	16.98	EC002498	690081	4549734537476		10	CD	CDB	CHN	8536.4900.99
J7KNU-05-4 110	Micro contactör, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 110 VAC	18.02	EC000066	668444	4548583772373			CD	CDB	AUT	8536.4900.99
J7KNU-05-4 180	Micro contactör, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 180 VAC	18.02	EC000066	668445	4548583772380			CD	CDB	AUT	8536.4900.99
J7KNU-05-4 230	Micro contactör, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 230 VAC	18.02	EC000066	668443	4548583772397		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-4 24	Micro contactör, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 24 VAC	18.02	EC000066	668442	4548583772403		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-4 48	Micro contactör, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 48 VAC	18.02	EC000066	668446	4548583772410			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110	Micro contactör relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 110 VAC	18.02	EC000196	668199	4548583765252			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110D	Micro contactör relay, 4-pole (2 NO & 2 NC), 3A AC15 (up to 230 V), 110 VDC	22.36	EC000196	675305	4549734134095			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 180	Micro contactör relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 180 VAC	18.02	EC000196	668221	4548583765269			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 230	Micro contactör relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 230 VAC	18.02	EC000196	668193	4548583765276		10	CD	CDB	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
J7KNU-AR-22 24	Micro contactor relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 24 VAC	18.02	EC000196	668202	4548583765283			CD	CDB	AUT	8536.4900.99	
J7KNU-AR-22 24D	Micro contactor relay, 4-pole (2 NO & 2 NC), 3A AC15 (up to 230 V), 24 VDC	22.36	EC000196	675309	4549734134064		10	CD	CDB	AUT	8536.4900.99	
J7KNU-AR-22 48	Micro contactor relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 48 VAC	18.02	EC000196	668220	4548583765290			CD	CDB	AUT	8536.4900.99	
J7KNU-AR-22 48D	Micro contactor relay, 4-pole (2 NO & 2 NC), 3A AC15 (up to 230 V), 48 VDC	22.36	EC000196	675308	4549734134071			CD	CDB	AUT	8536.4900.99	
J7KNU-AR-22 60D	Micro contactor relay, 4-pole (2 NO & 2 NC), 3A AC15 (up to 230 V), 60 VDC	22.36	EC000196	675299	4549734134088			CD	CDB	AUT	8536.4900.99	
J7KNU-AR-22 90	Micro contactor relay, 4-pole (2 NO & 2 NC), 12 A AC1 (up to 440 VAC), 90 VAC	18.02	EC000196	668214	4548583765306			CD	CDB	AUT	8536.4900.99	
J7KNU-AR-40 110	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 110 VAC	18.02	EC000196	668198	4548583765191			CD	CDB	AUT	8536.4900.99	
J7KNU-AR-40 110D	Micro contactor relay, 4-pole (4 NO), 3A AC15 (up to 230 V), 110 VDC	22.36	EC000196	675311	4549734134132			CD	CDB	AUT	8536.4900.99	
J7KNU-AR-40 180	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 180 VAC	18.02	EC000196	668210	4548583765207			CD	CDB	AUT	8536.4900.99	
J7KNU-AR-40 230	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 230 VAC	18.02	EC000196	668205	4548583765214		10	CD	CDB	AUT	8536.4900.99	
J7KNU-AR-40 24	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 24 VAC	18.02	EC000196	668194	4548583765221		10	CD	CDB	AUT	8536.4900.99	
J7KNU-AR-40 24D	Micro contactor relay, 4-pole (4 NO), 3A AC15 (up to 230 V), 24 VDC	22.36	EC000196	675310	4549734134101		10	CD	CDB	AUT	8536.4900.99	
J7KNU-AR-40 48	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 48 VAC	18.02	EC000196	668197	4548583765238			CD	CDB	AUT	8536.4900.99	
J7KNU-AR-40 48D	Micro contactor relay, 4-pole (4 NO), 3A AC15 (up to 230 V), 48 VDC	22.36	EC000196	675304	4549734134118			CD	CDB	AUT	8536.4900.99	
J7KNU-AR-40 60D	Micro contactor relay, 4-pole (4 NO), 3A AC15 (up to 230 V), 60 VDC	22.36	EC000196	675295	4549734134125			CD	CDB	AUT	8536.4900.99	
J7KNU-AR-40 90	Micro contactor relay, 4-pole (4 NO), 12 A AC1 (up to 440 VAC), 90 VAC	18.02	EC000196	668201	4548583765245			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 110	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 110 VAC	16.24	EC000066	668211	4548583765078			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 110D	Micro contactor, 3-pole (NO) + 1NC, 2.2 kW; 12A AC1 (up to 440 V), 60 VDC	20.20	EC000066	675301	4549734134170			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 180	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 180 VAC	16.24	EC000066	668195	4548583765085			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 230	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 230 VAC	16.24	EC000066	668213	4548583765092		10	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 24	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 24 VAC	16.24	EC000066	668219	4548583765108		10	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 24D	Micro contactor, 3-pole (NO) + 1NC, 2.2 kW; 12A AC1 (up to 440 V), 60 VDC	20.20	EC000066	675298	4549734134149		10	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 48	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 48 VAC	16.24	EC000066	668222	4548583765115		10	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 48D	Micro contactor, 3-pole (NO) + 1NC, 2.2 kW; 12A AC1 (up to 440 V), 60 VDC	20.20	EC000066	675312	4549734134156			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 60D	Micro contactor, 3-pole (NO) + 1NC, 2.2 kW; 12A AC1 (up to 440 V), 60 VDC	20.20	EC000066	675302	4549734134163			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01 90	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NC, 90 VAC	16.24	EC000066	668206	4548583765122			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 110	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 110 VAC	43.23	EC000010	668207	4548583765313			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 110D	Micro contactor, reversing interlocked pair, 2.2kW, 3-pole (NO) + 1 NC, auxiliary contacts on both sides, 12A AC1 (up to 440 V), 110 VDC	54.05	EC000010	675300	4549734134255		5	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 180	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 180 VAC	43.23	EC000010	668217	4548583765320			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 230	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 230 VAC	43.23	EC000010	668212	4548583765337		5	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 24	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 24 VAC	43.23	EC000010	668196	4548583765344		5	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 24D	Micro contactor, reversing interlocked pair, 2.2kW, 3-pole (NO) + 1 NC, auxiliary contacts on both sides, 12A AC1 (up to 440 V), 24 VDC	54.05	EC000010	675297	4549734134224		5	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 48	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 48 VAC	43.23	EC000010	668200	4548583765351		5	CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 48D	Micro contactor, reversing interlocked pair, 2.2kW, 3-pole (NO) + 1 NC, auxiliary contacts on both sides, 12A AC1 (up to 440 V), 48 VDC	54.05	EC000010	675303	4549734134231			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 60D	Micro contactor, reversing interlocked pair, 2.2kW, 3-pole (NO) + 1 NC, auxiliary contacts on both sides, 12A AC1 (up to 440 V), 60 VDC	54.05	EC000010	675307	4549734134248			CD	CDB	AUT	8536.4900.99	
J7KNU-05-01R 90	Micro contactor, reversing interlocked pair, 5A/2.2kW + 1 NC auxiliary on both sides, 90 VAC	43.23	EC000010	668218	4548583765368			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 110	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 110 VAC	16.24	EC000066	668208	4548583765139			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 110D	Micro contactor, 3-pole (NO) + 1NO, 2.2 kW; 12A AC1 (up to 440 VAC), 110 VDC	20.20	EC000066	675334	4549734134217			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 180	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 180 VAC	16.24	EC000066	668216	4548583765146			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 230	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 230 VAC	16.24	EC000066	668215	4548583765153		#	CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 24	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 24 VAC	16.24	EC000066	668203	4548583765160		#	CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 24D	Micro contactor, 3-pole (NO) + 1NO, 2.2 kW; 12A AC1 (up to 440 VAC), 24 VDC	20.20	EC000066	675294	4549734134187		#	CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 48	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 48 VAC	16.24	EC000066	668204	4548583765177		10	CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 48D	Micro contactor, 3-pole (NO) + 1NO, 2.2 kW; 12A AC1 (up to 440 VAC), 48 VDC	20.20	EC000066	675296	4549734134194			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 60D	Micro contactor, 3-pole (NO) + 1NO, 2.2 kW; 12A AC1 (up to 440 VAC), 60 VDC	20.20	EC000066	675293	4549734134200			CD	CDB	AUT	8536.4900.99	
J7KNU-05-10 90	Micro contactor, 3-pole, 2.2 kW; 5 A AC3 (400 VAC) + 1 NO, 90 VAC	16.24	EC000066	668209	4548583765184			CD	CDB	AUT	8536.4900.99	
J7KNU-05-4 90	Micro contactor, 4-pole, 5 A/ 2.2 kW AC3 (12 A AC1), 90 VAC	18.02	EC000066	668441	4548583772427			CD	CDB	AUT	8536.4900.99	
J75KN-P-1039	Snap-on adapter to mount J7KNU on DIN rail 35 mm	1.59	EC002498	675306	4549734137188		#	10	CD	CDB	AUT	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
Low Voltage Switch Gear J7TK Thermal overload												
J7TKN-A-11	Overload relay, 3-pole, 8-11A, direct mounting on J7KNA or J7KN10-22, hand reset	26.62	EC000106	197815	4547648205658			CD	CDC	AUT	8536.4900.99	
J7TKN-A-1E2	Overload relay, 3-pole, 0.8-1.2 A, direct mounting on J7KNA or J7KN10-22, manual reset	23.49	EC000106	197809	4547648205597			CD	CDC	AUT	8536.4900.99	
J7TKN-A-1E8	Overload relay, 3-pole, 1.2-1.8 A, direct mounting on J7KNA or J7KN10-22, manual reset	22.23	EC000106	197810	4547648205603			CD	CDC	AUT	8536.4900.99	
J7TKN-A-2E7	Overload relay, 3-pole, 1.8-2.7 A, direct mounting on J7KNA or J7KN10-22, manual reset	22.25	EC000106	197811	4547648205610			CD	CDC	AUT	8536.4900.99	
J7TKN-A-4	Overload relay, 3-pole, 2.7-4 A, direct mounting on J7KNA or J7KN10-22, manual reset	22.25	EC000106	197812	4547648205627			CD	CDC	AUT	8536.4900.99	
J7TKN-A-6	Overload relay, 3-pole, 4-6 A, direct mounting on J7KNA or J7KN10-22, manual reset	22.16	EC000106	197813	4547648205634			CD	CDC	AUT	8536.4900.99	
J7TKN-A-9	Overload relay, 3-pole, 6-9 A, direct mounting on J7KNA or J7KN10-22, manual reset	22.16	EC000106	197814	4547648205641			CD	CDC	AUT	8536.4900.99	
J7TKN-A-E6	Overload relay, 3-pole, 0.4-0.6 A, direct mounting on J7KNA or J7KN10-22, manual reset	23.26	EC000106	197807	4547648205573			CD	CDC	AUT	8536.4900.99	
J7TKN-A-E9	Overload relay, 3-pole, 0.6-0.9 A, direct mounting on J7KNA or J7KN10-22, manual reset	23.26	EC000106	197808	4547648205580			CD	CDC	AUT	8536.4900.99	
J7TKN-B-11	Overload relay, 3-pole, 8-11 A, direct mounting on J7KN10-40, hand and auto reset	28.87	EC000106	148116	4536854854606			CD	CDC	AUT	8536.4900.99	
J7TKN-B-14	Overload relay, 3-pole, 10-14 A, direct mounting on J7KN10-40, hand and auto reset	28.87	EC000106	118708	4536854854613			CD	CDC	AUT	8536.4900.99	
J7TKN-B-18	Overload relay, 3-pole, 13-18 A, direct mounting on J7KN10-40, hand and auto reset	28.87	EC000106	118709	4536854854620			CD	CDC	AUT	8536.4900.99	
J7TKN-B-1E2	Overload relay, 3-pole, 0.8-1.2 A, direct mounting on J7KN10-40, hand and auto reset	24.49	EC000106	154763	4536854854545			CD	CDC	AUT	8536.4900.99	
J7TKN-B-24	Overload relay, 3-pole, 17-24 A, direct mounting on J7KN10-40, hand and auto reset	28.87	EC000106	118710	4536854854637			CD	CDC	AUT	8536.4900.99	
J7TKN-B-2E7	Overload relay, 3-pole, 1.8-2.7 A, direct mounting on J7KN10-40, hand and auto reset	24.49	EC000106	148115	4536854854569			CD	CDC	AUT	8536.4900.99	
J7TKN-B-32	Overload relay, 3-pole, 23-32 A, direct mounting on J7KN10-40, hand and auto reset	44.99	EC000106	118711	4536854854644			CD	CDC	AUT	8536.4900.99	
J7TKN-B-4	Overload relay, 3-pole, 2.7-4 A, direct mounting on J7KN10-40, hand and auto reset	24.49	EC000106	118707	4536854854576			CD	CDC	AUT	8536.4900.99	
J7TKN-B-6	Overload relay, 3-pole, 4-6 A, direct mounting on J7KN10-40, hand and auto reset	24.49	EC000106	149068	4536854854583			CD	CDC	AUT	8536.4900.99	
J7TKN-B-9	Overload relay, 3-pole, 6-9 A, direct mounting on J7KN10-40, hand and auto reset	24.49	EC000106	142631	4536854854590			CD	CDC	AUT	8536.4900.99	
J7TKN-B-E6	Overload relay, 3-pole, 0.4-0.6 A, direct mounting on J7KN10-40, hand and auto reset	24.49	EC000106	154762	4536854854521			CD	CDC	AUT	8536.4900.99	
J7TKN-C-42	Overload relay, 3-pole, 28-42 A, direct mounting on J7KN24-40, hand and auto reset	46.23	EC000106	118712	4536854854651			CD	CDC	AUT	8536.4900.99	
J7TKN-D-52	Overload relay, 3-pole, 40-52 A, direct mounting on J7KN50-74, hand and auto reset	62.60	EC000106	118713	4536854854668			CD	CDC	AUT	8536.4900.99	
Other Low Voltage Switch Gear												
J73KN-A-11	Auxiliary contacts, 2-pole, 1M1B for J7KNA-AR relay	4.32	EC002498	119338	4536854854736		10	CD	CDX	AUT	8536.4900.99	
J73KN-A-22	Auxiliary contacts, 4-pole, 2M2B for J7KNA-AR relay	7.44	EC002498	119340	4536854854750		10	CD	CDX	AUT	8536.4900.99	
J73KN-A-40	Auxiliary contacts, 4-pole, 4M for J7KNA-AR relay	7.44	EC002498	119341	4536854854767		10	CD	CDX	AUT	8536.4900.99	
J73KN-AM-02	Auxiliary contacts, 2-pole, 2B for J7KNA contactor	4.31	EC002498	119343	4536854854781		10	CD	CDX	AUT	8536.4900.99	
J73KN-AM-11	Auxiliary contacts, 2-pole, 1M1B for J7KNA contactor	4.17	EC002498	119342	4536854854774		10	CD	CDX	AUT	8536.4900.99	
J73KN-AM-22	Auxiliary contacts, 4-pole, 2M2B for J7KNA contactor	7.44	EC002498	119344	4536854854798		#	10	CD	CDX	8536.4900.99	
J73KN-B-01	Auxiliary contact, 1-pole, 1B, front mounting, 10 A for J7KN10-74	2.21	EC002498	119345	4536854854804		#	10	CD	CDX	8536.4900.99	
J73KN-B-01A	Auxiliary contact, 1-pole, 1B, front mounting, 6 A for J7KN10-74	5.22	EC002498	183576	4547648171366			10	CD	CDX	8536.4900.99	
J73KN-B-01U	Auxiliary contact, 1-pole, 1B, front mounting, 10 A for J7KN10-74 (EM & LM version)	5.90	EC002498	191890	4547648192057			10	CD	CDX	8536.4900.99	
J73KN-B-10	Auxiliary contact, 1-pole, 1M, front mounting, 10 A for J7KN10-74	2.21	EC002498	119346	4536854854811		#	10	CD	CDX	8536.4900.99	
J73KN-B-10A	Auxiliary contact, 1-pole, 1M, front mounting, 6A for J7KN10-74	5.22	EC002498	183577	4547648171373			10	CD	CDX	8536.4900.99	
J73KN-C-11S	Auxiliary contacts, 2-pole, 1M1B side mounting, 10 A for J7KN24-74	6.38	EC002498	119347	4536854854828		#	CD	CDX	AUT	8536.4900.99	
J73KN-D-11S	Auxiliary contact, 1-pole, 1NO+1NC, side mounting, 10A for J7KN150-175	17.94	EC002498	184145	4547648182812			CD	CDX	ITA	8536.4900.99	
J74KN-B-ML	Mechanical interlock for 2x J7KN10-40	2.97	EC002498	119358	4536854854903			CD	CDX	AUT	8536.4900.99	
J74KN-C2-RC230	RC suppressor unit, 110 to 250 VAC/DC, fits J7KN10-74	13.16	EC002498	367394	4548583137905		10	CD	CDX	CHN	8536.4900.99	
J74KN-C2-RC24	RC suppressor unit, 12 to 48 VAC/DC, fits J7KN10-74	12.27	EC002498	367395	4548583137912		10	CD	CDX	CHN	8536.4900.99	
J74KN-C-ML	Mechanical interlock for 2x J7KN24-74	6.33	EC002498	119359	4536854854910			CD	CDX	AUT	8536.4900.99	
J74KN-D-RC 24	RC suppressor unit, 12-48 VAC/dc, fits J7KNA	12.27	EC002498	169758	4547648044073		10	CD	CDX	CZE	8536.4900.99	
J74TK-SM	Separate mounting sets for J7TKN-B	3.89	EC002498	119375	4536854855207			CD	CDX	AUT	8536.4900.99	
J74-WKR-B2	Busbars for reversing contactors (2 parts), J7KN-10 - J7KN-22	9.32	EC002498	367391	4548583137929			CD	CDX	CHN	8536.4900.99	
J77MN-11F	Auxiliary contacts, standard, 1M1B, for top mounting for all J7MN*R/**P	6.71	EC002498	234316	4547648327329		#	10	CD	CDX	KOR	8536.4900.99
J77MN-11S	Auxiliary contacts, standard, 1M1B, for left hand side mounting for all J7MN*R/**P	10.60	EC002498	234320	4547648327367		#	2	CD	CDX	KOR	8536.4900.99
J77MN-20F	Auxiliary contacts, standard, 2M, for top mounting for all J7MN*R/**P	8.02	EC002498	234318	4547648327343			10	CD	CDX	KOR	8536.4900.99
J77MN-BTC-63-E	Line side terminal 3-pole, IEC/EN 60949	6.70	EC002498	355552	4548583066458		10	CD	CDX	ESP	8536.4900.99	
J77MN-BTC-63-SE	Line side terminal 3-pole, IEC/EN 60950, spade terminals	6.57	EC002498	355558	4548583066519		4	CD	CDX	KOR	8536.4900.99	

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J77MN-BTC-63-SEV	Line side terminal 3-pole, 600 V acc. UL 495, spade terminals	8.14	EC002498	236748	4547648424325		10	CD	CDX	DEU	8536.4900.99
J77MN-CPM-3-45-2	J7MN-3, 3 phase busbar for 2 MPCBs, 45 mm spacing	5.41	EC002498	355560	4548583066533		5	CD	CDX	ESP	8536.4900.99
J77MN-CPM-3-45-2S	J7MN-3, 3 phase busbar for 2 MPCBs, 45 mm spacing, spade connectors	5.41	EC002498	355554	4548583066472		10	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-3	J7MN-3, 3 phase busbar for 3 MPCBs, 45 mm spacing	6.93	EC002498	355561	4548583066540		5	CD	CDX	ESP	8536.4900.99
J77MN-CPM-3-45-3S	J7MN-3, 3 phase busbar for 3 MPCBs, 45 mm spacing, spade connectors	6.93	EC002498	355555	4548583066489		10	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-4	J7MN-3, 3 phase busbar for 4 MPCBs, 45 mm spacing	8.62	EC002498	355562	4548583066557		5	CD	CDX	ESP	8536.4900.99
J77MN-CPM-3-45-4S	J7MN-3, 3 phase busbar for 4 MPCBs, 45 mm spacing, spade connectors	8.62	EC002498	355556	4548583066496		10	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-5	J7MN-3, 3 phase busbar for 4 MPCBs, 45 mm spacing	9.20	EC002498	355563	4548583066564		5	CD	CDX	ESP	8536.4900.99
J77MN-CPM-3-45-5S	J7MN-3, 3 phase busbar for 5 MPCBs, 45 mm spacing, spade connectors	9.20	EC002498	355557	4548583066502		10	CD	CDX	KOR	8536.4900.99
J77MN-DC-3R-115-RY	Door-coupling, red/yellow, with supporting bracket	50.45	EC002498	265659	4547648694209	#		CD	CDX	KOR	8536.4900.99
J77MN-PF-3R	Plastic enclose with rotary operating mechanism, lockable space for aux. contact + release, IP65	16.73	EC002498	234811	4547648394345			CD	CDX	KOR	8536.4900.99
J77MN-VKA-3	Link modules MPCB (J7MN3) to J7KNA (DIN-rail adaptor not required)	4.20	EC002498	234344	4547648327619			CD	CDX	AUT	8536.4900.99
J77MN-VKG-3	Link modules MPCB (J7 mN3) to J7KN-G (DIN-rail adaptor not required)	5.01	EC002498	234346	4547648327633			CD	CDX	AUT	8536.4900.99
J77MN-VKN-3	Link modules MPCB (J7MN3) to J7KN (DIN-rail adaptor not required)	4.22	EC002498	234345	4547648327626			CD	CDX	AUT	8536.4900.99
Socket PF											
PF083A-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals (standard)	3.05	EC001456	333396	4547648825917	#	50	CF	CFA	CHN	8536.4900.99
PF085A(N)	Socket, DIN rail/surface mounting, 8-pin, screw terminals	5.62	EC001456	148890	4536853723064			CF	CFA	JPN	8536.4900.99
PF113A-E	Socket, DIN rail/surface mounting, 11-pin, screw terminals (standard)	3.08	EC001456	333397	4547648825931	#	50	CF	CFA	CHN	8536.4900.99
PF083A-D	Socket, DIN rail/surface mounting, 8-pin, screw terminals (box clamp)	5.67	EC001456	694129	4549734994392	#	10	CF	CFA	ITA	8536.6990.99
PF113A-D	Socket, DIN rail/surface mounting, 11-pin, screw terminals (box clamp)	5.20	EC001456	694130	4549734994408	#	10	CF	CFA	ITA	8536.6990.99
PF113A-N	Socket, DIN rail/surface mounting, 11-pin, screw terminals (IEC/VDE).	7.27	EC001456	694131	4549734994415	#	10	CF	CFA	ITA	8536.6990.99
Socket PTF											
PTF11A	Socket, DIN rail/surface mounting, 11-pin, screw terminals	8.24	EC001456	113375	4536853724580		10	CF	CFB	JPN	8536.4900.99
PTFZ-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals	4.03	EC001456	702173	4549734715621		10	CF	CFB	CHN	8536.4900.99
PTFZ-14-E	Socket, DIN rail/surface mounting, 14-pin, screw terminals	7.16	EC001456	702174	4549734715638		10	CF	CFB	CHN	8536.4900.99
PTF-08-PU	Socket, DIN rail/surface mounting, 8-pin, push-in plus terminals	8.57	EC001456	690036	4549734556002	#	10	CF	CFB	MYS	8536.4900.99
PTF-08-PU-L	Socket, DIN rail/surface mounting, 8-pin, push-in plus terminals	7.93	EC001456	690035	4549734556019	#	10	CF	CFB	MYS	8536.4900.99
PTF-14-PU-L	Socket, DIN rail/surface mounting, 14-pin, push-in plus terminals	10.71	EC001456	690034	4549734556026	#	10	CF	CFB	MYS	8536.4900.99
Socket PY											
PY08-02	Socket, back-connecting, 8-pin, PCB terminals	1.50	EC001456	104360	4536853725693		10	CF	CFC	JPN	8536.4900.99
PY14-02	Socket, back-connecting, 14-pin, PCB terminals	1.93	EC001456	149949	4536853725617		10	CF	CFC	JPN	8536.4900.99
PY08	Socket, back-connecting, 8-pin, solder terminals	1.50	EC001456	154461	4536853725259		10	CF	CFC	JPN	8536.4900.99
PY14	Socket, back-connecting, 14-pin, solder terminals	1.93	EC001456	113299	4536853725334		10	CF	CFC	JPN	8536.4900.99
Socket PYF											
PYF08A-N	Socket, DIN rail/surface mounting, 8-pin, screw terminals (IEC/VDE)	4.24	EC001456	168910	4547648009232	#	50	CF	CFD	CHN	8536.4900.99
PYF11A	Socket, DIN rail/surface mounting, 11-pin, screw terminals	7.62	EC001456	154463	4536853725594		10	CF	CFD	JPN	8536.6990.99
PYF14A-N	Socket, DIN rail/surface mounting, 14-pin, screw terminals (IEC/VDE)	4.72	EC001456	168911	4547648009256	#	50	CF	CFD	CHN	8536.4900.99
PYFZ-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals (standard)	4.46	EC001456	684980	4549734444713	#	50	CF	CFD	CHN	8536.6990.99
PYFZ-14-E	Socket, DIN rail/surface mounting, 14-pin, screw terminals (standard)	6.52	EC001456	684981	4549734444720	#	50	CF	CFD	CHN	8536.6990.99
PYF-08-PU	Socket, DIN rail/surface mounting, 31 mm, 8-pin, Push-in terminals	5.10	EC001456	685034	4549734218375	#	10	CF	CFD	MYS	8536.6990.99
PYF-08-PU-L	Socket, DIN rail/surface mounting, 31 mm, 8-pin, Push-in terminals	5.10	EC001456	685036	4549734218399	#	10	CF	CFD	MYS	8536.6990.99
PYF-14-PU	Socket, DIN rail/surface mounting, 31 mm, 14-pin, Push-in terminals	5.22	EC001456	685035	4549734218382	#	10	CF	CFD	MYS	8536.6990.99
PYF-14-PU-L	Socket, DIN rail/surface mounting, 31 mm, 14-pin, Push-in terminals,	5.22	EC001456	685037	4549734218405	#	10	CF	CFD	MYS	8536.6990.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
PYF14-ESN-B	Socket, with common and coil terminals on the bottom and with the NC & NO terminal on the top - Black.	4.31	EC001456	694136	4549734994460	#	10	CF	CFD	ITA	8536.6990.99
PYF14-ESS-B	Socket, with common, NC & NO terminals at the top and the coil terminals at the bottom - Black	4.90	EC001456	694137	4549734994477	#	10	CF	CFD	ITA	8536.6990.99
PYF08S	Socket, DIN rail mounting, 8-pin, screwless terminals	4.31	EC001456	113312	4536854750762		10	CF	CFD	CHN	8536.6990.99
PYF14S	Socket, DIN rail mounting, 14-pin, screwless terminals	5.17	EC001456	113313	4536854750786		10	CF	CFD	CHN	8536.6990.99
Socket P2RF											
P2RF-05-ESS	G2RS socket, 1-pole, DIN-rail/surface-mounting, screw (box type)	4.74	EC001456	695856	4549734616140	#	10	CF	CFG	HUN	8536.6990.99
P2RF-08-ESS	G2RS socket, 2-pole, DIN-rail/surface-mounting, screw (box type)	4.44	EC001456	695858	4549734616157	#	10	CF	CFG	HUN	8536.6990.99
P2RFZ-05-E	Socket, DIN rail/surface mounting, 5-pin, screw terminals	4.28	EC001456	690420	4549734578530	#	50	CF	CFG	CHN	8536.6990.99
P2RFZ-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals	6.82	EC001456	690419	4549734578547	#	50	CF	CFG	CHN	8536.6990.99
P2RF-05-PU	Socket, DIN rail/surface mounting, 15.5 mm, 5-pin, Push-in terminals	4.89	EC001456	685032	4549734218450	#	20	CF	CFG	MYS	8536.4900.99
P2RF-08-PU	Socket, DIN rail/surface mounting, 15.5 mm, 8-pin, Push-in terminals	5.30	EC001456	685033	4549734218467	#	20	CF	CFG	MYS	8536.4900.99
P2RF-05-S	Socket, DIN rail/surface mounting, 5-pin, screwless terminals	4.72	EC001456	113546	4536854883453		10	CF	CFG	CHN	8536.4900.99
P2RF-08-S	Socket, DIN rail/surface mounting, 8-pin, screwless terminals	7.50	EC001456	113547	4536854883460		10	CF	CFG	CHN	8536.4900.99
Other Socket											
P2R-057P	Socket, back-connecting, 5-pin, PCB terminals	2.50	EC001456	113542	4536854742507		10	CF	CFX	CHN	8536.4900.99
P2R-05P	Socket, back-connecting, 5-pin, PCB terminals	1.76	EC001456	151502	4536854742576	#	10	CF	CFX	CHN	8536.4900.99
P2R-087P	Socket, back-connecting, 8-pin, PCB terminals	3.11	EC001456	113541	4536854742408		10	CF	CFX	CHN	8536.4900.99
P2R-08P	Socket, back-connecting, 8-pin, PCB terminals	2.19	EC001456	113545	4536854742569	#	10	CF	CFX	CHN	8536.4900.99
P2R-05A	Socket, back-connecting, 5-pin, solder terminals	2.35	EC001456	113537	4536853726430		10	CF	CFX	CHN	8536.4900.99
PT08-0	Socket, back-connecting, 8-pin, PCB terminals	1.65	EC001456	113369	4536853724399		10	CF	CFX	JPN	8536.4900.99
PT14	Socket, back-connecting, 14-pin, solder terminals	3.30	EC001456	113371	4536853724436		10	CF	CFX	JPN	8536.4900.99
PT14-0	Socket, back-connecting, 14-pin, PCB terminals	3.28	EC001456	113372	4536853724443		10	CF	CFX	JPN	8536.4900.99
11PFA	Socket, DIN rail/surface mounting, 11-pin, screw terminals	8.25	EC001456	149957	4536853722760		20	CF	CFX	JPN	8536.4900.99
14PFA	Socket, DIN rail/surface mounting, 14-pin, screw terminals	10.67	EC001456	113518	4536853722777		20	CF	CFX	JPN	8536.4900.99
8PFA	Socket, DIN rail/surface mounting, 8-pin, screw terminals	4.86	EC001456	113516	4536853722746		20	CF	CFX	JPN	8536.4900.99
8PFA1	Socket, DIN rail/surface mounting, 8-pin, screw terminals	5.12	EC001456	113517	4536853722753		20	CF	CFX	JPN	8536.4900.99
P2CF-08-E	Socket, DIN rail/surface mounting, 8-pin, screw terminals	8.12	EC001456	113612	4536854821103		10	CF	CFX	JPN	8536.4900.99
P2CF-11-E	Socket, DIN rail/surface mounting, 11-pin, screw terminals	10.44	EC001456	113613	4536854821004	#	10	CF	CFX	JPN	8536.4900.99
P3G-08	Socket, back-connecting, 8-pin, screw terminals	8.73	EC001456	142420	4536854821035		10	CF	CFX	JPN	8536.6990.99
P3GA-11	Socket, back-connecting, 11-pin, screw terminals	11.10	EC001456	120939	4536854821141		10	CF	CFX	JPN	8536.6990.99
PLE08-0	Socket, back-connecting, 8-pin, PCB terminals	3.27	EC001456	113442	4536853723934		10	CF	CFX	JPN	8536.4900.99
PL08	Socket, back-connecting, 8-pin, solder terminals	2.29	EC001456	113440	4536853723903		10	CF	CFX	JPN	8536.4900.99
PES-50	Socket, DIN rail/surface mounting, screw terminals,	6.09	EC001456	382986	8020028273592		10	CF	CFX	ITA	8536.6990.99
Special Socket											
MS16MOLLE	Hold down and release clip, plastic, relay height 16 mm	0.45	EC002586	382980	8020028144274		10	CF	CFY	ITA	8538.9099.99
MS25 MOLLE	Hold down and release clip, plastic, relay height 25 mm	0.42	EC002586	382981	8020028144281	#	10	CF	CFY	ITA	8538.9099.99
PES-35	Socket, DIN rail/surface mounting, 5-pin, screw terminals, for G2R-1 PCB relay	3.54	EC001456	382985	8020028273509	#	10	CF	CFY	ITA	8536.6990.99
PES50/3	Socket, DIN rail/surface mounting, 8-pin, screw terminals, for G2R-2 PCB relay	4.25	EC001456	382987	8020028274919	#	10	CF	CFY	ITA	8536.6990.99
TYPE 22	Module with prot. diode against inversion polarity (cathode + A1) 6/230Vdc for PES socket	1.75	EC002586	382991	8020028142669		20	CF	CFY	ITA	8538.9099.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
TYPE 42	Plug-in module with LED and damping diode, 6-24 VDC	2.85	EC002586	382992	8020028142683	#	20	CF	CFY	ITA	8538.9099.99
TYPE 52C	MOD 52C Plug-in module with RC circuit, input voltage 110/230 VAC	3.60	EC002586	382994	8020028144083		20	CF	CFY	ITA	8538.9099.99
TYPE 62C	MOD 62C Plug-in module with varistor and red LED, input voltage 6/24 VAC/VDC	4.57	EC002586	382996	8020028144120		20	CF	CFY	ITA	8538.9099.99
Accessory for Socket											
P2DN-15.7-100S	Box of short bar for P2RFZ-E. In the box there are 10pcs of short bar, 15.7 mm pitch, 10 pole (10 terminal) and 20pcs of caps. Color is blue.	21.85	EC002586	690422	4549734578486	#	10	CF	CFZ	CHN	8536.6990.99
P2DN-6.8-100S	Box of short bar for P2RFZ-E. In the box there are 10pcs of short bar, 6.8 mm pitch, 10 pole (20 terminal) and 20pcs of caps. Color is blue.	21.85	EC002586	690423	4549734578479	#		CF	CFZ	CHN	8536.6990.99
P2DN-CP100	Box of 100 caps for P2DN short bar; insulation cap for the short bar cut, blue color	11.40	EC002586	690421	4549734578516	#		CF	CFZ	CHN	8536.6990.99
P2RM-SB	Socket bridge (for use with P2RF_S)	27.24	EC002586	113336	4536854894480		10	CF	CFZ	JPN	8536.4900.99
P2RM-SR	Socket bridge (for use with P2RF_S)	28.02	EC002586	103463	4536854894473		10	CF	CFZ	JPN	8536.4900.99
PYDM-08SB	Socket bridge, 2-poles, 19.7 mm length, blue, sold in multiples of 50 per package	42.83	EC002586	113333	4536854737152		10	CF	CFZ	JPN	8536.6990.99
PYDM-08SR	Socket bridge, 2-poles, 19.7 mm length, red, sold in multiples of 50 per package	42.83	EC002586	113332	4536854737145		10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080R	Accessory for PYF-PU, 15.5mm pitch, 8 Poles, Red color	6.22	EC002586	670377	4548583798304	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080S	Accessory for PYF-PU, 15.5mm pitch, 8 Poles, Blue color	6.22	EC002586	670366	4548583798311		10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080Y	Accessory for PYF-PU, 15.5mm pitch, 8 Poles, Yellow color	6.22	EC002586	670356	4548583798328	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080R	Accessory for PYF-PU, 31mm pitch, 8 Poles, Red color	7.23	EC002586	670348	4548583798274		10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080S	Accessory for PYF-PU, 31mm pitch, 8 Poles, Blue color	7.23	EC002586	670363	4548583798281	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080Y	Accessory for PYF-PU, 31mm pitch, 8 Poles, Yellow color	7.23	EC002586	670375	4548583798298		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020R	Accessory for G2RV-SR/G3RV-SR, Cross bar, 2 poles, Red color	3.09	EC002586	670352	4548583798458		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020S	Accessory for G2RV-SR/G3RV-SR, Cross bar, 2 poles, Blue color	3.09	EC002586	670362	4548583798465	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020Y	Accessory for G2RV-SR/G3RV-SR, Cross bar, 2 poles, Yellow color	3.09	EC002586	670370	4548583798472		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-030R	Accessory for G2RV-SR/G3RV-SR, Cross bar, 3 poles, Red color	4.59	EC002586	670350	4548583798489		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-030S	Accessory for G2RV-SR/G3RV-SR, Cross bar, 3 poles, Blue color	4.59	EC002586	670378	4548583798496		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-030Y	Accessory for G2RV-SR/G3RV-SR, Cross bar, 3 poles, Yellow color	4.59	EC002586	670351	4548583798502		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-040R	Accessory for G2RV-SR/G3RV-SR, Cross bar, 4 poles, Red color	6.10	EC002586	670365	4548583798519		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-040S	Accessory for G2RV-SR/G3RV-SR, Cross bar, 4 poles, Blue color	6.10	EC002586	670368	4548583798526		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-040Y	Accessory for G2RV-SR/G3RV-SR, Cross bar, 4 poles, Yellow color	6.10	EC002586	670381	4548583798533		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-100R	Accessory for G2RV-SR/G3RV-SR, Cross bar, 10 poles, Red color	6.36	EC002586	670360	4548583798540	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-100S	Accessory for G2RV-SR/G3RV-SR, Cross bar, 10 poles, Blue color	6.36	EC002586	670379	4548583798557	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-100Y	Accessory for G2RV-SR/G3RV-SR, Cross bar, 10 poles, Yellow color	6.36	EC002586	670353	4548583798564	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-200R	Accessory for G2RV-SR/G3RV-SR, Cross bar, 20 poles, Red color	7.29	EC002586	670349	4548583798571	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-200S	Accessory for G2RV-SR/G3RV-SR, Cross bar, 20 poles, Blue color	7.29	EC002586	670371	4548583798588	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-200Y	Accessory for G2RV-SR/G3RV-SR, Cross bar, 20 poles, Yellow color	7.29	EC002586	670372	4548583798595	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-020R	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 2 Poles, Red color	4.03	EC002586	670369	4548583798335		10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-020S	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 2 Poles, Blue color	4.03	EC002586	670373	4548583798342		10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-020Y	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 2 Poles, Yellow color	4.03	EC002586	670380	4548583798359		10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030R	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 3 Poles, Red color	5.03	EC002586	670385	4548583798366		10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030S	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 3 Poles, Blue color	5.03	EC002586	670354	4548583798373		10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-030Y	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 3 Poles, Yellow color	5.03	EC002586	670376	4548583798380		10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040R	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 4 Poles, Red color	6.22	EC002586	670384	4548583798397		10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040S	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 4 Poles, Blue color	6.22	EC002586	670358	4548583798403		10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-040Y	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 4 Poles, Yellow color	6.22	EC002586	670357	4548583798410		10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200R	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 20 Poles, Red color	7.42	EC002586	670374	4548583798427	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200S	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 20 Poles, Blue color	7.42	EC002586	670359	4548583798434		10	CF	CFZ	JPN	8536.6990.99
PYDN-7.75-200Y	Accessory for PYF-PU/P2RF-PU, 7.75mm pitch, 20 Poles, Yellow color	7.42	EC002586	670382	4548583798441		10	CF	CFZ	JPN	8536.6990.99
MG-CPM-04 41390N	White modular sheet with 48 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1680)	186.20	EC001288	685974	8016692764306			CF	CFZ	ITA	8538.9099.99
MG-CPM-04 41391	White modular sheet with 48 marker of size mm: 6x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 28 sheets, total markers 1344)	160.90	EC001288	685975	8016692613079			CF	CFZ	ITA	8538.9099.99
MG-CPM-04 41392	White modular sheet with 80 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 25 sheets, total markers 2000)	205.30	EC001288	685976	8016692769400			CF	CFZ	ITA	8538.9099.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MG-CPM-05 41490	White modular sheet with 56 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1960)	217.20	EC001288	685977	8016692482309			CF	CFZ	ITA	3403.1980.00
MG-CPM-07 41691	White modular sheet with 48 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total labels 1680)	186.20	EC001288	685978	8016692570174			CF	CFZ	ITA	8538.9099.99
MG-CPM-07 41692	White modular sheets with 48 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1680)	205.30	EC001288	685979	8016692887760			CF	CFZ	ITA	8538.9099.99
PYC-TR1	Labels for PYF14-ESN/ESS sockets. (1 pc = 1 bag including 10 labels)	1.79	EC002586	694135	4549734994453			CF	CFZ	ITA	8538.9099.99
P2CM-ESS	Clip & release lever for P2RF-**-ESS socket (1 pc = 1 bag including 10 levers)	3.55	EC002586	695857	4549734616133	#		CF	CFZ	HUN	8536.4900.99
P2CM-S	Clip for use with P2RF-S	0.31	EC002586	145976	4536854886522		50	CF	CFZ	CHN	8536.4900.99
PFC-A1	Retaining clips for MK relay & PF*-AE sockets	0.94	EC002586	113525	4536853723156		200	CF	CFZ	JPN	8536.4900.99
PFC-N8	Retaining clips for 61F-GP-N8 level controller & PF083A-E socket	2.28	EC002586	151994	4536853385149			CF	CFZ	JPN	8538.9099.99
PYC-0	Metal retaining clip (wire sprig clip) for use with PYF14-ESN/ESS (for use with relays only). Sold in multiples of 10 per package, not available seperately	3.14	EC002586	694132	4549734994422			CF	CFZ	ITA	8538.9099.99
PYC-35-B	Hold-down clip, plastic, for PYF14-ESS-B/-ES-B, sold in multiples of 10 per package	4.82	EC002586	694133	4549734994439	#		CF	CFZ	ITA	8538.9099.99
PYC-A1	Retaining clips for LY/MY relay & PTF/PYF_E/N socket	0.41	EC002586	113324	4536853726171	#	100	CF	CFZ	JPN	8536.4900.99
PYC-E1	Retaining clips for MY2IN(S) relay & PYF_E/N socket	0.49	EC002586	156669	4536854382406		100	CF	CFZ	JPN	8536.4900.99
PYCM-08S	Clip and release lever for PYF08S socket	0.31	EC002586	157441	4536854750793		200	CF	CFZ	CHN	8536.4900.99
PYCM-14S	Clip and release lever for PYF14S socket	0.45	EC002586	142635	4536854750816		50	CF	CFZ	CHN	8536.4900.99
PYC-P	Retaining clip for LY/MY relay & PT/PY socket	0.25	EC002586	154464	4536853726058		100	CF	CFZ	JPN	8536.4900.99
PYC-TR	Name plate for P2RF-**-ESS socket (1 pc = 1 bag including 10 plates)	2.69	EC002586	694134	4549734994446			CF	CFZ	ITA	8538.9099.99
PFM-M	End plate	2.10	EC002586	147906	4536853722715		100	CF	CFZ	JPN	8536.4900.99
PFM-S	Spacer	1.26	EC002848	148889	4536853722722		10	CF	CFZ	JPN	8536.4900.99
PFM-100N	DIN-rail mounting track, 35 x 7.3 mm, 1 m length	17.36	EC001285	113513	4536853722692		25	CF	CFZ	CHN	8536.4900.99
PFM-50N	Din rail track, 500 mm	12.53	EC001285	113514	4536853722708			CF	CFZ	CHN	8536.4900.99
R99-04 FOR G5F	Surface mounting W-bracket for G7J relay	0.88	EC002586	112515	4536853729486		100	CF	CFZ	JPN	8536.4900.99
R99-11	Nameplate for MY relay (packet of 100) (not PYF14ESN / ESS)	15.84	EC002586	114077	4536854445897			CF	CFZ	JPN	8536.4900.99
R99-12 FOR G3NA	Mounting bracket for G3NA	15.84	EC002586	166375	4536854912924		10	CF	CFZ	JPN	8536.4900.99
P2RVC-8-I-5-1	Interface unit for G2RV-SR/G3RV-SR Push-in, PLC Input, 8 channels, PNP, 30V AC/DC, Total 2A, Push-in	44.94	EC002780	670361	4548583798625			CF	CFZ	JPN	8538.9099.99
P2RVC-8-I-7-1	Interface unit for G2RV-SR/G3RV-SR Screw, PLC Input, 8 channels, PNP, 30V AC/DC, Total 2A, Rising-up screw	44.07	EC002586	670364	4548583798632			CF	CFZ	JPN	8538.9099.99
P2RVC-8-O-5-1	Interface unit for G2RV-SR/G3RV-SR Push-in, PLC Output, 8 channels, PNP, 30V AC/DC, Total 2A, Push-in	45.83	EC002780	670383	4548583798656			CF	CFZ	JPN	8538.9099.99
P2RVC-8-O-7-1	Interface unit for G2RV-SR/G3RV-SR Screw, PLC Output, 8 channels, PNP, 30V AC/DC, Total 2A, Rising-up screw	45.37	EC002780	670355	4548583798663	#		CF	CFZ	JPN	8538.9099.99
Industrial Switch Z15											
Z-15EW29	General purpose basic switch	14.78	EC000030	224888	4547648247108		80	CG	CGA	JPN	8536.5015.90
Z-15G-B	General purpose basic switch, pin plunger, SPDT, 15 A, screw terminals	8.28	EC000030	382399	4548583364912	#	20	CG	CGA	IDN	8536.5015.90
Z-15GD55-B	General purpose basic switch, short spring plunger, SPDT, 15 A, drip proof, screw terminals	12.39	EC000030	382407	4548583364998	#	20	CG	CGA	IDN	8536.5015.90
Z-15GD-B	General purpose basic switch, short spring plunger, SPDT, 15 A, screw terminals	9.10	EC000030	382398	4548583364905	#	20	CG	CGA	IDN	8536.5015.90
Z-15GD	General purpose basic switch, short spring plunger, SPDT, 15 A, solder terminals	9.10	EC000030	382406	4548583364981		20	CG	CGA	IDN	8536.5015.90
Z-15GK355-B	General purpose basic switch, plunger (high-operating point), SPDT, 15A, screw terminals	15.30	EC000030	105033	4536854263316		20	CG	CGA	JPN	8536.5015.90
Z-15GK55	General purpose basic switch, plunger (mid-operating point), SPDT, 15A	12.81	EC000030	145324	4536854263354		20	CG	CGA	JPN	8536.5015.90
Z-15GK55-B	General purpose basic switch, plunger (mid-operating point), SPDT, 15A, screw terminals	13.21	EC000030	106760	4536854263361		20	CG	CGA	JPN	8536.5015.90
Z-15GL2-B	General purpose basic switch, roller leaf spring, SPDT, 15 A, screw terminals	10.26	EC000030	106644	4536854266126			CG	CGA	JPN	8536.5015.90
Z-15GL-B	General-purpose Basic Switch, 15 A, Leaf spring, screw terminal	9.47	EC000030	106641	4536854266065			CG	CGA	JPN	8536.5015.90
Z-15GM	General purpose basic switch, reverse hinge lever, SPDT, 15A, solder terminals	9.10	EC000030	106609	4536854268359		20	CG	CGA	JPN	8536.5015.90
Z-15GM22-B	General-purpose Basic Switch, 15A, reverse short hinge roller lever, screw terminal	10.60	EC000030	152969	4536854268496		20	CG	CGA	JPN	8536.5015.90
Z-15GM2-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	9.11	EC000030	106613	4536854268427		20	CG	CGA	JPN	8536.5015.90
Z-15GM-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	9.10	EC000030	106610	4536854268366		20	CG	CGA	JPN	8536.5015.90
Z-15GNJ55-B	General purpose basic switch, flexible rod, SPDT, 15A, drip-proof	18.63	EC000030	154125	4536854266003	#	10	CG	CGA	JPN	8536.5015.90
Z-15G	General purpose basic switch, pin plunger, SPDT, 15 A, solder terminals	7.44	EC000030	382405	4548583364974		20	CG	CGA	IDN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Z-15GQ21	General purpose basic switch, panel mount cross roller plunger, SPDT, 15A	14.48	EC000030	106621	4536854265174		20	CG	CGA	JPN	8536.5015.90
Z-15GQ21-B	General purpose basic switch, panel mount cross roller plunger, SPDT, 15A	14.48	EC000030	156316	4536854265419	#	20	CG	CGA	JPN	8536.5015.90
Z-15GQ2255-B	General purpose basic switch, panel mount roller plunger, SPDT, 15 A, drip proof, screw terminals	20.24	EC000030	145325	4536854265983		20	CG	CGA	JPN	8536.5015.90
Z-15GQ22A55-B5V	General-purpose Basic Switch, 15 A, panel mount roller plunger, drip-proof, screw terminal with terminal cover	27.24	EC000030	106686	4536854264016	#		CG	CGA	JPN	8536.5015.90
Z-15GQ22-B	General purpose basic switch, panel mount roller plunger, SPDT, 15 A, screw terminals	14.48	EC000030	382397	4548583364899	#	20	CG	CGA	IDN	8536.5015.90
Z-15GQ22	General purpose basic switch, panel mount roller plunger, SPDT, 15 A, solder terminals	14.06	EC000030	382404	4548583364967	#	20	CG	CGA	IDN	8536.5015.90
Z-15GQ55-B	General purpose basic switch, panel mount plunger, SPDT, 15A, drip-proof	16.53	EC000030	106635	4536854265945		20	CG	CGA	JPN	8536.5015.90
Z-15GQ8-B	General purpose basic switch, high operating force, panel mount plunger, SPDT, 15 A	14.06	EC000030	143082	4536854265433		20	CG	CGA	JPN	8536.5015.90
Z-15GQ-B7-K	General purpose basic switch, panel mount plunger (medium OP), SPDT, 15 A, screw terminals	12.62	EC000030	106533	4536854269325		20	CG	CGA	JPN	8536.5015.90
Z-15GQ-B	General purpose basic switch, panel mount plunger (medium OP), SPDT, 15A, screw terminals	11.57	EC000030	382396	4548583364875	#	20	CG	CGA	IDN	8536.5015.90
Z-15GQ	General purpose basic switch, panel mount plunger (medium OP), SPDT, 15 A, solder terminals	10.60	EC000030	382403	4548583364950		20	CG	CGA	IDN	8536.5015.90
Z-15GS-B	General purpose basic switch, slim spring plunger, SPDT, 15A	9.92	EC000030	106694	4536854264559	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW21-B	General purpose basic switch, short hinge lever, SPDT, 15 A	7.44	EC000030	103033	4536854266553		20	CG	CGA	JPN	8536.5015.90
Z-15GW2255	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip-proof	11.57	EC000030	144235	4536854266805		20	CG	CGA	JPN	8536.5015.90
Z-15GW2255-B	General purpose basic switch, short hinge roller lever, SPDT, 15 A, drip proof, screw terminals	11.18	EC000030	382408	4548583365001		20	CG	CGA	IDN	8536.5015.90
Z-15GW2277	General purpose basic switch, unidirectional short hinge roller lever, SPDT, 15A	10.76	EC000030	106575	4536854266904		20	CG	CGA	JPN	8536.5015.90
Z-15GW2277-B	General purpose basic switch, unidirectional short hinge roller lever (low OF), SPDT, 15A, screw terminals	11.18	EC000030	377800	4548583364820	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW22A55-B5V	General purpose basic switch, short hinge roller lever, SPDT, 15 A, drip proof, screw terminals with terminal cover	24.77	EC000030	143081	4536854263934	#	20	CG	CGA	JPN	8536.5015.90
Z-15GW22-B	General purpose basic switch, short hinge roller lever, SPDT, 15A, screw terminals	8.28	EC000030	377795	4548583364745	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW22	General purpose basic switch, short hinge roller lever, SPDT, 15 A, solder terminals	8.28	EC000030	382400	4548583364929	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW22S	General purpose basic switch, short hinge steel roller lever, SPDT, 15 A	8.29	EC000030	106571	4536854266768		20	CG	CGA	JPN	8536.5015.90
Z-15GW255	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof	9.53	EC000030	106587	4536854267130		20	CG	CGA	JPN	8536.5015.90
Z-15GW255-B	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof, screw terminal	12.39	EC000030	151808	4536854267147		20	CG	CGA	JPN	8536.5015.90
Z-15GW25-B	General purpose basic switch, hinge roller lever (large roller), SPDT, 15 A, screw terminals	8.09	EC000030	377799	4548583364813		20	CG	CGA	IDN	8536.5015.90
Z-15GW2A55-B5V	General purpose basic switch, hinge roller lever, SPDT, 15 A, drip proof, screw terminals with terminal cover	19.01	EC000030	106681	4536854263910		10	CG	CGA	JPN	8536.5015.90
Z-15GW2-B7-K	General purpose basic switch, hinge roller lever, SPDT, 15 A, screw terminals	9.10	EC000030	377801	4548583364851		10	CG	CGA	IDN	8536.5015.90
Z-15GW2-B	General purpose basic switch, hinge roller lever, SPDT, 15A, screw terminals	8.28	EC000030	377796	4548583364752	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW2	General purpose basic switch, hinge roller lever, SPDT, 15A, solder terminals	8.28	EC000030	382402	4548583364943		20	CG	CGA	IDN	8536.5015.90
Z-15GW4	General purpose basic switch, low force hinge lever, SPDT, 15A	7.86	EC000030	106594	4536854267482		20	CG	CGA	JPN	8536.5015.90
Z-15GW4455-B	General purpose basic switch, long hinge lever, SPDT, 15 A, drip proof, screw terminals	12.81	EC000030	149618	4536854267581		20	CG	CGA	JPN	8536.5015.90
Z-15GW4-B	General purpose basic switch, low force hinge lever, SPDT, 15A	7.86	EC000030	106595	4536854267499		20	CG	CGA	JPN	8536.5015.90
Z-15GW55-B	General purpose basic switch, hinge lever, SPDT, 15A, drip-proof	11.57	EC000030	106603	4536854267826		20	CG	CGA	JPN	8536.5015.90
Z-15GW55	General purpose basic switch, hinge lever (low OF), SPDT, 15 A, drip proof, solder terminals	8.28	EC000030	382409	4548583365018		20	CG	CGA	IDN	8536.5015.90
Z-15GWA55-B5V	General purpose basic switch, hinge lever (low OF), SPDT, 15A, drip proof, solder terminals with terminal cover	18.63	EC000030	106680	4536854263903		40	CG	CGA	JPN	8536.5015.90
Z-15GW-B7-K	General purpose basic switch, hinge lever (low OF), SPDT, 15 A, screw terminals	13.70	EC000030	377802	4548583364868		20	CG	CGA	IDN	8536.5015.90
Z-15GW-B	General purpose basic switch, hinge lever (low OF), SPDT, 15A, screw terminals	7.86	EC000030	377797	4548583364769	#	20	CG	CGA	IDN	8536.5015.90
Z-15GW	General purpose basic switch, hinge lever (low OF), SPDT, 15A, solder terminals	7.86	EC000030	382401	4548583364936		20	CG	CGA	IDN	8536.5015.90
Z-15HNJS55-B	General purpose basic switch, flexible rod (steel), SPDT, high sensitive, drip proof, screw terminals	21.62	EC000030	143086	4536854270505		10	CG	CGA	JPN	8536.5015.90
Z-15HW24	General purpose basic switch, hinge lever, SPDT, high sensitive	10.46	EC000030	106474	4536854270871		10	CG	CGA	JPN	8536.5015.90
Z-15HW24-B	General purpose basic switch, hinge lever, SPDT, high sensitive, screw terminal	10.34	EC000030	155993	4536854270888	#	10	CG	CGA	JPN	8536.5015.90
Z-15HW78	General purpose basic switch, wire hinge lever, SPDT, 15A	11.32	EC000030	106482	4536854271298		10	CG	CGA	JPN	8536.5015.90
Z-15HW78-B	General purpose basic switch, wire hinge lever, SPDT, 15A, screw terminal	11.18	EC000030	106483	4536854271304		10	CG	CGA	JPN	8536.5015.90
Industrial Switch D4MC											
D4MC-1000	Enclosed switch, hinge lever, SPDT, 10 A	15.77	EC000030	133872	4536853225490	#	10	CG	CGB	JPN	8536.5015.90
D4MC-1020	Enclosed switch, short hinge lever, SPDT, 10 A	16.48	EC000030	133873	4536853225605		10	CG	CGB	JPN	8536.5015.90
D4MC-2000	Enclosed switch, hinge roller lever, SPDT, 10 A	16.24	EC000030	150872	4536853226510		10	CG	CGB	JPN	8536.5015.90
D4MC-2020	Enclosed switch, short hinge roller lever, SPDT, 10 A	15.39	EC000030	133874	4536853225650	#	10	CG	CGB	JPN	8536.5015.90
D4MC-3030	Enclosed switch, 1-way, short hinge roller lever, SPDT, 10 A	18.16	EC000030	104167	4536853225933		10	CG	CGB	JPN	8536.5015.90
D4MC-5000	Enclosed switch, panel mount plunger, SPDT, 10 A	20.11	EC000030	156466	4536853225995	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5020	Enclosed switch, panel mount roller plunger, SPDT, 10 A	22.23	EC000030	133783	4536853226114	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5040	Enclosed switch, panel mount cross roller plunger, SPDT, 10 A	22.45	EC000030	133785	4536853226244		10	CG	CGB	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Industrial Switch WL											
D4V-8108Z	Limit switch D4V, adjustable roller lever: R30 to 75 mm, DPDB, with ground terminal	54.20	EC000030	668126	4547648271691		5	CG	CGC	CHN	8536.5015.90
WL-1A100	WL series limit switch replacement roller lever	7.81	EC002594	108305	4536854171215			CG	CGC	JPN	9032.9000.90
WL-2A100	Replacement actuator for WL series limit switch: adjustable roller lever, standard roller	9.95	EC002594	108307	4536854171246			CG	CGC	JPN	9032.9000.90
WL-2A122	Actuators (Levers Only), General-purpose Limit switches, IP67, Snap action, 2-circuit double break type, SPST-NO / SPST-NC	36.20	EC002594	224188	4536854171918		10	CG	CGC	JPN	9032.9000.90
WL-3A100	Replacement actuator for WL series limit switch: adjustable rod lever	23.41	EC002594	108308	4536854171253			CG	CGC	JPN	9032.9000.90
WL-9H100	WL series limit switch replacement head with coil spring lever	16.57	EC001483	108323	4536854171765		20	CG	CGC	JPN	9032.9000.90
WL-9H300-N	Head set for WLNJ-2	37.63	EC001483	670508	4548583547926		5	CG	CGC	JPN	9032.9000.90
WLCA12-2G-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 25±5°, overtravel 60°, DPDB, Pg13.5 with ground terminal	79.15	EC000030	392898	4548583477452	#		CG	CGC	JPN	8536.5015.90
WLCA12-2NG-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, overtravel 90°, DPDB, Pg13.5 with ground terminal	103.30	EC000030	392899	4548583477520	#		CG	CGC	JPN	8536.5015.90
WLCA12-G-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, Pg13.5 with ground terminal	62.45	EC000030	392927	4548583485198	#		CG	CGC	CHN	8536.5015.90
WLCA12-THG-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, Heat-resistant: +5°C to +120°C, Pg13.5 with ground terminal	119.60	EC000030	392902	4548583477858	#		CG	CGC	JPN	8536.5015.90
WLCA12-Y-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15±5°, DPDB, M20 with ground terminal	54.25	EC000030	392903	4548583477896			CG	CGC	JPN	8536.5015.90
WLCA2-2G-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, Overtravel 90°, DPDB, Pg13.5 with ground terminal	66.85	EC000030	392945	4548583478077			CG	CGC	JPN	8536.5015.90
WLCA2-2NG-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, Overtravel 90°, DPDB, Pg13.5 with ground terminal	79.15	EC000030	392905	4548583478152	#		CG	CGC	JPN	8536.5015.90
WLCA2-G	Limit switch, standard roller lever, DPDB, 10A	58.65	EC000030	154621	4536854160745			CG	CGC	JPN	8536.5015.90
WLCA2-G1-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, G1/2 with ground terminal	50.70	EC000030	392893	4548583478565			CG	CGC	JPN	8536.5015.90
WLCA2-G-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, Pg13.5 with ground terminal	58.65	EC000030	392932	4548583485334	#		CG	CGC	CHN	8536.5015.90
WLCA2-THG-N	Limit switch, roller lever: R38 mm, pretravel 15±5°, DPDB, Heat-resistant: +5°C to +120°C, Pg13.5 with ground terminal	81.70	EC000030	392912	4548583478862			CG	CGC	JPN	8536.5015.90
WLCA2-Y-N	Limit switch, adjustable roller lever: standard, DPDB, M20 with ground terminal	52.45	EC000030	392936	4548583485402			CG	CGC	CHN	8536.5015.90
WLCA32-41G-N	Limit switch, lock fork roller lever, DPDB, 10 A	73.90	EC000030	411084	4548583543478			CG	CGC	CHN	8536.5015.90
WLCA32-43G-N	Limit switch, fork lever lock, LED indicator, DPDB, 10 A, pre-wired connector	74.30	EC000030	393479	4548583543515			CG	CGC	CHN	8536.5015.90
WLCL-G-N	Limit switch, adjustable rod lever: 25 to 140 mm, pretravel 15±5°, DPDB, Pg13.5 with ground terminal	61.20	EC000030	392938	4548583485440	#		CG	CGC	CHN	8536.5015.90
WLD18-G-N	Limit switch, Plunger: Sealed top-roller plunger, DPDB, G1/2 with ground terminal	52.20	EC000030	393481	4548583543546			CG	CGC	CHN	8536.5015.90
WLD28-G-N	Limit switch, roller top plunger, DPDB, 10 A, Pg13.5 with ground terminal	55.30	EC000030	411106	4548583543614	#		CG	CGC	CHN	8536.5015.90
WLD2-G	Limit switch, roller top plunger, DPDB, 10A	52.20	EC000030	148955	4536854167027	#		CG	CGC	JPN	8536.5015.90
WLD2-G1-N	Limit switch, roller top plunger, DPDB, 10 A, with ground terminal	51.65	EC000030	679497	4548583539358			CG	CGC	JPN	8536.5015.90
WLG2-LDFS-DGJS03	Limit switch, roller lever: overtravel, high-sensitivity, LED indicator, DPDB, 10A, spatter proof, pre-wired connector	100.00	EC000030	167202	4536854940071			CG	CGC	JPN	8536.5015.90
WLNJ-2G-N	Limit switch, flexible rod coil spring resin rod, DPDB, 10 A	58.65	EC000030	411091	4548583543720	#		CG	CGC	CHN	8536.5007.00
WLNJ-G1-N	Limit switch, Flexible rod, pretravel 20±10 mm, DPDB, G1/2 with ground terminal	44.40	EC000030	393477	4548583542419			CG	CGC	JPN	8536.5007.00
WLNJ-G-N	Limit switch, Flexible rod, pretravel 20±10 mm, DPDB, G1/2 with ground terminal	43.54	EC000030	393483	4548583543805	#		CG	CGC	CHN	8536.5007.00
WLNJ-S2G-N	Limit switch, Flexible rod: Steel wire pretravel 20±10 mm, DPDB, Pg13.5 with ground terminal	50.95	EC000030	406411	4548583543836	#		CG	CGC	CHN	8536.5007.00
WLNJ-Y-N	Limit switch, Flexible rod: Coil spring, pretravel 15±5°, DPDB, M20 with ground terminal	48.75	EC000030	411096	4548583543904			CG	CGC	CHN	8536.5007.00
WLS2-G-N	Limit switch, Horizontal-roller plunger, Pg13.5 with ground terminal	72.80	EC000030	411097	4548583543911			CG	CGC	CHN	8536.5015.90
WLS2-G-N	Limit switch, Horizontal-ball plunger, Pg13.5 with ground terminal	84.15	EC000030	411098	4548583543959	#		CG	CGC	CHN	8536.5015.90
Industrial Switch ZC											
ZC-D55	Enclosed basic switch, plunger, SPDT, 15A	27.99	EC000030	106416	4536854251061		10	CG	CGD	JPN	8536.5015.90
ZC-N2255	Enclosed basic switch, Sealed roller plunger, SPDT, 15A	42.42	EC000030	151806	4536854252907		10	CG	CGD	JPN	8536.5015.90
ZC-Q2155	Enclosed basic switch, panel mount cross roller plunger, SPDT, 15A	33.29	EC000030	106332	4536854251436		10	CG	CGD	JPN	8536.5015.90
ZC-Q2255	Enclosed basic switch, panel mount roller plunger, SPDT, 15A	33.67	EC000030	151804	4536854252365	#	10	CG	CGD	JPN	8536.5015.90
ZC-Q55	Enclosed basic switch, panel mount plunger, SPDT, 15A	32.42	EC000030	106425	4536854251276	#	10	CG	CGD	JPN	8536.5015.90
ZC-W155	Enclosed basic switch, hinge lever, SPDT, 15 A	25.82	EC000030	106351	4536854253249		10	CG	CGD	JPN	8536.5015.90
ZC-W2155	Enclosed basic switch, hinge roller lever, SPDT, 15 A	27.42	EC000030	106353	4536854253416			CG	CGD	JPN	8536.5015.90
ZC-W255	Enclosed basic switch, short hinge roller lever, SPDT, 15A	27.42	EC000030	106352	4536854253409		10	CG	CGD	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Industrial Switch ZE/ZV											
ZE-N21-2G	Enclosed switch, sealed cross roller plunger, SPDT, 15 A	74.65	EC000030	106372	4536854255120			CG	CGE	JPN	8536.5015.90
ZE-N22-2G	Enclosed switch, sealed roller plunger, SPDT, 15A	74.30	EC000030	104736	4536854255151			CG	CGE	JPN	8536.5015.90
ZE-N-2G	Enclosed switch, plunger, SPDT, 15A	40.13	EC000030	106370	4536854255038			CG	CGE	JPN	8536.5015.90
ZE-NA2-2G	Enclosed switch, roller arm lever, SPDT, 15A	50.30	EC000030	151525	4536854255229	#		CG	CGE	JPN	8536.5015.90
ZE-Q21-2G	Enclosed switch, cross roller plunger, SPDT, 15A	43.66	EC000030	149257	4536854254840			CG	CGE	JPN	8536.5015.90
ZE-Q22-2G	Enclosed switch, roller plunger, SPDT, 15A	43.26	EC000030	150415	4536854255496	#		CG	CGE	JPN	8536.5015.90
ZE-Q-2G	Enclosed switch, plunger, SPDT, 15A	39.43	EC000030	106359	4536854254789			CG	CGE	JPN	8536.5015.90
ZE-QA2-2G	Enclosed switch, roller arm lever, SPDT, 15 A	44.03	EC000030	152689	4536854254932			CG	CGE	JPN	8536.5015.90
ZV2-N-2G	Enclosed switch, diagonal side mounting, sealed plunger, SPDT, 15 A	47.48	EC000030	154929	4536854260773			CG	CGE	JPN	8536.5015.90
Industrial Switch D4C											
D4C-1201	Compact enclosed limit switch, pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	48.22	EC000030	134459	4536853210052	#		CG	CGF	JPN	8536.5015.90
D4C-1202	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	47.95	EC000030	134460	4536853210069	#		CG	CGF	JPN	8536.5015.90
D4C-1203	Compact enclosed limit switch, cross roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	51.40	EC000030	134461	4536853210076			CG	CGF	JPN	8536.5015.90
D4C-1220	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	61.90	EC000030	105810	4536853210113			CG	CGF	JPN	8536.5015.90
D4C-1224	Compact enclosed limit switch, roller lever (high sensitivity), 5 A 250 VAC, 4 A 30 VDC, 3 m VCTF oil-resistant cable	63.75	EC000030	147957	4536853210151			CG	CGF	JPN	8536.5015.90
D4C-1231	Compact enclosed limit switch, sealed pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	59.25	EC000030	134463	4536853210182			CG	CGF	JPN	8536.5015.90
D4C-1232	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	61.90	EC000030	134464	4536853210199			CG	CGF	JPN	8536.5015.90
D4C-1233	Compact enclosed limit switch, Sealed crossroller plunger, 5 A 250 VAC, 4 A 30 VDC, 3 m VCTF oil-resistant cable	60.50	EC000030	134465	4536853210205			CG	CGF	JPN	8536.5015.90
D4C-1250	Compact enclosed limit switch, plastic rod, 5 A 250 VAC, 4 A 30 VDC, 3 m VCTF oil-resistant cable	61.20	EC000030	134469	4536853210243			CG	CGF	JPN	8536.5015.90
D4C-1302	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5 m VCTF oil-resistant cable	64.95	EC000030	134470	4536853210274			CG	CGF	JPN	8536.5015.90
D4C-1320	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	71.10	EC000030	156713	4536853210304			CG	CGF	JPN	8536.5015.90
D4C-1332	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	71.10	EC000030	134473	4536853210342			CG	CGF	JPN	8536.5015.90
D4C-1502	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5 m VCTF cable	59.00	EC000030	134484	4536853210588			CG	CGF	JPN	8536.5015.90
D4C-1G01 5M	Compact enclosed limit switch	96.25	EC000030	289178	4547648734493			CG	CGF	JPN	8536.5015.90
D4C-3202	Compact enclosed limit switch, roller plunger, 4 A 30 VDC, 3 m VCTF oil-resistant cable	53.25	EC000030	105813	4536853212865			CG	CGF	JPN	8536.5015.90
D4C-4232	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 3 m VCTF oil-resistant cable	61.90	EC000030	134317	4536853214043			CG	CGF	JPN	8536.5015.90
D4C-4332	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5 m VCTF oil-resistant cable	69.95	EC000030	144739	4536853214203	#		CG	CGF	JPN	8536.5015.90
D4CC-3001	Compact limit switch, connector type, 1 A 30 VDC, Pin plunger	63.75	EC000030	146877	4536853208400			CG	CGF	JPN	8536.5015.90
D4CC-3002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	63.50	EC000030	150121	4536853208417			CG	CGF	JPN	8536.5015.90
D4CC-3024	Compact limit switch, connector type, 1 A 30 VDC, high sensitivity roller lever	70.30	EC000030	153483	4536853208448			CG	CGF	JPN	8536.5015.90
D4CC-3031	Compact limit switch, connector type, 1 A 30 VDC, sealed pin plunger	65.60	EC000030	134522	4536853208462			CG	CGF	JPN	8536.5015.90
D4CC-3032	Compact limit switch, connector type, 1 A 30 VDC, Sealed roller plunger	72.95	EC000030	154611	4536853208479			CG	CGF	JPN	8536.5015.90
D4CC-3050	Compact limit switch, connector type, 1 A 125 VAC, plastic rod	85.80	EC000030	134526	4536853208523	#		CG	CGF	JPN	8536.5015.90
D4CC-4002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	72.20	EC000030	134529	4536853208561			CG	CGF	JPN	8536.5015.90
D4CC-4024	Compact limit switch, connector type, 1 A 30 VDC,	75.90	EC000030	134532	4536853208592			CG	CGF	JPN	8536.5015.90
D4CC-4032	Compact limit switch, connector type, 1 A 30 VDC, LED, Sealed roller plunger	74.20	EC000030	155420	4536853208622			CG	CGF	JPN	8536.5015.90
Industrial Switch HL											
HL-5000G	Limit switch, Roller lever, With ground terminal	41.21	EC000030	378665	4548583439153	#		CG	CGH	CHN	8536.5015.90
HL-5030G	Limit switch, Adjustable roller lever, With ground terminal	42.42	EC000030	378666	4548583439177	#		CG	CGH	CHN	8536.5015.90
HL-5050G	Limit switch, Adjustable rod lever, With ground terminal	42.15	EC000030	378667	4548583439191			CG	CGH	CHN	8536.5015.90
HL-5100G	Limit switch, Sealed plunger, With ground terminal	46.71	EC000030	378668	4548583439214			CG	CGH	CHN	8536.5015.90
HL-5200G	Limit switch, Sealed roller plunger, With ground terminal	49.13	EC000030	378654	4548583439238	#		CG	CGH	CHN	8536.5015.90
HL-5300G	Limit switch, Coil spring, With ground terminal	49.09	EC000030	378655	4548583439252			CG	CGH	CHN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Industrial Switch SHL											
SHL-D55	Subminiature enclosed switch, plunger actuator	29.97	EC000030	111615	4536853780425		10	CG	CGI	JPN	8536.5015.90
SHL-D55-01	Subminiature enclosed switch, plunger actuator, 0.1A micro load	36.96	EC000030	111705	4536853779016	#	10	CG	CGI	JPN	8536.5015.90
SHL-Q2155	Enclosed switch, panel mount across roller plunger, SPDT,10A	33.49	EC000030	147187	4536853780821	#	10	CG	CGI	JPN	8536.5015.90
SHL-Q2155-01	Enclosed switch, panel mount across roller plunger, SPDT,10A micro voltage	35.33	EC000030	111610	4536853779450		10	CG	CGI	JPN	8536.5015.90
SHL-Q2255	Enclosed switch, panel mount roller plunger, SPDT,10A	34.36	EC000030	145031	4536853781002	#	10	CG	CGI	JPN	8536.5015.90
SHL-Q2255-01	Enclosed switch, panel mount roller plunger, SPDT,10A micro voltage	35.00	EC000030	111611	4536853779627		10	CG	CGI	JPN	8536.5015.90
SHL-Q55	Subminiature enclosed switch, panel mount plunger	30.56	EC000030	106139	4536853780623		5	CG	CGI	JPN	8536.5015.90
SHL-W155	Enclosed switch, hinge lever, SPDT, 10A	30.99	EC000030	111621	4536853781637		10	CG	CGI	JPN	8536.5015.90
SHL-W2155	Enclosed switch, hinge roller lever, SPDT, 10A	31.02	EC000030	153766	4536853781651	#	10	CG	CGI	JPN	8536.5015.90
SHL-W255	Enclosed switch, short hinge roller lever, SPDT, 10A	29.54	EC000030	104735	4536853781408	#	10	CG	CGI	JPN	8536.5015.90
Industrial Switch A22											
A22NZ-2BL-01BA	Selector A22NZ 22 dia., Key type S, 2 position, bezel plastic, auto reset on left, release position left	10.66	EC000222	661994	4548583717626		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BL-NBA	Selector A22NZ 22 dia., 2 position, NON-Lighted, bezel plastic, auto reset on left, color black	4.94	EC000222	660929	4548583715608		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-01AA	Selector A22NZ 22 dia., Key type S, 2 position, bezel plastic, manual, release position all	10.66	EC000222	662748	4548583717596		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-01BA	Selector A22NZ 22 dia., Key type S, 2 position, bezel plastic, manual, release position left	16.04	EC000222	664829	4548583717602		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-NBA	Selector A22NZ 22 dia., 2 position, NON-Lighted, bezel plastic, manual, color black	4.94	EC000222	660926	4548583715486		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-NRA	Selector A22NZ 22 dia., 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR RED	4.95	EC000222	660009	4548583715431		10	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-01BA	Selector A22NZ 22 dia., Key type S, 2 position, bezel brushed M, manual, release position left	13.76	EC000222	664883	4548583717640		20	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-NBA	Selector A22NZ 22 dia., 2 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK	3.78	EC000222	660010	4548583715721		10	CG	CGK	TWN	8536.5015.90
A22NZ-3BB-NBA	Selector A22NZ 22 dia., 3 position, NON-Lighted, bezel plastic, auto reset on L/R, color black	5.14	EC000222	666627	4548583716568		10	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-NBA	Selector A22NZ 22 dia., 3 position, NON-Lighted, bezel plastic, manual, color black	5.14	EC000222	660930	4548583716209		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NAA	Pushbutton A22NZ 22 dia., bezel plastic, full guard, momentary, cap color opaque blue	3.55	EC000221	666194	4548583711877		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NGA	Pushbutton A22NZ 22 dia., bezel plastic, full guard, momentary, cap color opaque green	3.55	EC000221	666481	4548583711846		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NRA	Pushbutton A22NZ 22 dia., bezel plastic, full guard, momentary, cap color opaque red	3.55	EC000221	664641	4548583711839		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NWA	Pushbutton A22NZ 22 dia., bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque WHITE,	3.55	EC000221	664548	4548583711860		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NYA	Pushbutton A22NZ 22 dia., bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque YELLOW,	3.55	EC000221	665917	4548583711853		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NBA	Pushbutton A22NZ 22 dia., bezel plastic, mushroom, momentary, cap color opaque black	3.95	EC000221	662397	4548583712065	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NGA	Pushbutton A22NZ 22 dia., bezel plastic, mushroom, momentary, cap color opaque green	3.55	EC000221	665233	4548583712027		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NRA	Pushbutton A22NZ 22 dia., bezel plastic, mushroom, momentary, cap color opaque red	3.55	EC000221	667103	4548583712010		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-UGA	Pushbutton A22NZ 22 dia., bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Transparent GREEN,	3.43	EC000221	661172	4548583712140		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NAA	Pushbutton A22NZ 22 dia., bezel plastic, flat, momentary, cap color opaque blue	3.95	EC000221	662116	4548583711518		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NBA	Pushbutton A22NZ 22 dia., bezel plastic, flat, momentary, cap color opaque black	3.95	EC000221	661703	4548583711525		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NGA	Pushbutton A22NZ 22 dia., bezel plastic, flat, momentary, cap color opaque green	3.95	EC000221	660475	4548583711488		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NRA	Pushbutton A22NZ 22 dia., bezel plastic, flat, momentary, cap color opaque red	4.11	EC000221	664957	4548583711471	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NWA	Pushbutton A22NZ 22 dia., bezel plastic, flat, momentary, cap color opaque white	4.11	EC000221	662117	4548583711501		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NYA	Pushbutton A22NZ 22 dia., bezel plastic, flat, momentary, cap color opaque yellow	3.96	EC000221	661170	4548583711495		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-NAA	Pushbutton A22NZ 22 dia., bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLUE,	4.06	EC000221	663145	4548583712232		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-NBA	Pushbutton A22NZ 22 dia., bezel brushed metal, flat, momentary, cap color opaque black	4.07	EC000221	661179	4548583712249		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-NGA	Pushbutton A22NZ 22 dia., bezel brushed metal, flat, momentary, cap color opaque green	4.06	EC000221	664037	4548583712201		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TGA	Selector A22NZ 22 dia., 2 position, Lighted, bezel plastic, manual, color green	4.96	EC000222	660011	4548583715509		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TRA	Selector A22NZ 22 dia., 2 position, Lighted, bezel plastic, manual, color red	4.96	EC000222	663831	4548583715493		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TWA	Selector A22NZ 22 dia., 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR WHITE	4.96	EC000222	662172	4548583715523		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TYA	Selector A22NZ 22 dia., 2 position, Lighted, bezel plastic, manual, color yellow	3.54	EC000222	664707	4548583715516		10	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-TGA	Selector A22NZ 22 dia., 2 position, Lighted, bezel brushed M, MANUAL, COLOR GREEN	3.78	EC000222	666621	4548583715745		4	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-TYA	Selector A22NZ 22 dia., 2 position, Lighted, bezel brushed M, MANUAL, COLOR YELLOW	4.51	EC000222	660925	4548583715752		10	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-TGA	Selector A22NZ 22 dia., 3 position, Lighted, bezel plastic, manual, color green	5.60	EC000222	661886	4548583716223		10	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-TRA	Selector A22NZ 22 dia., 3 position, Lighted, bezel plastic, manual, color red	5.60	EC000222	664720	4548583716216		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TAA	Pushbutton A22NZ 22 dia., bezel plastic, full guard, momentary, cap color transparent blue, lighted	3.55	EC000221	667104	4548583711938	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TGA	Pushbutton A22NZ 22 dia., bezel plastic, full guard, momentary, cap color transparent green, lighted	3.55	EC000221	662398	4548583711907		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TRA	Pushbutton A22NZ 22 dia., bezel plastic, full guard, momentary, cap color transparent red, lighted	3.55	EC000221	664971	4548583711891		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TWA	Pushbutton A22NZ 22 dia., bezel plastic, full guard, momentary, cap color transparent white, lighted	3.60	EC000221	663373	4548583711921	#	10	CG	CGK	TWN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NZ-BGM-TYA	Pushbutton A22NZ 22 dia., bezel plastic, full guard, momentary, cap color transparent yellow, lighted	3.60	EC000221	663382	4548583711914	10	CG	CGK	TWN	8536.5015.90	
A22NZ-BNM-TAA	Pushbutton A22NZ 22 dia., bezel plastic, flat, momentary, cap color transparent blue, lighted	2.49	EC000221	661165	4548583711570	20	CG	CGK	TWN	8536.5015.90	
A22NZ-BNM-TGA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	2.49	EC000221	662121	4548583711549	10	CG	CGK	TWN	8536.5015.90	
A22NZ-BNM-TRA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	2.49	EC000221	660238	4548583711532	10	CG	CGK	TWN	8536.5015.90	
A22NZ-BNM-TWA	Pushbutton A22NZ 22 dia., bezel plastic, flat, momentary, cap color transparent white, lighted	2.49	EC000221	663647	4548583711563	10	CG	CGK	TWN	8536.5015.90	
A22NZ-BNM-TYA	Pushbutton A22NZ Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	2.49	EC000221	663117	4548583711556	10	CG	CGK	TWN	8536.5015.90	
A22NZ-BPM-TGA	Pushbutton A22NZ 22 dia., bezel plastic, projected, momentary, cap color transparent green, lighted	3.55	EC000221	665541	4548583711723	10	CG	CGK	TWN	8536.5015.90	
A22NZ-BPM-TRA	Pushbutton A22NZ 22 dia., bezel plastic, projected, momentary, cap color transparent red, lighted	3.55	EC000221	663360	4548583711716	10	CG	CGK	TWN	8536.5015.90	
A22NZ-MNM-TAA	Pushbutton A22NZ 22 dia., bezel brushed metal, flat, momentary, cap color transparent blue, lighted	4.07	EC000221	666840	4548583712294	20	CG	CGK	TWN	8536.5015.90	
A22NZ-MNM-TGA	Pushbutton A22NZ 22 dia., bezel brushed metal, flat, momentary, cap color transparent green, lighted	4.07	EC000221	665935	4548583712263	10	CG	CGK	TWN	8536.5015.90	
A22NZ-MNM-TRA	Pushbutton A22NZ Ø22, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	4.07	EC000221	664982	4548583712256	10	CG	CGK	TWN	8536.5015.90	
A22NZ-MNM-TWA	Pushbutton A22NZ 22 dia., bezel brushed metal, flat, momentary, cap color transparent white, lighted	4.07	EC000221	665234	4548583712287	10	CG	CGK	TWN	8536.5015.90	
A22NL-BGM-TGA-G102-GC	Pushbutton A22NL 22 dia., bezel plastic, full guard, momentary, cap color transparent green, LED green, 1NO1NC, 24 VDC	11.10	EC001028	660674	4548583635722	5	CG	CGK	TWN	8536.5015.90	
A22NL-BNM-TGA-P100-GC	Pushbutton A22NL Ø22, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LED GREEN, 1NO, 24 VDC, push-in terminal	15.53	EC001028	673634	4548583897854	5	CG	CGK	TWN	8536.5015.90	
A22NS-2BM-NRA-G100-NN	Selector A22NS Ø22, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR RED, 1NO	11.80	EC001029	661214	4548583658059	#	CG	CGK	TWN	8536.5015.90	
A22NS-3BB-NBA-G101-NN	Selector A22NS Ø22, 3 position, NON-Lighted, bezel PLASTIC, AUTO RESET ON L/R, COLOR BLACK, 2NO	11.66	EC001029	663102	4548583665897	#	10	CG	CGK	TWN	8536.5015.90
A22-01	Contact block, SPST-NC, general-purpose load	3.81	EC000041	150948	4536854356452	50	CG	CGK	JPN	8536.5015.90	
A22-02	Contact block, DPST-NC, general-purpose load	10.78	EC000041	160871	4536854453397	30	CG	CGK	JPN	8536.5015.90	
A22-10	Contact block, SPST-NO, general-purpose load	3.81	EC000041	157745	4536854356469	50	CG	CGK	JPN	8536.5015.90	
A22-11	Contact block, SPST-NO + SPST-NO, general-purpose load	9.70	EC000041	141587	4536854613920	10	CG	CGK	JPN	8536.5015.90	
A22-20	Contact block, DPST-NO, general-purpose load	10.78	EC000041	160872	45368544533403	30	CG	CGK	JPN	8536.5015.90	
A22-24AG	LED, 24 VAC/DC, green	9.58	EC002498	160819	4536853019471	50	CG	CGK	JPN	8536.5015.90	
A22-24AR	LED, 24 VAC/DC, red	9.58	EC002498	145656	4536853019488	20	CG	CGK	JPN	8536.5015.90	
A22-24AY	LED, 24 VAC/DC, yellow	10.05	EC002498	160820	4536853019501	20	CG	CGK	JPN	8536.5015.90	
A22NZ-L-AC	Pushbutton accessory A22NZ, blue LED Lamp 24 VAC/DC	3.53	EC002498	662694	4548583718241	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-GB	Pushbutton accessory A22NZ, Green LED Lamp 12 VAC/DC	4.37	EC002498	666218	4548583718166		CG	CGK	TWN	8536.5015.90	
A22NZ-L-GC	Pushbutton accessory A22NZ, green LED Lamp 24 VAC/DC	3.53	EC002498	663627	4548583718227	50	CG	CGK	TWN	8536.5015.90	
A22NZ-L-GE	Pushbutton accessory A22NZ, green LED Lamp 200/220/230 VAC	3.98	EC002498	666451	4548583718340	50	CG	CGK	TWN	8536.5015.90	
A22NZ-L-OC	Pushbutton accessory A22NZ, Orange LED Lamp 24 VAC/DC	3.53	EC002498	659820	4548583718265	50	CG	CGK	TWN	8536.5015.90	
A22NZ-L-RC	Pushbutton accessory A22NZ, Red LED Lamp 24 VAC/DC	3.53	EC002498	663615	4548583718210	50	CG	CGK	TWN	8536.5015.90	
A22NZ-L-RE	Pushbutton accessory A22NZ, red LED Lamp 200/220/230 VAC	3.69	EC002498	666442	4548583718333	50	CG	CGK	TWN	8536.5015.90	
A22NZ-L-WA	Pushbutton accessory A22NZ, White LED Lamp 6 VDC	3.69	EC002498	672751	4548583718135		CG	CGK	TWN	8536.5015.90	
A22NZ-L-WC	Pushbutton accessory A22NZ, White LED Lamp 24 VAC/DC	3.85	EC002498	664307	4548583718258	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-WE	Pushbutton accessory A22NZ, White LED Lamp 200/220/230 VAC	3.97	EC002498	660761	4548583718371	50	CG	CGK	TWN	8536.5015.90	
A22NZ-L-YC	Pushbutton accessory A22NZ, Yellow LED Lamp 24 VAC/DC	3.53	EC002498	662716	4548583718234	50	CG	CGK	TWN	8536.5015.90	
A22NZ-L-YE	Pushbutton accessory A22NZ, Yellow LED Lamp 200/220/230 VAC	3.69	EC002498	665251	4548583718357	50	CG	CGK	TWN	8536.5015.90	
A22NZ-S-G1A	Pushbutton A22NZ, Contact Block SPST-NO (blue)	2.80	EC000041	667274	4548583718012	20	CG	CGK	TWN	8536.5015.90	
A22NZ-S-G1B	Pushbutton A22NZ, Contact Block SPST-NC (orange)	2.80	EC000041	661432	4548583718029	20	CG	CGK	TWN	8536.5015.90	
A22NZ-S-P1A	A22N Contact blocks, SPST-NO, push-in terminal	5.35	EC000041	672599	4548583920903	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P1B	A22N Contact blocks, SPST-NC, push-in terminal	5.35	EC000041	672624	4548583920910	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P2A	A22N Contact blocks, DPST-NO, push-in terminal	10.40	EC000041	672593	4548583920927	20	CG	CGK	TWN	8536.5015.90	
A22NZ-S-P2B	A22N contact blocks, DPST-NC, push-in terminal	10.29	EC000041	672587	4548583920934	20	CG	CGK	TWN	8536.5015.90	
A22NZ-S-P2C	A22N Contact blocks, SPST-NO + SPST-NC, push-in terminal	13.78	EC000041	672619	4548583920941	20	CG	CGK	TWN	8536.5015.90	
A22NZ-T-B	Pushbutton accessory A22NZ, Lighting Unit 12 VAC/VDC	3.22	EC000204	662692	4548583718043		CG	CGK	TWN	8536.5015.90	
A22NZ-T-C	Pushbutton accessory A22NZ, Lighting Unit 24 VAC/VDC	2.71	EC000204	665524	4548583718050	20	CG	CGK	TWN	8536.5015.90	
A22NZ-T-CP	A22N Lighting Units, 24 VAC/DC, push-in terminal	5.17	EC000204	672613	4548583920972	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-T-E	Pushbutton accessory A22NZ, Lighting Unit 200/220/230 VAC	3.22	EC000204	662693	4548583718074	20	CG	CGK	TWN	8536.5015.90	
A22NZ-T-EP	A22N Lighting Units, 200/220/230/240 VAC, push-in terminal	9.36	EC000204	672620	4548583920996	20	CG	CGK	TWN	8536.5015.90	
A22-TN	Lamp socket, direct lighting	2.23	EC000204	160858	4536854408274	50	CG	CGK	JPN	8536.5015.90	

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Industrial Switch A16											
A16L-AG	Pushbutton, illuminated, square, IP40, green	3.20	EC001072	146020	4536853010096	10		CG	CGL	JPN	8536.5015.90
A16L-AR	Pushbutton, illuminated, square, IP40, red	3.22	EC001072	160060	4536853010119	10		CG	CGL	JPN	8536.5015.90
A16L-JA	Pushbutton, illuminated, rectangular, IP40, blue	3.20	EC001072	152550	4536853010140	10		CG	CGL	JPN	8536.5015.90
A16L-JG	Pushbutton, illuminated, rectangular, IP40, green	3.10	EC001072	160062	4536853010157	10		CG	CGL	JPN	8536.5015.90
A16L-JR	Pushbutton, illuminated, rectangular, IP40, red	3.10	EC001072	106052	4536853010171	10		CG	CGL	JPN	8536.5015.90
A16L-JW	Pushbutton, illuminated, rectangular, IP40, white	3.10	EC001072	160064	4536853010188	10		CG	CGL	JPN	8536.5015.90
A16L-JY	Pushbutton, illuminated, rectangular, IP40, yellow	3.10	EC001072	158170	4536853010195	10		CG	CGL	JPN	8536.5015.90
A16L-TG	Pushbutton, illuminated, round, IP40, green	3.22	EC001072	160065	4536853010218	10		CG	CGL	JPN	8536.5015.90
A16L-TR	Pushbutton, illuminated, round, IP40, red	3.20	EC001072	160066	4536853010232	10		CG	CGL	JPN	8536.5015.90
A16L-TW	Pushbutton, illuminated, round, IP40, white	3.20	EC001072	160067	4536853010249	10		CG	CGL	JPN	8536.5015.90
A16L-TY	Pushbutton, illuminated, round, IP40, yellow	3.20	EC001072	148142	4536853010256	10		CG	CGL	JPN	8536.5015.90
A165L-AR	Pushbutton, illuminated, square, IP65, red	4.10	EC001072	160046	4536853009939	10		CG	CGL	JPN	8536.5015.90
A165L-AW	Pushbutton, illuminated, square, IP65, white	4.10	EC001072	103807	4536853009946	10		CG	CGL	JPN	8536.5015.90
A165L-AY	Pushbutton, illuminated, square, IP65, yellow	3.78	EC001072	160047	4536853009953	10		CG	CGL	JPN	8536.5015.90
A165L-JA	Pushbutton, illuminated, rectangular, IP65, blue	4.17	EC001072	154779	4536853009960	10		CG	CGL	JPN	8536.5015.90
A165L-JB	Pushbutton, illuminated, rectangular, IP65, black	4.10	EC001072	160043	4536853009885	10		CG	CGL	JPN	8536.5015.90
A165L-JG	Pushbutton, illuminated, rectangular, IP65, green	4.17	EC001072	144900	4536853009977	10		CG	CGL	JPN	8536.5015.90
A165L-JGY	Pushbutton, illuminated, rectangular, IP65, green for LED only	3.18	EC001072	160048	4536853009984	10		CG	CGL	JPN	8536.5015.90
A165L-JR	Pushbutton, illuminated, rectangular, IP65, red	4.17	EC001072	160049	4536853009991	10		CG	CGL	JPN	8536.5015.90
A165L-JW	Pushbutton, illuminated, rectangular, IP65, white	4.17	EC001072	160050	4536853010003	10		CG	CGL	JPN	8536.5015.90
A165L-JY	Pushbutton, illuminated, rectangular, IP65, yellow	4.17	EC001072	160051	4536853010010	10		CG	CGL	JPN	8536.5015.90
A165L-TG	Pushbutton, illuminated, round, IP65, green	4.13	EC001072	160053	4536853010034	10		CG	CGL	JPN	8536.5015.90
A165L-TGY	Pushbutton, illuminated, round, IP65, green for LED only	3.57	EC001072	160054	4536853010041	10		CG	CGL	JPN	8536.5015.90
A165L-TR	Pushbutton, illuminated, round, IP65, red	4.06	EC001072	160055	4536853010058	10		CG	CGL	JPN	8536.5015.90
A165L-TY	Pushbutton, illuminated, round, IP65, yellow	4.10	EC001072	160057	4536853010072	10		CG	CGL	JPN	8536.5015.90
A16-CAM	IP40 case for pushbutton unit, square, momentary or indicator	3.35	EC000221	160028	4536853009731	5		CG	CGL	JPN	8536.5015.90
A16-CJA	IP40 case for pushbutton unit, rectangular, latching	4.20	EC000221	160029	4536853009748	50		CG	CGL	JPN	8536.5015.90
A16-CJM	IP40 case for pushbutton unit, rectangular, momentary or indicator	3.35	EC000221	160030	4536853009755	50		CG	CGL	JPN	8536.5015.90
A16-CTA	IP40 case for pushbutton unit, round, latching	4.20	EC000221	160031	4536853009762	50		CG	CGL	JPN	8536.5015.90
A16-CTM	IP40 case for pushbutton unit, round, momentary or indicator	3.35	EC000221	160032	4536853009779	50		CG	CGL	JPN	8536.5015.90
A165-CAM	IP65 case for pushbutton unit, square, momentary or indicator	4.27	EC000221	144899	4536853009793	50		CG	CGL	JPN	8536.5015.90
A165-CJM	IP65 case for pushbutton unit, rectangular, momentary or indicator	4.73	EC000221	160034	4536853009816	50		CG	CGL	JPN	8536.5015.90
A165-CTM	IP65 case for pushbutton unit, round, momentary or indicator	4.27	EC000221	160036	4536853009830	50		CG	CGL	JPN	8536.5015.90
A16-1	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), solder terminal	6.00	EC000041	160076	4536853010263	50		CG	CGL	JPN	8536.5015.90
A16-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), solder terminal	9.42	EC000041	160077	4536853010270	50		CG	CGL	JPN	8536.5015.90
A16-2P	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), PCB terminal	20.88	EC000041	160079	4536854375293	50		CG	CGL	JPN	8536.5015.90
A165S-A2M	Selector switch, non-illuminated, lever type, square, 2 notches, maintained, IP65	18.36	EC000222	152141	4536854345654	30		CG	CGL	JPN	8536.5015.90
A165S-A3M	Selector switch, dia. 16 mm, non-illuminated, lever type, square, 3 notches, maintained, IP65	18.36	EC000222	160700	4536854345685			CG	CGL	JPN	8536.5015.90
A165S-J2M	Selector switch, non-illuminated, lever type, rectangular, 2 notches, maintained, IP65	17.92	EC000222	160702	4536854345715	10		CG	CGL	JPN	8536.5015.90
A165S-J3M	Selector switch, non-illuminated, lever type, rectangular, 3 notches, maintained, IP65	18.36	EC000222	152142	4536854345746	30		CG	CGL	JPN	8536.5015.90
A165S-T2M	Selector switch, non-illuminated, lever type, round, 2 notches, maintained, IP65	19.64	EC000222	160707	4536854345777	30		CG	CGL	JPN	8536.5015.90
A165K-T2ML	Selector switch, round, key-type, 2 notches, maintained, IP65, key release left side only	36.97	EC000222	160670	4536854345081	30		CG	CGL	JPN	8536.5015.90
A165-2N-1	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, solder terminal	5.97	EC000041	160741	4536854346385	50		CG	CGL	JPN	8536.5015.90
A165-2N-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, solder terminal	10.26	EC002498	160743	4536854346408	50		CG	CGL	JPN	8536.5015.90
A165-2N-2L	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, release in left position, solder terminal	9.42	EC000041	155154	4536854346415			CG	CGL	JPN	8536.5015.90
A165-2N-2P	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, PCB terminal	45.94	EC000041	148178	4536854375330			CG	CGL	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A16S-3N-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 3 position selector switch, solder terminal	7.75	EC002498	160744	4536854346446		50	CG	CGL	JPN	8536.5015.90
A16SS-A2M-2	Selector switch complete, dia. 16 mm, non-illuminated, lever type, square, 2 notches, manual reset, IP65, DPDT contact block, solder terminal	21.76	EC001029	160755	4536854346521		5	CG	CGL	JPN	8536.5015.90
A16SS-J2M-2	Knob-type selector switch, 16 mm mounting, non illuminated, rectangular, 2 position, manual reset, DPDT	22.17	EC001029	105652	4536854346576		5	CG	CGL	JPN	8536.5015.90
A16SS-T2M-1	Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, SPDT contact block, solder terminal	18.67	EC001029	160760	4536854346613			CG	CGL	JPN	8536.5015.90
A16SS-T2M-2	Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, DPDT contact block, solder terminal	21.76	EC001029	160761	4536854346620		5	CG	CGL	JPN	8536.5015.90
A16-12DY	LED, 12 VDC, yellow	4.25	EC002498	160006	4536853009618		100	CG	CGL	JPN	8536.5015.90
A16-24DG	LED, 24 VDC, green	6.67	EC002498	160007	4536853009632		100	CG	CGL	JPN	8536.5015.90
A16-24DR	LED, 24 VDC, red	6.13	EC002498	149210	4536853009649		100	CG	CGL	JPN	8536.5015.90
A16-24DSG	LED, 24 VDC, green, superbright	6.49	EC002498	160020	4536854589089			CG	CGL	JPN	8536.5015.90
A16-24DSR	LED, 24 VDC, red, superbright	6.49	EC002498	143445	4536854589096		18	CG	CGL	JPN	8536.5015.90
A16-24DSW	LED, 24 VDC, white, superbright	5.58	EC002498	105995	4536854589102		30	CG	CGL	JPN	8536.5015.90
A16-24DSY	LED, 24 VDC, yellow, superbright	6.49	EC002498	160021	4536854589119		20	CG	CGL	JPN	8536.5015.90
A16-24DW	LED, 24 VDC, white	7.52	EC002498	160008	4536853009656		100	CG	CGL	JPN	8536.5015.90
A16-24DY	LED, 24 VDC, yellow	6.49	EC002498	160009	4536853009663		100	CG	CGL	JPN	8536.5015.90
A165K-KEY	Spare key for A165K switches	6.10	EC002024	160654	4536854480225			CG	CGL	JPN	8536.5015.90
Other Industrial Switch											
DZ-10G-1B	Basic switch, pin plunger, 10 A, DPDT, screw terminals	17.76	EC000030	133557	4536853181819		20	CG	CGX	JPN	8536.5015.90
DZ-10GV22-1B	Basic switch, short hinqe roller lever, 10 A, DPDT, screw terminals	20.24	EC000030	133562	4536853181918		10	CG	CGX	JPN	8536.5015.90
DZ-10GW-1B	Basic switch, hinge lever, 10 A, DPDT, screw terminals	21.22	EC000030	133564	4536853181994		20	CG	CGX	JPN	8536.5015.90
DZ-10GW2-1B	Basic switch, hinqe roller lever, 10 A, DPDT, screw terminals	22.68	EC000030	133567	4536853182021		10	CG	CGX	JPN	8536.5015.90
DZ-10GW22-1B	Basic switch, short hinge roller lever, 10 A, DPDT, screw terminals	21.22	EC000030	133569	4536853182052		20	CG	CGX	JPN	8536.5015.90
TZ-1GV	High temperature basic switch, hinge lever, 1 A	198.80	EC000030	156285	4536854126833		20	CG	CGX	JPN	8536.5015.90
TZ-1GV22	High temperature basic switch, short hinqe roller lever, 1 A	215.50	EC000030	109866	4536854126857		20	CG	CGX	JPN	8536.5015.90
X-10GM-B	Basic switch, general purpose, reverse hinqe lever, 10A, screw terminals	17.77	EC000030	108112	4536854245558		20	CG	CGX	JPN	8536.5015.90
X-10GW22-B	Basic switch, general purpose, short hinge roller lever, 10 A, screw terminals	13.14	EC000030	108200	4536854245084		20	CG	CGX	JPN	8536.5015.90
X-10GW-B	Basic switch, general purpose, hinge lever, 10 A, screw terminals	12.17	EC000030	144219	4536854244926		20	CG	CGX	JPN	8536.5015.90
Z-10FM22Y-B	General purpose basic switch, reverse short hinqe roller lever, 10A split contact, screw terminals	22.17	EC000030	150638	4536854262173			CG	CGX	JPN	8536.5015.90
Z-10FQ22Y-B	General purpose basic switch, panel mount roller plunger, 10 A split contact, screw terminals	28.59	EC000030	106726	4536854261886		20	CG	CGX	JPN	8536.5015.90
AP-B	Terminal cover, phenol resin, for Z, DZ, X switch with screw terminals	0.50	EC002594	137468	4536853004736		20	CG	CGX	JPN	8536.5015.90
AP-DV	Z Switch Drip-proof Terminal Protective Cover	4.58	EC002594	239600	4536853004903			CG	CGX	JPN	8536.5015.90
AP-Z	Soldering or Screw Terminal Use (Vinyl Chloride) for Z15 switch	3.16	EC002594	148140	4536853004880		20	CG	CGX	JPN	8536.5015.90
D4A-1101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	119.60	EC000030	142473	4536853200633			CG	CGX	JPN	8536.5015.90
D4A-2918N	Limit switch, four-pole, double-break, centre neutral, without indicator, roller lever	183.50	EC000030	134828	4536853201753			CG	CGX	JPN	8536.5015.90
D4A-3101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	130.50	EC000030	134829	4536853201777			CG	CGX	JPN	8536.5015.90
D4A-5101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	117.20	EC000030	134742	4536853202576			CG	CGX	JPN	8536.5015.90
D4A-A00	Replacement lever, roller lever type	23.66	EC002594	134865	4536853198121			CG	CGX	JPN	8536.5015.90
D4A-C00	Replacement lever, adjustable roller lever type	27.11	EC002594	103625	4536853198268			CG	CGX	JPN	8536.5015.90
D4E-1A10N	Limit switch, slim sealed, connector type, general purpose, roller plunger	43.59	EC000030	155720	4536853222949	#	10	CG	CGX	JPN	8536.5015.90
D4E-1A20N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger	47.65	EC000030	134060	4536853222956	#	10	CG	CGX	JPN	8536.5015.90
D4E-1B10N	Limit switch, slim sealed, connector type, general purpose, cross roller plunger	43.59	EC000030	134063	4536853222987		10	CG	CGX	JPN	8536.5015.90
D4E-1B20N	Limit switch, slim sealed, screw terminal, general purpose, cross roller plunger	51.35	EC000030	134064	4536853222994	#	10	CG	CGX	JPN	8536.5015.90
D4E-1C10N	Limit switch, slim sealed, connector type, general purpose, plunger	48.90	EC000030	134067	4536853223021		10	CG	CGX	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4E-1C20N	Limit switch, slim sealed, screw terminal, general purpose, plunger	38.96	EC000030	155721	4536853223038			CG	CGX	JPN	8536.5015.90
D4E-1D10N	Limit switch, slim sealed, connector type, general purpose, sealed roller plunger	73.40	EC000030	133989	4536853223410	#	10	CG	CGX	JPN	8536.5015.90
D4E-1D20N	Limit switch, slim sealed, screw terminal, general purpose, sealed roller plunger	76.65	EC000030	133990	4536853223830		10	CG	CGX	JPN	8536.5015.90
D4E-1E10N	Limit switch, slim sealed, connector type, general purpose, sealed cross roller plunger	88.85	EC000030	236316	4536853224073		10	CG	CGX	JPN	8536.5015.90
D4E-1E20N	Limit switch, slim sealed, screw terminal, general purpose, sealed cross roller plunger	79.05	EC000030	133993	4536853224042		10	CG	CGX	JPN	8536.5015.90
D4E-1G20N	Limit switch, slim sealed, screw terminal, general purpose, roller lever	48.04	EC000030	133974	4536853223076		10	CG	CGX	JPN	8536.5015.90
D4ER-1A21N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger, right-hand, pre-cabled, oil-resistant	58.90	EC000030	674830	4548583868571		2	CG	CGX	JPN	8536.5015.90
D4ER-1L21N	Limit switch, slim sealed, screw terminal, general purpose, long roller lever, right-hand, pre-cabled, oil-resistant	71.95	EC000030	674859	4548583868816	#	2	CG	CGX	JPN	8536.5015.90
D5A-1100	Limit switch	121.20	EC000030	105958	4536853227272			CG	CGX	JPN	8536.5015.90
D5A-3200	Limit switch, high precision, pin plunger, M8, 0.49 N Operating force, SPST-NC, prewired 1 m	141.90	EC000030	133699	4536853227364			CG	CGX	JPN	8536.5015.90
D5B-1013	Tactile Limit switch, M10 body, hemispheric actuator, 3 m prewired	64.25	EC000030	133715	4536853227692			CG	CGX	JPN	8536.5015.90
D5B-1023	Tactile Limit switch, M10 body, conical actuator, 3 m prewired	74.75	EC000030	133717	4536853227722			CG	CGX	JPN	8536.5015.90
D5B-1511	Tactile Limit switch, M10 body, short spring wobble stick actuator, 1 m prewired	63.50	EC000030	133719	4536853227746			CG	CGX	JPN	8536.5015.90
D5B-1513	Tactile Limit switch, M10 body, short spring wobble stick actuator, 3 m prewired	63.95	EC000030	133720	4536853227753	#		CG	CGX	JPN	8536.5015.90
D5B-1515	Tactile Limit switch, M10 body, short spring wobble stick actuator, 5 m prewired	69.35	EC000030	133721	4536853227760	#		CG	CGX	JPN	8536.5015.90
D5B-1533	Tactile Limit switch, M10 body, long spring wobble stick actuator, 3 m prewired	64.25	EC000030	151368	4536853227784			CG	CGX	JPN	8536.5015.90
D5B-5011	Tactile Limit switch, M5 body, hemispheric actuator, 1 m prewired	58.90	EC000030	133724	4536853227807			CG	CGX	JPN	8536.5015.90
D5B-5013	Tactile Limit switch, M5 body, hemispheric actuator, 3 m prewired	63.50	EC000030	133725	4536853227814			CG	CGX	JPN	8536.5015.90
D5B-8513	Tactile Limit switch, M8 body, short spring wobble stick actuator, 3 m prewired	75.20	EC000030	133641	4536853227982			CG	CGX	JPN	8536.5015.90
D5C-1DA0	Touch switch, free-attachment, M4 screw actuator, DC, 3-wire, NPN-NO, 3 m cable	146.90	EC000030	133644	4536853228033	#		CG	CGX	JPN	8536.5015.90
W-10FB3	Limit switch	13.35	EC000030	108330	4536854172540		50	CG	CGX	JPN	9032.9000.90
Special Industrial Switch											
M2BJ-B24	Panel mount buzzer, intermittent/continuous sound, 12-24 VAC/DC supply	28.67	EC001026	116058	4536853684693		10	CG	CGY	JPN	8536.5015.90
M2BJ-BH24D	Panel mount buzzer, intermittent/continuous (high pitched) high sound, 12-24 VAC/DC supply	47.74	EC001026	153015	4536853684822		10	CG	CGY	JPN	8536.5015.90
M16-0	Solder terminal socket for use with M16 range of indicators	1.20	EC002498	103150	4536854350689		80	CG	CGY	JPN	8536.5015.90
M22-FG	Indicator, round, IP65, green	4.93	EC000223	116086	4536853700058		50	CG	CGY	JPN	8536.5015.90
M22-FR	Indicator, round, IP65, red	4.93	EC000223	153020	4536853700065		50	CG	CGY	JPN	8536.5015.90
M22N-BC-TGA-GC	Indicator M22N flat etched, cap color green, LED green, LED voltage 24 VDC	12.51	EC000272	660568	4548583711198		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TGA-GC-P	M22N Indicator, Plastic flat etched, Green, Green, 24 V, push-in terminal	15.24	EC000272	672578	4549734088077		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TGA-GE	Indicator M22N flat etched, cap color green, LED green, LED voltage 200-240 VAC	15.84	EC000272	662879	4548583711211		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TGA-GE-P	M22N Indicator, Plastic flat etched, Green, Green, 220/230/240 V AC, push-in terminal	17.21	EC000272	672607	4549734088091		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RC	Indicator M22N flat etched, cap color red, LED red, LED voltage 24 VDC	14.09	EC000272	662885	4548583711143		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RC-P	M22N Indicator, Plastic flat etched, Red, Red, 24 V, push-in terminal	15.24	EC000272	672579	4549734088022		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RE	Indicator M22N flat etched, cap color red, LED red, LED voltage 200-240 VAC	11.99	EC000272	664398	4548583711167		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TRA-RE-P	M22N Indicator, Plastic flat etched, Red, Red, 220/230/240 V AC, push-in terminal	16.72	EC000272	672592	4549734088046		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WC	Indicator M22N flat etched, cap color white, LED white, LED voltage 24 VDC	12.51	EC000272	660932	4548583711297		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WC-P	M22N Indicator, Plastic flat etched, White, White, 24 V, push-in terminal	15.24	EC000272	672612	4549734088176			CG	CGY	TWN	8536.5015.90
M22N-BC-TWA-WE-P	M22N Indicator, Plastic flat etched, White, White, 220/230/240 V AC, push-in terminal	17.28	EC000272	672576	4549734088190		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YC	Indicator M22N flat etched, cap color yellow, LED yellow, LED voltage 24 VDC	12.51	EC000272	660935	4548583711242		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YC-P	M22N Indicator, Plastic flat etched, Yellow, Yellow, 24 V, push-in terminal	15.63	EC000272	672582	4549734088121		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YD	Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 100-120 VAC	11.99	EC000272	660559	4548583711259			CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YE	Indicator M22N flat etched, cap color yellow, LED yellow, LED voltage 200-240 VAC	11.99	EC000272	662878	4548583711266		10	CG	CGY	TWN	8536.5015.90
M22N-BC-TYA-YE-P	M22N Indicator, Plastic flat etched, Yellow, Yellow, 220/230/240 V AC, push-in terminal	16.72	EC000272	672598	4549734088145		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GC	Indicator M22N flat, cap color green, LED green, LED voltage 24 VDC	12.66	EC000272	662881	45485837110146		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GC-P	M22N Indicator, Plastic flat, Green, Green, 24 V, push-in terminal	15.24	EC000272	672611	4549734087025		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GD	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 100-120 VAC	14.67	EC000272	660931	45485837110153		10	CG	CGY	TWN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
M22N-BN-TGA-GE	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC	15.84	EC000272	662880	4548583710160	10		CG	CGY	TWN	8536.5015.90
M22N-BN-TGA-GE-P	M22N Indicator, Plastic flat, Green, Green, 220/230/240 V AC, push-in terminal	17.21	EC000272	672605	4549734087049	10		CG	CGY	TWN	8536.5015.90
M22N-BN-TRA-RC	Indicator M22N flat, cap color red, LED red, LED voltage 24 VDC	13.74	EC000272	661890	4548583710092	5		CG	CGY	TWN	8536.5015.90
M22N-BN-TRA-RC-P	M22N Indicator, Plastic flat, Red, Red, 24 V, push-in terminal	15.24	EC000272	672594	4549734086974	10		CG	CGY	TWN	8536.5015.90
M22N-BN-TRA-RE	Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC	11.95	EC000272	664399	4548583710115			CG	CGY	TWN	8536.5015.90
M22N-BN-TRA-RE-P	M22N Indicator, Plastic flat, Red, Red, 220/230/240 V AC, push-in terminal	16.72	EC000272	672596	4549734086998	10		CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WC	Indicator M22N flat, cap color white, LED white, LED voltage 24 VDC	12.72	EC000272	662492	4548583710245	10		CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WC-P	M22N Indicator, Plastic flat, White, White, 24 V, push-in terminal	15.24	EC000272	672622	4549734087124	#		CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WE-P	M22N Indicator, Plastic flat, White, White, 220/230/240 V AC, push-in terminal	17.28	EC000272	672603	4549734087148	10		CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YC	Indicator M22N flat, cap color yellow, LED yellow, LED voltage 24 VDC	12.66	EC000272	662491	4548583710191	10		CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YC-P	M22N Indicator, Plastic flat, Yellow, Yellow, 24 V, push-in terminal	10.82	EC000272	672581	4549734087070	10		CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YE	Indicator M22N flat, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 200-240 VAC	11.95	EC000272	666629	4548583710214	2		CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YE-P	M22N Indicator, Plastic flat, Yellow, Yellow, 220/230/240 V AC, push-in terminal	16.72	EC000272	672609	4549734087094	10		CG	CGY	TWN	8536.5015.90
A3AT-90K1-00R	Compact Pushbutton, illuminated, round, momentary, SPST-NO, solder terminal, red LED	8.34	EC001028	141165	4536853027445	6		CG	CGY	JPN	8536.5015.90
A3CJ-7011	Rectangular switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terminal, momentary	10.58	EC001028	140773	4536853046682	10		CG	CGY	JPN	8536.5015.90
A3CT-500G	Pushbutton, illuminated, round, green	2.96	EC000221	140785	4536853047894	50		CG	CGY	JPN	8536.5015.90
A3CT-500GY	Pushbutton, illuminated, round, green	2.51	EC000221	140787	4536853047924	50		CG	CGY	JPN	8536.5015.90
A3CT-7011	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terminal, momentary	12.48	EC001028	140698	4536853048006	10		CG	CGY	JPN	8536.5015.90
A3CT-7021	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/ 0.5 A (230 VAC), solder terminal, alternate	10.92	EC001028	140699	4536853048013	10		CG	CGY	JPN	8536.5015.90
Accessory for Industrial Switch											
APB-PG	Terminal cover for Z15 switch, plastic	2.32	EC002594	186943	4536853899103	#	100	CG	CGZ	ITA	8544.4290.90
A16Z-5070	Yellow E-stop name plate	3.81	EC000624	160087	4536854540981	10		CG	CGZ	JPN	8536.5015.90
A16ZJ-5050	Switch Guard, For rectangular models	5.93	EC000202	160080	4536854540080	25		CG	CGZ	JPN	8536.5015.90
A22-3200	Mounting latch, momentary models	1.40	EC002498	160836	4536854356476	10		CG	CGZ	JPN	8536.5015.90
A22NZ-A-301	Pushbutton accessory A22NZ, Tightening Wrench	17.00	EC002032	659819	4548583718395			CG	CGZ	TWN	8536.5015.90
A22NZ-A-302	Pushbutton accessory A22NZ, LED Lamp Extractor	3.34	EC002032	661690	4548583718401	20		CG	CGZ	TWN	8536.5015.90
A22NZ-A-303	Pushbutton accessory A22NZ, Protective Cover	3.34	EC002040	664306	4548583718418			CG	CGZ	TWN	8536.5015.90
A22NZ-A-50103	Pushbutton accessory A22NZ 22 dia., Small Legend Plate Frame	3.34	EC001032	663413	4548583718463	20		CG	CGZ	TWN	8536.5015.90
A22NZ-A-50501	Pushbutton accessory A22NZ Ø22, Lock Ring	3.34	EC002024	665523	4548583718487			CG	CGZ	TWN	8536.5015.90
A22NZ-A-51103	Pushbutton accessory A22NZ 22 dia., Large Legend Plate Frame	3.34	EC001032	666229	4548583718470	20		CG	CGZ	TWN	8536.5015.90
A22NZ-A-B01Y	Pushbutton accessory A22NZ 22 dia. Control Box	9.08	EC000200	660760	4548583718456	#		CG	CGZ	TWN	8536.5015.90
A22NZ-A-C01	Pushbutton accessory A22NZ, Reinforcement Plate	3.47	EC002024	666228	4548583718500	20		CG	CGZ	TWN	8536.5015.90
A22NZ-H-01	Pushbutton accessory A22NZ, Mounting Collar	2.85	EC002024	662415	4548583718081	#	20	CG	CGZ	TWN	8536.5015.90
A22NZ-H-02	E-Stop, Push-in Mounting latch	4.85	EC002498	679759	4549734144896	20		CG	CGZ	TWN	8536.5015.90
A22NZ-K-01	Pushbutton accessory A22NZ, Key	10.24	EC002024	661431	4548583718494	20		CG	CGZ	TWN	8536.5015.90
A22Z-3380	Security bracket, lever stopper, for A22E emergency stop switch	1.30	EC002024	160888	4536854474569	20		CG	CGZ	JPN	8536.5015.90
A22Z-3466-1	Legend plate, emergency stop, 60 mm dia., round, yellow	5.13	EC000624	160837	4536854356483	#	50	CG	CGZ	JPN	8536.5015.90
A22Z-3905	Tightening wrench	14.79	EC002032	160841	4536854356537	20		CG	CGZ	JPN	8536.5015.90
A22Z-B101	Control box enclosure, one hole	25.46	EC000200	160842	4536854375415			CG	CGZ	JPN	8536.5015.90
A22Z-B101Y	Control box enclosure, one hole, yellow, for emergency stop	28.03	EC000200	160843	4536854375422	#		CG	CGZ	JPN	8536.5015.90
A22Z-B102	Control box enclosure, two holes	26.68	EC000200	160844	4536854375439			CG	CGZ	JPN	8536.5015.90
A22Z-B103	Control box enclosure, three holes	32.39	EC000200	160845	4536854375446			CG	CGZ	JPN	8536.5015.90
VAQ-4-L	Pushbutton switch, panel cutout dia. 10.5 mm, momentary operation, without operation unit	3.94	EC001028	146451	4536854130106	20		CG	CGZ	JPN	8536.5015.90
Solid State Relay G3N											
G3NA-205B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 5 A, 24 to 240 VAC	28.09	EC002055	690649	4549734591126	10		CI	CIC	CHN	8536.4900.99
G3NA-205B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 5 A, 24 to 240 VAC	20.34	EC002055	690651	4548583569638	10		CI	CIC	CHN	8536.4900.99
G3NA-210B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 10 A, 24 to 240 VAC	27.65	EC002055	690648	4549734591133			CI	CIC	CHN	8536.4900.99
G3NA-210B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 10 A, 24 to 240 VAC	23.22	EC002055	377386	4536854807954	#	10	CI	CIC	CHN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G3NA-220B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 20 A, 24 to 240 VAC	32.97	EC002055	690647	4549734591140			CI	CIC	CHN	8536.4900.99
G3NA-220B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 20 A, 24 to 240 VAC	29.81	EC002055	377387	4536854808012	#	10	CI	CIC	CHN	8536.4900.99
G3NA-225B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 25 A, 24 to 240 VAC	32.18	EC002055	690646	4549734591157			CI	CIC	CHN	8536.4900.99
G3NA-225B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 25 A, 24 to 240 VAC	26.74	EC002055	690650	4548583523418	#	10	CI	CIC	CHN	8536.4900.99
G3NA-240B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 40 A, 24 to 240 VAC	60.40	EC002055	690645	4549734591164			CI	CIC	CHN	8536.4900.99
G3NA-240B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 40 A, 24 to 240 VAC	54.35	EC002055	377388	4547648573580	#	10	CI	CIC	CHN	8536.4900.99
G3NA-250B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 50 A, 24 to 240 VAC	61.95	EC002055	690644	4549734591171			CI	CIC	CHN	8536.4900.99
G3NA-275B-UTU-2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 75 A, 24 to 240 VAC	66.65	EC002055	690642	4549734591195			CI	CIC	CHN	8536.4900.99
G3NA-290B-UTU-2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 90 A, 24 to 240 VAC	70.80	EC002055	690640	4549734591218			CI	CIC	CHN	8536.4900.99
G3NA-410B-UTU 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 10 A, 200 to 480 VAC	60.55	EC002055	690637	4549734591249			CI	CIC	CHN	8536.4900.99
G3NA-410B-UTU 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 10 A, 200 to 480 VAC	54.85	EC002055	690638	4549734591232			CI	CIC	CHN	8536.4900.99
G3NA-425B-UTU-2 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 25 A, 200 to 480 VAC	68.70	EC002055	690636	4549734591270			CI	CIC	CHN	8536.4900.99
G3NA-425B-UTU-2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 25 A, 200 to 480 VAC	59.30	EC002055	377389	4548583045514	#	10	CI	CIC	CHN	8536.4900.99
G3NA-450B-UTU-2 100-240VAC	Solid state relay, surface mounting, zero crossing, 1-pole, 50 A, 200 to 480 VAC	75.00	EC002055	690635	4549734591300			CI	CIC	CHN	8536.4900.99
G3NA-450B-UTU-2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 50 A, 200 to 480 VAC	78.05	EC002055	377390	4548583045538	#	10	CI	CIC	CHN	8536.4900.99
G3NA-475B-UTU-2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 75 A, 200 to 480 VAC	80.25	EC002055	690634	4549734591317	#	10	CI	CIC	CHN	8536.4900.99
G3NA-490B-UTU-2 5-24VDC	Solid state relay, surface mounting, zero crossing, 1-pole, 90 A, 200 to 480 VAC	96.25	EC002055	690632	4549734591331			CI	CIC	CHN	8536.4900.99
G3NA-D210B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 10 A, 5 to 200 VDC	50.65	EC002055	690629	4549734591362			CI	CIC	CHN	8536.4900.99
G3NA-D210B-UTU 5-24VDC	Solid state relay, surface mounting, 1-pole, 10 A, 5 to 200 VDC	46.74	EC002055	690630	4549734591355	#		CI	CIC	CHN	8536.4900.99
G3NE-210T-US 12VDC	SSR (quick connect), 1 ph, w/o heatsink, 10 A (100 to 240 VAC), zero cross, 12 VDC	32.23	EC002055	679635	4547648016223			CI	CIC	JPN	8536.4900.99
G3NE-220T-US 24VDC	Compact SSR, 20A, 264 VAC max, zero cross over	22.41	EC002055	230921	4536854921360			CI	CIC	JPN	8536.4900.99
G3PH-5150B 100-240VAC	Solid State Relay, surface mounting, max. load: 150 A, 180-480 VAC	868.00	EC002055	355578	4548583055636			CI	CIC	JPN	8536.4900.99
G3PH-5150B 5-24VDC	Solid State Relay, surface mounting, max. load: 150 A, 180 to 480 VAC	910.50	EC002055	355576	4548583055612			CI	CIC	JPN	8536.4900.99

Solid State Relay G3PA

G3PA-240B-VD 5-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 40 A, 264 VAC max	86.80	EC002055	376268	4536854864407	#	10	CI	CID	CHN	8536.4900.99
G3PA-260B-VD 5-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 60 A, 264 VAC max	125.50	EC002055	376269	4536854864414	#		CI	CID	CHN	8536.4900.99
G3PA-420B-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 20 A, 440 VAC max	110.90	EC002055	124813	4536854487217			CI	CID	JPN	8536.4900.99
G3PA-420B-VD 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 20 A, 440 VAC max	85.80	EC002055	376270	4536854864568	#	10	CI	CID	CHN	8536.4900.99
G3PA-430B-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 30 A, 440 VAC max	187.50	EC002055	124815	4536854515484			CI	CID	JPN	8536.4900.99
G3PA-430B-VD 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 30 A, 440 VAC max	139.90	EC002055	376271	4536854864575			CI	CID	CHN	8536.4900.99
G3PA-450B-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 50 A, 440 VAC max	249.10	EC002055	124814	4536854515477			CI	CID	JPN	8536.4900.99

Solid State Relay G3PW

G3PW-A220EC-C-FLK	Single phase power controller, constant current type, 20 A, SLC terminals	450.60	EC002055	260085	4547648600422			CI	CIE	JPN	8536.4900.99
G3PW-A220EC-S-FLK	Single phase power controller, constant current type, 20 A, screw terminals	447.20	EC002055	260076	4547648600460			CI	CIE	JPN	8536.4900.99
G3PW-A220EU-S	Single phase power controller, standard type, 20 A, screw terminals	385.70	EC002055	260082	4547648600361			CI	CIE	JPN	8536.4900.99
G3PW-A245EU-S	Single phase power controller, standard type, 45 A, screw terminals	506.50	EC002055	260083	4547648600378			CI	CIE	JPN	8536.4900.99

Solid State Relay G3PB

G3PE-215B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 15A, 264VAC max	120.00	EC002055	375402	4548583409750			CI	CIG	JPN	8536.4900.99
G3PE-215B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 15 A, 264 VAC max	163.80	EC002055	375422	4548583409958			CI	CIG	JPN	8536.4900.99
G3PE-215B 12-24VDC	Solid state relay, 1 phase, 15A 100-240 VAC, with heat sink, DIN rail mount	45.31	EC002055	376272	4547648524896	#	10	CI	CIG	CHN	8536.4900.99
G3PE-225B-3N 12-24VDC	Solid-State relay, 3-pole, DIN-track mounting, 25A, 264 VAC max	208.70	EC002055	375423	4548583409965			CI	CIG	JPN	8536.4900.99
G3PE-225B 12-24VDC	Solid state relay, 1 phase, 25A 100-240 VAC, with heat sink, DIN rail mount	51.95	EC002055	376273	4547648524902	#	10	CI	CIG	CHN	8536.4900.99
G3PE-225BL 12-24VDC	Solid-state relay, 1 phase, 25A 100 to 240 VAC, with heat sink, DIN rail mount, non zero cross switching function	49.83	EC002055	376275	4547648524940			CI	CIG	CHN	8536.4900.99
G3PE-235B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 35A, 264VAC max	160.30	EC002055	375404	4548583409774			CI	CIG	JPN	8536.4900.99
G3PE-235B 12-24VDC	Solid state relay, 1-pole, DIN-track mounting, 35 A, 264 VAC max	60.70	EC002055	375391	4548583409613	#	10	CI	CIG	JPN	8536.4900.99
G3PE-245B-2 12-24VDC	Solid-State relay, 2-pole, screw mounting, 45A, 264VAC max	173.30	EC002055	375405	4548583409781			CI	CIG	JPN	8536.4900.99
G3PE-245B 12-24VDC	Solid state relay, 1-pole, DIN-track mounting, 45 A, 264 VAC max	76.05	EC002055	375392	4548583409620	#	10	CI	CIG	JPN	8536.4900.99
G3PE-515B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 15 A, 528VAC max	147.30	EC002055	375426	4548583409996			CI	CIG	JPN	8536.4900.99
G3PE-515B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 15A, 528VAC max	182.70	EC002055	375414	4548583409873			CI	CIG	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G3PE-515B-3N 12-24VDC	Solid state relay, 3-pole, DIN-track mounting, 15 A, 528 VAC max	176.70	EC002055	375430	4548583410039	#		CI	CIG	JPN	8536.4900.99
G3PE-515B 12-24VDC	Solid state relay, 1-pole, DIN-track mounting, 15 A, 528 VAC max	73.40	EC002055	375395	4548583409675		10	CI	CIG	JPN	8536.4900.99
G3PE-525B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 25A, 528VAC max	157.50	EC002055	375427	4548583410008	#		CI	CIG	JPN	8536.4900.99
G3PE-525B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 25A, 528VAC max	217.20	EC002055	375415	4548583409880			CI	CIG	JPN	8536.4900.99
G3PE-525B-3N 12-24VDC	Solid state relay, 3-pole, DIN-track mounting, 25 A, 528 VAC max	217.20	EC002055	375431	4548583410046	#	8	CI	CIG	JPN	8536.4900.99
G3PE-525B 12-24VDC	Solid state relay, 1-pole, DIN-track mounting, 25 A, 528 VAC max	77.65	EC002055	375396	4548583409682	#	10	CI	CIG	JPN	8536.4900.99
G3PE-535B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 35A, 528VAC max	201.40	EC002055	375428	4548583410015			CI	CIG	JPN	8536.4900.99
G3PE-535B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 35A, 528VAC max	261.20	EC002055	375416	4548583409897			CI	CIG	JPN	8536.4900.99
G3PE-535B-3N 12-24VDC	Solid state relay, 3-pole, DIN-track mounting, 35 A, 528 VAC max	261.20	EC002055	375432	4548583410053	#		CI	CIG	JPN	8536.4900.99
G3PE-535B 12-24VDC	Solid state relay, 1-pole, DIN-track mounting, 35 A, 528 VAC max	88.00	EC002055	375397	4548583409699		10	CI	CIG	JPN	8536.4900.99
G3PE-545B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 35A, 528VAC max	213.20	EC002055	375429	4548583410022			CI	CIG	JPN	8536.4900.99
G3PE-545B-3 12-24VDC	Solid-State relay, 3-pole, screw mounting, 45A, 528VAC max	247.60	EC002055	375417	4548583409903			CI	CIG	JPN	8536.4900.99
G3PE-545B-3N 12-24VDC	Solid state relay, 3-pole, DIN-track mounting, 45 A, 528 VAC max	283.90	EC002055	375433	4548583410060	#	5	CI	CIG	JPN	8536.4900.99
G3PE-545B 12-24VDC	Solid state relay, 1-pole, DIN-track mounting, 45 A, 528 VAC max	89.65	EC002055	375390	4548583409705	#	10	CI	CIG	JPN	8536.4900.99
Solid State Relay G3R											
G3RV-202S 24VDC	Slim solid state relay, plug-in, 5-pin, 2A, 75-264VAC	21.39	EC002055	323541	4547648741071			CI	CIH	JPN	8536.4900.99
G3RV-D03SL 24VDC	Slim solid state relay, plug-in, 5-pin, 3 A, 5 - 24 VDC	18.92	EC002055	323547	4547648741132	#	20	CI	CIH	JPN	8536.4900.99
G3R-IDZR1SN-1-UTU 12-24VDC	SSR (input), plug-in, 0.1-100 mA (4-32 VDC), low-speed (10 Hz), 12 to 24 VDC	26.84	EC002055	124672	4536854686917			CI	CIH	JPN	8536.4900.99
G3R-IDZR1SN-UTU 12-24VDC	Solid state relay (input), plug-in, 0.1-100 mA (4-32 VDC), high-speed (1 kHz), 12-24 VDC	21.99	EC002055	124671	4536853418625		20	CI	CIH	JPN	8536.4900.99
G3R-OA202SLN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	21.18	EC002055	124673	4536853418632	#	20	CI	CIH	JPN	8536.4900.99
G3R-OA202SZN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	21.18	EC002055	124674	4536853418649	#	20	CI	CIH	JPN	8536.4900.99
G3R-OD201SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 1.5A, 48-200VDC	24.83	EC002055	124676	4536853418663		10	CI	CIH	JPN	8536.4900.99
G3R-ODX02SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 4-60 VDC	24.05	EC002055	124675	4536853418656	#	20	CI	CIH	JPN	8536.4900.99
Solid State Relay G3RV-SR											
G3RV-SR500-A 230VAC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 230V AC, Zero-cross	42.57	EC002055	669903	4548583797802		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-A 24VAC/DC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V AC/DC, Zero-cross	36.27	EC002055	669868	4548583797819		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-A 24VDC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2 A, Push-in terminals, 24VDC, Zero-cross	36.27	EC002055	669922	4548583797765	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-AL 24VAC/DC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V AC/DC, Non Zero-cross	36.65	EC002055	669886	4548583797895		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-D 24VAC/DC	Slimline SSR 6mm, incl. socket, DC output MOSFET, 3A, Push-in terminals, 24V AC/DC	36.71	EC002055	669860	4548583797734	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-D 12VDC	Slimline SSR 6mm, incl. socket, DC output MOSFET, 3 A, Push-in terminals, 12VDC	36.59	EC002055	669888	4548583797673			CI	CIK	JPN	8536.4900.99
G3RV-SR500-D 24VDC	Slimline SSR 6mm, incl. socket, DC output MOSFET, 3A, Push-in terminals, 24V DC	35.66	EC002055	669870	4548583797680	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-A 230VAC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 230V AC, Zero-cross	41.76	EC002055	669907	4548583798045		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-A 24VAC/DC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V AC/DC, Zero-cross	36.16	EC002055	669916	4548583798052	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-A 24VDC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24V DC, Zero-cross	35.21	EC002055	669865	4548583798007	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-AL 24VDC	Slimline SSR 6mm, incl. socket, AC output TRIAC, 2A, Screw terminals, 24VDC, Non Zero-cross	37.25	EC002055	669899	4548583798083		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-D 230VAC	Slimline SSR 6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 230V AC	41.03	EC002055	669882	4548583797963		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-D 24VAC/DC	Slimline SSR 6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 24V AC/DC	36.67	EC002055	669894	4548583797970	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-D 12VDC	Slimline SSR 6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 12V DC	36.23	EC002055	669892	4548583797918		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-D 24VDC	Slimline SSR 6mm, incl. socket, DC output MOSFET, 3A, Screw terminals, 24V DC	34.78	EC002055	669919	4548583797925	#	10	CI	CIK	JPN	8536.4900.99
Solid State Relay G3PJ											
G3PJ-215B DC12-24	Solid-state relay, 1 phase, 18A, 24-240V AC, with heat sink, DIN rail mount, input voltage 12-24V DC	44.80	EC002055	669862	4548583783331	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-215B-PU DC12-24	Solid-state relay, 1 phase, 15A, 24-240V AC, with heat sink, DIN rail mount, input voltage 12-24V DC with Push-in terminal	50.55	EC002055	669912	4548583783379	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-225B DC12-24	Solid-state relay, 1 phase, 27A, 24-240V AC, with heat sink, DIN rail mount, input voltage 12-24V DC	55.50	EC002055	669893	4548583783348	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-225B-PU DC12-24	Solid-state relay, 1 phase, 27A, 24-240 VAC, with heat sink, DIN rail mount, input voltage 12-24V DC with Push-in terminals	60.80	EC002055	669857	4548583783386	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-515B DC12-24	Solid-state relay, 1 phase, 23A, 100-480V AC, with heat sink, DIN rail mount, input voltage 12-24V DC	69.45	EC002055	669945	4548583783355	#	10	CI	CIL	JPN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G3PJ-515B-PU DC12-24	Solid-state relay, 1 phase, 23A, 100-480V AC, with heat sink, DIN rail mount, input voltage 12-24V DC with Push-in terminals	75.25	EC002055	669883	4548583783393		10	CI	CIL	JPN	8536.4900.99
G3PJ-525B DC12-24	Solid-state relay, 1 phase, 27A, 100-480 VAC, with heat sink, DIN rail mount, input voltage 12-24V DC	80.65	EC002055	669932	4548583783362	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-525B-PU DC12-24	Solid-state relay, 1 phase, 27A, 100-480V AC, with heat sink, DIN rail mount, input voltage 12-24V DC with Push-in terminals	85.55	EC002055	669913	4548583783409		10	CI	CIL	JPN	8536.4900.99
Accessory for Solid State Relay											
G32A-A40-VD 5-24VDC	Replacement cartridge for G3PA-240B SSR, suitable for 'VD' versions only	65.70	EC002055	377393	4536854866722	#	10	CI	CIZ	CHN	8536.4900.99
G32A-A420-VD 12-24VDC	Replacement cartridge for G3PA-420B-VD SSR	97.55	EC002055	377395	4536854866784		10	CI	CIZ	CHN	8536.4900.99
G32A-A430-VD 12-24VDC	Replacement cartridge for G3PA-430B-VD SSR	115.30	EC002055	377396	4536854866791		10	CI	CIZ	CHN	8536.4900.99
G32A-A60-VD 5-24VDC	Replacement cartridge for G3PA-260B SSR, suitable for 'VD' versions only	107.50	EC002055	377394	4536854866739			CI	CIZ	CHN	8536.4900.99
G32A-EA 100-240VAC	Cycle controller for use with SSR's	110.70	EC002586	125216	4536853420246			CI	CIZ	JPN	8536.4900.99
G32X-V2K	External variable resistor, 2 kW, for G3PW power controller	47.75	EC002586	125222	4536853420321			CI	CIZ	JPN	8544.4290.90
Terminal Block Screw											
XW5G-S10-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 10 mm ² ; width 10 mm; color green/yellow	3.18	EC000901	669285	4548583794320	#	50	CL	CLA	DEU	8536.9010.00
XW5G-S16-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 16 mm ² ; width 12 mm; color green/yellow	4.78	EC000901	669277	4548583794351	#	50	CL	CLA	DEU	8536.9010.00
XW5G-S2.5-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 2.5 mm ² ; width 5 mm; color green/yellow	1.70	EC000901	669252	4548583794238	#	100	CL	CLA	DEU	8536.9010.00
XW5G-S35-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS 35 and TS 32, nominal cross section 35 mm ² , width 16 mm, color green/yellow	6.80	EC000901	669331	4548583794382		20	CL	CLA	DEU	8536.9010.00
XW5G-S4.0-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 4 mm ² ; width 6 mm; color green/yellow	1.77	EC000901	669324	4548583794269		100	CL	CLA	DEU	8536.9010.00
XW5G-S6.0-1.1-1	Ground DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 6 mm ² ; width 8 mm; color green/yellow	2.46	EC000901	669340	4548583794290		100	CL	CLA	DEU	8536.9010.00
XW5T-S10-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 10 mm ² ; width 10 mm; color gray	1.28	EC000897	669337	4548583794306	#	50	CL	CLA	DEU	8536.9010.00
XW5T-S10-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 10 mm ² ; width 10 mm; color blue	1.28	EC000897	669342	4548583794313		50	CL	CLA	DEU	8536.9010.00
XW5T-S16-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 16 mm ² ; width 12 mm; color gray	1.70	EC000897	669316	4548583794337	#	50	CL	CLA	DEU	8536.9010.00
XW5T-S16-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 16 mm ² ; width 12 mm; color blue	1.70	EC000897	669263	4548583794344	#	50	CL	CLA	DEU	8536.9010.00
XW5T-S2.5-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 2.5 mm ² ; width 5 mm; color gray	0.45	EC000897	669329	4548583794214	#	100	CL	CLA	DEU	8536.9010.00
XW5T-S2.5-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 2.5 mm ² ; width 5 mm; color blue	0.45	EC000897	669291	4548583794221	#	100	CL	CLA	DEU	8536.9010.00
XW5T-S35-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS 35 and TS 32, nominal cross section 35 mm ² , width 16 mm, color gray	3.66	EC000897	669254	4548583794368		20	CL	CLA	DEU	8536.9010.00
XW5T-S35-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS 35 and TS 32, nominal cross section 35 mm ² , width 16 mm, color blue	3.66	EC000897	669266	4548583794375		20	CL	CLA	DEU	8536.9010.00
XW5T-S4.0-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 4 mm ² ; width 6 mm; color gray	0.61	EC000897	669265	4548583794245		100	CL	CLA	DEU	8536.9010.00
XW5T-S4.0-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 4 mm ² ; width 6 mm; color blue	0.61	EC000897	669336	4548583794252		100	CL	CLA	DEU	8536.9010.00
XW5T-S6.0-1.1-1	Feed-through DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 6 mm ² ; width 8 mm; color gray	0.84	EC000897	669323	4548583794276	#	100	CL	CLA	DEU	8536.9010.00
XW5T-S6.0-1.1-1BL	Feed-through DIN rail terminal block with screw connection for mounting on TS 35; nominal cross section 6 mm ² ; width 8 mm; color blue	0.84	EC000897	669304	4548583794283	#	100	CL	CLA	DEU	8536.9010.00
XW5G-S4.0-2.2-1	Multi conductor ground DIN rail terminal block with 4 screw connections for mounting on TS 35; nominal cross section 4 mm ² ; width 6 mm; color green/yellow	3.72	EC000901	669341	4548583794498		100	CL	CLA	DEU	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW5T-S2.5-1.1-2	Multi-tier terminal block with screw connection for mounting on TS 35 and TS 32, nominal cross section 2.5 mm ² , width 5 mm, color gray	1.72	EC000897	669326	4548583794535		100	CL	CLA	CHN	8536.9010.00
XW5T-S4.0-1.1-2	Multi-tier terminal block with screw connection for mounting on TS 35; nominal cross section 4 mm ² ; width 6 mm; color gray	1.88	EC000897	669311	4548583794559		100	CL	CLA	DEU	8536.9010.00
XW5T-S4.0-2.2-1	Multi conductor feed-through terminal block with 4 screw connections for mounting on TS 35; nominal cross section 4 mm ² ; width 6 mm; color gray	1.51	EC000897	669281	4548583794474		100	CL	CLA	DEU	8536.9010.00
XW5T-S4.0-FU5	Fuse terminal block with screw connection for mounting on TS 35 and TS 32, nominal cross section 4 mm ² , width 6 mm, fuse block for 5 mm, color gray	3.50	EC000899	669283	4548583794504		50	CL	CLA	DEU	8536.9010.00
XW5T-S4.0-FU6	Fuse terminal block with screw connection for mounting on TS 35 and TS 32, nominal cross section 4 mm ² , width 6 mm, fuse block for 6.3 mm, color gray	4.50	EC000899	669249	4548583794511		50	CL	CLA	DEU	8536.9010.00
Terminal Block Push-in											
XW5G-P1.5-1.1-1	Ground DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 1 mm ² , color green/yellow	1.28	EC000901	669962	4548583796324	#	5	CL	CLB	CHN	8536.9010.00
XW5G-P1.5-1.1-2	Ground multi-tier DIN rail terminal block with push-in plus connections for mounting on TS 35, nominal cross section 1 mm ² , color green/yellow	2.45	EC000901	670015	4548583796331		50	CL	CLB	CHN	8536.9010.00
XW5G-P1.5-1.2-1	Ground multi conductor DIN rail terminal block with 3 push-in plus connections for mounting on TS 35, nominal cross section 1 mm ² , color green/yellow	1.53	EC000901	669956	4548583796348			CL	CLB	CHN	8536.9010.00
XW5G-P1.5-2.2-1	Ground multi conductor DIN rail terminal block with 4 push-in plus connections for mounting on TS 35, nominal cross section 1 mm ² , color green/yellow	1.61	EC000901	670000	4548583796355		50	CL	CLB	CHN	8536.9010.00
XW5G-P2.5-1.1-1	Ground DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 2.5 mm ² , color green/yellow	1.40	EC000901	669959	4548583796362	#	50	CL	CLB	CHN	8536.9010.00
XW5G-P4.0-1.1-1	Ground DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 4 mm ² , color green/yellow	1.47	EC000901	669987	4548583796379	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P1.5-1.1-1	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 1 mm ² , color gray	0.52	EC000897	669988	4548583796201	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P1.5-1.1-1BL	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 1 mm ² , color blue	0.52	EC000897	669995	4548583796263	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P1.5-1.1-2	Multi-tier feed-through DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 1 mm ² , color gray	1.14	EC000897	669999	4548583796218		50	CL	CLB	CHN	8536.9010.00
XW5T-P1.5-1.1-2BL	Multi-tier feed-through DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 1 mm ² , color blue	1.14	EC000897	670003	4548583796270		50	CL	CLB	CHN	8536.9010.00
XW5T-P1.5-1.2-1	Multi conductor feed-through DIN rail terminal block with 3 push-in plus connection for mounting on TS 35, nominal cross section 1 mm ² , color gray	0.74	EC000897	669976	4548583796225		50	CL	CLB	CHN	8536.9010.00
XW5T-P1.5-2.2-1	Multi conductor feed-through DIN rail terminal block with 4 push-in plus connection for mounting on TS 35, nominal cross section 1 mm ² , color gray	0.81	EC000897	669980	4548583796232		50	CL	CLB	CHN	8536.9010.00
XW5T-P1.5-2.2-1BL	Multi conductor feed-through DIN rail terminal block with 4 push-in plus connection for mounting on TS 35, nominal cross section 1 mm ² , color blue	0.81	EC000897	670008	4548583796294		50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-1.1-1	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 2.5 mm ² , color gray	0.59	EC000897	669950	4548583796249	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-1.1-1BL	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 2.5 mm ² , color blue	0.59	EC000897	669968	4548583796300	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P4.0-1.1-1	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 4 mm ² , color gray	0.64	EC000897	670007	4548583796256	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P4.0-1.1-1BL	Feed-through DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 4 mm ² , color blue	0.64	EC000897	669953	4548583796317	#	50	CL	CLB	CHN	8536.9010.00
XW5G-P2.5-1.2-1	Ground multi conductor DIN rail terminal block with 3 push-in plus connections for mounting on TS 35, nominal cross section 2.5 mm ² , color green/yellow	1.39	EC000901	676103	4549734137881		50	CL	CLB	CHN	8536.9010.00
XW5G-P2.5-2.2-1	Ground multi conductor DIN rail terminal block with 4 push-in plus connections for mounting on TS 35, nominal cross section 2.5 mm ² , color green/yellow	1.52	EC000901	676104	4549734137898		50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-1.1-2	Multi-tier feed-through DIN rail terminal block with push-in plus connection for mounting on TS 35, nominal cross section 2.5 mm ² , color gray	2.01	EC000897	676108	4549734137751	#	50	CL	CLB	CHN	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW5T-P2.5-1.2-1	Multi conductor feed-through DIN rail terminal block with 3 push-in plus connection for mounting on TS 35, nominal cross section 2.5 mm ² , color gray	0.99	EC000897	676107	4549734137768		50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-2.2-1	Multi conductor feed-through DIN rail terminal block with 4 push-in plus connection for mounting on TS 35, nominal cross section 2.5 mm ² , color gray	1.17	EC000897	676116	4549734137775	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-2.2-1BL	Multi conductor feed-through DIN rail terminal block with 4 push-in plus connection for mounting on TS 35, nominal cross section 2.5 mm ² , color blue	1.17	EC000897	676100	4549734137805	#	50	CL	CLB	CHN	8536.9010.00
XW6T-COM1.5X12BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 12 pins, blue short bar	5.63	EC000897	687932	4549734509190			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X12RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 12 pins, red short bar	5.63	EC000897	687933	4549734509183			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X12YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 12 pins, yellow short bar	5.63	EC000897	687931	4549734509206			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X16BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 16 pins, blue short bar	7.50	EC000897	687929	4549734509220			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X16RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 16 pins, red short bar	7.50	EC000897	687930	4549734509213			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X20BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 20 pins, blue short bar	9.37	EC000897	687926	4549734509251			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X20RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 20 pins, red short bar	9.37	EC000897	687927	4549734509244			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X20YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 20 pins, yellow short bar	9.37	EC000897	687925	4549734509268		7	CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X40RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 40 pins, red short bar	18.73	EC000897	687924	4549734509275			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X8BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 8 pins, blue short bar	3.75	EC000897	687935	4549734509169			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X8RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 8 pins, red short bar	3.75	EC000897	687922	4549734509152			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X8YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm ² , 8 pins, yellow short bar	3.75	EC000897	687934	4549734509176			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X12BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 12 pins, blue short bar	6.06	EC000897	687944	4549734509343			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X12RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 12 pins, red short bar	6.06	EC000897	687942	4549734509336			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X12YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 12 pins, yellow short bar	6.06	EC000897	687941	4549734509350			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X16BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 16 pins, blue short bar	8.16	EC000897	687939	4549734509374			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X16RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 16 pins, red short bar	8.16	EC000897	687940	4549734509367			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X16YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 16 pins, yellow short bar	8.16	EC000897	687938	4549734509381			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X20BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 20 pins, blue short bar	10.20	EC000897	687936	4549734509404			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X20RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 20 pins, red short bar	10.20	EC000897	687937	4549734509398			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X40RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 40 pins, red short bar	20.38	EC000897	687920	4549734509428			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X40YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 40 pins, yellow short bar	20.38	EC000897	687918	4549734509442		5	CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X8BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 8 pins, blue short bar	4.09	EC000897	687945	4549734509312			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X8RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 8 pins, red short bar	4.09	EC000897	687946	4549734509305			CL	CLB	JPN	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW6T-COM2.5X8YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm ² , 8 pins, blue short bar	4.09	EC000897	687943	4549734509329			CL	CLB	JPN	8536.9010.00
Terminal Block Accessory Screw											
XW5S-S2.5-10	Cross bar for terminal blocks 2.5 mm ² screw models, 10 poles, Yellow color	2.86	EC000489	669284	4548583794627	#	20	CL	CLC	DEU	8536.9010.00
XW5S-S2.5-10N	Cross bar for terminal blocks 2.5 mm ² screw models, 10 poles, Yellow color	4.22	EC000489	669312	4548583794788		10	CL	CLC	DEU	8536.9010.00
XW5S-S2.5-2	Cross bar for terminal blocks 2.5 mm ² screw models, 2 poles, Yellow color	0.35	EC000489	669280	4548583794580		10	CL	CLC	DEU	8536.9010.00
XW5S-S2.5-3	Cross bar for terminal blocks 2.5 mm ² screw models, 3 poles, Yellow color	0.64	EC000489	669256	4548583794597		10	CL	CLC	DEU	8536.9010.00
XW5S-S2.5-5	Cross bar for terminal blocks 2.5 mm ² screw models, 5 poles, Yellow color	1.28	EC000489	669262	4548583794610		10	CL	CLC	DEU	8536.9010.00
XW5S-S4.0-10	Cross bar for terminal blocks 4.0 mm ² screw models, 10 poles, Yellow color	3.02	EC000489	669255	4548583794672		20	CL	CLC	DEU	8536.9010.00
XW5S-S4.0-2	Cross bar for terminal blocks 4.0 mm ² screw models, 2 poles, Yellow color	0.37	EC000489	669301	4548583794634		10	CL	CLC	DEU	8536.9010.00
XW5S-S4.0-5	Cross bar for terminal blocks 4.0 mm ² screw models, 5 poles, Yellow color	1.35	EC000489	669303	4548583794665		10	CL	CLC	DEU	8536.9010.00
XW5S-S6.0-5	Cross bar for terminal blocks 6.0 mm ² screw models, 5 poles, Yellow color	1.96	EC000489	669327	4548583794719		10	CL	CLC	DEU	8536.9010.00
XW5Z-S2.5PT	Partition for terminal blocks 2.5 mm ² to 10 mm ² screw models	0.41	EC000886	669300	4548583794856		10	CL	CLC	DEU	8536.9010.00
XW5E-S16	End plate for terminal blocks 16 mm ² screw models	0.57	EC000886	669282	4548583794801		10	CL	CLC	DEU	8536.9010.00
XW5E-S2.5	End plate for terminal blocks 2.5 mm ² to 10 mm ² , screw model	0.32	EC000886	669267	4548583794795	#	10	CL	CLC	DEU	8536.9010.00
XW5E-S2.5N	End plate for terminal blocks 4 mm ² multi tier screw models	0.57	EC000886	669317	4548583794849		10	CL	CLC	DEU	8536.9010.00
XW5E-S4.0-2.2-1	End plate for terminal blocks 4 mm ² multi-conductor screw models	0.45	EC000886	669339	4548583794825		10	CL	CLC	DEU	8536.9010.00
Terminal Block Accessories Push-in											
XW5S-P1.5-10BL	Short bar for terminal blocks 1 mm ² push-in plus models, 10 poles, blue color	3.30	EC000489	670046	4548583796577	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-10RD	Short bar for terminal blocks 1 mm ² push-in plus models, 10 poles, red color	3.30	EC000489	670043	4548583796423	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-10YL	Short bar for terminal blocks 1 mm ² push-in plus models, 10 poles, yellow color	3.30	EC000489	670049	4548583796720		20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2BL	Short bar for terminal blocks 1 mm ² push-in plus models, 2 poles, blue color	0.59	EC000489	669972	4548583796539		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2RD	Short bar for terminal blocks 1 mm ² push-in plus models, 2 poles, red color	0.59	EC000489	669954	4548583796386		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2YL	Short bar for terminal blocks 1 mm ² push-in plus models, 2 poles, yellow color	0.59	EC000489	669996	4548583796683		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-3BL	Short bar for terminal blocks 1 mm ² push-in plus models, 3 poles, blue color	0.75	EC000489	669981	4548583796546		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-3YL	Short bar for terminal blocks 1 mm ² push-in plus models, 3 poles, yellow color	0.75	EC000489	669971	4548583796690		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-4BL	Short bar for terminal blocks 1 mm ² push-in plus models, 4 poles, blue color	0.92	EC000489	669974	4548583796553		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-4RD	Short bar for terminal blocks 1 mm ² push-in plus, 4 poles, red color	0.92	EC000489	669998	4548583796409		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-4YL	Short bar for terminal blocks 1 mm ² push-in plus models, 4 poles, yellow color	0.92	EC000489	669986	4548583796706		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-5BL	Short bar for terminal blocks 1 mm ² push-in plus models, 5 poles, blue color	1.38	EC000489	669989	4548583796560		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-5RD	Short bar for terminal blocks 1 mm ² push-in plus, 5 poles, red color	1.38	EC000489	669991	4548583796416		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-5YL	Short bar for terminal blocks 1 mm ² push-in plus, 5 poles, yellow color	1.38	EC000489	669964	4548583796713		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-10BL	Short bar for terminal blocks 2.5 mm ² push-in plus models, 10 poles, blue color	3.30	EC000489	670047	4548583796621	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-10RD	Short bar for terminal blocks 2.5 mm ² push-in plus models, 10 poles, red color	3.30	EC000489	670044	4548583796478	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-10YL	Short bar for terminal blocks 2.5 mm ² push-in plus models, 10 poles, yellow color	3.30	EC000489	670050	4548583796775		20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2BL	Short bar for terminal blocks 2.5 mm ² push-in plus models, 2 poles, blue color	0.67	EC000489	670006	4548583796584		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2RD	Short bar for terminal blocks 2.5 mm ² push-in plus models, 2 poles, red color	0.67	EC000489	670009	4548583796430		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2YL	Short bar for terminal blocks 2.5 mm ² push-in plus models, 2 poles, yellow color	0.67	EC000489	669952	4548583796737		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-3BL	Short bar for terminal blocks 2.5 mm ² push-in plus models, 3 poles, blue color	0.88	EC000489	669983	4548583796591		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-3RD	Short bar for terminal blocks 2.5 mm ² push-in plus models, 3 poles, red color	0.88	EC000489	669979	4548583796447		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-4BL	Short bar for terminal blocks 2.5 mm ² push-in plus models, 4 poles, blue color	1.04	EC000489	670014	4548583796607		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-4RD	Short bar for terminal blocks 2.5 mm ² push-in plus models, 4 poles, red color	1.04	EC000489	670001	4548583796454		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-5BL	Short bar for terminal blocks 2.5 mm ² push-in plus models, 5 poles, blue color	1.23	EC000489	670012	4548583796614		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-5RD	Short bar for terminal blocks 2.5 mm ² push-in plus models, 5 poles, red color	1.23	EC000489	669963	4548583796461			CL	CLD	CHN	8536.9010.00
XW5S-P4.0-10BL	Short bar for terminal blocks 4 mm ² push-in plus models, 10 poles, blue color	3.42	EC000489	670048	4548583796676	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-10RD	Short bar for terminal blocks 4 mm ² push-in plus models, 10 poles, red color	3.42	EC000489	670045	4548583796522		20	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-5BL	Short bar for terminal blocks 4 mm ² push-in plus models, 5 poles, blue color	1.60	EC000489	669997	4548583796669		50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1.1-1	End plate for terminal blocks 1 mm ² push-in plus models	0.25	EC000886	669955	4548583796836	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1.1-2	End plate for multi-tier terminal blocks 1 mm ² push-in plus models	0.26	EC000886	669973	4548583796843	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1.2-1	End plate for multi conductor 3 connections terminal blocks 1 mm ² push-in plus models	0.25	EC000886	670011	4548583796850		3	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-2.2-1	End plate for multi conductor 4 connections terminal blocks 1 mm ² push-in plus models	0.25	EC000886	669967	4548583796867		50	CL	CLD	CHN	8536.9010.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW5E-P2.5-1.1-1	End plate for terminal blocks 2.5 mm ² push-in plus models	0.26	EC000886	669949	4548583796874	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-1.1-2	End plate for multi-tier terminal blocks 2.5 mm ² push-in plus models	0.49	EC000886	676114	4549734137935	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-2.2-1	End plate for multi conductor 4 connections terminal blocks 2.5 mm ² push-in plus models	0.50	EC000886	676112	4549734137959	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P4.0-1.1-1	End plate for terminal blocks 4 mm ² push-in plus models	0.26	EC000886	669960	4548583796881	#	50	CL	CLD	CHN	8536.9010.00
XW5Z-EP12	Separator Plate for terminal blocks, 12 mm width	3.27	EC000886	669994	4548583796898		3	CL	CLD	CHN	8536.9010.00
XW5Z-EP6	End bracket for terminal blocks, 6 mm width	0.49	EC000886	670013	4548583796904	#	50	CL	CLD	CHN	8536.9010.00
Counter H7EC/R/T											
H7EC-N-B	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 30cps/1kcps, no-V input, black case	72.90	EC002300	672677	4548583755642	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NFV-B	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 20cps, VAC/DC input, black case	119.40	EC002300	672683	4548583755703		10	DA	DAA	IDN	9029.1000.90
H7EC-NFV	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 20cps, VAC/DC input, grey case	106.00	EC002300	672659	4548583755697		10	DA	DAA	IDN	9029.1000.90
H7EC-N	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 30cps/1kcps, no-V input, grey case	72.90	EC002300	672687	4548583755635	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NV-BH	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD with backlight, 8-digit, 30cps/1kcps, VDC input, black case	80.80	EC002300	672661	4548583755680		10	DA	DAA	IDN	9029.1000.90
H7EC-NV-B	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 30cps/1kcps, VDC input, black case	76.75	EC002300	672691	4548583755666		10	DA	DAA	IDN	9029.1000.90
H7EC-NV-H	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD with backlight, 8-digit, 30cps/1kcps, VDC input, grey case	81.20	EC002300	672690	4548583755673	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NV	Total counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 8-digit, 30cps/1kcps, VDC input, grey case	75.40	EC002300	672660	4548583755659	#	10	DA	DAA	IDN	9029.1000.90
H7ER-N	Tachometer, DIN 48 x 24 mm, self-powered, LCD, 4-digit, 1/60 ppr, no-V input, grey case	79.15	EC002294	672673	4548583755734		10	DA	DAA	IDN	9029.1000.90
H7ER-NV1	Tachometer, DIN 48x24 mm, self-powered, LCD, 5-digit, 1/60 ppr, VDC input, grey case	86.65	EC002294	672678	4548583755796		10	DA	DAA	IDN	9029.1000.90
H7ER-NV	Tachometer, DIN 48x24 mm, self-powered, LCD, 4-digit, 1/60 ppr, VDC input, grey case	86.65	EC002294	672680	4548583755758		10	DA	DAA	IDN	9029.1000.90
H7ET-N1-B	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h59.9m, no-V input, black case	78.10	EC001641	672662	4548583755864	#	10	DA	DAA	IDN	9029.1000.90
H7ET-N1	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h59.9m, no-V input, grey case	88.40	EC001641	672657	4548583755857		10	DA	DAA	IDN	9029.1000.90
H7ET-N-B	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, no-V input, black case	78.10	EC001641	672672	4548583755840		10	DA	DAA	IDN	9029.1000.90
H7ET-NFV1	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h59.9m, VAC/DC input, grey case	113.90	EC001641	672674	4548583755970		10	DA	DAA	IDN	9029.1000.90
H7ET-NFV-B	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, VAC/DC input, black case	109.10	EC001641	672663	4548583755963		10	DA	DAA	IDN	9029.1000.90
H7ET-NFV	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, VAC/DC input, grey case	116.20	EC001641	672681	4548583755956		10	DA	DAA	IDN	9029.1000.90
H7ET-N	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, no-V input, grey case	75.15	EC001641	672656	4548583755833	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NV1	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h59.9m, VDC input, grey case	94.45	EC001641	672658	4548583755918		10	DA	DAA	IDN	9029.1000.90
H7ET-NV-B	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, VDC input, black case	81.70	EC001641	672692	4548583755888		10	DA	DAA	IDN	9029.1000.90
H7ET-NV-H	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD with backlight, 7-digit, 999999.9h / 3999d23.9h, VDC input, grey case	82.80	EC001641	672664	4548583755895	#	10	DA	DAA	IDN	9029.1000.90
H7ET-NV	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999999.9h / 3999d23.9h, VDC input, grey case	77.80	EC001641	672665	4548583755871		10	DA	DAA	IDN	9029.1000.90
Counter H8PS											
H8PS-16BFP	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 16x PNP outputs (requires E6CP/E6F encoder)	920.00	EC002301	169011	4547648042628			DA	DAB	JPN	9029.1000.90
H8PS-16BP	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 16x PNP outputs (requires E6CP/E6F encoder)	916.50	EC002301	169010	4547648042611			DA	DAB	JPN	9029.1000.90
H8PS-32BFP	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 32x PNP outputs (requires E6CP/E6F encoder)	1257.00	EC002301	169015	4547648042703			DA	DAB	JPN	9029.1000.90
H8PS-32BP	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 32x PNP outputs (requires E6CP/E6F encoder)	1257.00	EC002301	169014	4547648042697			DA	DAB	JPN	9029.1000.90
H8PS-8B	Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x NPN outputs (requires E6CP/E6F encoder)	533.50	EC002301	142010	4536853532451			DA	DAB	JPN	9029.1000.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H8PS-8BF	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 8x NPN outputs (requires E6CP/E6F encoder)	566.00	EC002301	119514	4536853532468			DA	DAB	JPN	9029.1000.90
H8PS-8BFP	Rotary positioner, DIN 96x96 mm, track/surface mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)	547.50	EC002301	119516	4536853532482			DA	DAB	JPN	9029.1000.90
H8PS-8BP	Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)	538.00	EC002301	119515	4536853532475			DA	DAB	JPN	9029.1000.90
Counter H7GP/HP											
H7GP-C	Total counter, 1/32DIN (48 x 24mm), 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	165.60	EC002300	243926	4547648353571			DA	DAC	CHN	9029.1000.90
H7GP-CD	Total counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	150.10	EC002300	243927	4547648353588			DA	DAC	CHN	9029.1000.90
H7GP-CDB	Total counter, 1/32DIN (48 x 24 mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	233.80	EC002300	243931	4547648353625			DA	DAC	CHN	9029.1000.90
H7GP-T	Time counter, 1/32DIN (48 x 24mm), 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	193.60	EC001641	243928	4547648353595			DA	DAC	CHN	9029.1000.90
H7GP-TD	Time counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	150.50	EC001641	243929	4547648353601			DA	DAC	CHN	9029.1000.90
H7HP-A	Total/time counter, DIN72x36mm, 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	192.50	EC002300	243933	4547648353885			DA	DAC	CHN	9029.1000.90
H7HP-AD	Total/time counter, DIN72x36mm, 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	175.50	EC002300	243934	4547648353892			DA	DAC	CHN	9029.1000.90
H7HP-ADB	Total/time counter, DIN72 x 36 mm, 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	209.90	EC002300	243938	4547648353939			DA	DAC	CHN	9029.1000.90
H7HP-C8D	Total counter, DIN72x36 mm, 12 to 24 VDC, LCD, 8-digit, 30cps or 5kcps, NPN/PNP input, manual reset	210.70	EC002300	243936	4547648353915			DA	DAC	CHN	9029.1000.90
Counter H7CX											
H7CC-A	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	238.50	EC002300	700355	4549734670043			DA	DAE	CHN	9029.1000.90
H7CC-A11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	238.50	EC002300	700351	4549734670005			DA	DAE	CHN	9029.1000.90
H7CC-A11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	238.50	EC002300	700353	4549734670029			DA	DAE	CHN	9029.1000.90
H7CC-A11S	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	238.50	EC002300	700352	4549734670012			DA	DAE	CHN	9029.1000.90
H7CC-A11SD	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	238.50	EC002300	700354	4549734670036			DA	DAE	CHN	9029.1000.90
H7CC-A8	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	243.80	EC002300	700369	4549734670180			DA	DAE	CHN	9029.1000.90
H7CC-A8D	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	243.80	EC002300	700370	4549734670197			DA	DAE	CHN	9029.1000.90
H7CC-AD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	238.50	EC002300	700357	4549734670067			DA	DAE	CHN	9029.1000.90
H7CC-AS	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	238.50	EC002300	700356	4549734670050			DA	DAE	CHN	9029.1000.90
H7CC-ASD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	238.50	EC002300	700358	4549734670074			DA	DAE	CHN	9029.1000.90
H7CC-AU	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	270.30	EC002300	700363	4549734670128			DA	DAE	CHN	9029.1000.90
H7CC-AUD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	270.30	EC002300	700364	4549734670135			DA	DAE	CHN	9029.1000.90
H7CC-AW	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 100-240 VAC supply, 12 VDC aux. supply	270.30	EC002300	700359	4549734670081			DA	DAE	CHN	9029.1000.90
H7CC-AWD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	270.30	EC002300	700361	4549734670104			DA	DAE	CHN	9029.1000.90
H7CC-AWS	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	270.30	EC002300	700360	4549734670098			DA	DAE	CHN	9029.1000.90
H7CC-AWSD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	270.30	EC002300	700362	4549734670111			DA	DAE	CHN	9029.1000.90
H7CC-R11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	270.30	EC002300	700365	4549734670142			DA	DAE	CHN	9029.1000.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H7CC-R11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	270.30	EC002300	700366	4549734670159			DA	DAE	CHN	9029.1000.90
H7CC-R11W	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST relay output, 100-240 VAC supply, 12 VDC aux. supply	270.30	EC002300	700367	4549734670166			DA	DAE	CHN	9029.1000.90
H7CC-R11WD	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	270.30	EC002300	700368	4549734670173			DA	DAE	CHN	9029.1000.90
H7CX-A114D1-N	Counter, plug-in, 11-pin, DIN48x48mm, IP66, 4 digits, multifunction: 1-stage & total, SPST-NO 3A relay output, 12-24VDC/24VAC supply, 12VDC aux supply	305.20	EC002300	668600	4548583745353			DA	DAE	IDN	8536.4900.99
H7CX-A114-N	Counter, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply	262.50	EC002300	668637	4548583745339			DA	DAE	IDN	8536.4900.99
H7CX-A11D1-N	Counter, plug-in, 11-pin, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 12-24 VDC/24 VAC supply, 12 VDC aux. supply	262.50	EC002300	668595	4548583745315			DA	DAE	IDN	8536.4900.99
H7CX-A11-N	Counter, plug-in, 11-pin, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	259.20	EC002300	668611	4548583745292			DA	DAE	IDN	8536.4900.99
H7CX-A11SD1-N	Counter, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, transistor output, 12-24 VDC/24 VAC supply, 12 VDC aux supply	317.40	EC002300	668606	4548583745322			DA	DAE	IDN	8536.4900.99
H7CX-A4D-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction:1-stage & total, SPST-NO 3 A relay output, 12-24 VDC/24 VAC supply, includes colour change display function	220.10	EC002300	668621	4548583745421	#		DA	DAE	IDN	9029.1000.90
H7CX-A4-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction:1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	305.60	EC002300	668623	4548583745407			DA	DAE	IDN	9029.1000.90
H7CX-A4SD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction:1-stage & total, transistor output, 12-24 VDC/24 VAC supply, includes colour change display function	208.40	EC002300	668601	4548583745438			DA	DAE	IDN	9029.1000.90
H7CX-A4W-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction:2-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	375.10	EC002300	668590	4548583745490			DA	DAE	IDN	9029.1000.90
H7CX-A4WSD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, two transistor outputs, 12-24 VDC/24 VAC supply, includes colour change display function	236.50	EC002300	668630	4548583745506			DA	DAE	IDN	9029.1000.90
H7CX-AD-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction:1-stage & total, SPST-NO 3 A relay output, 12-24 VDC/24 VAC supply, includes colour change display function	256.30	EC002300	668628	4548583745384	#		DA	DAE	IDN	9029.1000.90
H7CX-A-N	Counter, plug-in, screw terminal, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO 3 A relay output, 100-240 VAC supply, 12 VDC aux supply	255.80	EC002300	668633	4548583745360			DA	DAE	IDN	9029.1000.90
H7CX-AUD1-N	Counter, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, SPST-NO 3 A relay & 100 mA, 30 VDC NPN transistor outputs, 12-24 VDC/24 VAC supply, 12 VDC aux. supply, includes color change displ	269.30	EC002300	311858	4547648642712	#		DA	DAE	CHN	9029.1000.90
H7CX-AU-N	Counter, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, SPST-NO 3 A relay & 100 mA, 30 VDC NPN transistor outputs, 100-240 VAC supply, 12 VDC aux. supply, includes color change display	269.10	EC002300	311857	4547648642705	#		DA	DAE	CHN	9029.1000.90
H7CX-AUSD1-N	Counter, DIN48x48mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/ dual/tachometer, 2x 100mA 30VDC NPN transistor outputs, 12-24VDC/24VAC supply, 12 VDC aux supply, includes color change display function	316.50	EC002300	311859	4547648642729			DA	DAE	CHN	9029.1000.90
H7CX-AWD1-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, two relay outputs, 12-24 VDC/24 VAC supply, 12 VDC aux supply, includes color change display function	275.90	EC002300	668634	4548583745469			DA	DAE	IDN	9029.1000.90
H7CX-AW-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, two relay outputs, 100-240 VAC supply, 12 VDC aux supply, includes color change display function	275.90	EC002300	668588	4548583745445			DA	DAE	IDN	9029.1000.90
H7CX-AWS-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, two transistor outputs, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	338.40	EC002300	668643	4548583745452			DA	DAE	IDN	9029.1000.90
H7CX-R11-N	Tachometer, plug-in, 11-pin, DIN48x48mm, IP66, 6 preset & 6 actual count digits, multifunction, SPST-NO 3A relay output, 100-240VAC supply, 12VDC aux supply	295.30	EC002300	668615	4548583745513			DA	DAE	IDN	9029.1000.90
Other Counter											
H7AN-4DM 100-240VAC	Preset 4 digit counter, DIN72x72 mm, non-volatile memory (built-in)	642.00	EC002300	243906	4547648355223			DA	DAX	CHN	9029.1000.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H7BX-A	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	555.00	EC002300	241306	4547648453615			DA	DAX	CHN	9029.1000.90
H7BX-AD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO, 3 A	555.00	EC002300	241308	4547648453639			DA	DAX	CHN	9029.1000.90
H7BX-AW	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	594.00	EC002300	241307	4547648453622			DA	DAX	CHN	9029.1000.90
H7BX-AWD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO, 3 A	594.00	EC002300	241309	4547648453646			DA	DAX	CHN	9029.1000.90
H7CN-XLN 100-240VAC	Preset Counter, 48 x 48 mm, 4 digit display, up counting, max. count speed 30 cps, without memory backup, SPST-NO, 8-pin socket	388.10	EC002300	231117	4547648259620			DA	DAX	CHN	9029.1000.90
Accessory for Counter											
Y92A-96B	Protective cover for DIN96x96mm device, hard plastic	12.43	EC002586	142011	4536853532512		4	DA	DAZ	JPN	8536.4900.99
Y92F-35	Flush panel mounting adapter for H7E	5.26	EC002295	107355	4536854819872		10	DA	DAZ	JPN	8536.4900.99
Y92F-75	Flush mounting adapter for H7E, panel cut-out 45.3 x 26 mm	4.22	EC002295	154955	4536853531324		10	DA	DAZ	JPN	8536.4900.99
Y92F-76	Flush mounting adapter for H7E, panel cut-out 52.5x27.5mm	4.97	EC002295	119559	4536853531331			DA	DAZ	JPN	8536.4900.99
Y92F-77B	Flush panel mounting adapter for H7E	3.57	EC002295	119562	4536854478239			DA	DAZ	JPN	8536.4900.99
Y92F-91	DIN rail mounting base for H8PS rotary positioner	28.70	EC002295	156348	4536853532529			DA	DAZ	JPN	8544.4999.00
Y92S-36	Battery for H7E-N	12.84	EC002295	119560	4536854478277			DA	DAZ	JPN	8536.4900.99
Y92S-41-200	Output cable, free wire ends, 2m long (1pc required for 16 output, 2pcs required for 32 output)	84.60	EC002295	169367	4547648043861			DA	DAZ	JPN	8544.4999.00
Monitoring Product 61E											
61F-GP-N 110VAC	Floatless level controller, 110 VAC	85.55	EC001447	159892	4536854333163			DB	DBA	JPN	9032.1080.90
61F-GP-N2 110VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 110 VAC	82.00	EC001447	159968	4536854335792			DB	DBA	JPN	9032.1080.90
61F-GP-N2 220VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 220 VAC	84.50	EC001447	159970	4536854335815		10	DB	DBA	JPN	9032.1080.90
61F-GP-N2 230VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket)	84.50	EC001447	159971	4536854335822	#	10	DB	DBA	JPN	9032.1080.90
61F-GP-N2 24VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 24 VAC	80.65	EC001447	159972	4536854335846		10	DB	DBA	JPN	9032.1080.90
61F-GP-N 230VAC	Floatless level controller, 230 VAC	74.60	EC001447	159981	4536854336119			DB	DBA	JPN	9032.1080.90
61F-GP-N 240VAC	Floatless level controller, 240 VAC	94.75	EC001447	159975	4536854335891			DB	DBA	JPN	9032.1080.90
61F-GP-N 24VAC	Floatless level controller, 24 VAC	94.75	EC001447	156249	4536854335884			DB	DBA	JPN	9032.1080.90
61F-GP-N8 110VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 110 VAC, 8-pin	81.70	EC001447	159911	4536854333828		10	DB	DBA	JPN	9032.1080.90
61F-GP-N8 230VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 230 VAC, 8-pin	79.50	EC001447	159913	4536854333866	#	10	DB	DBA	JPN	9032.1080.90
61F-GP-N8 24VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 24 VAC, 8-pin	81.00	EC001447	159915	4536854333880		10	DB	DBA	JPN	9032.1080.90
61F-GP-N8D 230VAC	Level sensor, conductive, compact, plug-in, low-sensitivity, relay, LED indicator (requires PF083A-E socket), 230 VAC	79.50	EC001447	151827	4536854333941			DB	DBA	JPN	9032.1080.90
61F-GP-N8H 220VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 220 VAC	65.80	EC001447	159921	4536854334016			DB	DBA	JPN	9032.1080.90
61F-GP-N8H 230VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 230 VAC	95.50	EC001447	105293	4536854334023			DB	DBA	JPN	9032.1080.90
61F-GP-N8H 24VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 24 VAC	91.25	EC001447	157405	4536854334047			DB	DBA	JPN	9032.1080.90
61F-GP-N8HY 220VAC	Level sensor, conductive, compact, plug-in, high-sensitivity reverse-acting, relay, LED indicator (requires PF083A-E socket)	92.50	EC001447	159923	4536854334085		10	DB	DBA	JPN	9032.1080.90
61F-GPN-BC 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-purpose, relay output, LED indicator (requires PF113A-E socket), 24VDC	163.50	EC001447	143687	4536854845468			DB	DBA	JPN	9032.1080.90
61F-GPN-BT 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-purpose, transistor output, LED indicator (requires PF113A-E socket), 24VDC	158.20	EC001447	159956	4536854728013		10	DB	DBA	JPN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Monitoring Product K7L											
K7L-AT50	Liquid leakage sensor, conductive, miniature plug-in, adjustable sensitivity settings - 250 Kohm up to 50 Mohm (requires P2RF-08-E socket)	250.50	EC001447	117007	4536854465079			DB	DBB	JPN	9031.9000.00
K7L-AT50B	Liquid leakage sensor, conductive, miniature plug-in, adjustable sensitivity settings - 250 Kohm up to 50M ohm, Black color	278.60	EC001447	669530	4548583792883			DB	DBB	JPN	9031.9000.00
K7L-AT50D	Liquid leakage sensor, conductive, miniature plug-in, adjustable sensitivity settings - 250Kohms up to 50Mohms with disconnection detection (requires P2RF-08-E socket)	302.50	EC001447	163294	4536854616099			DB	DBB	JPN	9031.9000.00
K7L-UB	Liquid leakage sensor, conductive, miniature plug-in, adjustable sensitivity settings - 1M ohm, Long distance wiring, Black color	290.50	EC001447	669533	4548583792890	#		DB	DBB	JPN	9031.9000.00
K7L-UD	Liquid Leakage Sensor Amplifiers for Long-distance Wiring, ultra-miniature with disconnection detection function, requires P2RF-08-E socket, NPN connecting output	371.80	EC001447	231847	4547648292610			DB	DBB	JPN	9031.9000.00
Monitoring Product K8AK											
K8AK-AS1 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under current 2 to 500mA AC or DC, One SPDT, 100-240 VAC	34.22	EC001440	378158	4548583402225			DB	DBK	CHN	9031.9000.00
K8AK-AS1 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under current 2 to 500mA AC or DC, One SPDT, 24VAC/DC	35.71	EC001440	378159	4548583402232			DB	DBK	CHN	9031.9000.00
K8AK-AS2 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under current 0.1 to 8A AC or DC, One SPDT, 100-240 VAC	37.20	EC001440	378160	4548583402249			DB	DBK	CHN	9031.9000.00
K8AK-AS2 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under current 0.1 to 8A AC or DC, One SPDT, 24VAC/DC	38.67	EC001440	378161	4548583402256			DB	DBK	CHN	9031.9000.00
K8AK-AS3 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under current 10 to 200A AC (External CT required), One SPDT,100-240 VAC	41.05	EC001440	378162	4548583402263			DB	DBK	CHN	9031.9000.00
K8AK-AS3 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under current 10 to 200A AC (External CT required), One SPDT,24VAC/DC	41.05	EC001440	378163	4548583402270			DB	DBK	CHN	9031.9000.00
K8AK-AW1 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under current 2 to 500mA AC or DC, Two SPDT, 100-240 VAC	29.73	EC001440	378164	4548583402287			DB	DBK	CHN	9031.9000.00
K8AK-AW1 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under current 2 to 500mA AC or DC, Two SPDT, 24VAC/DC	29.73	EC001440	378165	4548583402294			DB	DBK	CHN	9031.9000.00
K8AK-AW2 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under current 0.1 to 8A AC or DC, Two SPDT, 100-240 VAC	31.25	EC001440	378166	4548583402300			DB	DBK	CHN	9031.9000.00
K8AK-VS2 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under voltage 1 to 150V AC or DC, One SPDT, 100-240 VAC	29.73	EC001438	378170	4548583402348			DB	DBK	CHN	9031.9000.00
K8AK-VS2 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under voltage 1 to 150V AC or DC, One SPDT, 24VAC/DC	29.73	EC001438	378171	4548583402355			DB	DBK	CHN	9031.9000.00
K8AK-VS3 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under voltage 20 to 600V AC or DC, One SPDT, 100-240 VAC	31.25	EC001438	378172	4548583402362			DB	DBK	CHN	9031.9000.00
K8AK-VS3 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under voltage 20 to 600V AC or DC, One SPDT,24VAC/DC	31.25	EC001438	378173	4548583402379			DB	DBK	CHN	9031.9000.00
K8AK-VW2 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under voltage 1 to 150V AC or DC, Two SPDT, 100-240 VAC	29.84	EC001438	378174	4548583402386			DB	DBK	CHN	9031.9000.00
K8AK-VW2 24VAC/DC	Monitoring relay 22.5mm wide, Single phase over or under voltage 1 to 150V AC or DC, Two SPDT, 24VAC/DC	29.73	EC001438	378175	4548583402393			DB	DBK	CHN	9031.9000.00
K8AK-VW3 100-240VAC	Monitoring relay 22.5mm wide, Single phase over or under voltage 20 to 600V AC or DC, Two SPDT, 100-240 VAC	31.25	EC001438	378176	4548583402409	#		DB	DBK	CHN	9031.9000.00
K8AK-PA2	Monitoring relay 22.5mm wide, voltage asymmetry and phase sequence and phase loss in 3 and 4 wire systems, 220 to 480V AC, One SPDT	28.30	EC001441	378180	4548583402447	#		DB	DBK	CHN	9031.9000.00
K8AK-PH1	Monitoring relay 22.5mm wide, simultaneous monitoring of phase sequence and loss in 3phase 3wire systems, One DPDT	22.91	EC001441	378178	4548583402423	#		DB	DBK	CHN	9031.9000.00
K8AK-PM1	Monitoring relay 22.5mm wide, sim. monitoring of over-/under-voltage, phase sequ. & loss in 3phase 3wire & 4 wire sys. operating 115 to 240V AC	32.14	EC001441	378181	4548583402454			DB	DBK	CHN	9031.9000.00
K8AK-PM2	Monitoring relay 22.5mm wide, sim. monitoring of over-/under-voltage, phase sequ. & loss in 3phase 3wire & 4 wire sys. operating 220 to 480V AC, 2 SPDT	37.04	EC001441	378182	4548583402461	#		DB	DBK	CHN	9031.9000.00
K8AK-PW2	Monitoring relay 22.5 mm wide, 3-phase voltage monitoring, over and under voltages, 3-wire mode: 380, 400, 415 and 480 VAC, 4-wire mode: 220, 230, 240 and 277 VAC, two SPDT	36.65	EC001441	378184	4548583402485	#		DB	DBK	CHN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K8AK-LS1 100-240VAC	Monitoring relay 22.5 mm wide, Conductive level control for liquid, 10k to 100k Ohm, One SPDT, 100-240 VAC	23.91	EC001447	378185	4548583402492	#		DB	DBK	CHN	9031.9000.00
K8AK-LS1 24VAC/DC	Monitoring relay 22.5 mm wide, Conductive level control for liquid, 10k to 100k Ohm, One SPDT, 24VAC/DC	24.37	EC001447	378186	4548583402508	#		DB	DBK	CHN	9031.9000.00
K8AK-PT1 100-240VAC	Monitoring relay 22.5mm wide, temperature monitoring and phase squence and phase loss, 100 to 240 VAC, one SPDT	34.71	EC001446	387480	4548583506657	#		DB	DBK	CHN	9031.9000.00
K8AK-TH11S 100-240VAC	Monitoring relay 22.5 mm wide, over or under temperature, 0-999 °C/F Thermocouple and PT100 input types, One SPDT	54.10	EC001446	378187	4548583402515			DB	DBK	CHN	9031.9000.00
K8AK-TH11S 24VAC/DC	Monitoring relay 22.5 mm wide, over or under temperature, 0-999 °C/F Thermocouple and PT100 input types, One SPDT	54.10	EC001446	378188	4548583402522			DB	DBK	CHN	9031.9000.00
K8AK-TH12S 100-240VAC	Monitoring relay 22.5 mm wide, over or under temperature, 0 to 1700 °C/F(minimum setting 10 °C), Thermocouple input type, One SPDT	54.10	EC001446	378189	4548583402539			DB	DBK	CHN	9031.9000.00
K8AK-TH12S 24VAC/DC	Monitoring relay 22.5 mm wide, over or under temperature, 0 to 1700 °C/F(minimum setting 10 °C), Thermocouple input type, One SPDT	54.10	EC001446	378190	4548583402546			DB	DBK	CHN	9031.9000.00
K8AK-TS1 100-240VAC	Monitoring relay 22.5mm wide, temperature monitoring, 100 to 240 VAC, one SPDT	21.25	EC001446	387478	4548583506633	#		DB	DBK	CHN	9031.9000.00
K8AK-TS1 24VAC/DC	Monitoring relay 22.5mm wide, temperature monitoring, 24 VAC/VDC, one SPDT	21.22	EC001446	387479	4548583506640	#		DB	DBK	CHN	9031.9000.00
Monitoring Product K8DS											
K8DS-PA2	Monitoring relay 17.5mm wide, asymmetry, phase sequence and loss, 3-phase 3-wire, 380 to 480 VAC, one SPDT	23.44	EC001441	387486	4548583481589	#		DB	DBS	CHN	9031.9000.00
K8DS-PH1	Monitoring relay 17.5mm wide, simultanious monitoring of phase sequence and loss in 3phase 3wire systems, One SPDT	20.81	EC001441	378191	4548583402553	#		DB	DBS	CHN	9031.9000.00
K8DS-PM2	Monitoring relay 17.5mm wide, over/under voltage, phase sequence and loss, 3-phase 3-wire, 380 to 400 VAC, one SPDT	28.32	EC001441	387484	4548583481565	#		DB	DBS	CHN	9031.9000.00
K8DS-PU2	Monitoring relay 17.5mm wide, under voltage, phase sequence and loss,asymmetry 3-phase 3-wire, 380 to 480 VAC, one SPDT	28.32	EC001441	387482	4548583481541			DB	DBS	CHN	9031.9000.00
K8DS-PZ2	Monitoring relay 17.5mm wide, over/under voltage, asymmetry, phase sequence and loss, 3-phase 3-wire, 380 to 480 VAC, one SPDT	38.88	EC001441	387488	4548583508286			DB	DBS	CHN	9031.9000.00
Monitoring Product K8DT											
K8DT-AS1CA	Monitoring relay 17.5mm wide, Single phase over or under current 2 to 500 mA AC /DC, 1 x SPDT, 100-240 VAC	40.48	EC001440	669469	4548583773455			DB	DBT	CHN	9031.9000.00
K8DT-AS1CD	Monitoring relay 17.5mm wide, Single phase over or under current 2 to 500 mA AC /DC, 1 x SPDT, 24 V AC/DC	40.48	EC001440	669484	4548583773516			DB	DBT	CHN	9031.9000.00
K8DT-AS1TA	Monitoring relay 17.5mm wide, Single phase over or under current 2 to 500 mA AC /DC, 1 x Transistor, 100-240 VAC	40.48	EC001440	669473	4548583773486			DB	DBT	CHN	9031.9000.00
K8DT-AS1TD	Monitoring relay 17.5mm wide, Single phase over or under current 2 to 500 mA AC/ DC, 1 x Transistor, 24 V AC/DC	40.48	EC001440	669518	4548583773547			DB	DBT	CHN	9031.9000.00
K8DT-AS2CA	Monitoring relay 17.5mm wide, Single phase over or under current 0.1 to 5 A AC /DC, 1 x SPDT, 100-240 VAC	41.92	EC001440	669480	4548583773462			DB	DBT	CHN	9031.9000.00
K8DT-AS2CD	Monitoring relay 17.5mm wide, Single phase over or under current 0.1 to 5 A AC /DC, 1 x SPDT, 24 V AC/DC	41.92	EC001440	669498	4548583773523	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2TA	Monitoring relay 17.5mm wide, Single phase over or under current 0.1 to 5 A AC /DC, 1 x Transistor, 100-240 VAC	41.92	EC001440	669522	4548583773493			DB	DBT	CHN	9031.9000.00
K8DT-AS2TD	Monitoring relay 17.5mm wide, Single phase over or under current 0.1 to 5 A AC/ DC, 1 x Transistor, 24 V AC/DC	41.92	EC001440	669494	4548583773554			DB	DBT	CHN	9031.9000.00
K8DT-AS3CA	Monitoring relay 17.5mm wide, Single phase over or under current 10 to 200 A AC /DC, 1 x SPDT, 100-240 VAC	43.34	EC001440	669458	4548583773479			DB	DBT	CHN	9031.9000.00
K8DT-AS3CD	Monitoring relay 17.5mm wide, Single phase over or under current 10 to 200 A AC /DC, 1 x SPDT, 24 V AC/DC	43.34	EC001440	669453	4548583773530			DB	DBT	CHN	9031.9000.00
K8DT-AS3TA	Monitoring relay 17.5mm wide, Single phase over or under current 10 to 200 A AC /DC, 1 x Transistor, 100-240 VAC	43.34	EC001440	669489	4548583773509			DB	DBT	CHN	9031.9000.00
K8DT-AS3TD	Monitoring relay 17.5mm wide, Single phase over or under current 10 to 200 A AC/ DC, 1 x Transistor, 24 V AC/DC	43.34	EC001440	669517	4548583773561			DB	DBT	CHN	9031.9000.00
K8DT-AW1CA	Monitoring relay 17.5mm wide, Single phase over and under current 2 to 500 mA AC /DC, 1 x SPDT, 100-240 VAC	43.34	EC001440	669460	4548583773578			DB	DBT	CHN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K8DT-AW1CD	Monitoring relay 17.5mm wide, Single phase over and under current 2 to 500 mA AC /DC, 1 x SPDT, 24 V AC/DC	43.34	EC001440	669501	4548583773639			DB	DBT	CHN	9031.9000.00
K8DT-AW1TA	Monitoring relay 17.5mm wide, Single phase over and under current 2 to 500 mA AC /DC, 1 x Transistor, 100-240 VAC	43.34	EC001440	669525	4548583773608			DB	DBT	CHN	9031.9000.00
K8DT-AW1TD	Monitoring relay 17.5mm wide, Single phase over and under current 2 to 500 mA AC /DC, 2 x Transistor, 24 V AC/DC	43.34	EC001440	669520	4548583773660			DB	DBT	CHN	9031.9000.00
K8DT-AW2CA	Monitoring relay 17.5mm wide, Single phase over and under current 0.1 to 5 A AC /DC, 1 x SPDT, 100-240 VAC	44.80	EC001440	669493	4548583773585			DB	DBT	CHN	9031.9000.00
K8DT-AW2CD	Monitoring relay 17.5mm wide, Single phase over and under current 0.1 to 5 A AC /DC, 1 x SPDT, 24 V AC/DC	44.80	EC001440	669515	4548583773646			DB	DBT	CHN	9031.9000.00
K8DT-AW2TA	Monitoring relay 17.5mm wide, Single phase over and under current 0.1 to 5 A AC /DC, 1 x Transistor, 100-240 VAC	44.80	EC001440	669513	4548583773615			DB	DBT	CHN	9031.9000.00
K8DT-AW2TD	Monitoring relay 17.5mm wide, Single phase over and under current 0.1 to 5 A AC /DC, 1 x Transistor, 24 V AC/DC	44.80	EC001440	669516	4548583773677			DB	DBT	CHN	9031.9000.00
K8DT-AW3CA	Monitoring relay 17.5mm wide, Single phase over and under current 10 to 200 A AC /DC, 1 x SPDT, 100-240 VAC	46.23	EC001440	669495	4548583773592			DB	DBT	CHN	9031.9000.00
K8DT-AW3CD	Monitoring relay 17.5mm wide, Single phase over and under current 10 to 200 A AC /DC, 1 x SPDT, 24 V AC/DC	46.23	EC001440	669514	4548583773653			DB	DBT	CHN	9031.9000.00
K8DT-AW3TA	Monitoring relay 17.5mm wide, Single phase over and under current 10 to 200 A AC /DC, 1 x Transistor, 100-240 VAC	46.23	EC001440	669482	4548583773622			DB	DBT	CHN	9031.9000.00
K8DT-AW3TD	Monitoring relay 17.5mm wide, Single phase over and under current 10 to 200 A AC /DC, 1 x Transistor, 24 V AC/DC	46.23	EC001440	669483	4548583773684			DB	DBT	CHN	9031.9000.00
K8DT-PH1CN	Monitoring relay 17.5mm wide, phase sequence and loss in 3 phase 3 wire, 200-480 VAC, 1 x SPDT	28.90	EC001441	669476	4548583773851	#		DB	DBT	CHN	9031.9000.00
K8DT-PH1TN	Monitoring relay 17.5mm wide, phase sequence and loss in 3 phase 3 wire, 200-480 VAC, 1 x Transistor	28.90	EC001441	669485	4548583773868			DB	DBT	CHN	9031.9000.00
K8DT-PM1CN	Monitoring relay 17.5mm wide, over/under voltage, phase sequence and loss, 3-phase 3-wire, 200 to 240 VAC, 1 x SPDT	37.58	EC001441	669523	4548583773875	#		DB	DBT	CHN	9031.9000.00
K8DT-PM1TN	Monitoring relay 17.5mm wide, over/under voltage, phase sequence and loss, 3-phase 3-wire, 200 to 240 VAC, 1 x Transistor	37.58	EC001441	669481	4548583773899			DB	DBT	CHN	9031.9000.00
K8DT-PM2CN	Monitoring relay 17.5mm wide, over/under voltage, phase sequence and loss, 3-phase 3-wire, 380 to 480 VAC, 1 x SPDT	37.58	EC001441	669510	4548583773882			DB	DBT	CHN	9031.9000.00
K8DT-PM2TN	Monitoring relay 17.5mm wide, over/under voltage, phase sequence and loss, 3-phase 3-wire, 380 to 480 VAC, 1 x Transistor	37.58	EC001441	669496	4548583773905			DB	DBT	CHN	9031.9000.00
K8DT-PZ1CN	Monitoring relay 17.5mm wide, over/under voltage, asymmetry, phase sequence and loss, 3-phase 3-wire, 200 to 240 VAC, 1 x SPDT	34.68	EC001441	669491	4548583773912			DB	DBT	CHN	9031.9000.00
K8DT-PZ1TN	Monitoring relay 17.5mm wide, over/under voltage, asymmetry, phase sequence and loss, 3-phase 3-wire, 200 to 240 VAC, 1 x Transistor	34.68	EC001441	669472	4548583773936			DB	DBT	CHN	9031.9000.00
K8DT-PZ2CN	Monitoring relay 17.5mm wide, over/under voltage, asymmetry, phase sequence and loss, 3-phase 3-wire, 380 to 480 VAC, 1 x SPDT	40.48	EC001441	669497	4548583773929			DB	DBT	CHN	9031.9000.00
K8DT-PZ2TN	Monitoring relay 17.5mm wide, over/under voltage, asymmetry, phase sequence and loss, 3-phase 3-wire, 380 to 480 VAC, 1 x Transistor	40.48	EC001441	669475	4548583773943			DB	DBT	CHN	9031.9000.00
K8DT-VS2CA	Monitoring relay 17.5mm wide, Single phase over or under voltage 1 to 150 V AC /DC, 1 x SPDT, 100-240 VAC	39.00	EC001438	669478	4548583773691			DB	DBT	CHN	9031.9000.00
K8DT-VS2CD	Monitoring relay 17.5mm wide, Single phase over or under voltage 1 to 150 V AC /DC, 1 x SPDT, 24 V AC/DC	39.00	EC001438	669470	4548583773738			DB	DBT	CHN	9031.9000.00
K8DT-VS2TA	Monitoring relay 17.5mm wide, Single phase over or under voltage 1 to 150 V AC /DC, 1 x Transistor, 100-240 VAC	39.00	EC001438	669488	4548583773714			DB	DBT	CHN	9031.9000.00
K8DT-VS2TD	Monitoring relay 17.5mm wide, Single phase over or under voltage 1 to 150 V AC /DC, 1 x Transistor, 24 V AC/DC	39.00	EC001438	669512	4548583773752			DB	DBT	CHN	9031.9000.00
K8DT-VS3CA	Monitoring relay 17.5mm wide, Single phase over or under voltage 20 to 600 V AC /DC, 1 x SPDT, 100-240 VAC	40.48	EC001438	669457	4548583773707			DB	DBT	CHN	9031.9000.00
K8DT-VS3CD	Monitoring relay 17.5mm wide, Single phase over or under voltage 20 to 600 V AC /DC, 1 x SPDT, 24 V AC/DC	40.48	EC001438	669504	4548583773745			DB	DBT	CHN	9031.9000.00
K8DT-VS3TA	Monitoring relay 17.5mm wide, Single phase over or under voltage 20 to 600 V AC /DC, 1 x Transistor, 100-240 VAC	40.48	EC001438	669463	4548583773721			DB	DBT	CHN	9031.9000.00
K8DT-VS3TD	Monitoring relay 17.5mm wide, Single phase over or under voltage 20 to 600 V AC /DC, 1 x Transistor, 24 V AC/DC	40.48	EC001438	669490	4548583773769			DB	DBT	CHN	9031.9000.00
K8DT-VW2CA	Monitoring relay 17.5mm wide, Single phase over and under voltage 1 to 150 V AC /DC, 1 x SPDT, 100-240 VAC	41.92	EC001438	669474	4548583773776			DB	DBT	CHN	9031.9000.00
K8DT-VW2CD	Monitoring relay 17.5mm wide, Single phase over and under voltage 1 to 150 V AC /DC, 1 x SPDT, 24 V AC/DC	41.92	EC001438	669507	4548583773813			DB	DBT	CHN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K8DT-WW2TA	Monitoring relay 17.5mm wide, Single phase over and under voltage 1 to 150 V AC /DC, 1 x Transistor, 100-240 VAC	41.92	EC001438	669454	4548583773790			DB	DBT	CHN	9031.9000.00
K8DT-WW2TD	Monitoring relay 17.5mm wide, Single phase over and under voltage 1 to 150 V AC /DC, 1 x Transistor, 24 V AC/DC	41.92	EC001438	669499	4548583773837			DB	DBT	CHN	9031.9000.00
K8DT-WW3CA	Monitoring relay 17.5mm wide, Single phase over and under voltage 20 to 600 V AC /DC, 1 x SPDT, 100-240 VAC	43.34	EC001438	669452	4548583773783			DB	DBT	CHN	9031.9000.00
K8DT-WW3CD	Monitoring relay 17.5mm wide, Single phase over and under voltage 20 to 600 V AC /DC, 1 x SPDT, 24 V AC/DC	43.34	EC001438	669449	4548583773820			DB	DBT	CHN	9031.9000.00
K8DT-WW3TA	Monitoring relay 17.5mm wide, Single phase over and under voltage 20 to 600 V AC /DC, 1 x Transistor, 100-240 VAC	43.34	EC001438	669524	4548583773806			DB	DBT	CHN	9031.9000.00
K8DT-WW3TD	Monitoring relay 17.5mm wide, Single phase over and under voltage 20 to 600 V AC /DC, 1 x Transistor, 24 V AC/DC	43.34	EC001438	669456	4548583773844			DB	DBT	CHN	9031.9000.00
K8DT-LS1CA	Monitoring relay 17.5 mm wide, Conductive level control for liquid, 10k to 100k Ohm, 1 x SPDT, 100-240 VAC	37.58	EC001447	669486	4548583773950			DB	DBT	CHN	9031.9000.00
K8DT-LS1CD	Monitoring relay 17.5 mm wide, Conductive level control for liquid, 10k to 100k Ohm, 1 x SPDT, 24 V AC/DC	37.58	EC001447	669464	4548583773974			DB	DBT	CHN	9031.9000.00
K8DT-LS1TA	Monitoring relay 17.5 mm wide, Conductive level control for liquid, 10k to 100k Ohm, 1 x Transistor, 100-240 VAC	37.58	EC001447	669487	4548583773967			DB	DBT	CHN	9031.9000.00
K8DT-LS1TD	Monitoring relay 17.5 mm wide, Conductive level control for liquid, 10k to 100k Ohm, 1 x Transistor, 24 V AC/DC	37.58	EC001447	669450	4548583773981			DB	DBT	CHN	9031.9000.00
K8DT-TH1CA	Monitoring relay 17.5mm wide, over or under temperature, 0-999 °C/F Thermocouple and PT100 input types, 1 x SPDT, 100-240 VAC	52.05	EC001446	669503	4548583773998			DB	DBT	CHN	9031.9000.00
K8DT-TH1CD	Monitoring relay 17.5mm wide, over or under temperature, 0-999 °C/F Thermocouple and PT100 input types, 1 x SPDT, 24 V AC/DC	52.05	EC001446	669467	4548583774032			DB	DBT	CHN	9031.9000.00
K8DT-TH1TA	Monitoring relay 17.5mm wide, over or under temperature, 0-999 °C/F Thermocouple and PT100 input types, 1 x Transistor, 100-240 VAC	52.05	EC001446	669506	4548583774018			DB	DBT	CHN	9031.9000.00
K8DT-TH1TD	Monitoring relay 17.5mm wide, over or under temperature, 0-999 °C/F Thermocouple and PT100 input types, 1 x Transistor, 24 V AC/DC	52.05	EC001446	669451	4548583774056			DB	DBT	CHN	9031.9000.00
K8DT-TH2CA	Monitoring relay 17.5mm wide, over or under temperature, 0 to 1700 °C/F(minimum setting 10 °C), Thermocouple input type, 1 x SPDT, 100-240 VAC	52.05	EC001446	669461	4548583774001			DB	DBT	CHN	9031.9000.00
K8DT-TH2CD	Monitoring relay 17.5mm wide, over or under temperature, 0 to 1700 °C/F(minimum setting 10 °C), Thermocouple input type, 1 x SPDT, 24 V AC/DC	52.05	EC001446	669505	4548583774049			DB	DBT	CHN	9031.9000.00
K8DT-TH2TA	Monitoring relay 17.5mm wide, over or under temperature, 0 to 1700 °C/F(minimum setting 10 °C), Thermocouple input type, 1 x Transistor, 100-240 VAC	52.05	EC001446	669462	4548583774025			DB	DBT	CHN	9031.9000.00
K8DT-TH2TD	Monitoring relay 17.5mm wide, over or under temperature, 0 to 1700 °C/F(minimum setting 10 °C), Thermocouple input type, 1 x Transistor, 24 V AC/DC	52.05	EC001446	669459	4548583774063			DB	DBT	CHN	9031.9000.00

Other Monitoring Product

F03-16PE 10M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 10 m	248.00	EC002586	695006	4549734593687			DB	DBX	JPN	9032.1080.90
F03-16PE 1M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 1 m	24.89	EC002586	695009	4549734593656			DB	DBX	JPN	9032.1080.90
F03-16PE 2M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 2 m	59.05	EC002586	695008	4549734593663			DB	DBX	JPN	9032.1080.90
F03-16PE 5M	Liquid leakage sensing band, stainless steel with polyethylene cover, length 5 m	145.60	EC002586	695007	4549734593670			DB	DBX	JPN	9032.1080.90
F03-16PS	Floatless level controller accessory, liquid leakage point sensor, polyethylene, outer sheath:PVC, inner sheath:Fluoroplastic, SUS304 electrode material	88.05	EC002586	175703	4547648088015			DB	DBX	JPN	9032.1080.90
F03-16PS-F	Point Sensor, electrodes have fluoroplastic coating to resist chemicals.	118.70	EC002586	175704	4547648088022	#		DB	DBX	JPN	9032.1080.90
F03-16SF-5M	Liquid Leakage Sensing Band (without color indication), 5m length, greater flexibility and superior workability.	158.50	EC002586	182837	4547648143592			DB	DBX	JPN	9032.1080.90
F03-16SFC-5M	Liquid Leakage Sensing Band (with color indication), 5 m length, greater flexibility and enables visual confirmation when the inner color appears	235.80	EC002586	182849	4547648143882			DB	DBX	JPN	9032.1080.90

Accessory for Monitoring Product

K8AC-CT200L	Current transformer for K8AB-A53, high current monitoring capacity	62.65	EC002048	184037	4547648140492			DB	DBZ	JPN	9031.9000.00
F03-26PES	Mounting bracket and sticker, sensing band sticker, Used for F03-16PE (adhesive tape).	42.77	EC002586	165136	4536854718342		10	DB	DBZ	JPN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
BF-1	Electrode holder, 1-pole electrode, standard type (150°C), liquid with low specific resistance	26.60	EC002586	137182	4536853143343			DB	DBZ	JPN	9032.1080.90
BF-3	Electrode holder, 3 way, standard type (150°C)	54.55	EC002586	137183	4536853143350			DB	DBZ	JPN	9032.1080.90
BS-1	Electrode holder, 1-pole electrode, for high pressure or high temperature applications (250°C), 1.96Mpa	50.55	EC002586	137186	4536853143695		10	DB	DBZ	JPN	9032.1080.90
F03-01 SUS201	Electrode, stainless steel, 1 m length, 6 mm dia., extendable	9.46	EC002586	155001	4536853384531		100	DB	DBZ	JPN	9032.1080.90
F03-01 SUS316	Electrode, stainless steel, 1m length, 6mm dia, extendable	18.88	EC002586	153056	4536853384548	#	25	DB	DBZ	JPN	9032.1080.90
F03-02 SUS201	Electrode connecting nut	2.35	EC002586	127405	4536853384586			DB	DBZ	JPN	8538.9099.99
F03-02 SUS316	Electrode lock nut, 1 piece	3.94	EC002586	127406	4536853384593		15	DB	DBZ	JPN	8538.9099.99
F03-03 SUS304	Electrode lock nut with washer	0.50	EC002586	127409	4536853384630		5	DB	DBZ	JPN	8538.9099.99
F03-03 SUS316	Electrode lock nut, with 2 number of parts in an set	1.21	EC002586	156416	4536853384647		20	DB	DBZ	JPN	8538.9099.99
F03-11	Protective cover for electrode holders PS or BF series)	29.36	EC002586	144315	4536853384739			DB	DBZ	JPN	8538.9099.99
F03-12	PS Electrode Holder Mounting Plate	15.84	EC002586	127415	4536853384746			DB	DBZ	JPN	8538.9099.99
F03-14-3P	Electrode separator, 3 electrodes, ceramic, 250°C max, 30g	2.94	EC002586	153057	4536853384777		10	DB	DBZ	JPN	8538.9099.99
F03-14-5P	Electrode separator, 5 way	3.93	EC002586	150824	4536853385132		10	DB	DBZ	JPN	8538.9099.99
F03-20	Terminal block, liquid leakage sensor	116.40	EC002586	143275	4536854479267			DB	DBZ	JPN	9032.1080.90
F03-20T	Terminator connection block for liquid leakage sensing band	49.27	EC002586	196359	4536854616129			DB	DBZ	JPN	9032.1080.90
F03-31	Dust-proof rubber Cap (for PS-31)	12.84	EC002586	127425	4536853384876		10	DB	DBZ	JPN	8538.9099.99
F03-60 SUS316	Set including F03-01 SUS316 electrode, F03-02 SUS316 connecting nuts, F03-03 SUS316 lock nuts	25.26	EC002586	127420	4536853384821		25	DB	DBZ	JPN	9032.1080.90
PS-31 SUS304 1000MM	Electrode set, holder & electrodes, 1 m length, 4 mm diameter, non-extendable	35.77	EC002586	143136	4536853724153		20	DB	DBZ	JPN	9032.1080.90
PS-31 SUS304 300MM	Electrode set, holder & electrodes, 0.3 m length, 4 mm diameter, non-extendable	32.57	EC002586	157459	4536853724160			DB	DBZ	JPN	9032.1080.90
PS-35	Electrode holder, 3 way	27.86	EC002586	176624	4547648047791			DB	DBZ	CHN	9032.1080.90
PS-45	Electrode holder, 4 way	32.57	EC002586	176625	4547648047814			DB	DBZ	CHN	9032.1080.90
PS-55	Electrode holder, 5 way	36.46	EC002586	176626	4547648047838			DB	DBZ	CHN	9032.1080.90
Panel Indicators K3MA											
K3MA-F-A2 100-240VAC	Frequency/rate meter, DIN 96x48 mm, color change display, pulse input, 2NO relay output, 100-240 VAC	279.00	EC002301	227985	4547648238793			DC	DCA	CHN	9031.9000.00
K3MA-F-A2 24VAC/DC	Frequency/rate meter, DIN 96x48 mm, color change display, pulse input, 2NO relay output, 24 VAC/DC	275.90	EC002301	228009	4547648238809			DC	DCA	CHN	9031.9000.00
K3MA-J 100-240VAC	Process meter, DIN 96 x 48 mm, colour change display, DC voltage/ current input	263.50	EC002301	228010	4547648238694			DC	DCA	CHN	9031.9000.00
K3MA-J 24VAC/DC	Process meter, DIN 96 x 48 mm, colour change display, DC voltage/ current input	240.80	EC002301	227976	4547648238700			DC	DCA	CHN	9031.9000.00
K3MA-J-A2 100-240VAC	Process meter, DIN 96x48 mm, color change display, DC voltage/ current input, 2NO relay output, 100-240AC	265.60	EC002301	227977	4547648238717	#		DC	DCA	CHN	9031.9000.00
K3MA-J-A2 24VAC/DC	Process meter, DIN 96x48 mm, color change display, DC voltage/ current input, 2NO relay output, 24 VAC/DC	253.40	EC002301	227978	4547648238724	#		DC	DCA	CHN	9031.9000.00
K3MA-L-C 100-240VAC	Temperature meter, DIN 96x48 mm, color change display, thermocouple/ RTD input, 1C/O relay output, 100-240AC	265.50	EC002301	227981	4547648238755			DC	DCA	CHN	9031.9000.00
K3MA-L-C 24VAC/DC	Temperature meter, DIN 96x48 mm, color change display, thermocouple/ RTD input, 1C/O relay output, 24 VAC/DC	253.40	EC002301	227982	4547648238762			DC	DCA	CHN	9031.9000.00
Panel Indicators K3GN											
K3GN-NDC 24VDC	Digital panel meter, DIN48x24mm, DC voltage/current + NPN input, 2x relay outputs, includes color display function, 24VDC, without data transmission output	284.90	EC002301	227823	4547648238328			DC	DCC	CHN	9031.9000.00
K3GN-NDC-FLK 24VDC	Digital panel meter, DIN48x24mm, DC voltage/current + NPN input, 2x relay outputs, RS-485 port data transmission output, includes color display function, 24VDC	334.20	EC002301	227826	4547648238366			DC	DCC	CHN	9031.9000.00
K3GN-PDC 24VDC	Digital panel meter, DIN 48x24 mm, DC voltage/current + PNP input, 2x relay outputs, includes color display function, without data transmission output	285.50	EC002301	227824	4547648238342	#		DC	DCC	CHN	9031.9000.00
K3GN-PDT2 24VDC	Digital panel meter, DIN 48x24 mm, DC voltage/current + PNP input, 3x PNP transistor outputs, includes color display function	256.30	EC002301	227825	4547648238359			DC	DCC	CHN	9031.9000.00
Panel Indicators K3HB											
K3HB-CNB 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No voltage, voltage or NPN open collector, 100-240 VAC supply	453.00	EC002301	180120	4547648109864			DC	DCD	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K3HB-CPB 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No voltage, voltage or PNP open collector, 24 VAC/VDC supply	456.40	EC002301	181448	4547648140348			DC	DCD	JPN	9031.9000.00
K3HB-HTA 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Temperature sensor inputS , PT100,K,J,T,E,L,U,N,R,S,B,W, 100-240 VAC supply	605.00	EC002301	168448	4547648022651			DC	DCD	JPN	9031.9000.00
K3HB-HTA 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Temperature sensor inputS , PT100,K,J,T,E,L,U,N,R,S,B,W, 24 VAC/VDC supply	599.50	EC002301	168449	4547648022668			DC	DCD	JPN	9031.9000.00
K3HB-RNB 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No voltage, voltage or NPN open collector, 100-240 VAC supply	453.00	EC002301	180112	4547648109789			DC	DCD	JPN	9031.9000.00
K3HB-RNB 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No voltage, voltage or NPN open collector, 24 VAC/VDC supply	467.00	EC002301	180113	4547648109796			DC	DCD	JPN	9031.9000.00
K3HB-RPB 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No voltage, voltage or PNP open collector, 100-240 VAC supply	463.60	EC002301	180114	4547648109802			DC	DCD	JPN	9031.9000.00
K3HB-RPB 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual colour change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No voltage, voltage or PNP open collector, 24 VAC/VDC supply	442.80	EC002301	180115	4547648109819			DC	DCD	JPN	9031.9000.00
K3HB-SSD 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Linear sensor/transducer input, DC process inputs scaled 0 to 5v, 1 to 5V, -5 to +5V, -10 to +10V, 0 to 20mA or 4 to 20mA, 100-2	896.00	EC002301	149988	4547648008495			DC	DCD	JPN	9031.9000.00
K3HB-SSD 24VAC/DC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Linear sensor/transducer input, DC process inputs scaled 0 to 5v, 1 to 5V, -5 to +5V, -10 to +10V, 0 to 20mA or 4 to 20mA 24 VAC	857.50	EC002301	118207	4547648008501			DC	DCD	JPN	9031.9000.00
K3HB-VLC 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots,Load cell input (DC low voltage input), 0.00 to 19.999mV/0.000 to 19.999mV/100.00 to 199.99mV, 100-240 VAC supply	449.70	EC002301	168446	4547648022477	#		DC	DCD	JPN	9031.9000.00
K3HB-VLC 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots,Load cell input (DC low voltage input), 0.00 to 19.999mV/0.000 to 19.999mV/100.00 to 199.99mV, 24 VAC/VDC supply	449.70	EC002301	168447	4547648022484			DC	DCD	JPN	9031.9000.00
K3HB-XAA 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, AC current input 0-19.999mA to 0-10A, 100-240 VAC supply	509.00	EC002301	168496	4547648021814			DC	DCD	JPN	9031.9000.00
K3HB-XAD 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, DC current input ±199.99mA and 4.000 to 20.000mA, 100-240 VAC supply	439.30	EC002301	168444	4547648021777			DC	DCD	JPN	9031.9000.00
K3HB-XAD 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, DC current input ±199.99mA and 4.000 to 20.000mA, 24 VAC/VDC supply	463.60	EC002301	168445	4547648021784			DC	DCD	JPN	9031.9000.00
K3HB-XVD 100-240VAC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, DC voltage input ±199.99V and 1.0000 to 5.0000V, 100-240 VAC supply	453.00	EC002301	168442	4547648021753			DC	DCD	JPN	9031.9000.00
K3HB-XVD 24VAC/VDC	Digital panel meter, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, DC voltage input ±199.99V and 1.0000 to 5.0000V, 24 VAC/VDC supply	456.40	EC002301	168443	4547648021760			DC	DCD	JPN	9031.9000.00
Other Panel Indicator											
K3SC-10 24VAC/DC	Communications converter, RS-232C/USB to RS-422/RS-485, DIN rail, or direct panel mounting, operation LED indicators for quick reference, Baud rate to 38400bps, quick dip switch setting, small size only 30 x 79 x 78 mm, 24 VAC/VDC supply voltage	402.70	EC002301	142655	4536854712548			DC	DCX	JPN	9031.9000.00
K33-A	option board (Slot B), not compatible with K3N models, 12 VDC 80mA sensor power supply , not suitable for K3HB-V models	53.65	EC002295	147813	4536854951220			DC	DCX	JPN	9031.9000.00
K33-B	option board (Slot B), not compatible with K3N models, 10 VDC 100mA sensor power supply for K3HB-V models	55.10	EC002295	168451	4547648022842			DC	DCX	JPN	9031.9000.00
K33-CPA	option board (Slot B), not compatible with K3N models, 1 relay (PASS) SPDT and 12 VDC 80mA sensor power supply	64.15	EC002295	105740	4536854951213			DC	DCX	JPN	9031.9000.00
K33-CPB	option board (Slot B), not compatible with K3N series, 1 relay (PASS) SPDT and 10 VDC 100mA power supply	66.90	EC002295	168450	4547648022835			DC	DCX	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K33-FLK3A	option board (Slot B), not compatible with K3N models, Communications RS-485 and 10 VDC 100mA sensor power supply	115.40	EC002295	168458	4547648022910			DC	DCX	JPN	9031.9000.00
K33-FLK3B	option board (Slot B), not compatible with K3N models, Communications RS-485 and 10 VDC 100mA sensor power supply	136.20	EC002295	168459	4547648022927			DC	DCX	JPN	9031.9000.00
K33-L1A	option board (Slot B), not compatible with K3N models, Linear DC (0)4-20mA Output and 12 VDC 80mA sensor power supply	217.60	EC002295	168452	4547648022859			DC	DCX	JPN	9031.9000.00
K33-L1B	option board (Slot B), not compatible with K3N models, Linear DC (0)4-20mA Output and 12 VDC 80mA sensor power supply	245.90	EC002295	168453	4547648022866	#		DC	DCX	JPN	9031.9000.00
K33-L2A	option board (Slot B), not compatible with K3N models, Linear DC(0)1-5V or 0 to 10V Output and 12 VDC 80mA sensor power supply	217.60	EC002295	168454	4547648022873			DC	DCX	JPN	9031.9000.00
K33-L2B	option board (Slot B), not compatible with K3N models, Linear DC(0)1-5V or 0 to 10V Output and 12 VDC 80mA sensor power supply	256.30	EC002295	168455	4547648022880			DC	DCX	JPN	9031.9000.00
K34-BCD	option board (Slot C), not compatible with K3N models, BCD + 5 transistor output For K3HB-C, P, or R models only	182.20	EC002295	180123	4547648109895			DC	DCX	JPN	9031.9000.00
K34-C1	option board (Slot C), not compatible with K3N models, 2 relays (High/Low) SPDT for each relay	77.35	EC002295	155312	4536854927195			DC	DCX	JPN	9031.9000.00
K34-C2	option board (Slot C), not compatible with K3N models, 4 relays (HH/H/L/LL) SPNO for each relay	97.70	EC002295	118248	4536854927201			DC	DCX	JPN	9031.9000.00
K34-DRT	Option board (Slot B), DeviceNet communications	341.70	EC002295	168460	4547648025607			DC	DCX	JPN	9031.9000.00
K34-T1	option board (Slot C), not compatible with K3N models, 5 NPN open collector output (HH/H/PASS/L/LL)	90.05	EC002295	118249	4536854927218			DC	DCX	JPN	9031.9000.00
K34-T2	option board (Slot C), not compatible with K3N models, 5 PNP open collector output (HH/H/PASS/L/LL)	88.90	EC002295	118250	4536854927225			DC	DCX	JPN	9031.9000.00
K35-1	option board (Slot D), not compatible with K3N models, NPN open collector event input card 5 points M3 terminal block	69.05	EC002295	118251	4536854927232			DC	DCX	JPN	9031.9000.00
K35-3	option board (Slot D), not compatible with K3N models, PNP open collector event input card 5 points M3 terminal block	84.05	EC002295	144606	4536854927249			DC	DCX	JPN	9031.9000.00
K32-49HC	Hard cover for use with 96x48mm panel meter	7.02	EC002295	118244	4536853597092			DC	DCX	JPN	9031.9000.00
K32-49SC	Splash-proof soft cover for use with 96x48mm panel meter	24.08	EC002295	146531	4536853597153			DC	DCX	JPN	9031.9000.00
K32-BCD	Special BDC output cable for use with K3HB panel meters	208.80	EC002295	180122	4547648109901			DC	DCX	JPN	9031.9000.00
Power Supply S8VS											
S8VS-01505	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 10 W, 5 VDC, 2.0 A output	106.40	EC002540	324848	4547648711555			DD	DDH	CHN	8504.4030.00
S8VS-01512	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 12 VDC, 1.2 A output	106.40	EC002540	324268	4547648711562			DD	DDH	CHN	8504.4030.00
S8VS-01524	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 24 VDC, 0.65 A output	106.40	EC002540	307948	4547648711579			DD	DDH	CHN	8504.4030.00
S8VS-03005	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 20 W, 5 VDC, 4 A output	134.40	EC002540	324849	4547648711586			DD	DDH	CHN	8504.4030.00
S8VS-03012	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 12 VDC, 2.5 A output	135.40	EC002540	323512	4547648711593			DD	DDH	CHN	8504.4030.00
S8VS-03024	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 24 VDC, 1.3 A output	135.40	EC002540	325147	4547648711609			DD	DDH	CHN	8504.4030.00
S8VS-06024	Power supply, 60 W, 100-240 VAC input, 24 VDC, 2.5 A output, DIN rail mounting, basic model	185.70	EC002540	247532	4547648419352			DD	DDH	CHN	8504.4030.00
S8VS-06024A	Power supply, 60 W, 100 to 240 VAC input, 24VDC 2.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function	251.50	EC002540	281057	4547648639927			DD	DDH	CHN	8504.4030.00
S8VS-06024B	Power supply, 60 W, 100-240 VAC input, 24 VDC, 2.5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function	201.90	EC002540	281059	4547648639941			DD	DDH	CHN	8504.4030.00
S8VS-09024	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, basic model	242.80	EC002540	247534	4547648419369			DD	DDH	CHN	8504.4030.00
S8VS-09024A	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	302.80	EC002540	281058	4547648639934			DD	DDH	CHN	8504.4030.00
S8VS-09024AP	Power supply, 90 W, 100 to 240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	285.90	EC002540	281069	4547648640046			DD	DDH	CHN	8504.4030.00
S8VS-12024	Power supply, 120 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, basic model	291.40	EC002540	247535	4547648419376			DD	DDH	CHN	8504.4030.00
S8VS-12024A	Power supply, 120 W, 100 to 240 VAC input, 24VDC 5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	364.70	EC002540	281061	4547648639965			DD	DDH	CHN	8504.4030.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8VS-12024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and forecast monitoring function with settable alarm point	295.90	EC002540	281071	4547648640060			DD	DDH	CHN	8504.4030.00
S8VS-12024B	Power supply, 120 W, 100 to 240 VAC input, 24 VDC 5A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	336.00	EC002540	281062	4547648639972			DD	DDH	CHN	8504.4030.00
S8VS-12024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	328.50	EC002540	281072	4547648640077			DD	DDH	CHN	8504.4030.00
S8VS-18024	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, basic model	406.50	EC002540	247536	4547648419383			DD	DDH	CHN	8504.4030.00
S8VS-18024A	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	479.70	EC002540	281065	4547648640008			DD	DDH	CHN	8504.4030.00
S8VS-18024AP	Power supply, 180W, 100-240VAC input, 24VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	515.50	EC002540	281073	4547648640084			DD	DDH	CHN	8504.4030.00
S8VS-18024BE	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function	361.40	EC002540	701367	4548583020221			DD	DDH	CHN	8504.4030.00
S8VS-24024	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, basic model	506.00	EC002540	247537	4547648419390			DD	DDH	CHN	8504.4030.00
S8VS-24024A	Power supply, 240W, 100/240 VAC input, 24VDC 10A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor function with settable alarm point	615.00	EC002540	281063	4547648639989			DD	DDH	CHN	8504.4030.00
S8VS-24024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display running voltage and current, peak current, and forecast monitoring function with settable alarm point	591.50	EC002540	281067	4547648640022			DD	DDH	CHN	8504.4030.00
S8VS-24024B	Power supply, 240 W, 100 to 240 VAC input, 24VDC 10 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	508.00	EC002540	281064	4547648639996			DD	DDH	CHN	8504.4030.00
S8VS-24024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	515.50	EC002540	281068	4547648640039			DD	DDH	CHN	8504.4030.00
S8VS-48024A	Power supply, 480 W, 100 to 240 VAC input, 24 VDC, 20 A output, DIN rail mounting, digital display running voltage and current, peak current, and forecast monitoring function with settable alarm point	627.00	EC002540	333444	4547648711661			DD	DDH	CHN	8504.4030.00
S8VS-48024B	Power supply, 480 W, 100 to 240 VAC input, 24 VDC, 20 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function with settable alarm point	595.50	EC002540	333445	4547648711678			DD	DDH	CHN	8504.4030.00
S8AS-24006	Power supply, 240W, 24VDC, 6 branch output	1645.00	EC002540	356597	4547648711289			DD	DDH	CHN	8504.4030.00
S8AS-48008	Power supply, 480W, 24VDC, 8 branch output	1964.00	EC002540	324222	4547648711319			DD	DDH	CHN	8504.4030.00
Power Supply S8VK-G											
S8VK-G01505	Book type power supply, Pro, 15 W, 5VDC, 3A, DIN rail mounting	29.79	EC002540	374164	4548583357648	#		DD	DDL	CHN	8504.4030.00
S8VK-G01512	Book type power supply, Pro, 15 W, 12 VDC, 1.2A, DIN rail mounting	28.97	EC002540	374165	4548583357655	#		DD	DDL	CHN	8504.4030.00
S8VK-G01524	Book type power supply, Pro, 15 W, 24VDC, 0.65A, DIN rail mounting	29.84	EC002540	374166	4548583357662	#		DD	DDL	CHN	8504.4030.00
S8VK-G03005	Book type power supply, Pro, 30 W, 5VDC, 5A, DIN rail mounting	37.01	EC002540	374167	4548583357679	#		DD	DDL	CHN	8504.4030.00
S8VK-G03012	Book type power supply, Pro, 30 W, 12 VDC, 2.5A, DIN rail mounting	35.71	EC002540	374168	4548583357686	#		DD	DDL	CHN	8504.4030.00
S8VK-G03024	Book type power supply, Pro, 30 W, 24VDC, 1.3A, DIN rail mounting	35.71	EC002540	374169	4548583357693	#		DD	DDL	CHN	8504.4030.00
S8VK-G06012	Book type power supply, Pro, 60 W, 12 VDC, 4.5A, DIN rail mounting	41.61	EC002540	374170	4548583357709	#		DD	DDL	CHN	8504.4030.00
S8VK-G06024	Book type power supply, Pro, 60 W, 24VDC, 2.5A, DIN rail mounting	41.61	EC002540	374171	4548583357716	#		DD	DDL	CHN	8504.4030.00
S8VK-G12024	Book type power supply, Pro, 120 W, 24VDC, 5A, DIN rail mounting	63.15	EC002540	374869	4548583357723	#		DD	DDL	CHN	8504.4030.00
S8VK-G24024	Book type power supply, Pro, 240 W, 24VDC, 10A, DIN rail mounting	105.70	EC002540	374870	4548583357730	#		DD	DDL	CHN	8504.4030.00
S8VK-G24048	Book type power supply, Pro, 240 W, 48VDC, 5A, DIN rail mounting	105.70	EC002540	374871	4548583357747	#		DD	DDL	CHN	8504.4030.00
S8VK-G48024	Book type power supply, Pro, 480 W, 24VDC, 20A, DIN rail mounting	146.90	EC002540	374872	4548583357754	#		DD	DDL	CHN	8504.4030.00
S8VK-G48048	Book type power supply, Pro, 480 W, 48VDC, 10A, DIN rail mounting	146.90	EC002540	374873	4548583357761	#		DD	DDL	CHN	8504.4030.00
Power Supply S8VK-C											
S8VK-C06024	Book type power supply, Lite, 60 W, 24VDC, 2.5A, DIN rail mounting	26.74	EC002540	375666	4548583357907	#		DD	DDM	CHN	8504.4030.00
S8VK-C12024	Book type power supply, Lite, 120 W, 24VDC, 5A, DIN rail mounting	38.67	EC002540	375667	4548583357914	#		DD	DDM	CHN	8504.4030.00
S8VK-C24024	Book type power supply, Lite, 240 W, 24VDC, 10A, DIN rail mounting	69.30	EC002540	375668	4548583357921	#		DD	DDM	CHN	8504.4030.00
S8VK-C48024	Book type power supply, Lite, 480 W, 24VDC, 20A, DIN rail mounting	121.70	EC002540	375669	4548583357938	#		DD	DDM	CHN	8504.4030.00
Power Supply S8VK-S											
S8VK-S03024	Book type power supply, 30 W, 24 VDC, 1.3A, DIN rail mounting, Push-in terminal, Coated	38.26	EC002540	675333	4549734134620	#		DD	DDN	CHN	8504.4030.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8VK-S06024	Book type power supply, 60 W, 24VDC, 2.5A, DIN rail mounting, Push-in terminal, Coated	44.82	EC002540	669508	4548583761117	#		DD	DDN	CHN	8504.4030.00
S8VK-S12024	Book type power supply, 120 W, 24VDC, 5A, DIN rail mounting, Push-in terminal, Coated	64.65	EC002540	669511	4548583761124	#		DD	DDN	CHN	8504.4030.00
S8VK-S24024	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, undervoltage alarm	125.70	EC002540	672485	4548583761131	#		DD	DDN	CHN	8504.4030.00
S8VK-S48024	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, undervoltage alarm	192.10	EC002540	672486	4548583761148	#		DD	DDN	CHN	8504.4030.00
S8VK Accessory											
S82Y-VK10F	Front-mounting bracket for S8VK (120, 240 and 480 W models)	9.85	EC002498	377521	4548583415911		100	DD	DDO	JPN	8504.4030.00
S8VK-R10	Redundancy module for S8VK (input 5-30VDC, output 10A)	40.66	EC002498	377513	4548583425613	#		DD	DDO	CHN	8504.4030.00
S8VK-R20	Redundancy module for S8VK (input 10-60VDC, output 20A)	61.20	EC002498	377514	4548583425620	#		DD	DDO	CHN	8504.4030.00
S8V-NFS203	Noise filter accessory power supply, 250 VAC/DC rated voltage, 3 A rated current, DIN-rail mounting, Push-in terminal	33.79	EC002025	680674	4549734175876			DD	DDO	CHN	8529.9097.90
S8V-NFS206	Noise filter accessory power supply, 250 VAC/DC rated voltage, 6 A rated current, DIN-rail mounting, Push-in terminal	35.44	EC002025	680575	4549734172707	#		DD	DDO	CHN	8529.9097.90
Power Supply S8FS											
S8FS-C01505J	Power supply, 15 W, 100-240 VAC input, 5 VDC, 3 A output, Front terminal	11.70	EC002540	668800	4548583751286	#		DD	DDP	CHN	8504.4030.00
S8FS-C01512J	Power supply, 15 W, 100-240 VAC input, 12 VDC, 1.3 A output, Front terminal	11.70	EC002540	668734	4548583751293	#		DD	DDP	CHN	8504.4030.00
S8FS-C01524J	Power supply, 15 W, 100-240 VAC input, 24 VDC, 0.7 A output, Front terminal	11.70	EC002540	668755	4548583751316	#		DD	DDP	CHN	8504.4030.00
S8FS-C02512	Power supply, 25 W, 100-240 VAC input, 12 VDC, 2.1 A output, Upper terminal	13.35	EC002540	668777	4548583741522	#		DD	DDP	CHN	8504.4030.00
S8FS-C02524	Power supply, 25 W, 100 to 240 VAC input, 24 VDC, 1.1 A output, Upper terminal	13.35	EC002540	668782	4548583741546	#		DD	DDP	CHN	8504.4030.00
S8FS-C02524J	Power supply, 25 W, 100-240 VAC input, 24 VDC, 1.1 A output, Front terminal	13.35	EC002540	668760	4548583751361	#		DD	DDP	CHN	8504.4030.00
S8FS-C03512	Power supply, 35 W, 100-240 VAC input, 12 VDC, 3 A output, Upper terminal	14.36	EC002540	668770	4548583741560	#		DD	DDP	CHN	8504.4030.00
S8FS-C03512J	Power supply, 35 W, 100-240 VAC input, 12 VDC, 3 A output, Front terminal	14.36	EC002540	668764	4548583751392	#		DD	DDP	CHN	8504.4030.00
S8FS-C03524	Power supply, 35 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, Upper terminal	14.36	EC002540	668793	4548583741584	#		DD	DDP	CHN	8504.4030.00
S8FS-C03524J	Power supply, 35 W, 100-240 VAC input, 24 VDC, 1.5 A output, Front terminal	14.36	EC002540	668731	4548583751415	#		DD	DDP	CHN	8504.4030.00
S8FS-C05005	Power supply, 50 W, 100-240 VAC input, 5 VDC, 10 A output, Upper terminal	16.02	EC002540	668814	4548583741591	#		DD	DDP	CHN	8504.4030.00
S8FS-C05012	Power supply, 50 W, 100-240 VAC input, 12 VDC, 4.2 A output, Upper terminal	16.02	EC002540	668722	4548583741607	#		DD	DDP	CHN	8504.4030.00
S8FS-C05012J	Power supply, 50 W, 100-240 VAC input, 12 VDC, 4.2 A output, Front terminal	16.02	EC002540	668802	4548583751446	#		DD	DDP	CHN	8504.4030.00
S8FS-C05024	Power supply, 50 W, 100-240 VAC input, 24 VDC, 2.2 A output, Upper terminal	16.02	EC002540	668798	4548583741621	#		DD	DDP	CHN	8504.4030.00
S8FS-C05024J	Power supply, 50 W, 100-240 VAC input, 24 VDC, 2.2 A output, Front terminal	16.02	EC002540	668786	4548583751460	#		DD	DDP	CHN	8504.4030.00
S8FS-C07512	Power supply, 75 W, 100 to 240 VAC input, 12 VDC, 6.2 A output, Upper terminal	20.03	EC002540	668750	4548583741652	#		DD	DDP	CHN	8504.4030.00
S8FS-C07524J	Power supply, 75 W, 100-240 VAC input, 24 VDC, 3.2 A output, Front terminal	18.35	EC002540	668754	4548583751514	#		DD	DDP	CHN	8504.4030.00
S8FS-C10012	Power supply, 100 W, 100-240 VAC input, 12 VDC, 8.5 A output, Upper terminal	21.68	EC002540	668771	4548583741706	#		DD	DDP	CHN	8504.4030.00
S8FS-C10012J	Power supply, 100 W, 100-240 VAC input, 12 VDC, 8.5 A output, Front terminal	21.68	EC002540	668756	4548583751545	#		DD	DDP	CHN	8504.4030.00
S8FS-C10024	Power supply, 100 W, 100-240 VAC input, 24 VDC, 4.5 A output, Upper terminal	21.68	EC002540	668804	4548583741720	#		DD	DDP	CHN	8504.4030.00
S8FS-C10024J	Power supply, 100 W, 100-240 VAC input, 24 VDC, 4.5 A output, Front terminal	21.68	EC002540	668732	4548583751569	#		DD	DDP	CHN	8504.4030.00
S8FS-C15012	Power supply, 150 W, 100-240 VAC input, 12 VDC, 12.5 A output, Upper terminal	25.01	EC002540	668780	4548583741768	#		DD	DDP	CHN	8504.4030.00
S8FS-C15012J	Power supply, 150 W, 100-240 VAC input, 12 VDC, 12.5 A output, Front terminal	25.01	EC002540	668737	4548583751613	#		DD	DDP	CHN	8504.4030.00
S8FS-C15024	Power supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, Upper terminal	25.01	EC002540	668785	4548583741782	#		DD	DDP	CHN	8504.4030.00
S8FS-C15024J	Power supply, 150 W, 100-240 VAC input, 24 VDC, 6.5 A output, Front terminal	25.01	EC002540	668751	4548583751637	#		DD	DDP	CHN	8504.4030.00
S8FS-C20012	Power supply, 200 W, 100 to 240 VAC input, 12 VDC, 17 A output, Upper terminal	36.67	EC002540	668784	4548583741829	#		DD	DDP	CHN	8504.4030.00
S8FS-C20024	Power supply, 200 W, 100 to 240 VAC input, 24 VDC, 8.8 A output, Upper terminal	36.67	EC002540	668729	4548583741836	#		DD	DDP	CHN	8504.4030.00
S8FS-C20024J	Power supply, 200 W, 100-240 VAC input, 24 VDC, 8.8 A output, Front terminal	36.67	EC002540	668762	4548583751682	#		DD	DDP	CHN	8504.4030.00
S8FS-C35012	Power supply, 350 W, 100-240 VAC input, 12 VDC, 29 A output, Upper terminal	53.40	EC002540	668803	4548583741874	#		DD	DDP	CHN	8504.4030.00
S8FS-C35012J	Power supply, 350 W, 100-240 VAC input, 12 VDC, 29 A output, Front terminal	53.40	EC002540	668766	4548583751729	#		DD	DDP	CHN	8504.4030.00
S8FS-C35024	Power supply, 350 W, 100-240 VAC input, 24 VDC, 14.6 A output, Upper terminal	53.40	EC002540	668810	4548583741881	#		DD	DDP	CHN	8504.4030.00
S8FS-C35024J	Power supply, 350 W, 100-240 VAC input, 24 VDC, 14.6 A output, Front terminal	53.40	EC002540	668733	4548583751736	#		DD	DDP	CHN	8504.4030.00
S8FS-C35048	Power supply, 350 W, 100 to 240 VAC input, 48 VDC, 7.32 A output, Upper terminal	53.40	EC002540	668718	4548583741904	#		DD	DDP	CHN	8504.4030.00
S8FS-C35048J	Power supply, 350 W, 100-240 VAC input, 48 VDC, 7.32 A output, Front terminal	53.40	EC002540	668813	4548583751750	#		DD	DDP	CHN	8504.4030.00
S8FS-G01505CD	Power supply, 15 W, 100 to 240 VAC input, 5 VDC, 3 A output, DIN rail mounting	41.43	EC002540	677992	4549734104333			DD	DDP	CHN	8504.4030.00
S8FS-G01512CD	Power supply, 15 W, 100 to 240 VAC input, 12 VDC, 1.3 A output, DIN rail mounting	41.43	EC002540	677965	4549734104357			DD	DDP	CHN	8504.4030.00
S8FS-G01515CD	Power supply, 15 W, 100 to 240 VAC input, 15 VDC, 1 A output, DIN rail mounting	41.43	EC002540	677976	4549734104371			DD	DDP	CHN	8504.4030.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8FS-G01524CD	Power supply, 15 W, 100 to 240 VAC input, 24 VDC, 0.65 A output, DIN rail mounting	41.43	EC002540	678163	4549734104395			DD	DDP	CHN	8504.4030.00
S8FS-G03005CD	Power supply, 30 W, 100 to 240 VAC input, 5 VDC, 6 A output, DIN rail mounting	50.80	EC002540	677983	4549734104432			DD	DDP	CHN	8504.4030.00
S8FS-G03012CD	Power supply, 30 W, 100 to 240 VAC input, 12 VDC, 3 A output, DIN rail mounting	50.80	EC002540	677974	4549734104456			DD	DDP	CHN	8504.4030.00
S8FS-G03015CD	Power supply, 30 W, 100 to 240 VAC input, 15 VDC, 2.4 A output, DIN rail mounting	50.80	EC002540	677963	4549734104470			DD	DDP	CHN	8504.4030.00
S8FS-G03024CD	Power supply, 30 W, 100 to 240 VAC input, 24 VDC, 1.5 A output, DIN rail mounting	50.80	EC002540	677972	4549734104494			DD	DDP	CHN	8504.4030.00
S8FS-G05005CD	Power supply, 50 W, 100 to 240 VAC input, 5 VDC, 8 A output, DIN-rail mounting	64.15	EC002540	677957	4549734104531			DD	DDP	CHN	8504.4030.00
S8FS-G05012CD	Power supply, 50 W, 100 to 240 VAC input, 12 VDC, 4.3 A output, DIN-rail mounting	64.15	EC002540	677962	4549734104555			DD	DDP	CHN	8504.4030.00
S8FS-G05015CD	Power supply, 50 W, 100 to 240 VAC input, 15 VDC, 3.5 A output, DIN-rail mounting	64.15	EC002540	678174	4549734104579			DD	DDP	CHN	8504.4030.00
S8FS-G05024C	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, direct mounting	60.20	EC002540	677981	4549734104586			DD	DDP	CHN	8504.4030.00
S8FS-G05024CD	Power supply, 50 W, 100 to 240 VAC input, 24 VDC, 2.2 A output, DIN-rail mounting	64.15	EC002540	677969	4549734104593			DD	DDP	CHN	8504.4030.00
S8FS-G10005CD	Power supply, 100 W, 100 to 240 VAC input, 24 VDC, 16 A output, DIN-rail mounting	84.30	EC002540	677985	4549734104630			DD	DDP	CHN	8504.4030.00
S8FS-G10012CD	Power supply, 100 W, 100 to 240 VAC input, 12 VDC, 8.5 A output, Din-rail mounting	84.30	EC002540	677960	4549734104654			DD	DDP	CHN	8504.4030.00
S8FS-G10015CD	Power Supply, 100 W, 100 to 240 VAC input, 15 VDC, 7 A output, DIN-rail mounting	84.30	EC002540	678139	4549734104678			DD	DDP	CHN	8504.4030.00
S8FS-G10024C	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, direct mounting	80.20	EC002540	677984	4549734104685			DD	DDP	CHN	8504.4030.00
S8FS-G10024CD	Power Supply, 100 W, 100 to 240 VAC input, 24 VDC, 4.5 A output, DIN-rail mounting	84.30	EC002540	677977	4549734104692			DD	DDP	CHN	8504.4030.00
S8FS-G15005CD	Power Supply, 150 W, 100 to 240 VAC input, 5 VDC, 21 A output, DIN-rail mounting	104.20	EC002540	677970	4549734104777			DD	DDP	CHN	8504.4030.00
S8FS-G15012CD	Power Supply, 150 W, 100 to 240 VAC input, 12 VDC, 13 A output, DIN-rail mounting	104.20	EC002540	677958	4549734104791			DD	DDP	CHN	8504.4030.00
S8FS-G15024C	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, direct mounting	100.30	EC002540	677994	4549734104821			DD	DDP	CHN	8504.4030.00
S8FS-G15024CD	Power Supply, 150 W, 100 to 240 VAC input, 24 VDC, 6.5 A output, DIN-rail mounting	104.20	EC002540	677986	4549734104838			DD	DDP	CHN	8504.4030.00
S8FS-G30012CD	Power Supply, 300 W, 100 to 240 VAC input, 12 VDC, 25 A output, DIN-rail mounting	191.40	EC002540	677980	4549734104937			DD	DDP	CHN	8504.4030.00
S8FS-G30024C	Power supply, 300 W, 100 to 240 VAC input, 24 VDC 14 A output	187.50	EC002540	675283	4549734104968	#		DD	DDP	CHN	8504.4030.00
S8FS-G30024CD	Power Supply, 300 W, 100 to 240 VAC input, 24 VDC, 14 A output, DIN-rail mounting	191.40	EC002540	677975	4549734104975	#		DD	DDP	CHN	8504.4030.00
S8FS-G60012CD	Power Supply, 600 W, 100 to 240 VAC input, 12 VDC, 50 A output, DIN-rail mounting	305.20	EC002540	678150	4549734105057			DD	DDP	CHN	8504.4030.00
S8FS-G60024C	Power supply, 600 W, 100 to 240 VAC input, 24 VDC 27 A output	300.90	EC002540	675284	4549734105125	#		DD	DDP	CHN	8504.4030.00
S8FS-G60024CD	Power Supply, 600 W, 100 to 240 VAC input, 24 VDC, 27 A output, DIN-rail mounting	305.20	EC002540	678170	4549734105132	#		DD	DDP	CHN	8504.4030.00
S8FS-G60048CD	Power Supply, 600 W, 100 to 240 VAC input, 48 VDC, 13 A output, DIN-rail mounting	305.20	EC002540	678148	4549734105217	#		DD	DDP	CHN	8504.4030.00

S8VK-T

S8VK-T12024	Book type power supply, Pro, 120 W, 24VDC, 5A, DIN rail mounting	77.40	EC002540	382729	4548583357983	#		DD	DDQ	CHN	8504.4030.00
S8VK-T12024-400	Coated version, Book type power supply, Pro, 3-phase, 120 W, 24 VDC 5A, DIN rail mounting	89.15	EC002540	659380	4548583721234			DD	DDQ	CHN	8504.4030.00
S8VK-T24024	Book type power supply, Pro, 240 W, 24VDC, 10A, DIN rail mounting	116.20	EC002540	382730	4548583357990	#		DD	DDQ	CHN	8504.4030.00
S8VK-T24024-400	Coated version, Book type power supply, Pro, 3-phase, 240 W, 24 VDC 10 A, DIN rail mounting	115.10	EC002540	659384	4548583564589			DD	DDQ	CHN	8504.4030.00
S8VK-T48024	Book type power supply, Pro, 480 W, 24VDC, 20A, DIN rail mounting	214.80	EC002540	386429	4548583358003	#		DD	DDQ	CHN	8504.4030.00
S8VK-T48024-400	Coated version, Book type power supply, Pro, Three-phase, 480 W, 24 VDC, 20 A, DIN rail mounting	245.10	EC002540	659385	4548583564596			DD	DDQ	CHN	8504.4030.00
S8VK-T96024	Book type power supply, Pro, 960 W, 24VDC, 40A, DIN rail mounting	289.40	EC002540	386430	4548583358010	#		DD	DDQ	CHN	8504.4030.00
S8VK-T96024-400	Coated version, Book type power supply, Pro, 3-phase, 960 W, 24 VDC 40 A, DIN rail mounting	322.10	EC002540	659379	4548583564602			DD	DDQ	CHN	8504.4030.00

S8VK-WA24024	3-phase power supply, 240 W, 24 VDC, 10 A, DIN rail mounting	241.50	EC002540	688154	4549734449083		3	DD	DDQ	CHN	8504.4030.00
S8VK-WA48024	3-phase power supply, 480 W, 24 VDC, 20 A, DIN rail mounting	329.30	EC002540	688155	4549734449090		3	DD	DDQ	CHN	8504.4030.00
S8VK-WA96024	3-phase power supply, 960 W, 24 VDC, 40 A, DIN rail mounting	494.00	EC002540	688156	4549734449106			DD	DDQ	CHN	8504.4030.00
S8VK-WB24024	3-phase power supply, 400 VAC, 240 W, 24 VDC, 10 A, DIN rail mounting	203.50	EC002540	699600	4549734674799			DD	DDQ	CHN	8504.4030.00
S8VK-WB24048	3-phase power supply, 400 VAC, 240 W, 48 VDC, 5 A, DIN rail mounting	203.50	EC002540	699603	4549734674829			DD	DDQ	CHN	8504.4030.00
S8VK-WB48024	3-phase power supply, 400 VAC, 480 W, 24 VDC, 20 A, DIN rail mounting	289.10	EC002540	699601	4549734674805			DD	DDQ	CHN	8504.4030.00
S8VK-WB48048	3-phase power supply, 400 VAC, 480 W, 48 VDC, 10 A, DIN rail mounting	289.10	EC002540	699604	4549734674836			DD	DDQ	CHN	8504.4030.00
S8VK-WB96024	3-phase power supply, 400 VAC, 960 W, 24 VDC, 40 A, DIN rail mounting	417.60	EC002540	699602	4549734674812			DD	DDQ	CHN	8504.4030.00
S8VK-WB96048	3-phase power supply, 400 VAC, 960 W, 48 VDC, 20 A, DIN rail mounting	417.60	EC002540	699605	4549734674843			DD	DDQ	CHN	8504.4030.00

S8VK-X

S8VK-X03005-EIP	Book type power supply, 30 W, 5 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	128.80	EC002540	680581	4549734172752			DD	DDR	CHN	8504.4030.00
S8VK-X06012-EIP	Book type power supply, 60 W, 12 VDC, 4.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	134.80	EC002540	680586	4549734172769			DD	DDR	CHN	8504.4030.00
S8VK-X06024-EIP	Book type power supply, 60 W, 24 VDC, 2.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	134.80	EC002540	680578	4549734172776			DD	DDR	CHN	8504.4030.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8VK-X09024A-EIP	Book type power supply, 90 W, 24 VDC, 3.75 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	182.50	EC002540	680584	4549734172714			DD	DDR	CHN	8504.4030.00
S8VK-X12024A-EIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	200.60	EC002540	680585	4549734172721			DD	DDR	CHN	8504.4030.00
S8VK-X12024-EIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	170.20	EC002540	680579	4549734172790			DD	DDR	CHN	8504.4030.00
S8VK-X24024A-EIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	288.50	EC002540	680577	4549734172738			DD	DDR	CHN	8504.4030.00
S8VK-X24024-EIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	258.40	EC002540	680583	4549734172806			DD	DDR	CHN	8504.4030.00
S8VK-X48024A-EIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	379.80	EC002540	680580	4549734172745			DD	DDR	CHN	8504.4030.00
S8VK-X48024-EIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	349.60	EC002540	680576	4549734172813			DD	DDR	CHN	8504.4030.00
S8V Circuit Breakers											
S8V-CP0424	Electronic circuit breaker, 4 channels, max. 10 A per channel, 24 VDC	149.90	EC002498	689505	4549734494106	#		DD	DDT	DEU	8536.2010.90
S8V-CP0424S	Electronic circuit breaker, 4 channels, 3.8 A per channel, 24 VDC, UL class 2	170.30	EC002498	689504	4549734494113			DD	DDT	DEU	8536.2010.90
S8V-CP0824	Electronic circuit breaker, 8 channels, max. 10 A per channel, 24 VDC	257.00	EC002498	689503	4549734494120	#		DD	DDT	DEU	8536.2010.90
Other Power supply											
S8JX-P30024CD	Covered Power Supplies, PROplus, 100 to 240 VAC input voltage, 300W, 24V, 14A peak current, 16.5A (200VAC)	560.50	EC002540	364918	4548583103719			DD	DDX	CHN	8504.4030.00
S8JX-P30024N	Power supply, 300 W, 100/240 VAC input, 24 VDC, 14 A output	400.30	EC002540	364916	4548583103696			DD	DDX	CHN	8504.4030.00
S8JX-P60024C	Power supply, 600W, 100-240 VAC input, 24 VDC 25A output, with PFC	702.50	EC002540	364920	4548583103733			DD	DDX	CHN	8504.4030.00
S8JX-P60024CD	Covered Power Supplies, PROplus, 100 to 240 VAC input voltage, 600W, 24V, 27A peak current, 31A (200VAC)	710.50	EC002540	364921	4548583103740			DD	DDX	CHN	8504.4030.00
S8JX-P60024N	Power supply, 600 W, 100-240 VAC input, 24 VDC, 27 A output	641.50	EC002540	364919	4548583103726			DD	DDX	CHN	8504.4030.00
S8T-DCBU-02	DC backup block for S8TS PSU of 500 ms at an output current of 2.5A	211.80	EC002498	324267	4547648711401			DD	DDX	CHN	8504.4030.00
S82S-7705	Power supply, 7.5 W, 12 to 24 VDC input, 5 VDC 1.5A output, DIN rail mounting	125.70	EC002540	149574	4536854104688			DD	DDX	JPN	8504.4030.00
S8M-CP04	Multi circuit protector, up to 16 A, 4x4.0 A per circuit, ideal for branching, requires power supply	318.20	EC002498	324847	4547648711371			DD	DDX	CHN	8504.4030.00
S8M-CP04-RS	Multi circuit protector, up to 16 A, 4x3.8 A per circuit (UL class 2 compliant), RS-232C communications, ideal for branching, requires power supply	457.70	EC002498	323509	4547648711364			DD	DDX	CHN	8504.4030.00
Accessory for Power Supply											
LC-R123R4PG	Battery for backup block (12 VDC)	98.50	EC002540	138717	4536853862329			DD	DDZ	CHN	8506.5090.90
S82Y-FSC015DIN	Mounting bracket, DIN-rail, 15W	3.20	EC002498	668799	4548583758049	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC050DIN	Mounting bracket, DIN-rail, 35W, 50W	3.20	EC002498	668745	4548583758063	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC150DIN	Mounting bracket, DIN-rail, 75W, 100W, 150W	3.20	EC002498	668768	4548583758070	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC350DIN	Mounting bracket, DIN-rail, 75W, 200W, 350W	3.20	EC002498	668791	4548583758087	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC-C5	Terminal Cover for upper terminal, 25W, 35W, 50W, 75W	1.06	EC002498	668749	4548583758162	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC-C5F	Terminal Cover for front terminal, 25 W, 35 W, 50 W, 75 W	1.10	EC002498	668757	4548583758209			DD	DDZ	CHN	8504.9090.00
S82Y-FSC-C5MF	Terminal Cover for front terminal, 15 W	1.06	EC002498	668744	4548583758193			DD	DDZ	CHN	8504.9090.00
S82Y-FSC-C7F	Terminal Cover for front terminal, 100 W, 150 W	1.15	EC002498	668720	4548583758216	#		DD	DDZ	CHN	8504.9090.00
Programmable Relay ZEN											
ZEN-10C1AR-A-V2	Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5 A, RTC, LCD display	249.00	EC001417	240972	4547648391047	#		DE	DEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ZEN-10C1DR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display	249.00	EC001417	240974	4547648391061			DE	DEA	CHN	8536.5080.90
ZEN-10C1DT-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x transistor outputs, RTC, LCD display	249.00	EC001417	240979	4547648391115			DE	DEA	CHN	8536.5080.90
ZEN-10C2AR-A-V2	Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5 A	209.00	EC001417	240973	4547648391054			DE	DEA	CHN	8536.5080.90
ZEN-10C2DR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A	209.00	EC001417	240975	4547648391078			DE	DEA	CHN	8536.5080.90
ZEN-10C2DT-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x transistor outputs	209.00	EC001417	240980	4547648391122			DE	DEA	CHN	8536.5080.90
ZEN-10C3AR-A-V2	Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5A, RTC, LCD display, unexpandable	195.40	EC001417	240983	4547648391160			DE	DEA	CHN	8536.5080.90
ZEN-10C3DR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10V analog inputs), 4x relay outputs 5A, RTC, LCD display, unexpandable	195.40	EC001417	240984	4547648391177			DE	DEA	CHN	8536.5080.90
ZEN-10C4AR-A-V2	Programmable relay, 24 VDC supply, 6x 100-240 VAC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display, expandable	287.10	EC001417	240987	4547648391207			DE	DEA	CHN	8536.5080.90
ZEN-10C4DR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display, expandable	287.10	EC001417	240988	4547648391214			DE	DEA	CHN	8536.5080.90
ZEN-20C1AR-A-V2	Programmable relay, 100-240 VAC supply, 12x 100-240 VAC inputs, 8x relay outputs 5 A, RTC, LCD display	322.30	EC001417	240989	4547648391221			DE	DEA	CHN	8536.5080.90
ZEN-20C1DR-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 8x relay outputs 5 A, RTC, LCD display	322.30	EC001417	240991	4547648391245			DE	DEA	CHN	8536.5080.90
ZEN-20C1DT-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 8x transistor outputs, RTC, LCD display	322.30	EC001417	240993	4547648391269			DE	DEA	CHN	8536.5080.90
ZEN-20C2DR-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 8x relay outputs 5 A	300.40	EC001417	240992	4547648391252			DE	DEA	CHN	8536.5080.90
ZEN-20C2DT-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 8x transistor outputs	300.40	EC001417	240994	4547648391276			DE	DEA	CHN	8536.5080.90
ZEN-20C3AR-A-V2	Programmable relay, 100-240 VAC supply, 12x 100-240 VAC inputs, 8x relay outputs 5A, unexpandable	287.10	EC001417	240985	4547648391184			DE	DEA	CHN	8536.5080.90
ZEN-20C3DR-D-V2	Programmable relay, 24 VDC supply, 12x 24 VDC inputs (2 of which can be 0-10V analog inputs), 8x relay outputs 5A, unexpandable	287.10	EC001417	240986	4547648391191			DE	DEA	CHN	8536.5080.90
ZEN-8E1DT	I/O expansion unit, 4 x 24 VDC inputs, 4 x transistor outputs	101.50	EC001419	240981	4547648391139			DE	DEA	CHN	8536.5080.90
Other Programmable Relay											
ZEN-8E1AR	I/O expansion unit, 4 x 100-240 VAC inputs, 4 x relay outputs 5 A	116.80	EC001419	240976	4547648391085			DE	DEX	CHN	8536.5080.90
ZEN-8E1DR	I/O expansion unit, 4 x 24 VDC inputs, 4 x relay outputs 5 A	106.50	EC001419	240977	4547648391092			DE	DEX	CHN	8536.5080.90
Accessory for Programmable Relay											
ZEN-BAT01	Battery for ZEN programmable relay	58.55	EC002584	240970	4547648391023			DE	DEZ	CHN	8506.5090.90
ZEN-CIF01	Cable, 2 m, for connecting ZEN programmable relay to a PC	137.20	EC001423	240969	4547648391016			DE	DEZ	CHN	8536.5080.90
ZEN-ME01	Memory cassette, EEPROM	54.60	EC000192	240971	4547648391030			DE	DEZ	CHN	8536.5080.90
ZEN-SOFT01-V4	Programming software for ZEN programmable relay, CD-ROM	82.60	EC000809	240995	4547648391283			DE	DEZ	JPN	8523.8090.00
Temp & Process E5C2											
E5C2-R20J 100-240VAC 0-200	Basic temperature controller, 1/16 DIN, 48 x 48 mm, Dial knob, On-Off Control, J-Thermocouple, 0-200deg., 100 to 240V AC	113.70	EC001446	378350	4548583418264			DF	DFD	CHN	9032.1080.90
E5C2-R20J 100-240VAC 0-400	Basic temperature controller, 1/16 DIN, 48 x 48 mm, Dial knob, On-Off Control, J-Thermocouple, 0-400deg., 100 to 240V AC	92.30	EC001446	378352	4548583418288			DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-1200	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, K-Thermocouple, 0-1200deg., 100-240V AC	102.90	EC001446	378343	4548583418134			DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-200	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, K-Thermocouple, 0-200deg., 100-240V AC	113.40	EC001446	378359	4548583418073			DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-400	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, K-Thermocouple, 0-400deg., 100-240V AC	114.80	EC001446	378360	4548583418097			DF	DFD	CHN	9032.1080.90
E5C2-R20K 100-240VAC 0-600	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, K-Thermocouple, 0-600deg., 100-240V AC	114.80	EC001446	378361	4548583418103			DF	DFD	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-100	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-100deg., 100-240V AC	115.10	EC001446	378363	4548583418240			DF	DFD	CHN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5C2-R20P-D 100-240VAC 0-200	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-200deg., 100-240V AC	118.90	EC001446	378364	4548583418325			DF	DFD	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC 0-300	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-300deg., 100-240V AC	114.80	EC001446	378355	4548583418332			DF	DFD	CHN	9032.1080.90
E5C2-R20P-D 100-240VAC -50-50	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, -50-50deg., 100-240V AC	118.90	EC001446	378353	4548583418295			DF	DFD	CHN	9032.1080.90
Temp. & Process Thermo Sensor											
E52-ELP4-50-2-A	Temperature sensor, Pro, smooth tube, PT100, class B, dia. 4, 50, AISI 316, pre-wired with open cable ends 2 m	30.77	EC002081	374422	4547648954815			DF	DFL	ITA	8544.4993.90
E52-ELP5-100-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia 5, 100 mm, 304SS, pre-wired with cable end shoes 2 m	24.22	EC002081	374644	4547648955591			DF	DFL	ITA	8544.4993.90
E52-ELP6-100-2-A	Temperature sensor, Pro, smooth tube, PT100, class B, dia. 6, 100, SUS 304, pre-wired with open cable ends 2 m	29.55	EC002081	374423	4547648954822			DF	DFL	ITA	8544.4993.90
E52-ELP6-50-2-A	Temperature sensor, Lite, smooth tube, PT100, 0.. +400°C, class B, dia. 6, 50 mm, 304SS, pre-wired with TTS cable end shoes 2 m	29.55	EC002081	374645	4547648955607			DF	DFL	ITA	8544.4993.90
E52-ELTJ6-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, J, dia. 6, 100 mm, 304SS, pre-wired with cable end shoes 2 m	18.38	EC002081	374412	4547648954716			DF	DFL	ITA	8544.4993.90
E52-EP3-250-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 3mm, 250mm, AISI 316, pre-wired with open cable ends 2m	86.10	EC002081	374342	4547648954013			DF	DFL	ITA	8544.4993.90
E52-EP6-100-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100mm, AISI 316, pre-wired with open cable ends 2m	35.41	EC002081	374350	4547648954099	5		DF	DFL	ITA	8544.4993.90
E52-EP6-250-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 250mm, AISI 316, pre-wired with open cable ends 2m	80.40	EC002081	374355	4547648954143			DF	DFL	ITA	8544.4993.90
E52-EP6-35-2-BG1/4G-B	Temperature sensor, Pro, bajonet mounting, PT100, class B, dia 6, 35mm, AISI 316, pre-wired with open cable ends 2m	53.50	EC002081	374352	4547648954112	10		DF	DFL	ITA	8544.4993.90
E52-ETJS1-B	Temperature sensor, Pro Plus, Surface temp, Thermocouple, J, dia 10, dia 4mm screw hole, Cu-Stg, pre-wired with open cable ends	21.44	EC002081	374348	4547648954075			DF	DFL	ITA	8544.4993.90
E52-ETK3-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, K, dia 3, 100mm, INCONEL 600, pre-wired with cable end shoes 2m	42.67	EC002081	374416	4547648954754			DF	DFL	ITA	8544.4993.90
E52-P20C-N D=8	Temp. Sensor, Enclosed terminals, Pt100 class B, -200-450deg., dia. 3.2mm, 200mm, SUS 304	221.60	EC002081	375791	4548583324510			DF	DFL	JPN	9032.1080.90
ES1B 10-70C	Infrared Thermo sensor 10 to 70°C	374.80	EC002081	171655	4547648047654	#		DF	DFL	JPN	9032.1080.90
ES1B 140-260C	Infrared Thermo sensor 140 to 260°C	385.10	EC002081	171658	4547648047685	#		DF	DFL	JPN	9032.1080.90
ES1B 60-120C	Infrared Thermo sensor 60 to 120°C	378.30	EC002081	171656	4547648047661	#		DF	DFL	JPN	9032.1080.90
ES1C-A40	Temperature sensor, non-contact infrared, M18, 0-400°C	728.50	EC002081	267944	4547648644242	#		DF	DFL	JPN	9032.1080.90
ES1-LP10-N	Infrared thermo sensor, -50-500 °C, 8/100 mm dia. field, 12-24 VDC, 4-20 mA output, no laser pointer	855.50	EC002081	683770	4549734162005			DF	DFL	JPN	9032.1080.90
Temp. & Process E5CS-V											
E5CSV-Q1T-500 100-240 VAC	Temp. controller, LITE, DIN48x48, 12 VDC pulsed output, Thermocouple and RTD(Pt100) input, 1 x Alarm OUT, 100-240V AC	164.80	EC001446	229456	4547648223201	#		DF	DFM	CHN	9032.1080.90
E5CSV-Q1TD-500 24VAC/DC	Temp. controller, LITE, DIN48x48, 12 VDC pulsed output, Thermocouple and RTD(Pt100) input, 24VAC/VDC supply, 1 x Alarm OUT, 24 VAC/DC	167.70	EC001446	229458	4547648223171	#		DF	DFM	CHN	9032.1080.90
E5CSV-R1T-500 100-240 VAC	Temp. controller, LITE, DIN48x48, SPST relay output, Thermocouple and RTD(Pt100) input, 100/240 VAC supply, 1 x Alarm OUT, 100-240V AC	165.40	EC001446	229455	4547648223195	#		DF	DFM	CHN	9032.1080.90
E5CSV-R1TD-500 24VAC/DC	Temp. controller, LITE, DIN48x48, SPST relay output, Thermocouple and RTD(Pt100) input, supply, 1 x Alarm OUT, 24VAC/VDC	168.30	EC001446	229457	4547648223218	#		DF	DFM	CHN	9032.1080.90
E5CB-Q1P 100-240 VAC	Temp. controller, LITE, 1/16DIN (48 x 48mm), 12 VDC pulsed output, Pt100, ON/OFF or PID Control, Pt100 RTD input, 1 Alarm Rel., 100-240 VAC	136.10	EC001446	352128	4548583012882			DF	DFM	CHN	9032.1080.90
E5CB-Q1PD 24VAC/DC	Temp. controller, LITE, 1/16DIN (48 x 48mm), 12 VDC pulsed output, Pt100, ON/OFF or PID Control, Pt100 RTD input, 1 Alarm Rel., 24 VAC/DC	136.10	EC001446	352130	4548583012905			DF	DFM	CHN	9032.1080.90
E5CB-Q1TC 100-240 VAC	Temp. controller, LITE, 1/16DIN (48 x 48mm), 12 VDC pulsed output, ON/OFF or PID Control, Thermocouple input, 1 Alarm Rel., 100-240 VAC	136.10	EC001446	352127	4548583012875			DF	DFM	CHN	9032.1080.90
E5CB-Q1TCD 24VAC/DC	Temp. controller, LITE, 1/16DIN (48 x 48mm), 12 VDC pulsed output, ON/OFF or PID Control, Thermocouple input, 1 Alarm Rel., 24 VAC/DC	136.10	EC001446	352129	4548583012899			DF	DFM	CHN	9032.1080.90
E5CB-R1P 100-240 VAC	Temp. controller, LITE, 1/16DIN (48 x 48mm), relay output, ON/OFF or PID Control, Pt100 RTD input, 1 Alarm Rel., 100-240 VAC	136.10	EC001446	352124	4548583012844			DF	DFM	CHN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5CB-R1PD 24VAC/DC	Temp. controller, LITE, 1/16DIN (48 x 48mm), relay output, ON/OFF or PID Control, Pt100 RTD input, 1 Alarm Rel., 24 VAC/DC	136.10	EC001446	352126	4548583012868			DF	DFM	CHN	9032.1080.90
E5CB-R1TC 100-240 VAC	Temp. controller, LITE, 1/16DIN (48 x 48mm), relay output, ON/OFF or PID Control, Thermocouple input, 1 Alarm Rel., 100-240 VAC	136.10	EC001446	352123	4548583012820			DF	DFM	CHN	9032.1080.90
E5CB-R1TDC 24VAC/DC	Temp. controller, LITE, 1/16DIN (48 x 48mm), relay output, ON/OFF or PID Control, Thermocouple input, 1 Alarm Rel., 24 VAC/DC	136.10	EC001446	352125	4548583012851			DF	DFM	CHN	9032.1080.90
Temp & Process E5AN-H											
E5AN-HAA2HBM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm,2 x OUT option,2 x Aux OUT,1 x HT Burnout SSR fail.,2 Event I/Ps,option unit,Terminal cov.,100-240V AC	485.00	EC001446	246790	4547648451826			DF	DFN	CHN	9032.1080.90
E5AN-HAA2HBMD-500 24VAC/DC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm,2 x OUT option,2 x Aux OUT,1 x HT Burnout SSR fail.,2 Event I/Ps,option unit,Terminal cov.,24V AC/DC	498.60	EC001446	246764	4547648451901			DF	DFN	CHN	9032.1080.90
E5AN-HAA2HHBFM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm,2 x OUT option,2 x Aux OUT,HT Burnout SSR Fail./3Phs.,Event I/P & Transf. OUT,option unit,Terminal cov.,100-240V AC	508.50	EC001446	246791	4547648451840			DF	DFN	CHN	9032.1080.90
E5AN-HAA3BFM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm,2 x OUT option,3 x Aux OUT,Event I/P & Transf. OUT,option unit,Terminal cov.,100-240V AC	614.50	EC001446	246760	4547648451864			DF	DFN	CHN	9032.1080.90
E5AN-HPRR2BM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm,Pos. Prop. Control,2 x Aux OUT,2 Event I/Ps,option unit,Terminal cov.,100-240V AC	525.50	EC001446	246762	4547648451888			DF	DFN	CHN	9032.1080.90
Temp & Process E5EN-H											
E5EN-HAA2HBM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,2 x OUT option,2 x Aux OUT,1 x HT Burnout SSR fail.,2 Event I/Ps,option unit,100-240V AC	530.50	EC001446	246796	4547648453424			DF	DFO	CHN	9032.1080.90
E5EN-HAA2HBMD-500 24VAC/DC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,2 x OUT option,2 x Aux OUT,1 x HT Burnout SSR fail.,2 Event I/Ps,option unit,24V AC/DC	543.00	EC001446	246782	4547648453509			DF	DFO	CHN	9032.1080.90
E5EN-HAA2HHBFM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,2 x OUT option,2 x Aux OUT,HT Burnout SSR Fail./3Phs.,Event I/P & Transf. OUT,option unit,100-240V AC	590.00	EC001446	246777	4547648453448			DF	DFO	CHN	9032.1080.90
E5EN-HPRR2BFM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,Pos. Prop. Control,2 x Aux OUT,Event I/P & Transf. OUT,option unit,100-240V AC	597.00	EC001446	246781	4547648453493			DF	DFO	CHN	9032.1080.90
E5EN-HPRR2BM-500 100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,Pos. Prop. Control,2 x Aux OUT,2 Event I/Ps,option unit,100-240V AC	575.00	EC001446	246797	4547648453486			DF	DFO	CHN	9032.1080.90
E5EN-HPRR2BMD-500 24VAC/DC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm,Pos. Prop. Control,2 x Aux OUT,2 Event I/Ps,option unit,24V AC/DC	589.50	EC001446	246788	4547648453561			DF	DFO	CHN	9032.1080.90
Temp & Process E5CN-H											
E5CN-HC2M-500 100-240 VAC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Current OUT,2 x Aux OUT,option unit,100-240V AC	382.10	EC001446	246794	4547648452724			DF	DFP	CHN	9032.1080.90
E5CN-HC2MD-500 24VAC/DC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Current OUT,2 x Aux OUT,option unit,24V AC/DC	413.00	EC001446	246774	4547648452762			DF	DFP	CHN	9032.1080.90
E5CN-HQ2M-500 100-240 VAC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Pulsed voltage OUT,2 x Aux OUT,option unit,100-240V AC	332.20	EC001446	246793	4547648452717	#		DF	DFP	CHN	9032.1080.90
E5CN-HQ2MD-500 24VAC/DC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Pulsed voltage OUT,2 x Aux OUT,option unit,24V AC/DC	332.20	EC001446	246773	4547648452755			DF	DFP	CHN	9032.1080.90
E5CN-HR2M-500 100-240 VAC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Relay Out,2 x Aux OUT,option unit,100-240V AC	332.50	EC001446	246792	4547648452700			DF	DFP	CHN	9032.1080.90
E5CN-HR2MD-500 24VAC/DC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Relay Out,2 x Aux OUT,option unit,24V AC/DC	333.90	EC001446	246795	4547648452748			DF	DFP	CHN	9032.1080.90
E5CN-HTQ2M-500 100-240 VAC	Temp. controller, PROplus, Ramp/Soak temperature controller, 1/16DIN (48x48mm), universal input (TC, RTD, Linear), SSR driver (12 VDC) output, 100-240 VAC	337.60	EC001446	352173	4548583000520			DF	DFP	CHN	9032.1080.90
E5CN-HTR2M-500 100-240 VAC	Temp. controller, PROplus, Ramp/Soak temperature controller, 1/16DIN (48 x 48 mm), universal input (TC, RTD, Linear), relay output, 100 to 240 VAC	360.90	EC001446	352172	4548583000513			DF	DFP	CHN	9032.1080.90
E5CN-HV2M-500 100-240 VAC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Linear Voltg. OUT,2 x Aux OUT,option unit,100-240V AC	413.00	EC001446	246772	4547648452731			DF	DFP	CHN	9032.1080.90
E5CN-HV2MD-500 24VAC/DC	Temp. controller, PROplus,1/16 DIN, (48 x 48)mm,1 x Linear Voltg. OUT,2 x Aux OUT,option unit,24V AC/DC	413.00	EC001446	246775	4547648452779			DF	DFP	CHN	9032.1080.90
Temp & Process E5_C series											
E5DC-CX0ASM-015	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P,1x0/4-20mA curr. OUT,No AUX,RS-485,No cov.,100-240 VAC	166.60	EC001446	377939	4548583422247			DF	DFQ	CHN	9032.1080.90
E5DC-CX2DSM-000	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P,1x0/4-20mA curr. OUT,2 AUX,No cov.,24VAC/DC	156.50	EC001446	377938	4548583422230			DF	DFQ	CHN	9032.1080.90
E5DC-CX2DSM-015	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P,1x0/4-20mA curr. OUT,2 AUX,RS-485,No cov.,24VAC/DC	181.60	EC001446	377942	4548583422278	#		DF	DFQ	CHN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5DC-QX0ASM-015	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x 12 VDC pulse OUT, No AUX, RS-485, No cov., 100-240 VAC	110.90	EC001446	377933	4548583422186			DF	DFQ	CHN	9032.1080.90
E5DC-QX0DSM-015	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x 12 VDC pulse OUT, No AUX, RS-485, No cov., 24VAC/DC	110.90	EC001446	377934	4548583422193	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2ASM-000	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x 12 VDC pulse OUT, 2 AUX, No cov., 100-240 VAC	101.60	EC001446	377929	4548583422148			DF	DFQ	CHN	9032.1080.90
E5DC-QX2ASM-002	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x 12 VDC pulse OUT, 2 AUX, RS-485, Ht. Burnout SSR fail, No cov., 100-240 VAC	141.50	EC001446	377931	4548583422162	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2ASM-017	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x 12 VDC pulse OUT, 2 AUX, EVT. I/P 1, Ht. Burnout SSR fail, No cov., 100-240 VAC	124.00	EC001446	377935	4548583422209			DF	DFQ	CHN	9032.1080.90
E5DC-QX2DSM-000	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x 12 VDC pulse OUT, 2 AUX, No cov., 24VAC/DC	101.60	EC001446	377930	4548583422155	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX2DSM-002	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x 12 VDC pulse OUT, 2 AUX, RS-485, Ht. Burnout SSR fail, No cov., 24VAC/DC	141.50	EC001446	377932	4548583422179	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX0ASM-015	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x Rel. OUT, No AUX, RS-485, No cov., 100-240 VAC	110.90	EC001446	377925	4548583422100	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX0DSM-015	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x Rel. OUT, No AUX, RS-485, No cov., 24VAC/DC	110.90	EC001446	377926	4548583422117	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-000	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x Rel. OUT, 2 AUX, No cov., 100-240 VAC	101.60	EC001446	377921	4548583422063	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-002	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x Rel. OUT, 2 AUX, RS-485, Ht. Burnout SSR fail, No cov., 100-240 VAC	141.50	EC001446	377923	4548583422087			DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-017	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x Rel. OUT, 2 AUX, EVT. I/P 1, Ht. Burnout SSR fail, No cov., 100-240 VAC	124.00	EC001446	377927	4548583422124			DF	DFQ	CHN	9032.1080.90
E5DC-RX2DSM-000	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x Rel. OUT, 2 AUX, No cov., 24VAC/DC	101.60	EC001446	377922	4548583422070			DF	DFQ	CHN	9032.1080.90
E5DC-RX2DSM-002	Temp. controller, PRO, DIN Rail 22,5mm, Uni. I/P, 1 x Rel. OUT, 2 AUX, RS-485, Ht. Burnout SSR fail, No cov., 24VAC/DC	141.50	EC001446	377924	4548583422094	#		DF	DFQ	CHN	9032.1080.90
E5DC-QX0DBM-015	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x 12 VDC pulse OUT, No AUX, RS-485, No cov., 24 VAC/DC, Push-in plus terminal	180.20	EC001446	687799	4549734493390			DF	DFQ	CHN	9032.1080.90
E5CC-CX3A5M-000	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 100-240 VAC	206.60	EC001446	689379	4549734266758	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3A5M-004	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, RS-485, 100-240 VAC	298.40	EC001446	689387	4549734266833			DF	DFQ	IDN	9032.1020.90
E5CC-CX3A5M-006	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, Transfer output, 100-240 VAC	281.90	EC001446	689383	4549734266796	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3A5M-007	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, Remote Setpoint, 100-240 VAC	265.00	EC001446	689385	4549734266819			DF	DFQ	IDN	9032.1020.90
E5CC-CX3D5M-000	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 24 VAC/DC	206.60	EC001446	689380	4549734266765	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3D5M-004	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, RS-485, 24 VAC/DC	262.90	EC001446	689388	4549734266840			DF	DFQ	IDN	9032.1020.90
E5CC-CX3D5M-005	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 4 Event input, 24 VAC/DC	235.10	EC001446	689382	4549734266789			DF	DFQ	IDN	9032.1020.90
E5CC-CX3D5M-006	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, Transfer output, 24 VAC/DC	281.90	EC001446	689384	4549734266802			DF	DFQ	IDN	9032.1020.90
E5CC-CX3D5M-007	Temperature controller, 1/16 DIN (48x48 mm), 0/4-20 mA current output, 3 AUX, 2 Event input, Remote Setpoint, 24 VAC/DC	265.00	EC001446	689386	4549734266826			DF	DFQ	IDN	9032.1020.90
E5CC-QQ3A5M-000	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 100-240 VAC	152.10	EC001446	689367	4549734266635			DF	DFQ	IDN	9032.1020.90
E5CC-QQ3D5M-000	Temperature controller, 1/16 DIN (48x48 mm), 2 x 12 VDC pulse output, 3 AUX, 24 VAC/DC	152.10	EC001446	689368	4549734266642			DF	DFQ	IDN	9032.1020.90
E5CC-QX2ASM-000	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 2 AUX, No cover, 100-240 VAC	136.90	EC001446	689400	4549734267335			DF	DFQ	IDN	9032.1020.90
E5CC-QX3A5M-000	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 100-240 VAC	140.90	EC001446	689366	4549734266512	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3A5M-001	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Heater burnout and SSR failure alarm, 100-240 VAC	169.10	EC001446	689417	4549734266536			DF	DFQ	IDN	9032.1020.90
E5CC-QX3A5M-003	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, RS-485, SSR failure detection/3-phase, 100-240 VAC	206.60	EC001446	689419	4549734266550	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3A5M-005	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 4 Event input, 100-240 VAC	169.10	EC001446	689421	4549734266574			DF	DFQ	IDN	9032.1020.90
E5CC-QX3A5M-006	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Transfer output, 100-240 VAC	197.70	EC001446	689423	4549734266598			DF	DFQ	IDN	9032.1020.90
E5CC-QX3D5M-000	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 24 VAC/DC	140.90	EC001446	689416	4549734266529	#		DF	DFQ	IDN	9032.1020.90
E5CC-QX3D5M-001	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Heater burnout and SSR failure alarm, 24 VAC/DC	169.10	EC001446	689418	4549734266543			DF	DFQ	IDN	9032.1020.90
E5CC-QX3D5M-003	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, RS-485, SSR failure detection/3-phase, 24 VAC/DC	210.90	EC001446	689420	4549734266567			DF	DFQ	IDN	9032.1020.90
E5CC-QX3D5M-005	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 4 Event input, 24 VAC/DC	169.10	EC001446	689422	4549734266581			DF	DFQ	IDN	9032.1020.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5CC-QX3D5M-006	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Transfer output, 24 VAC/DC	197.70	EC001446	689424	4549734266604			DF	DFQ	IDN	9032.1020.90
E5CC-QX3D5M-007	Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 2 Event input, Remote Setpoint, 24 VAC/DC	197.70	EC001446	689426	4549734266628			DF	DFQ	IDN	9032.1020.90
E5CC-RX2ASM-000	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 2 AUX, No cover, 100-240VAC	118.60	EC001446	689427	4549734266994			DF	DFQ	IDN	9032.1020.90
E5CC-RX3A5M-000	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 100-240 VAC	140.90	EC001446	689404	4549734266390	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3A5M-001	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 2 Event input, Heater burnout and SSR failure alarm, 100-240 VAC	169.10	EC001446	689406	4549734266413			DF	DFQ	IDN	9032.1020.90
E5CC-RX3A5M-003	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, RS-485, SSR failure detection/3-phase, 100-240 VAC	206.60	EC001446	689408	4549734266437			DF	DFQ	IDN	9032.1020.90
E5CC-RX3A5M-005	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 4 Event input, 100-240 VAC	169.10	EC001446	689410	4549734266451			DF	DFQ	IDN	9032.1020.90
E5CC-RX3A5M-006	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 2 Event input, Transfer output, 100-240 VAC	197.70	EC001446	689412	4549734266475			DF	DFQ	IDN	9032.1020.90
E5CC-RX3D5M-000	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 24 VAC/DC	140.90	EC001446	689405	4549734266406	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3D5M-001	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 2 Event input, Heater burnout and SSR failure alarm, 24 VAC/DC	169.10	EC001446	689407	4549734266420			DF	DFQ	IDN	9032.1020.90
E5CC-RX3D5M-003	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, RS-485, SSR failure detection/3-phase, 24 VAC/DC	210.90	EC001446	689409	4549734266444	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3D5M-005	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 4 Event input, 24 VAC/DC	169.10	EC001446	689411	4549734266468			DF	DFQ	IDN	9032.1020.90
E5CC-RX3D5M-006	Temperature controller, 1/16 DIN (48x48 mm), 1 Relay output, 3 AUX, 2 Event input, Transfer output, 24 VAC/DC	197.70	EC001446	689413	4549734266482	#		DF	DFQ	IDN	9032.1020.90
E5AC-CC4A5M-013	Temp. controller, PRO, 1/4 DIN (96x96mm), 2x0/4-20mA curr. OUT, 4 AUX, EVT. I/P 6, Rem. SP I/P, Transf. OUT, 100-240 VAC	480.50	EC001446	374743	4548583350397			DF	DFQ	CHN	9032.1080.90
E5AC-CX4A5M-000	Temp. controller, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog; 4 alarms; 1st out current (lin)	309.30	EC001446	374727	4548583350236	#		DF	DFQ	CHN	9032.1080.90
E5AC-CX4A5M-004	Temp. controller; 1/4 DIN (96x96 mm); t/c & Pt100 & analog; 4 alarms; 1st out current (lin); Event IP (2); RS-485; USB	372.40	EC001446	374729	4548583350250			DF	DFQ	CHN	9032.1080.90
E5AC-CX4A5M-014	Temp. controller, PRO, 1/4 DIN (96x96mm), 1x0/4-20mA curr. OUT, 4 AUX, EVT. I/P 4, RS-485, Transf. OUT, 100-240 VAC	458.40	EC001446	374735	4548583350311			DF	DFQ	CHN	9032.1080.90
E5AC-CX4D5M-000	Temp. controller, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog; 4 alarms; 1st out current (lin)	309.00	EC001446	374728	4548583350243			DF	DFQ	CHN	9032.1080.90
E5AC-PR4A5M-000	Temp. controller, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog; 4 alarms; 1st out relay; 2n out relay; PRR	362.70	EC001446	374747	4548583350434			DF	DFQ	CHN	9032.1080.90
E5AC-QX4A5M-000	Temp. controller, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog; 4 alarms; 1st out 12 VDC	222.90	EC001446	374695	4548583349919	#		DF	DFQ	CHN	9032.1080.90
E5AC-RR4A5M-000	Temperature controller, PRO; 1/4 DIN (96 x 96 mm); t/c & Pt100 & analog; 4 alarms; 1st out relay; 2nd out relay	240.30	EC001446	374703	4548583349995			DF	DFQ	CHN	9032.1080.90
E5AC-RX4A5M-000	Temp. controller, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog; 4 alarms; 1st out relay	232.00	EC001446	374687	4548583349834	#		DF	DFQ	CHN	9032.1080.90
E5AC-RX4A5M-009	Temp. controller, PRO, 1/4 DIN (96x96mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 2, RS-485, SSR fail.det./3-PH., 100-240 VAC	311.40	EC001446	374689	4548583349858			DF	DFQ	CHN	9032.1080.90
E5AC-RX4A5M-010	Temp. controller, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog; 4 alarms; 1st out relay; Event IP (4); HBA; SSR failure	273.40	EC001446	374691	4548583349872			DF	DFQ	CHN	9032.1080.90
E5AC-RX4D5M-000	Temp. controller, PRO; 1/4 DIN (96x96 mm); t/c & Pt100 & analog; 4 alarms; 1st out relay	232.00	EC001446	374688	4548583349841			DF	DFQ	CHN	9032.1080.90
E5EC-CQ4D5M-011	Temp. controller, PRO, 1/8 DIN (96x48 mm), 1x0/4-20 mA curr. OUT/1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 6, SSR fail.det./1-PH., Transf. OUT, 24 VAC/DC	311.40	EC001446	680588	4548583367180	#		DF	DFQ	CHN	9032.1080.90
E5EC-CX4A5M-000	Temp. controller, PRO, 1/8 DIN (96x48mm), 1x0/4-20mA curr. OUT, 4 AUX, 100-240 VAC	270.30	EC001446	356345	4548583091900			DF	DFQ	CHN	9032.1080.90
E5EC-CX4A5M-004	Temp. controller, PRO, 1/8 DIN (96x48mm), 1x0/4-20mA curr. OUT, 4 AUX, EVT. I/P 2, RS-485, 100-240 VAC	331.30	EC001446	356347	4548583091924			DF	DFQ	CHN	9032.1080.90
E5EC-CX4D5M-000	Temp. controller, PRO, 1/8 DIN (96x48mm), 1x0/4-20mA curr. OUT, 4 AUX, 24VAC/DC	270.30	EC001446	356346	4548583091917			DF	DFQ	CHN	9032.1080.90
E5EC-PR4A5M-000	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x Valve OUT + Pot, 4 AUX, 100-240 VAC	334.20	EC001446	374773	4548583351073			DF	DFQ	CHN	9032.1080.90
E5EC-PR4A5M-004	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x Valve OUT + Pot, 4 AUX, EVT. I/P 2, RS-485, 100-240 VAC	375.80	EC001446	374774	4548583351080			DF	DFQ	CHN	9032.1080.90
E5EC-PR4A5M-014	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x Valve OUT + Pot, 4 AUX, EVT. I/P 4, RS-485, Transf. OUT, 100-240 VAC	477.20	EC001446	374775	4548583351097			DF	DFQ	CHN	9032.1080.90
E5EC-QR4A5M-000	Temperature controller, PRO, 1/8 DIN (96 x 48 mm), 1 x 12 VDC pulse/1 x Rel. OUT, 4 AUX, 100 to 240 VAC	204.80	EC001446	356337	4548583091825	#		DF	DFQ	CHN	9032.1080.90
E5EC-QX4A5M-000	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC pulse OUT, 4 AUX, 100-240 VAC	188.00	EC001446	356313	4548583091580	#		DF	DFQ	CHN	9032.1080.90
E5EC-QX4A5M-009	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 2, RS-485, SSR fail.det./3-PH., 100-240 VAC	234.40	EC001446	356315	4548583091603			DF	DFQ	CHN	9032.1080.90
E5EC-QX4A5M-010	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 4, Ht. Burnout SSR fail., 100-240 VAC	234.20	EC001446	356317	4548583091627			DF	DFQ	CHN	9032.1080.90
E5EC-QX4D5M-000	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC pulse OUT, 4 AUX, 24VAC/DC	188.00	EC001446	356314	4548583091597			DF	DFQ	CHN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5EC-QX4D5M-009	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC pulse OUT, 4 AUX, EVT. I/P 2; RS-485, SSR fail.det./3-PH., 24VAC/DC	249.40	EC001446	356316	4548583091610			DF	DFQ	CHN	9032.1080.90
E5EC-RR4A5M-000	Temp. controller, PRO, 1/8 DIN (96x48mm), 2 x Rel. OUT, 4 AUX, 100-240 VAC	204.80	EC001446	356321	4548583091665			DF	DFQ	CHN	9032.1080.90
E5EC-RX4A5M-000	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x Rel. OUT, 4 AUX, 100-240 VAC	197.70	EC001446	356305	4548583091504	#		DF	DFQ	CHN	9032.1080.90
E5EC-RX4A5M-010	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 4, Ht. Burnout SSR fail., 100-240 VAC	236.60	EC001446	356309	4548583091542			DF	DFQ	CHN	9032.1080.90
E5EC-RX4D5M-000	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x Rel. OUT, 4 AUX, 24VAC/DC	197.70	EC001446	356306	4548583091511			DF	DFQ	CHN	9032.1080.90
E5EC-RX4D5M-010	Temp. controller, PRO, 1/8 DIN (96x48mm), 1 x Rel. OUT, 4 AUX, EVT. I/P 4, Ht. Burnout SSR fail., 24VAC/DC	236.60	EC001446	356310	4548583091559			DF	DFQ	CHN	9032.1080.90
E5GC-CX1ACM-000	Temp. controller PRO, 1/32 DIN (24x48mm), screwless terminals, 1 AUX, 1x0/4-20mA curr. OUT, 100-240 VAC	224.10	EC001446	392142	4548583505469			DF	DFQ	CHN	9032.1080.90
E5GC-QX1A6M-000	Temp. controller PRO, 1/32 DIN (24x48mm), screw terminals, 1 AUX, 1 x 12 VDC pulse OUT, 100-240 VAC	184.00	EC001446	392093	4548583505124			DF	DFQ	CHN	9032.1080.90
E5GC-QX1ACM-000	Temp. controller PRO, 1/32 DIN (24x48mm), screwless terminals, 1 AUX, 1 x 12 VDC pulse OUT, 100-240 VAC	188.40	EC001446	392095	4548583505148			DF	DFQ	CHN	9032.1080.90
E5GC-QX1DCM-000	Temp. controller PRO, 1/32 DIN (24x48mm), screwless terminals, 1 AUX, 1 x 12 VDC pulse OUT, 24V AC/DC	188.40	EC001446	392103	4548583505155			DF	DFQ	CHN	9032.1080.90
E5GC-QX2ACM-000	Temp. controller PRO, 1/32 DIN (24x48mm), screwless terminals, 2 AUX, 1 x 12 VDC pulse OUT, 100-240 VAC	204.60	EC001446	392127	4548583505186			DF	DFQ	CHN	9032.1080.90
E5GC-QX2DCM-000	Temp. controller PRO, 1/32 DIN (24x48mm), screwless terminals, 2 AUX, 1 x 12 VDC pulse OUT, 24V AC/DC	204.60	EC001446	392128	4548583505193			DF	DFQ	CHN	9032.1080.90
E5GC-RX1ACM-000	Temp. controller PRO, 1/32 DIN (24x48mm), screwless terminals, 1 AUX, 1 x relay OUT, 100-240 VAC	179.20	EC001446	392088	4548583504820			DF	DFQ	CHN	9032.1080.90
E5GC-RX1DCM-000	Temp. controller PRO, 1/32 DIN (24x48mm), screwless terminals, 1 AUX, 1 x relay OUT, 24V AC/DC	173.40	EC001446	392102	4548583504837			DF	DFQ	CHN	9032.1080.90
E5CC-QX2AUM-000	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), Plugin-type, 2 AUX, 1 x 12 VDC pulse OUT, 100 to 240 VAC	138.10	EC001446	386704	4548583466678			DF	DFQ	CHN	9032.1080.90
E5CC-RW2AUM-000	Ent. Universal 2 Alarmes Saída Relé 100-240Vac 48x48	119.50	EC001446	386699	4548583466616			DF	DFQ	CHN	9032.1080.90
E5CC-RW2DUM-000	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), Plugin-type, 2 AUX, SPDT Rel., 24V AC/DC	126.70	EC001446	386700	4548583466623			DF	DFQ	CHN	9032.1080.90
E5CC-QX2ABM-000	Temperature controller, 1/16DIN (48 x 48mm), 12 VDC pulse output, 2 x auxiliary relay outputs, universal input type, 100-240 VAC	146.20	EC001446	669546	4548583762343	#		DF	DFQ	CHN	9032.1080.90
E5CC-QX2ABM-001	Temperature controller, 1/16DIN (48 x 48mm), 12 VDC pulse output, 2 x auxiliary relay outputs, universal input type, 1 x Heater burnout detection, 2 x Event input, 100-240 VAC	173.10	EC001446	669542	4548583762367			DF	DFQ	CHN	9032.1080.90
E5CC-QX2ABM-004	Temperature controller, 1/16DIN (48 x 48mm), 12 VDC pulse output, 2 x auxiliary relay outputs, universal input type, 2 x Event input, RS485 communications, 100-240 VAC	201.30	EC001446	669575	4548583762404			DF	DFQ	CHN	9032.1080.90
E5CC-QX2DBM-000	Temperature controller, 1/16DIN (48 x 48mm), 12 VDC pulse output, 2 x auxiliary relay outputs, universal input type, 24 V AC/DC	146.20	EC001446	669543	4548583762350	#		DF	DFQ	CHN	9032.1080.90
E5CC-QX2DBM-004	Temperature controller, 1/16DIN (48 x 48mm), 12 VDC pulse output, 2 x auxiliary relay outputs, universal input type, 2 x Event input, RS485 communications, 24 V AC/DC	201.30	EC001446	669550	4548583762411			DF	DFQ	CHN	9032.1080.90
E5CC-RX2ABM-000	Temperature controller, 1/16DIN (48 x 48mm), 1 x relay output, 2 x auxiliary relay outputs, universal input type, 100-240 VAC	146.20	EC001446	669534	4548583762244	#		DF	DFQ	CHN	9032.1080.90
E5CC-RX2DBM-000	Temperature controller, 1/16DIN (48 x 48mm), 1 x relay output, 2 x auxiliary relay outputs, universal input type, 24 V AC/DC	146.20	EC001446	669552	4548583762251	#		DF	DFQ	CHN	9032.1080.90
E5EC-QX2DBM-010	Temperature controller, 1/8DIN (48 x 96mm), 12 VDC pulse output, 2 x auxiliary relay outputs, universal input type, 1 x Heater burnout detection, 4 x Event input, 24 V AC/DC	237.90	EC001446	669579	4548583762695			DF	DFQ	CHN	9032.1080.90
E5EC-QX4ABM-008	Temperature controller, 1/8DIN (48 x 96mm), 12 VDC pulse output, 4 x auxiliary relay outputs, universal input type, 1 x Heater burnout detection, 2 x Event input, RS485 communications, 100-240 VAC	165.90	EC001446	669582	4548583762749			DF	DFQ	CHN	9032.1080.90
E5EC-QX4DBM-000	Temperature controller, 1/8DIN (48 x 96mm), 12 VDC pulse output, 4 x auxiliary relay outputs, universal input type, 24 V AC/DC	136.60	EC001446	669563	4548583762732			DF	DFQ	CHN	9032.1080.90
E5EC-RX2ABM-000	Temperature controller, 1/8DIN (48 x 96mm), 1 x relay output, 2 x auxiliary relay outputs, universal input type, 100-240 VAC	199.50	EC001446	669537	4548583762480			DF	DFQ	CHN	9032.1080.90
E5EC-RX4ABM-000	Temperature controller, 1/8DIN (48 x 96mm), 1 x relay output, 4 x auxiliary relay outputs, universal input type, 100-240 VAC	202.20	EC001446	669584	4548583762565			DF	DFQ	CHN	9032.1080.90
E5AC-TQX4A5M-008	Temp. controller, PRO, 1/4 DIN (96x96 mm), PRO, gr., 4 AUX, 1 x 12 VDC pulse OUT, 2x EVT. I/P, Ht. Burnout SSR fail., RS-485, 100 to 240 VAC	291.70	EC001446	385188	4548583470774			DF	DFQ	CHN	9032.1080.90
E5CC-TQX3A5M-000	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), Progr., 3 AUX, 1 x 12 VDC pulse OUT, 100 to 240 VAC	172.20	EC001446	385252	4548583473010			DF	DFQ	CHN	9032.1080.90
E5CC-TQX3A5M-003	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), Progr., 3 AUX, 1 x 12 VDC pulse OUT, SSR fail.det./3-PH., RS-485, 100 to 240 VAC	213.60	EC001446	385256	4548583473058			DF	DFQ	CHN	9032.1080.90
E5CC-TRX3A5M-000	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), Progr., 3 AUX, 1 x Relay OUT, 100 to 240 VAC	172.20	EC001446	385242	4548583472914			DF	DFQ	CHN	9032.1080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5EC-TPR4A5M-004	Temp. controller, PRO, 1/8 DIN (96 x 48 mm), Progr., 1 x Valve OUT + Pot, 4 AUX, 2x EVT. I/P, RS-485, 100 to 240 VAC	228.10	EC001446	687717	4548583475540			DF	DFQ	CHN	9032.1080.90
E5_D series											
E5CD-CX2DBM-004	Temperature controller, PRO, 1/16 DIN (48 x 48 mm), 1x0/4-20mA curr, 2 AUX, RS-485,EVT. I/P 2, 24 VAC/DC	305.50	EC001446	680126	4549734148030			DF	DFR	CHN	9032.1080.90
E5CD-QX2ABM-002	Temperature controller, PRO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, RS-485, Ht. Burnout SSR fail., 100 to 240 VAC	261.70	EC001446	680110	4549734147958			DF	DFR	CHN	9032.1080.90
E5CD-QX2A6M-000	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX, 100 to 240 VAC	164.80	EC001446	676834	4549734126267			DF	DFR	CHN	9032.1080.90
E5CD-QX2D6M-000	Temp. controller, PRO, 1/16 DIN (48 x 48 mm), 1 x 12 VDC pulse OUT, 2 AUX,24 VAC/DC	164.80	EC001446	676837	4549734126298			DF	DFR	CHN	9032.1080.90
Accessory for Temp & Process											
E53-C3	Output unit for E5A/E J/K, linear 4-20mA, 600 Ohm, 12-bit	83.45	EC002586	129680	4536853362560			DF	DFZ	JPN	9032.1080.90
E53-C3N	Output unit for E5A/EN-H, 4-20 mA linear output	74.65	EC002586	246554	4547648476881			DF	DFZ	JPN	9032.1080.90
E53-Q4	Output unit for E5A/E J/K, 20mA, 24VDC, PNP	23.97	EC002586	142183	4536853362553			DF	DFZ	JPN	9032.1080.90
E53-R	Output unit for E5A/E J/K/X, SPST-NO, 5A relay	11.20	EC002586	129678	4536853362508			DF	DFZ	JPN	9032.1080.90
E53-RN	Output unit for E5A/EN-H, relay output	11.71	EC002586	246558	4547648488488			DF	DFZ	JPN	9032.1080.90
E53-V34	Output unit for E5A/E J/K, linear 0-10VDC, 12-bit	105.40	EC002586	148624	4536853362614			DF	DFZ	JPN	9032.1080.90
E53-V34N	Output unit for E5A/EN-H, 0-10 V linear output	74.95	EC002586	246556	4547648476904			DF	DFZ	JPN	9032.1080.90
E53-AKB	option unit for E5AK/EK/EN, event input, 2 points	91.40	EC002586	129693	4536853362850			DF	DFZ	JPN	9032.1080.90
E53-CNBN2	E5CN-H option board- Event inputs, **only compatible with new E5CN-H models**	31.56	EC002586	243808	4547648463478			DF	DFZ	CHN	9032.1080.90
E53-CN01N2	E5CN-H option board- RS-232C communications, **only compatible with new E5CN-H models**	66.70	EC002586	243821	4547648463607			DF	DFZ	CHN	9032.1080.90
E53-CN03N2	E5CN-H option board- RS-485 communications, **only compatible with new E5CN-H models**	66.45	EC002586	243809	4547648463485			DF	DFZ	CHN	9032.1080.90
E53-EN03	Communication unit for E5AK/EK/AN/EN, RS-485	94.45	EC002586	182424	4547648142410	#		DF	DFZ	JPN	9032.1080.90
E53-COV17	Terminal cover	5.92	EC002586	243805	4547648476072			DF	DFZ	CHN	8536.4900.99
E53-CN8FN2	E5CN-H plug-in option card, event input & transfer output	161.30	EC002586	243819	4547648463584			DF	DFZ	CHN	9032.1080.90
E5T2-2C-MV4	CX-Thermo, direct 1 to 1 connecting software (1 to several if same TC type), for programming and monitoring E5_N (version 5 & 6), E5ZN and CelciuX (EJ1)	144.10	EC000809	242527	4547648504447			DF	DFZ	JPN	9032.1080.90
E54-CT1	Current transformer for heater burnout detection (5.8mm dia)	30.90	EC002048	103241	4536853363079	#		DF	DFZ	JPN	9032.1080.90
E54-CT3	Current transformer for heater burnout detection (12mm dia)	55.30	EC002048	129612	4536853363086	#		DF	DFZ	JPN	9032.1080.90
E53-COV19	E5CB Terminal cover	13.91	EC002586	353953	4547648841894			DF	DFZ	CHN	3926.9097.90
E58-CIFQ1	E5CN accessory, quick link programming cable for the E5_N and CelciuX (EJ1) range, allows direct connection without requirement for communications card. USB connection to PC/Laptop and special connector for controller, Includes USB driver	366.30	EC000310	176286	4547648103459	#		DF	DFZ	JPN	9032.1080.90
E58-CIFQ2	E5CB & E5CC and E5EC* accessory, quick link programming cable, allows direct USB connection without requirement for communications card or power supply. Also the display will be powered (CX-Thermo v4.4 is needed). *For E5EC front connection.	324.00	EC000310	353471	4548583020627	#		DF	DFZ	JPN	9032.1080.90
E58-CIFQ2-E	Quick link front adapter for E5EC	107.70	EC000310	356821	4548583097667			DF	DFZ	CHN	9032.9000.90
Y92F-45	Panel adaptor, 48 x 48 device into 67 x 67 hole	39.18	EC002586	104661	4536854618567			DF	DFZ	JPN	9032.1080.90
Y92F-52	DIN mounting adapter for E5CC	16.59	EC002586	372111	4548583318373	#		DF	DFZ	CHN	9032.1080.90
Timer H3CR											
H3CR-A-301 100-240AC/100-125DC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), multifunction, 0.1s-600h, DPDT, 5 A	56.05	EC001439	667945	4548583553361			DG	DGB	IDN	8536.4900.99
H3CR-A-301 AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), multifunction, 0.1s-600h, DPDT, 5 A	56.05	EC001439	667930	4548583553378			DG	DGB	IDN	8536.4900.99
H3CR-A8-301 100-240AC/DC100DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.1s-600h, DPDT, 5 A	56.05	EC001439	667939	4548583553385			DG	DGB	IDN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3CR-A8 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	56.05	EC001439	667944	4548583553316	#		DG	DGB	IDN	8536.4900.99
H3CR-A8 AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	56.05	EC001439	667924	4548583553323	#		DG	DGB	IDN	8536.4900.99
H3CR-A8E 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	69.95	EC001439	667916	4548583553330	#		DG	DGB	IDN	8536.4900.99
H3CR-A8E 24-48VAC/DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	72.95	EC001439	667957	4548583553347	#		DG	DGB	IDN	8536.4900.99
H3CR-A8S AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, transistor output, 5 A	59.10	EC001439	667943	4548583553354	#		DG	DGB	IDN	8536.4900.99
H3CR-A 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, DIN 48 x 48 mm, multifunction, 0.05 s-300 h, DPDT, 5 A, 100 to 240 VAC, 100-125VDC	57.35	EC001439	667919	4548583553262	#		DG	DGB	IDN	8536.4900.99
H3CR-A AC24-48/DC12-48	Timer, plug-in, 11-pin, DIN 48 x 48 mm, multifunction, 0.05 s-300 h, DPDT, 5 A, 24-48VAC, 12-48VDC	57.35	EC001439	667959	4548583553279	#		DG	DGB	IDN	8536.4900.99
H3CR-AP 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A	67.85	EC001439	667928	4548583553286	#		DG	DGB	IDN	8536.4900.99
H3CR-AP AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A	59.50	EC001439	667907	4548583553293	#		DG	DGB	IDN	8536.4900.99
H3CR-AS AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), voltage input, multifunction, 0.05s-300h, Transistor output (NPN/PNP universal)	54.35	EC001439	667962	4548583553309	#		DG	DGB	IDN	8536.4900.99
H3CR-F8 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker OFF start, 0.05s-300h, DPDT, 5A, 100 to 240 VAC, 100-125VDC	89.45	EC001439	667955	4548583552807	#		DG	DGB	IDN	8536.4900.99
H3CR-F8 24-48VAC/12-48VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker OFF start, 0.05s-300h, DPDT, 5A, 24-48VAC, 12-48VDC	89.45	EC001439	667922	4548583552814	#		DG	DGB	IDN	8536.4900.99
H3CR-F8N 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100 to 240 VAC, 100-125VDC	89.10	EC001439	667913	4548583552821	#		DG	DGB	IDN	8536.4900.99
H3CR-F8N AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 24-48VAC, 12-48VDC	62.50	EC001439	667950	4548583552838	#		DG	DGB	IDN	8536.4900.99
H3CR-F 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker OFF start, 0.05s-300h, DPDT, 5A, 100 to 240 VAC, 100-125VDC	91.50	EC001439	667935	4548583552845	#		DG	DGB	IDN	8536.4900.99
H3CR-F AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker OFF start, 0.05s-300h, DPDT, 5A, 24-48VAC, 12-48VDC	90.45	EC001439	667910	4548583552852	#		DG	DGB	IDN	8536.4900.99
H3CR-FN 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48 mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100 to 240 VAC, 100-125VDC	91.50	EC001439	667915	4548583552869	#		DG	DGB	IDN	8536.4900.99
H3CR-G8EL 100-120VAC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), star-delta-delay, 0.5-120s, SPST-NO instantaneous, SPST-NO time-limit, 5 A, 100-120 VAC	96.60	EC001439	667941	4548583552906	#		DG	DGB	IDN	8536.4900.99
H3CR-G8EL AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), star-delta-delay, 0.5-120s, SPST-NO instantaneous, SPST-NO time-limit, 5 A, 200-240 VAC	91.80	EC001439	667958	4548583552913	#		DG	DGB	IDN	8536.4900.99
H3CR-G8L AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), star-delta-delay, 0.5-120s, DPST-NO, 5 A, 200-240 VAC	83.70	EC001439	667923	4548583552890	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 100-120VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12 m, DPDT, 5 A	99.90	EC001439	667931	4548583552968	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 100-120VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12s, DPDT, 5 A	85.80	EC001439	667933	4548583553019	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 200-240VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12 m, DPDT, 5 A	84.35	EC001439	667908	4548583552975	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 200-240VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	84.35	EC001439	667921	4548583553026	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 24VAC/DC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12 m, DPDT, 5 A	87.15	EC001439	667946	4548583552982	#		DG	DGB	IDN	8536.4900.99
H3CR-H8L 24VAC/DC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48 mm), power off-delay, 0.05-12s, DPDT, 5 A	82.65	EC001439	667952	4548583553033	#		DG	DGB	IDN	8536.4900.99

Timer H3DK

H3DK-F 24-240VAC/DC	Timer, DIN rail mounting, 22.5mm, twin on & off-delay, 0.1s-12h, SPDT, 5 A, 24-240 VAC/D	63.25	EC001439	668599	4548583745001	#		DG	DGD	IDN	9107.0000.90
H3DK-FA DC12	Timer, DIN rail mounting, 22.5mm, twin on & off-delay, 0.1s-12h, SPDT, 5 A, 12 VDC	63.25	EC001439	668586	4548583745124	#		DG	DGD	IDN	9107.0000.90
H3DK-G 24-240VAC/DC	Timer, DIN rail mounting, 22.5mm, star-delta-delay, 1-120s, DPDT, 5 A, 24-240 VAC/DC	63.25	EC001439	668604	4548583745018	#		DG	DGD	IDN	9107.0000.90
H3DK-GE 240-440VAC	Timer, DIN rail mounting, 22.5mm, star-delta-delay, 1-120s, DPDT, 5 A, 240-440 VAC	63.25	EC001439	352023	4548583002418	#		DG	DGD	CHN	9107.0000.90
H3DK-HBL 24-48VAC/DC	Timer, DIN rail mounting, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 24 VAC/DC	63.25	EC001439	668624	4548583745025	#		DG	DGD	IDN	9107.0000.90
H3DK-HBS 24-48VAC/DC	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 24 VAC/DC	63.25	EC001439	668618	4548583745032	#		DG	DGD	IDN	9107.0000.90
H3DK-HCL 100-120VAC	Timer, DIN rail mounting, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 100-120 VAC	63.25	EC001439	668602	4548583745049	#		DG	DGD	IDN	9107.0000.90
H3DK-HCS 100-120VAC	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 100-120 VAC	63.25	EC001439	668587	4548583745056	#		DG	DGD	IDN	9107.0000.90
H3DK-HDL AC200-240V	Timer, DIN rail mounting, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 200-230 VAC	63.25	EC001439	668644	4548583745063	#		DG	DGD	IDN	9107.0000.90
H3DK-HDS AC200-240V	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 200-240 VAC	63.25	EC001439	668617	4548583745070	#		DG	DGD	IDN	9107.0000.90
H3DK-M1 24-240VAC/DC	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 1 output relay, 24 to 240 VAC/DC	45.80	EC001439	668642	4548583744967	#		DG	DGD	IDN	9107.0000.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3DK-M1A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 1 output relay, 12 VDC	45.80	EC001439	668610	4548583745087			DG	DGD	IDN	9107.0000.90
H3DK-M2 24-240VAC/DC	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 2 output relays, 24 to 240 VAC/DC	45.80	EC001439	668641	4548583744974	#		DG	DGD	IDN	9107.0000.90
H3DK-M2A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 2 output relays, 12 VDC	48.34	EC001439	668594	4548583745094			DG	DGD	IDN	9107.0000.90
H3DK-S1 24-240VAC/DC	Timer, DIN-rail mounting, multi range, multi mode timer, 4 modes, 1 output relay, 24 to 240 VAC/DC	31.73	EC001439	668605	4548583744981	#		DG	DGD	IDN	9107.0000.90
H3DK-S1A DC12	Timer, DIN rail mounting, 22.5 mm, on/flicker-on/interval/one-shot-delay, 0.1s-1200h, SPDT, 5 A, 12 VDC	31.73	EC001439	668629	4548583745100			DG	DGD	IDN	9107.0000.90
H3DK-S2 24-240VAC/DC	Timer, DIN-rail mounting, multi range, multi mode timer, 4 modes, 2 output relays, 24 to 240 VAC/DC	36.74	EC001439	668622	4548583744998	#		DG	DGD	IDN	9107.0000.90
Timer H3DS											
H3DS-AL AC/DC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings, no-input available, A single operating mode, screw terminal type	40.74	EC001439	670944	4548583753006	#		DG	DGE	IDN	8536.4900.99
H3DS-ALC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 h, SPDT, 5 A, lockable settings, screwless terminals, no-input available, A single operating mode	39.04	EC001439	670938	4548583752948			DG	DGE	IDN	8536.4900.99
H3DS-FL	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, twin on & off-delay, 0.1 s-12 h, SPDT, 5 A, lockable settings, screw terminal type	66.10	EC001439	670935	4548583752917			DG	DGE	IDN	9107.0000.90
H3DS-FLC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, twin on & off-delay, 0.1 s-12 h, SPDT, 5 A, lockable settings, screwless terminals	73.90	EC001439	670940	4548583752979			DG	DGE	IDN	9107.0000.90
H3DS-GL	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, star-delta-delay, 1-120 s, DPST-NO, 5 A, lockable settings, screw terminal type	66.10	EC001439	670937	4548583752931	#		DG	DGE	IDN	8536.4900.99
H3DS-ML AC/DC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, multifunction, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings	50.30	EC001439	670946	4548583753020	#		DG	DGE	IDN	8536.4900.99
H3DS-MLC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, multifunction, 0.1 s-120 h, SPDT, 5 A, lockable settings, screwless terminals	46.57	EC001439	670941	4548583752962	#		DG	DGE	IDN	8536.4900.99
H3DS-SL AC/DC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on/flicker-on/interval/one-shot-delay, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings	46.26	EC001439	670945	4548583753013			DG	DGE	IDN	8536.4900.99
H3DS-XL	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/VDC, on-delay, 0.1 s-120 h, SCR output 0.7 A, 2-wire in-line load connection, lockable settings	34.95	EC001439	670936	4548583752924			DG	DGE	IDN	8536.4900.99
Timer H3Y											
H3Y-2 AC200-230 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	55.55	EC001439	671634	4548583753068			DG	DGG	IDN	8536.4900.99
H3Y-2 AC200-230 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	50.90	EC001439	671567	4548583753075		10	DG	DGG	IDN	8536.4900.99
H3Y-2 AC200-230 5S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 5 Seconds, Surface/DIN-track mounting (with socket)	49.40	EC001439	671596	4548583753051			DG	DGG	IDN	8536.4900.99
H3Y-2 AC200-230 60S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 60 Seconds, Surface/DIN-track mounting (with socket)	49.62	EC001439	671614	4548583753082			DG	DGG	IDN	8536.4900.99
H3Y-2 AC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.5 - 10 Seconds	43.90	EC001439	184690	4547648114226			DG	DGG	CHN	8536.4900.99
H3Y-2 DC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	45.54	EC001439	671620	4548583753587		10	DG	DGG	IDN	8536.4900.99
H3Y-2 DC24 5S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 5 Seconds, Surface/DIN-track mounting (with socket)	44.44	EC001439	671689	4548583753570		10	DG	DGG	IDN	8536.4900.99
H3Y-4 AC200-230 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 200-230 VAC Supply voltage, 10 Second, Surface/DIN-track mounting (with socket)	46.01	EC001439	671675	4548583754294		10	DG	DGG	IDN	8536.4900.99
H3Y-4 AC200-230 60S	Timer, plug-in, 14-pin, on-delay, 4PDT, 200-230 VAC Supply voltage, 60 Second, Surface/DIN-track mounting (with socket)	55.20	EC001439	671566	4548583754317		10	DG	DGG	IDN	8536.4900.99
H3Y-4 DC24 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	71.25	EC001439	671578	4548583754812		10	DG	DGG	IDN	8536.4900.99
H3Y-4 DC24 30S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	49.25	EC001439	671655	4548583754829		10	DG	DGG	IDN	8536.4900.99
H3YN-21 100-120VAC	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 100-120 VAC supply voltage	52.10	EC001439	671570	4548583755383		10	DG	DGG	IDN	8536.4900.99
H3YN-21 AC200-230	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 200-230 VAC supply voltage	58.05	EC001439	671683	4548583755376		10	DG	DGG	IDN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3YN-21 AC24	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 24 VAC supply voltage	59.10	EC001439	671630	4548583755390		10	DG	DGG	IDN	8536.4900.99
H3YN-21-B AC200-230	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 200-230 VAC Supply, Black, Top coil side	59.15	EC001439	669600	4548583780934			DG	DGG	CHN	8536.4900.99
H3YN-21-B DC24	Timer, plug-in, 8-pin, multifunction, 0.1m-10h, DPDT, 5 A, 24 VDC Supply, Black, Top coil side	52.80	EC001439	669612	4548583780965			DG	DGG	CHN	8536.4900.99
H3YN-21 DC12	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 12 VDC supply voltage	54.10	EC001439	671617	4548583755444		10	DG	DGG	IDN	8536.4900.99
H3YN-21 DC24	Timer, plug-in, 8-pin, multifunction, 0.1min to 10h long time range model, DPDT, 24 VDC supply voltage	52.10	EC001439	671651	4548583755437		10	DG	DGG	IDN	8536.4900.99
H3YN-2 100-120VAC	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 100-120 VAC supply voltage	48.03	EC001439	671716	4548583755307		10	DG	DGG	IDN	8536.4900.99
H3YN-2 AC200-230	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 200-230 VAC supply voltage	49.15	EC001439	671573	4548583755291	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2 AC24	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 24 VAC supply voltage	46.30	EC001439	671718	4548583755314	#	10	DG	DGG	IDN	8536.4900.99
H3YN-2-B 100-120VAC	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 100-120 VAC Supply, Black, Top coil side	57.20	EC001439	669602	4548583780842			DG	DGG	CHN	8536.4900.99
H3YN-2-B AC200-230	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 200-230 VAC Supply, Black, Top coil side	59.15	EC001439	669619	4548583780859	#	10	DG	DGG	CHN	8536.4900.99
H3YN-2-B AC24	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 24 VAC Supply, Black, Top coil side	54.60	EC001439	669606	4548583780866			DG	DGG	CHN	8536.4900.99
H3YN-2-B DC24	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, DPDT, 5 A, 24 VDC Supply, Black, Top coil side	52.80	EC001439	669626	4548583780880	#	10	DG	DGG	CHN	8536.4900.99
H3YN-2 DC12	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 12 VDC supply voltage	45.01	EC001439	671626	4548583755369		10	DG	DGG	IDN	8536.4900.99
H3YN-2 DC24	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m short-time range model, DPDT, 24 VDC supply voltage	44.82	EC001439	671562	4548583755352	#	10	DG	DGG	IDN	8536.4900.99
H3YN-41 100-120VAC	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT, 100-120 VAC supply voltage	52.55	EC001439	671595	4548583755543		10	DG	DGG	IDN	8536.4900.99
H3YN-41 AC200-230	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT, 200-230 VAC supply voltage	57.90	EC001439	671602	4548583755536		10	DG	DGG	IDN	8536.4900.99
H3YN-41 DC24	Timer, plug-in, 14-pin, multifunction, 0.1m to 10h long time range model, 4PDT, 24 VDC supply voltage	59.30	EC001439	671660	4548583755598		10	DG	DGG	IDN	8536.4900.99
H3YN-4 100-120VAC	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 100-120 VAC supply voltage	52.55	EC001439	671690	4548583755468		10	DG	DGG	IDN	8536.4900.99
H3YN-4 AC200-230	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 200-230 VAC supply voltage	53.75	EC001439	671591	4548583755451	#	10	DG	DGG	IDN	8536.4900.99
H3YN-4 AC24	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 24 VAC supply voltage	50.80	EC001439	671644	4548583755475		10	DG	DGG	IDN	8536.4900.99
H3YN-4-B AC200-230	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 200-230 VAC Supply, Black, Top coil side	63.50	EC001439	669624	4548583781016			DG	DGG	CHN	8536.4900.99
H3YN-4-B DC24	Timer, plug-in, 14-pin, multifunction, 0.1s-10m, 4PDT, 3 A, 24 VDC Supply, Black, Top coil side	56.90	EC001439	669615	4548583781047	#		DG	DGG	CHN	8536.4900.99
H3YN-4 DC24	Timer, plug-in, 14-pin, multifunction, 0.1s to 10 min short time range model, 4PDT, 24 VDC supply voltage	49.35	EC001439	671695	4548583755512	#	10	DG	DGG	IDN	8536.4900.99
Timer H5CX											
H5CX-A11D-N	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	211.20	EC001439	668627	4548583745247			DG	DGH	IDN	8536.4900.99
H5CX-A11-N	Timer, plug-in, 11-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5A relay output, 100-240 VAC supply	211.20	EC001439	668597	4548583745223			DG	DGH	IDN	8536.4900.99
H5CX-A11SD-N	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, 100mA 30 VDC NPN transistor output, 12-24 VDC/24 VAC supply	211.40	EC001439	668603	4548583745254			DG	DGH	IDN	8536.4900.99
H5CX-AD-N	Timer, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply, includes color change display function	184.60	EC001439	668625	4548583745162	#		DG	DGH	IDN	8536.4900.99
H5CX-A-N	Timer, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 100-240 VAC supply, includes color change display function	222.20	EC001439	668585	4548583745148	#		DG	DGH	IDN	8536.4900.99
H5CX-ASD-N	Timer, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, 100mA 30VDC NPN transistor output, 12-24VDC supply, includes color change display function	184.60	EC001439	668609	4548583745179			DG	DGH	IDN	8536.4900.99
H5CX-AS-N	Timer, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, transistor output, 100-240 VAC supply, includes color change display function	209.80	EC001439	668592	4548583745155			DG	DGH	IDN	8536.4900.99
H5CX-L8D-N	Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	177.70	EC001439	668620	4548583745209	#		DG	DGH	IDN	8536.4900.99
H5CX-L8ED-N	Timer, plug-in, 8-pin, DIN 48x48 mm, economy model, Contact output (time-limit SPDT + instantaneous SPDT), None NPN inputs, 12-24 VDC/24 VAC supply	233.80	EC001439	668593	4548583745285			DG	DGH	IDN	8536.5080.90
H5CX-L8E-N	Timer, plug-in, 8-pin, DIN 48x48 mm, economy model, Contact output (time-limit SPDT + instantaneous SPDT), None NPN inputs, 100 to 240 VAC supply	233.80	EC001439	668636	4548583745278			DG	DGH	IDN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H5CX-L8-N	Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 100-240 VAC supply	184.20	EC001439	668607	45485837745186			DG	DGH	IDN	8536.4900.99
H5CX-L8SD-N	Timer, plug-in, 8-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), economy model, NPN/PNP/No voltage input selectable, 100mA 30VDC NPN transistor output, 12-24VDC/24VAC supply	190.10	EC001439	668614	45485837745216			DG	DGH	IDN	8536.4900.99

Timer H3DT

H3DT-A1 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, On-delay, 0.1s-1200h, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	39.35	EC001439	669477	4548583773356	#		DG	DGT	CHN	9107.0000.90
H3DT-A2 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, On-delay, 0.1s-1200h, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	41.42	EC001439	669509	4548583773363			DG	DGT	CHN	9107.0000.90
H3DT-F 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Twin, 1-120s, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	61.55	EC001439	669468	4548583773370	#		DG	DGT	CHN	9107.0000.90
H3DT-G 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Star-delta-delay, 1-120s, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	61.55	EC001439	669479	4548583773387	#		DG	DGT	CHN	9107.0000.90
H3DT-HBL 24-48VAC/DC	Timer, DIN rail mounting, 17.5mm, Off-delay, 1s-120s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in terminal	58.30	EC001439	669466	4548583773424			DG	DGT	CHN	9107.0000.90
H3DT-HBS 24-48VAC/DC	Timer, DIN rail mounting, 17.5mm, Off-delay, 0.1s-12s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in terminal	58.30	EC001439	669492	4548583773394			DG	DGT	CHN	9107.0000.90
H3DT-HDL 200-240VAC	Timer, DIN rail mounting, 17.5mm, Off-delay, 1s-120s, 1 x SPDT, 5 A, 200-240 VAC, Push-in terminal	58.30	EC001439	669455	4548583773448			DG	DGT	CHN	9107.0000.90
H3DT-L1 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Extended Multifunction, 0.1s-1200h, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	46.99	EC001439	669519	4548583773349			DG	DGT	CHN	9107.0000.90
H3DT-L2 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Extended Multifunction, 0.1s-1200h, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	48.90	EC001439	669500	4548583773332	#		DG	DGT	CHN	9107.0000.90
H3DT-N1 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Multifunction, 0.1s-1200h, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	46.89	EC001439	669502	4548583773325			DG	DGT	CHN	9107.0000.90
H3DT-N2 24-240VAC/DC	Timer, DIN rail mounting, 17.5mm, Multifunction, 0.1s-1200h, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in terminal	48.79	EC001439	669448	4548583773318	#		DG	DGT	CHN	9107.0000.90

Other Timer

H3RN-11 24VDC	Timer, plug-in, 5-pin, multifunction, 0.1 m-10 h, SPDT, 3 A	49.13	EC001439	148556	4536853509736		10	DG	DGX	JPN	8536.4900.99
H3RN-1 12VDC	Timer, plug-in, 5-pin, multifunction, 0.1s-10m, SPDT, 3 A, 12 VDC	48.79	EC001439	147546	4536853509699		10	DG	DGX	JPN	8536.4900.99
H3RN-1 24VAC	Timer, plug-in, 5-pin, multifunction, 0.1 s-10 m, SPDT, 3 A	51.15	EC001439	145454	4536853509712		10	DG	DGX	JPN	8536.4900.99
H3RN-1 24VDC	Timer, plug-in, 5-pin, multifunction, 0.1 s-10 m, SPDT, 3 A	49.18	EC001439	120361	4536853509705		10	DG	DGX	JPN	8536.4900.99
H3RN-1-B 24VDC	Timer, plug-in, 5-pin, multifunction, 0.1s-10m, SPDT, 3 A, 24 VDC Supply, Black, Top coil side	56.60	EC001439	669638	4548583782952		10	DG	DGX	JPN	8536.4900.99
H3RN-2 24VAC	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m, DPST-NO, 3 A	57.25	EC001439	150751	4536853509774			DG	DGX	JPN	8536.4900.99
H3RN-2 24VDC	Timer, plug-in, 8-pin, multifunction, 0.1 s-10 m, DPST-NO, 3 A	54.70	EC001439	156331	4536853509767		10	DG	DGX	JPN	8536.4900.99
H3RN-2-B 24VDC	Timer, plug-in, 8-pin, multifunction, 0.1s-10m, SPST-NO, 3 A, 24 VDC Supply, Black, Top coil side	57.60	EC001439	669644	4548583783010			DG	DGX	JPN	8536.4900.99
H3FA-BU 24DC	Control Components, Timers, Other Timers, H3FA-BU 24DC	58.45	EC001439	120571	4536853505622			DG	DGX	JPN	8536.4900.99
H5AN-4DM 100-240VAC	Digital Timer, 72 x 72 mm, 4 digit display, time limit and integrating operation, time range 0.01 to 99 h, with memory backup, screw terminals	538.50	EC001439	372095	4547648354332			DG	DGX	CHN	8536.4900.99
H5F-B	Digital Daily Time Switch, Flush mounting, 24 h x 7 days (Operation days can be specified.)	227.30	EC001439	243646	4547648354080			DG	DGX	CHN	8536.4900.99
H5F-KB	Digital Daily Time Switch, Surface Mounting/Track Mounting, 24 h x 7 days (Operation days can be specified.)	278.80	EC001439	243648	4547648354134			DG	DGX	CHN	8536.4900.99
H5S-WB2	Digital Time Switch, Weekly, Flush mounting, 2 circuits, 100 to 240 VAC	506.00	EC001439	243986	4547648356350			DG	DGX	CHN	8536.4900.99
H5S-WFB2	Digital Time Switch, Weekly, Surface mounting/track mounting, 2 circuits, 100 to 240 VAC	490.00	EC001439	243987	4547648356589			DG	DGX	CHN	8536.4900.99

Accessory for Timer

Y92A-48	Protective cover for DIN48x48mm device, hard plastic (shallow)	5.32	EC002586	120050	4536853523268		10	DG	DGZ	JPN	3926.9097.90
Y92A-48B	Protective cover for DIN 48x48 mm device, hard plastic	5.00	EC002586	120938	4536853494049			DG	DGZ	JPN	3926.9097.90
Y92A-48D	Protective cover for DIN48x48mm device, soft plastic	5.28	EC002586	156312	4536854247040			DG	DGZ	JPN	3926.9097.90
Y92A-48F1	Protective cover for DIN 48 x 48 mm timer and counter, soft plastic	14.16	EC002586	151801	4536854247088		10	DG	DGZ	JPN	3926.9097.90
Y92A-48G	Protective cover for DIN48x48mm device	3.03	EC002586	142439	4536854506420			DG	DGZ	JPN	8536.4900.99
Y92A-48N	Watertight cover for DIN 48x48 mm device, IP66, plastic	56.30	EC002586	154196	4536853362935	#		DG	DGZ	JPN	9032.1080.90
Y92A-49N	Watertight cover for DIN48x96mm device, IP66, plastic	72.15	EC002586	129704	4536853362942			DG	DGZ	JPN	9032.1080.90
Y92A-72N	Watertight cover for DIN72x72mm device, IP66, plastic	77.15	EC002586	142057	4536853362959			DG	DGZ	JPN	9032.1080.90
Y92A-96N	Watertight cover for DIN 96x96 mm device, IP66, plastic	90.20	EC002586	148625	4536853362966			DG	DGZ	JPN	9032.1080.90
Y92F-30	Flush panel mounting adapter for DIN 48x48 mm device	4.22	EC002586	332154	4547648769525	#	50	DG	DGZ	CHN	3926.9097.90
Y92F-78	Flush panel mounting adapter for H3Y(N) timer	4.58	EC002586	120088	4536854478291		5	DG	DGZ	JPN	3926.9097.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Y92H-3	Clips for H3Y(N) timer & PYF socket	0.98	EC002586	120086	4536853521516			DG	DGZ	JPN	3926.9097.90
Y92H-8	Hold down clips for PF085A socket (2 pieces)	1.58	EC002586	120809	4536853499136	10		DG	DGZ	JPN	3926.9097.90
Y92P-48GL	Panel cover for H3CR-A* timer, light grey	5.00	EC002586	120806	4536853499099	10		DG	DGZ	JPN	3926.9097.90
Y92S-29	Waterproof packing for use with 48x48mm devices and Y92F30 flush mounting adapter	4.52	EC002586	107361	4536854248313	25		DG	DGZ	JPN	8536.4900.99
Y92S-38	Adjustment and locking tool for H3DS	12.43	EC002586	235530	4536854577819			DG	DGZ	CHN	3926.9097.90
Power monitor											
KM1-PMU1A-FLK	Power monitor, master unit, single system, 3-phase / 4-wire, Compoway/F and Modbus	272.20	EC001506	380518	4548583998674			DQ	DQA	JPN	9031.9000.00
KM1-PMU2A-FLK	Power monitor, master unit, dual system, 1-phase / 2-wire, 3-phase / 3-wire, Compoway/F and Modbus	272.20	EC001506	380517	4548583998681			DQ	DQA	JPN	9031.9000.00
KM50-E1-FLK	Power monitor, on-panel 48x96 mm with LED display, 1-phase / 2-wire, 3-phase / 3-wire, Compoway/F and Modbus	188.30	EC001506	380520	4547648822220			DQ	DQA	JPN	9031.9000.00
KM50-OPT-ED1	Mounting form for KM50 E-version (DIN rail mounting type)	66.50	EC002498	380511	4548583998056			DQ	DQA	JPN	9031.9000.00
KM-N2-FLK	Multi-circuit compact power monitor device for DIN rail mounting	203.40	EC001506	669418	4548583795624	#		DQ	DQA	CHN	9031.9000.00
KM-N3-FLK	Multi-circuit compact power monitor device for on panel installation	195.50	EC001506	672546	4548583800199	#		DQ	DQA	CHN	9031.9000.00
KM20-CTF-100A	Current transformer, field installation, 100 A, for cable dia. 14.5 mm max	35.64	EC002048	380506	4547648706247			DQ	DQA	JPN	9031.9000.00
KM20-CTF-50A	Current transformer, field installation, 50 A, for cable dia. 9.5 mm max	24.32	EC002048	380519	4547648706223			DQ	DQA	JPN	9031.9000.00
KM-NCT-E100A	Split-type Current Transformers, rated primary current 100 A, rated secondary current 1 A	95.90	EC002048	687721	4549734440967			DQ	DQA	JPN	9031.9000.00
KM-NCT-E250A	Split-type Current Transformers, rated primary current 100 A, rated secondary current 1 A,	101.30	EC002048	687720	4549734440943			DQ	DQA	JPN	9031.9000.00
KM-NCT-E500A	Split-type Current Transformers, rated primary current 500 A	106.70	EC002048	687719	4549734440950			DQ	DQA	JPN	9031.9000.00
UPS S8BA-series											
S8BA-24D24D120LF	UPS, DIN rail type, DC-DC, 5A, 120W	849.50	EC000382	668093	4547648846608	#		DU	DUA	JPN	8504.4030.00
S8BA-24D24D240LF	UPS, DIN rail type, DC-DC, 10A, 240W	962.00	EC000382	668092	4547648846615	#		DU	DUA	JPN	8504.4030.00
S8BA-24D24D360LF	UPS, DIN rail type, DC-DC, 15A, 360W	1185.00	EC000382	668096	4547648846622			DU	DUA	JPN	8504.4030.00
S8BA-24D24D480LF	UPS, DIN rail type, DC-DC, 20A, 480W	1382.00	EC000382	668091	4547648846639	#		DU	DUA	JPN	8504.4030.00
S8BA-24D24D480SBF	UPS, DIN rail type, Separated battery type, DC-DC, 20 A, 480 W	295.70	EC000382	683502	4548583941724			DU	DUA	CHN	8504.4030.00
S8BA-24D24D960SBF	UPS, DIN rail type, Separated battery type, DC-DC, 40 A, 960 W	420.60	EC000382	683500	4548583941731			DU	DUA	CHN	8504.4030.00
S8BA-S480L	UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 3,9 Ah	588.50	EC000382	683501	4548583941748			DU	DUA	CHN	8507.6000.90
S8BA-S960L	UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 7,8 Ah	908.50	EC000382	683499	4548583941755			DU	DUA	CHN	8507.6000.90
UPS BU2RWL-series											
BU1002SWG	UPS, Tower type, AC-AC, 1000 VA, 700 W	1690.00	EC000382	678549	4547648849623			DU	DUB	TWN	8504.4030.00
UPS options											
S8BW-C01	UPS Connection cable (RS232C)	60.55	EC002850	668097	4547648846653			DU	DUW	JPN	8544.4210.00
S8BW-C02	UPS Connection cable (CONTACT)	60.55	EC002850	668098	4547648846660	#		DU	DUW	JPN	8544.4290.90
S8BA-B120L	Replacement battery pack for S8BA	509.00	EC002850	671160	4547648846646			DU	DUW	JPN	8506.5090.90
BP100XSG	Replacement battery pack for BU1002SWG	423.50	EC002850	678554	4547648849760			DU	DUW	TWN	8506.5090.90
BP150XSG	Replacement battery pack for BU3002SWG	396.60	EC002850	678555	4547648849777			DU	DUW	TWN	8506.5090.90
BUB2002RW	Replacement battery pack for BU2002RWLG	1430.00	EC002850	671158	4547648845397			DU	DUW	JPN	8506.5090.90
BUB3002RW	Replacement battery pack for BU3002RWLG/BU5002RWL	1737.00	EC002850	671159	4547648845403			DU	DUW	JPN	8506.5090.90
Q2V: High Performance inverter											
Q2V-A2001-AAA	Inverter Q2V 200W, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	416.70	EC001857	688470	4549734972130	#		EA	EAF	GBR	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Q2V-A2002-AAA	Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	420.40	EC001857	688471	4549734972147	#		EA	AAF	GBR	9032.8900.90
Q2V-A2004-AAA	Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	610.00	EC001857	688472	4549734972154	#		EA	AAF	GBR	9032.8900.90
Q2V-A2006-AAA	Inverter Q2V 200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	707.00	EC001857	688473	4549734972161	#		EA	AAF	GBR	9032.8900.90
Q2V-A2010-AAA	Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	856.50	EC001857	688474	4549734972178	#		EA	AAF	GBR	9032.8900.90
Q2V-A2012-AAA	Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11.0 A / 2.2 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	957.50	EC001857	688475	4549734972185	#		EA	AAF	GBR	9032.8900.90
Q2V-A2021-AAA	Inverter Q2V 200V, ND: 21.0 A / 5.5 kW, HD: 17.6 A / 4 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1044.00	EC001857	688476	4549734972192	#		EA	AAF	GBR	9032.8900.90
Q2V-A2030-AAA	Inverter Q2V 200V, ND: 30.0 A / 7.5 kW, HD: 25.0 A / 5.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1945.00	EC001857	688477	4549734972208	#		EA	AAF	GBR	9032.8900.90
Q2V-A2042-AAA	Inverter Q2V 200V, ND: 42.0 A / 11.0 kW, HD: 33.0 A / 7.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1956.00	EC001857	688478	4549734972215	#		EA	AAF	GBR	9032.8900.90
Q2V-A2056-AAA	Inverter Q2V 200V, ND: 56.0 A / 15.0 kW, HD: 47.0 A / 11.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	2430.00	EC001857	688479	4549734972222	#		EA	AAF	GBR	9032.8900.90
Q2V-A2070-AAA	Inverter Q2V 200V, ND: 70.0 A / 18.5 kW, HD: 60.0 A / 15.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	3130.00	EC001857	688480	4549734972239	#		EA	AAF	GBR	9032.8900.90
Q2V-A2082-AAA	Inverter Q2V 200V, ND: 82.0 A / 22.0 kW, HD: 75.0 A / 18.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	4618.00	EC001857	688449	4549734971928	#		EA	AAF	GBR	9032.8900.90
Q2V-A4001-AAA	Inverter Q2V, 400 V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, EMC filter class C2, max. output freq. 590Hz	670.50	EC001857	688450	4549734971935	#		EA	AAF	GBR	9032.8900.90
Q2V-A4002-AAA	Inverter Q2V, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, EMC filter class C2, max. output freq. 590Hz	748.00	EC001857	688451	4549734971942	#		EA	AAF	GBR	9032.8900.90
Q2V-A4004-AAA	Inverter Q2V, 400 V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, EMC filter class C2, max. output freq. 590Hz	845.50	EC001857	688452	4549734971959	#		EA	AAF	GBR	9032.8900.90
Q2V-A4005-AAA	Inverter Q2V, 400 V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	943.00	EC001857	688453	4549734971966	#		EA	AAF	GBR	9032.8900.90
Q2V-A4007-AAA	Inverter Q2V, 400 V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1055.00	EC001857	688454	4549734971973	#		EA	AAF	GBR	9032.8900.90
Q2V-A4009-AAA	Inverter Q2V, 400 V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1176.00	EC001857	688455	4549734971980	#		EA	AAF	GBR	9032.8900.90
Q2V-A4012-AAA	Inverter Q2V, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1318.00	EC001857	688456	4549734971997	#		EA	AAF	GBR	9032.8900.90
Q2V-A4018-AAA	Inverter Q2V, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1695.00	EC001857	688457	4549734972000	#		EA	AAF	GBR	9032.8900.90
Q2V-A4023-AAA	Inverter Q2V, 400 V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1920.00	EC001857	688458	4549734972017	#		EA	AAF	GBR	9032.8900.90
Q2V-A4031-AAA	Inverter Q2V, 400 V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	2165.00	EC001857	688459	4549734972024	#		EA	AAF	GBR	9032.8900.90
Q2V-A4038-AAA	Inverter Q2V, 400 V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	2770.00	EC001857	688460	4549734972031	#		EA	AAF	GBR	9032.8900.90
Q2V-A4044-AAA	Inverter Q2V, 400 V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	3663.00	EC001857	688461	4549734972048	#		EA	AAF	GBR	9032.8900.90
Q2V-A4060-AAA	Inverter Q2V, 400 V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	4349.00	EC001857	688462	4549734972055	#		EA	AAF	GBR	9032.8900.90
Q2V-AB001-AAA	Inverter Q2V, 1x200V, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, EMC filter class C1, max. output freq. 590Hz	467.80	EC001857	688463	4549734972062	#		EA	AAF	GBR	9032.8900.90
Q2V-AB002-AAA	Inverter Q2V, 1x200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, EMC filter class C1, max. output freq. 590Hz	478.40	EC001857	688464	4549734972079	#		EA	AAF	GBR	9032.8900.90
Q2V-AB004-AAA	Inverter Q2V, 1x200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, EMC filter class C1, max. output freq. 590Hz	501.00	EC001857	688465	4549734972086	#		EA	AAF	GBR	9032.8900.90
Q2V-AB006-AAA	Inverter Q2V, 1x200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, EMC filter class C1, max. output freq. 590Hz	595.00	EC001857	688466	4549734972093	#		EA	AAF	GBR	9032.8900.90
Q2V-AB010-AAA	Inverter Q2V, 1x200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, EMC filter class C1, max. output freq. 590Hz	699.50	EC001857	688467	4549734972109	#		EA	AAF	GBR	9032.8900.90
Q2V-AB012-AAA	Inverter Q2V, 1x200V, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, EMC filter class C1, max. output freq. 590Hz	815.50	EC001857	688468	4549734972116	#		EA	AAF	GBR	9032.8900.90
Q2V-AB018-BAA	Inverter Q2V, 1x200V, HD: 17.6 A / 4.0 kW, IP20, without EMC filter, max. output freq. 590Hz	928.00	EC001857	688469	4549734972123	#		EA	AAF	GBR	9032.8900.90
Q2V-A2001-BAA	Inverter Q2V 200V, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, without integrated EMC filter, max. output freq. 590Hz	367.70	EC001857	702677	4549734794619	#		EA	AAF	GBR	9032.8900.90
Q2V-A2002-BAA	Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, without integrated EMC filter, max. output freq. 590Hz	371.00	EC001857	702676	4549734794602	#		EA	AAF	GBR	9032.8900.90
Q2V-A2004-BAA	Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3 A / 0.55 kW, without integrated EMC filter, max. output freq. 590Hz	538.00	EC001857	702675	4549734794596	#		EA	AAF	GBR	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Q2V-A2006-BAA	Inverter Q2V 200V, ND: 6 A / 1.1 kW, HD: 5 A / 0.75 kW, without integrated EMC filter, max. output freq. 590Hz	623.50	EC001857	702674	4549734794589			EA	FAF	GBR	9032.8900.90
Q2V-A2010-BAA	Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8 A / 1.5 kW, without integrated EMC filter, max. output freq. 590Hz	755.50	EC001857	702673	4549734794572			EA	FAF	GBR	9032.8900.90
Q2V-A2012-BAA	Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11 A / 2.2 kW, without integrated EMC filter, max. output freq. 590Hz	845.00	EC001857	702672	4549734794565			EA	FAF	GBR	9032.8900.90
Q2V-A2021-BAA	Inverter Q2V 200V, ND: 21 A / 5.5 kW, HD: 17.6 A / 4 kW, without integrated EMC filter, max. output freq. 590Hz	920.50	EC001857	702671	4549734794558			EA	FAF	GBR	9032.8900.90
Q2V-A2030-BAA	Inverter Q2V 200V, ND: 30 A / 7.5 kW, HD: 25 A / 5.5 kW, without integrated EMC filter, max. output freq. 590Hz	1716.00	EC001857	702670	4549734794541			EA	FAF	GBR	9032.8900.90
Q2V-A2042-BAA	Inverter Q2V 200V, ND: 42 A / 11 kW, HD: 33 A / 7.5 kW, without integrated EMC filter, max. output freq. 590Hz	1726.00	EC001857	702669	4549734794534			EA	FAF	GBR	9032.8900.90
Q2V-A2056-BAA	Inverter Q2V 200V, ND: 56 A / 15 kW, HD: 47 A / 11 kW, without integrated EMC filter, max. output freq. 590Hz	2144.00	EC001857	702668	4549734794527			EA	FAF	GBR	9032.8900.90
Q2V-A2070-BAA	Inverter Q2V 200V, ND: 70 A / 18.5 kW, HD: 60 A / 15 kW, without integrated EMC filter, max. output freq. 590Hz	2761.00	EC001857	702667	4549734794510			EA	FAF	GBR	9032.8900.90
Q2V-A2082-BAA	Inverter Q2V 200V, ND: 82 A / 22 kW, HD: 75 A / 18.5 kW, without integrated EMC filter, max. output freq. 590Hz	4075.00	EC001857	702666	4549734794503			EA	FAF	GBR	9032.8900.90
Q2V-A4001-BAA	Inverter Q2V, 400 V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, without EMC filter, max. output freq. 590Hz	591.00	EC001857	702696	4549734794800			EA	FAF	GBR	9032.8900.90
Q2V-A4002-BAA	Inverter Q2V, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, without EMC filter, max. output freq. 590Hz	660.00	EC001857	702695	4549734794794			EA	FAF	GBR	9032.8900.90
Q2V-A4004-BAA	Inverter Q2V, 400 V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, without EMC filter, max. output freq. 590Hz	745.50	EC001857	702694	4549734794787			EA	FAF	GBR	9032.8900.90
Q2V-A4005-BAA	Inverter Q2V, 400 V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, without EMC filter, max. output freq. 590Hz	832.00	EC001857	702693	4549734794770			EA	FAF	GBR	9032.8900.90
Q2V-A4007-BAA	Inverter Q2V, 400 V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, without EMC filter, max. output freq. 590Hz	930.50	EC001857	702692	4549734794763			EA	FAF	GBR	9032.8900.90
Q2V-A4009-BAA	Inverter Q2V, 400 V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, without EMC filter, max. output freq. 590Hz	1037.00	EC001857	702691	4549734794756			EA	FAF	GBR	9032.8900.90
Q2V-A4012-BAA	Inverter Q2V, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, without EMC filter, max. output freq. 590Hz	1162.00	EC001857	702690	4549734794749			EA	FAF	GBR	9032.8900.90
Q2V-A4018-BAA	Inverter Q2V, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, without EMC filter, max. output freq. 590Hz	1495.00	EC001857	702689	4549734794732			EA	FAF	GBR	9032.8900.90
Q2V-A4023-BAA	Inverter Q2V, 400 V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, without EMC filter, max. output freq. 590Hz	1694.00	EC001857	702688	4549734794725			EA	FAF	GBR	9032.8900.90
Q2V-A4031-BAA	Inverter Q2V, 400 V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, without EMC filter, max. output freq. 590Hz	1910.00	EC001857	702687	4549734794718			EA	FAF	GBR	9032.8900.90
Q2V-A4038-BAA	Inverter Q2V, 400 V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, without EMC filter, max. output freq. 590Hz	2444.00	EC001857	702686	4549734794701			EA	FAF	GBR	9032.8900.90
Q2V-A4044-BAA	Inverter Q2V, 400 V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, without EMC filter, max. output freq. 590Hz	3232.00	EC001857	702685	4549734794695			EA	FAF	GBR	9032.8900.90
Q2V-A4060-BAA	Inverter Q2V, 400 V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, without EMC filter, max. output freq. 590Hz	3838.00	EC001857	702684	4549734794688			EA	FAF	GBR	9032.8900.90
Q2V-AB001-BAA	Inverter Q2V, Single Phase, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, without EMC filter, max. output freq. 590Hz	412.80	EC001857	702683	4549734794671			EA	FAF	GBR	9032.8900.90
Q2V-AB002-BAA	Inverter Q2V, Single Phase, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, without EMC filter, max. output freq. 590Hz	422.10	EC001857	702682	4549734794664			EA	FAF	GBR	9032.8900.90
Q2V-AB004-BAA	Inverter Q2V, Single Phase, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, without EMC filter, max. output freq. 590Hz	442.10	EC001857	702681	4549734794657			EA	FAF	GBR	9032.8900.90
Q2V-AB006-BAA	Inverter Q2V, Single Phase, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, without EMC filter, max. output freq. 590Hz	525.00	EC001857	702680	4549734794640			EA	FAF	GBR	9032.8900.90
Q2V-AB010-BAA	Inverter Q2V, Single Phase, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, without EMC filter, max. output freq. 590Hz	617.00	EC001857	702679	4549734794633			EA	FAF	GBR	9032.8900.90
Q2V-AB012-BAA	Inverter Q2V, Single Phase, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, without EMC filter, max. output freq. 590Hz	719.50	EC001857	702678	4549734794626			EA	FAF	GBR	9032.8900.90
Inverter V1000											
VZA2011FAA	V1000 inverter, 3~ 200 VAC, 11 kW, 47 A, sensorless vector, max. output freq. 400Hz	2307.00	EC001857	352965	4547648898171			EA	EAG	GBR	9032.8900.90
VZA2015FAA	V1000 inverter, 3~ 200 VAC, 15 kW, 60 A, sensorless vector, max. output freq. 400Hz	2971.00	EC001857	352966	4547648898188			EA	EAG	GBR	9032.8900.90
VZA20P1BAA	V1000 inverter, 3~ 200 VAC, 0.12 kW, 0.8 A, sensorless vector, max. output freq. 400Hz	395.60	EC001857	234265	4547648389020			EA	EAG	JPN	9032.8900.90
VZA20P2BAA	V1000 inverter, 3~ 200 VAC, 0.25 kW, 1.6 A, sensorless vector, max. output freq. 400Hz	399.40	EC001857	234266	4547648389037			EA	EAG	JPN	9032.8900.90
VZA20P4BAA	V1000 inverter, 3~ 200 VAC, 0.55 kW, 3.0 A, sensorless vector, max. output freq. 400Hz	579.00	EC001857	234267	4547648389044	#		EA	EAG	JPN	9032.8900.90
VZA20P7BAA	V1000 inverter, 3~ 200 VAC, 1.1 kW, 5.0 A, sensorless vector, max. output freq. 400Hz	671.00	EC001857	234268	4547648389051	#		EA	EAG	JPN	9032.8900.90
VZA21P5BAA	V1000 inverter, 3~ 200 VAC, 1.5 kW, 8.0 A, sensorless vector, max. output freq. 400Hz	814.00	EC001857	234269	4547648389068			EA	EAG	JPN	9032.8900.90
VZA22P2BAA	V1000 inverter, 3~ 200 VAC, 2.2 W, 11 A, sensorless vector, max. output freq. 400Hz	909.50	EC001857	234270	4547648389075			EA	EAG	JPN	9032.8900.90
VZA24P0BAA	V1000 inverter, 3~ 200 VAC, 4 W, 17.5 A, sensorless vector, max. output freq. 400Hz	991.00	EC001857	234271	4547648389082	#		EA	EAG	JPN	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
VZA25P5FAA	V1000 inverter, 3~ 200 VAC, 5.5 kW, 25 A, sensorless vector, max. output freq. 400Hz	1848.00	EC001857	352963	4547648898157			EA	EAG	GBR	9032.8900.90
VZA27P5FAA	V1000 inverter, 3~ 200 VAC, 7.5 kW, 33 A, sensorless vector, max. output freq. 400Hz	1858.00	EC001857	352964	4547648898164			EA	EAG	GBR	9032.8900.90
VZA4011FAA	V1000 inverter, 3~ 400 VAC, 11 kW, 24 A, sensorless vector, max. output freq. 400Hz	2057.00	EC001857	240694	4547648463812	#		EA	EAG	GBR	9032.8900.90
VZA4015FAA	V1000 inverter, 3~ 400 VAC, 15 kW, 31 A, sensorless vector, max. output freq. 400Hz	2630.00	EC001857	240695	4547648463829	#		EA	EAG	GBR	9032.8900.90
VZA40P2BAA	V1000 inverter, 3~ 400 VAC, 0.37 kW, 1.2 A, sensorless vector, max. output freq. 400Hz	636.00	EC001857	234251	4547648388887		3	EA	EAG	JPN	9032.8900.90
VZA40P4BAA	V1000 inverter, 3~ 400 VAC, 0.55 kW, 1.8 A, sensorless vector, max. output freq. 400Hz	710.50	EC001857	234252	4547648388894	#		EA	EAG	JPN	9032.8900.90
VZA40P7BAA	V1000 inverter, 3~ 400 VAC, 1.1 kW, 3.4 A, sensorless vector, max. output freq. 400Hz	802.50	EC001857	234253	4547648388900	#		EA	EAG	JPN	9032.8900.90
VZA41P5BAA	V1000 inverter, 3~ 400 VAC, 1.5 kW, 4.8 A, sensorless vector, max. output freq. 400Hz	895.50	EC001857	234254	4547648388917	#		EA	EAG	JPN	9032.8900.90
VZA42P2BAA	V1000 inverter, 3~ 400 VAC, 2.2 kW, 5.5 A, sensorless vector, max. output freq. 400Hz	1002.00	EC001857	234255	4547648388924	#	3	EA	EAG	JPN	9032.8900.90
VZA43P0BAA	V1000 inverter, 3~ 400 VAC, 3.0 kW, 7.2 A, sensorless vector, max. output freq. 400Hz	1117.00	EC001857	234256	4547648388931	#	3	EA	EAG	JPN	9032.8900.90
VZA44P0BAA	V1000 inverter, 3~ 400 VAC, 4.0 kW, 9.2 A, sensorless vector, max. output freq. 400Hz	1251.00	EC001857	234257	4547648388948	#		EA	EAG	JPN	9032.8900.90
VZA45P5FAA	V1000 inverter, 3~ 400 VAC, 5.5 kW, 14.8 A, sensorless vector, max. output freq. 400Hz	1611.00	EC001857	240692	4547648463799	#		EA	EAG	GBR	9032.8900.90
VZA47P5FAA	V1000 inverter, 3~ 400 VAC, 7.5 kW, 18 A, sensorless vector, max. output freq. 400Hz	1825.00	EC001857	240693	4547648463805	#		EA	EAG	GBR	9032.8900.90
VZAB0P1BAA	V1000 inverter, 1~ 200 VAC, 0.12 kW, 0.8 A, sensorless vector, max. output freq. 400Hz	444.30	EC001857	234258	4547648388955			EA	EAG	JPN	9032.8900.90
VZAB0P2BAA	V1000 inverter, 1~ 200 VAC, 0.25 kW, 1.6 A, sensorless vector, max. output freq. 400Hz	454.30	EC001857	234259	4547648388962	#		EA	EAG	JPN	9032.8900.90
VZAB0P4BAA	V1000 inverter, 1~ 200 VAC, 0.55 kW, 3.0 A, sensorless vector, max. output freq. 400Hz	475.80	EC001857	234260	4547648388979	#		EA	EAG	JPN	9032.8900.90
VZAB0P7BAA	V1000 inverter, 1~ 200 VAC, 1.1 kW, 5.0 A, sensorless vector, max. output freq. 400Hz	565.00	EC001857	234261	4547648388986	#	3	EA	EAG	JPN	9032.8900.90
VZAB1P5BAA	V1000 inverter, 1~ 200 VAC, 1.5 kW, 8.0 A, sensorless vector, max. output freq. 400Hz	664.50	EC001857	234262	4547648388993	#	3	EA	EAG	JPN	9032.8900.90
VZAB2P2BAA	V1000 inverter, 1~ 200 VAC, 2.2 kW, 11.0 A, sensorless vector, max. output freq. 400Hz	774.50	EC001857	234263	4547648389006	#		EA	EAG	JPN	9032.8900.90
VZAB4P0BAA	V1000 inverter, 1~ 200 VAC, 4.0 kW, 17.5 A, sensorless vector, max. output freq. 400Hz	881.00	EC001857	234264	4547648389013	#		EA	EAG	JPN	9032.8900.90
CIMR-VC4A0009JAB	V1000 Finless type Inverter, IP20 , 3/4kW(HD/ND), 7.2/8.8A(HD/ND), 3~400VAC, sensorless vector, LED operator., max. output freq. 400Hz	1419.00	EC001857	352360	4547648895903	#		EA	EAG	GBR	9032.8900.90
CIMR-VC4A0011JAB	Inverter V1000, 400 V, ND: 11,1 A / 5,5 kW, HD: 9,2 A / 4 kW, Finless, max. output freq. 400Hz	1190.00	EC001857	352954	4547648898065			EA	EAG	GBR	9032.8900.90
CIMR-VCBA0003JAB	V1000 Inverter drive, Finless, 0.4/0.55 kW(HD/ND), 3.0/3.5A(HD/ND), 200 VAC, 1-phase input, sensorless vector, max. output freq. 400Hz	364.10	EC001857	352358	4547648895880			EA	EAG	JPN	9032.8900.90
CIMR-VCBA0010JAB	V1000 Finless type Inverter, IP20 , 1.5/2.2 kW(HD/ND), 8.0/9.6A(HD/ND), 1~200 VAC, sensorless vector, LED operator., max. output freq. 400Hz	495.70	EC001857	352962	4547648898140			EA	EAG	JPN	9032.8900.90
JVOP-180	LCD remote operator	152.70	EC002025	241589	4547648851626			EA	EAG	JPN	8471.6070.00
SI-485/J	RS-422/485 communications card for CIMR-J1000 inverter	74.50	EC002025	251861	4547648860802			EA	EAG	JPN	8517.6200.00
JVOP-181	USB converter unit with copy and backup function	281.60	EC002025	239699	4536853913854			EA	EAG	JPN	8471.6070.00
Inverter J1000											
JZA20P1BAA	Inverter drive, 0.1kW, 0.8A, 200 VAC, 3-phase, max. output freq. 400Hz	221.70	EC001857	246651	4547648550659			EA	EAH	JPN	9032.8900.90
JZA20P4BAA	Inverter drive, 0.55kW, 3.0A, 200 VAC, 3-phase, max. output freq. 400Hz	318.60	EC001857	246653	4547648550673	#		EA	EAH	JPN	9032.8900.90
JZA20P7BAA	Inverter drive, 1.1kW, 5.0A, 200 VAC, 3-phase, max. output freq. 400Hz	373.20	EC001857	246654	4547648550680	#		EA	EAH	JPN	9032.8900.90
JZA21P5BAA	Inverter drive, 1.5kW, 8.0A, 200 VAC, 3-phase, max. output freq. 400Hz	458.00	EC001857	246655	4547648550697	#		EA	EAH	JPN	9032.8900.90
JZA22P2BAA	Inverter drive, 2.2kW, 11.0A, 200 VAC, 3-phase, max. output freq. 400Hz	482.90	EC001857	246656	4547648550703	#		EA	EAH	JPN	9032.8900.90
JZA24P0BAA	Inverter drive, 4.0kW, 9.2A, 200 VAC, 3-phase, max. output freq. 400Hz	555.00	EC001857	246657	4547648550710			EA	EAH	JPN	9032.8900.90
JZA40P2BAA	Inverter drive, 0.37kW, 1.2A, 415 VAC, 3-phase, max. output freq. 400Hz	512.00	EC001857	246658	4547648550727			EA	EAH	JPN	9032.8900.90
JZA40P4BAA	Inverter drive, 0.55kW, 1.8A, 415 VAC, 3-phase, max. output freq. 400Hz	522.00	EC001857	246659	4547648550734		3	EA	EAH	JPN	9032.8900.90
JZA40P7BAA	Inverter drive, 1.1kW, 3.4A, 415 VAC, 3-phase, max. output freq. 400Hz	600.50	EC001857	246660	4547648550741	#	3	EA	EAH	JPN	9032.8900.90
JZA41P5BAA	Inverter drive, 1.5kW, 4.8A, 415 VAC, 3-phase, max. output freq. 400Hz	707.50	EC001857	246661	4547648550758	#		EA	EAH	JPN	9032.8900.90
JZA42P2BAA	Inverter drive, 2.2kW, 5.5A, 415 VAC, 3-phase, max. output freq. 400Hz	840.00	EC001857	246662	4547648550765		3	EA	EAH	JPN	9032.8900.90
JZA43P0BAA	Inverter drive, 3.0kW, 7.2A, 415 VAC, 3-phase, max. output freq. 400Hz	895.50	EC001857	246663	4547648550772	#		EA	EAH	JPN	9032.8900.90
JZA44P0BAA	Inverter drive, 4.0kW, 9.2A, 415 VAC, 3-phase, max. output freq. 400Hz	1020.00	EC001857	246664	4547648550789	#		EA	EAH	JPN	9032.8900.90
JZAB0P1BAA	Inverter drive, 0.1kW, 0.8A, 240 VAC, single-phase, max. output freq. 400Hz	263.10	EC001857	246646	4547648550604			EA	EAH	JPN	9032.8900.90
JZAB0P2BAA	Inverter drive, 0.25kW, 1.6A, 240 VAC, single-phase, max. output freq. 400Hz	290.20	EC001857	246647	4547648550611	#		EA	EAH	JPN	9032.8900.90
JZAB0P4BAA	Inverter drive, 0.55kW, 3A, 240 VAC, single-phase, max. output freq. 400Hz	322.70	EC001857	246648	4547648550628	#		EA	EAH	JPN	9032.8900.90
JZAB0P7BAA	Inverter drive, 1.1kW, 5A, 240 VAC, single-phase, max. output freq. 400Hz	390.70	EC001857	246649	4547648550635	#	3	EA	EAH	JPN	9032.8900.90
JZAB1P5BAA	Inverter drive, 1.5kW, 8A, 240 VAC, single-phase, max. output freq. 400Hz	522.00	EC001857	246650	4547648550642	#	3	EA	EAH	JPN	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (DsSheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
JVOP-182	LED remote operator	73.15	EC002025	252658	4547648861502			EA	EAH	JPN	8471.6070.00
Q2A: High Performance Vector Control inverter											
Q2A-A2004-AAA	Inverter Q2A, 200 V, ND: 3.5 A / 0.75 kW, HD: 3.2 A / 0.55 kW, IP20, max. output freq. 590 Hz	880.50	EC001857	684659	4549734959230	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2006-AAA	Inverter Q2A, 200 V, ND: 6 A / 1.1 kW, HD: 5 A / 0.75 kW, IP20, max. output freq. 590 Hz	1050.00	EC001857	684657	4549734959216	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2010-AAA	Inverter Q2A, 200 V, ND: 9.6 A / 2.2 kW, HD: 8 A / 1.5 kW, IP20, max. output freq. 590 Hz	1106.00	EC001857	684698	4549734959322	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2012-AAA	Inverter Q2A, 200 V, ND: 12.2 A / 3.0 kW, HD: 11 A / 2.2 kW, IP20, max. output freq. 590 Hz	1619.00	EC001857	684699	4549734959339	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2021-AAA	Inverter Q2A, 200 V, ND: 21 A / 5.5 kW, HD: 17.5 A / 4.0 kW, IP20, max. output freq. 590 Hz	1695.00	EC001857	684700	4549734959346	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2030-AAA	Inverter Q2A, 200 V, ND: 30 A / 7.5 kW, HD: 25 A / 5.5 kW, IP20, max. output freq. 590 Hz	1781.00	EC001857	684701	4549734959353	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2042-AAA	Inverter Q2A, 200 V, ND: 42 A / 11 kW, HD: 33 A / 7.5 kW, IP20, max. output freq. 590 Hz	2147.00	EC001857	684702	4549734959360	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2056-AAA	Inverter Q2A, 200 V, ND: 56 A / 15 kW, HD: 47 A / 11 kW, IP20, max. output freq. 590 Hz	2546.00	EC001857	684703	4549734959377	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2070-AAA	Inverter Q2A, 200 V, ND: 70 A / 18.5 kW, HD: 60 A / 15 kW, IP20, max. output freq. 590 Hz	4033.00	EC001857	684704	4549734959384	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2082-AAA	Inverter Q2A, 200 V, ND: 82 A / 22 kW, HD: 75 A / 18.5 kW, IP20, max. output freq. 590 Hz	4969.00	EC001857	684705	4549734959391	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2110-AAA	Inverter Q2A, 200 V, ND: 110 A / 30 kW, HD: 88 A / 22 kW, IP20, max. output freq. 590 Hz	4910.00	EC001857	684706	4549734959407	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2138-AAA	Inverter Q2A, 200 V, ND: 138 A / 37 kW, HD: 115 A / 30 kW, IP20, max. output freq. 590 Hz	8295.00	EC001857	684707	4549734959414	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2169-AAA	Inverter Q2A, 200 V, ND: 169 A / 45 kW, HD: 145 A / 37 kW, IP20, max. output freq. 590 Hz	9500.00	EC001857	684708	4549734959421	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2211-AAA	Inverter Q2A, 200 V, ND: 211 A / 55 kW, HD: 180 A / 45 kW, IP20, max. output freq. 590 Hz	10530.00	EC001857	684709	4549734959438	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2257-AAA	Inverter Q2A, 200 V, ND: 257 A / 75 kW, HD: 215 A / 55 kW, IP20, max. output freq. 590 Hz	11200.00	EC001857	684710	4549734959445	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2313-AAA	Inverter Q2A, 200 V, ND: 313 A / 90 kW, HD: 283 A / 75 kW, IP20, max. output freq. 590 Hz	20220.00	EC001857	684711	4549734959452	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2360-AAA	Inverter Q2A, 200 V, ND: 360 A / 110 kW, HD: 346 A / 90 kW, IP20, max. output freq. 590 Hz	22780.00	EC001857	684696	4549734959308	#		EA	EAJ	GBR	9032.8900.90
Q2A-A2415-AAA	Inverter Q2A, 200 V, HD: 415 A / 110 kW, IP20, max. output freq. 590 Hz	26150.00	EC001857	684697	4549734959315	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4002-AAA	Inverter Q2A, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, max. output freq. 590 Hz	861.50	EC001857	681122	4549734944120	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4004-AAA	Inverter Q2A, 400 V, ND: 4.1 A / 1.50 kW, HD: 3.4 A / 0.75 kW, IP20, max. output freq. 590 Hz	966.50	EC001857	681131	4549734944212	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4005-AAA	Inverter Q2A, 400 V, ND: 5.4 A / 2.20 kW, HD: 4.8 A / 1.50 kW, IP20, max. output freq. 590 Hz	1077.00	EC001857	681133	4549734944236	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4007-AAA	Inverter Q2A, 400 V, ND: 7.1 A / 3.00 kW, HD: 5.5 A / 2.20 kW, IP20, max. output freq. 590 Hz	1196.00	EC001857	681128	4549734944182	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4009-AAA	Inverter Q2A, 400 V, ND: 8.9 A / 3.70 kW, HD: 7.2 A / 3.00 kW, IP20, max. output freq. 590 Hz	1314.00	EC001857	681117	4549734944076	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4012-AAA	Inverter Q2A, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 3.70 kW, IP20, max. output freq. 590 Hz	1409.00	EC001857	681123	4549734944137	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4018-AAA	Inverter Q2A, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, max. output freq. 590 Hz	1737.00	EC001857	681116	4549734944069	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4023-AAA	Inverter Q2A, 400 V, ND: 23.4 A / 11 kW, HD: 18 A / 7.5 kW, IP20, max. output freq. 590 Hz	2065.00	EC001857	681124	4549734944144	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4031-AAA	Inverter Q2A, 400 V, ND: 31 A / 15 kW, HD: 24 A / 11 kW, IP20, max. output freq. 590 Hz	2457.00	EC001857	681125	4549734944151	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4038-AAA	Inverter Q2A, 400 V, ND: 38 A / 18.5 kW, HD: 31 A / 15 kW, IP20, max. output freq. 590 Hz	3163.00	EC001857	681126	4549734944168	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4044-AAA	Inverter Q2A, 400 V, ND: 44 A / 22 kW, HD: 39 A / 18.5 kW, IP20, max. output freq. 590 Hz	3722.00	EC001857	681127	4549734944175	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4060-AAA	Inverter Q2A, 400 V, ND: 59.6 A / 30 kW, HD: 45 A / 22 kW, IP20, max. output freq. 590 Hz	4412.00	EC001857	681120	4549734944106	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4075-AAA	Inverter Q2A, 400 V, ND: 74.9 A / 37 kW, HD: 60 A / 30 kW, IP20, max. output freq. 590 Hz	5055.00	EC001857	681118	4549734944083	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4089-AAA	Inverter Q2A, 400 V, ND: 89.2 A / 45 kW, HD: 75 A / 37 kW, IP20, max. output freq. 590 Hz	6215.00	EC001857	681121	4549734944113	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4103-AAA	Inverter Q2A, 400 V, ND: 103 A / 55 kW, HD: 91 A / 45 kW, IP20, max. output freq. 590 Hz	6630.00	EC001857	681115	4549734944052	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4140-AAA	Inverter Q2A, 400 V, ND: 140 A / 75 kW, HD: 112 A / 55 kW, IP20, max. output freq. 590 Hz	7820.00	EC001857	681132	4549734944229	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4168-AAA	Inverter Q2A, 400 V, ND: 168 A / 90 kW, HD: 150 A / 75 kW, IP20, max. output freq. 590 Hz	9435.00	EC001857	681129	4549734944199	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4208-AAA	Inverter Q2A, 400 V, ND: 208 A / 110 kW, HD: 180 A / 90 kW, IP20, max. output freq. 590 Hz	11560.00	EC001857	681130	4549734944205	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4250-AAA	Inverter Q2A, 400 V, ND: 250 A / 132 kW, HD: 216 A / 110 kW, IP20, max. output freq. 590 Hz	12250.00	EC001857	681114	4549734944045	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4296-AAA	Inverter Q2A, 400 V, ND: 296 A / 160 kW, HD: 260 A / 132 kW, IP20, max. output freq. 590 Hz	15300.00	EC001857	681119	4549734944090	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4371-AAA	Inverter Q2A, 400 V, ND: 371 A / 200 kW, HD: 304 A / 160 kW, IP20, max. output freq. 590 Hz	22040.00	EC001857	682306	4549734947848	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4389-AAA	Inverter Q2A, 400 V, ND: 389 A / 220 kW, HD: 371 A / 200 kW, IP20, max. output freq. 590 Hz	33260.00	EC001857	682307	4549734947855	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4453-AAA	Inverter Q2A, 400 V, ND: 453 A / 250 kW, HD: 414 A / 220 kW, IP20, max. output freq. 590 Hz	36910.00	EC001857	682308	4549734947862	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4568-AAA	Inverter Q2A, 400 V, ND: 568 A / 315 kW, HD: 453 A / 250 kW, IP20, max. output freq. 590 Hz	41060.00	EC001857	682309	4549734947879	#		EA	EAJ	GBR	9032.8900.90
Q2A-A4675-AAA	Inverter Q2A, 400 V, ND: 675 A / 355 kW, HD: 605 A / 315 kW, IP20, max. output freq. 590 Hz	43810.00	EC001857	682310	4549734947886	#		EA	EAJ	GBR	9032.8900.90
Inverters A1000											
CIMR-AC2A0004FAA	A1000 inverter: 3~ 200 V, HD: 0.4 kW 3.2 A, ND: 0.75 kW 3.5 A, max. output freq. 400Hz	862.00	EC001857	254864	4547648861960			EA	EAK	JPN	9032.8900.90
CIMR-AC2A0006FAA	A1000 inverter: 3~ 200 V, HD: 0.75 kW 5.0 A, ND: 1.1 kW 6.0 A, max. output freq. 400Hz	1027.00	EC001857	254865	4547648861977			EA	EAK	JPN	9032.8900.90
CIMR-AC2A0010FAA	A1000 inverter: 3~ 200 V, HD: 1.5 kW 8.0 A, ND: 2.2 kW 9.6 A, max. output freq. 400Hz	1074.00	EC001857	254866	4547648861984			EA	EAK	JPN	9032.8900.90
CIMR-AC2A0021FAA	A1000 inverter: 3~ 200 V, HD: 4.0 kW 17.5 A, ND: 5.5 kW 21.0 A, max. output freq. 400Hz	1499.00	EC001857	254868	4547648862004			EA	EAK	JPN	9032.8900.90
CIMR-AC2A0030FAA	A1000 inverter: 3~ 200 V, HD: 5.5 kW 25.0 A, ND: 7.5 kW 30.0 A, max. output freq. 400Hz	1917.00	EC001857	254869	4547648862011			EA	EAK	JPN	9032.8900.90
CIMR-AC2A0040FAA	A1000 inverter: 3~ 200 V, HD: 7.5 kW 33.0 A, ND: 11.0 kW 40.0 A, max. output freq. 400Hz	2310.00	EC001857	254870	4547648862028			EA	EAK	JPN	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CIMR-AC2A0056FAA	A1000 inverter: 3~ 200 V, HD: 11 kW 47.0 A, ND: 15.0 kW 56.0 A, max. output freq. 400Hz	2749.00	EC001857	254871	4547648862035			EA	EAK	JPN	9032.8900.90
CIMR-AC2A0312AAA	A1000 inverter: 3-phase 200 V, HD: 75 kW 283 A, ND: 90 kW 312 A, max. output freq. 400Hz	17860.00	EC001857	280386	4547648865319			EA	EAK	JPN	9032.8900.90
CIMR-AC4A0002FAA	A1000 inverter: 3~ 400 V, HD: 0.55 kW 1.8 A, ND: 0.75 kW 2.1 A, max. output freq. 400Hz	828.00	EC001857	324899	4547648872268			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0004FAA	A1000 inverter: 3~ 400 V, HD: 0.75 kW 3.4 A, ND: 1.5 kW 4.1 A, max. output freq. 400Hz	1055.00	EC001857	324900	4547648877275			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0005FAA	A1000 inverter: 3~ 400 V, HD: 1.5 kW 4.8 A, ND: 2.2 kW 5.4 A, max. output freq. 400Hz	1183.00	EC001857	324901	4547648877282			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0007FAA	A1000 inverter: 3~ 400 V, HD: 2.2 kW 5.5 A, ND: 3.0 kW 6.9 A, max. output freq. 400Hz	1333.00	EC001857	324902	4547648877299			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0009FAA	A1000 inverter: 3~ 400 V, HD: 3 kW 7.2 A, ND: 4 kW 8.8 A, max. output freq. 400Hz	1419.00	EC001857	332487	4547648883474			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0011FAA	A1000 inverter: 3~ 400 V, HD: 4 kW 9.2 A, ND: 5.5 kW 11.1 A, max. output freq. 400Hz	1476.00	EC001857	324903	4547648877305			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0018FAA	A1000 inverter: 3~ 400 V, HD: 5.5 kW 14.8 A, ND: 7.5 kW 17.5 A, max. output freq. 400Hz	1804.00	EC001857	324904	4547648877312			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0023FAA	A1000 inverter: 3~ 400 V, HD: 7.5 kW 18 A, ND: 11 kW 23 A, max. output freq. 400Hz	2265.00	EC001857	301573	4547648870047			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0031FAA	A1000 inverter: 3~ 400 V, HD: 11 kW 24 A, ND: 15 kW 31 A, max. output freq. 400Hz	2416.00	EC001857	301574	4547648870054			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0038FAA	A1000 inverter: 3~ 400 V, HD: 15 kW 31 A, ND: 18.5 kW 38 A, max. output freq. 400Hz	2926.00	EC001857	301575	4547648870061			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0044FAA	A1000 inverter: 3~ 400 V, HD: 18.5 kW 39 A, ND: 22 kW 44 A, max. output freq. 400Hz	4729.00	EC001857	301576	4547648870078			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0058AAA	A1000 inverter: 3~ 400 V, HD: 22 kW 45 A, ND: 30 kW 58 A, max. output freq. 400Hz	4691.00	EC001857	324905	4547648877329			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0072AAA	A1000 inverter: 3~ 400 V, HD: 30 kW 60 A, ND: 37 kW 72 A, max. output freq. 400Hz	5290.00	EC001857	324906	4547648877336			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0088AAA	A1000 inverter: 3~ 400 V, HD: 37 kW 75 A, ND: 45 kW 88 A, max. output freq. 400Hz	6150.00	EC001857	324907	4547648877343			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0103AAA	A1000 inverter: 3~ 400 V, HD: 45 kW 91 A, ND: 55 kW 103 A, max. output freq. 400Hz	7290.00	EC001857	324908	4547648877350	#		EA	EAK	GBR	9032.8900.90
CIMR-AC4A0139AAA	A1000 inverter: 3~ 400 V, HD: 55 kW 112 A, ND: 75 kW 139 A, max. output freq. 400Hz	7960.00	EC001857	324909	4547648877367			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0165AAA	A1000 inverter: 3~ 400 V, HD: 75 kW 150 A, ND: 90 kW 165 A, max. output freq. 400Hz	10240.00	EC001857	324910	4547648877374			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0208AAA	A1000 inverter: 3~ 400 V, HD: 90 kW 180 A, ND: 110 kW 208 A, max. output freq. 400Hz	13270.00	EC001857	355206	4547648909655			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0250AAA	A1000 inverter: 3~ 400 V, HD: 110 kW 216 A, ND: 132 kW 250 A, max. output freq. 400Hz	14760.00	EC001857	355207	4547648909662			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0296AAA	A1000 inverter: 3~ 400 V, HD: 132 kW 296 A, ND: 160 kW 304 A, max. output freq. 400Hz	17640.00	EC001857	355208	4547648909679			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0362AAA	A1000 inverter: 3~ 400 V, HD: 160 kW 304 A, ND: 185 kW 362 A, max. output freq. 400Hz	22710.00	EC001857	355209	4547648909686			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0414AAA	A1000 inverter: 3~ 400 V, HD: 185 kW 370 A, ND: 220 kW 414 A, max. output freq. 400Hz	34240.00	EC001857	375334	4547648958370			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0515AAA	A1000 inverter: 3~ 400 V, HD: 220 kW 450 A, ND: 250 kW 515 A, max. output freq. 400Hz	38020.00	EC001857	375335	4547648958387			EA	EAK	GBR	9032.8900.90
CIMR-AC4A0675AAA	A1000 inverter: 3~ 400 V, HD: 315 kW 605 A, ND: 355 kW 675 A, max. output freq. 400Hz	45120.00	EC001857	375336	4547648958394			EA	EAK	GBR	9032.8900.90
CIMR-AC4A1200AAA	A1000 inverter: 3~ 400 V, HD: 560 kW 1090 A, ND: 630 kW 1200 A, max. output freq. 400Hz	77850.00	EC001857	351795	4547648894395			EA	EAK	JPN	9032.8900.90

Inverters MX2

3G3MX2-A2002-E	MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 3~ input, sensorless vector, max. output freq. 580Hz	259.90	EC001857	379063	4548583484153			EA	EAP	CHN	9032.8900.90
3G3MX2-A2004-E	MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 3~ input, sensorless vector, max. output freq. 580Hz	275.60	EC001857	379064	4548583484160			EA	EAP	CHN	9032.8900.90
3G3MX2-A2007-E	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ input, sensorless vector, max. output freq. 580Hz	367.40	EC001857	379065	4548583484177	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A2015-E	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 3~ input, sensorless vector, max. output freq. 580Hz	356.50	EC001857	379066	4548583484184	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A2022-E	MX inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 3~ input, sensorless vector, max. output freq. 580Hz	403.20	EC001857	379067	4548583484191	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A2037-E	MX inverter drive, 3.7/5.5 kW (HD/ND), 17.5/19.6 A (HD/ND), 200 VAC, 3~ input, sensorless vector, max. output freq. 580Hz	465.20	EC001857	379068	4548583484207	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A2055-E	MX inverter drive, 5.5/7.5 kW (HD/ND), 25/30 A (HD/ND), 200 VAC, 3~ input, sensorless vector, max. output freq. 580Hz	1107.00	EC001857	379069	4548583484214	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A2075-E	MX inverter drive, 7.5/11.0 kW (HD/ND), 33/40 A (HD/ND), 200 VAC, 3~ input, sensorless vector, max. output freq. 580Hz	1284.00	EC001857	379070	4548583484221	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A2110-E	MX inverter drive, 11/15 kW (HD/ND), 47/56 A (HD/ND), 200 VAC, 3~ input, sensorless vector, max. output freq. 580Hz	1837.00	EC001857	379071	4548583484238	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A2150-E	MX inverter drive, 15/18.5 kW (HD/ND), 60/69 A (HD/ND), 200 VAC, 3~ input, sensorless vector, max. output freq. 580Hz	2374.00	EC001857	379072	4548583484245			EA	EAP	CHN	9032.8900.90
3G3MX2-A4004-E	MX inverter drive, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~, sensorless vector, max. output freq. 580Hz	571.00	EC001857	379073	4548583484252	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A4007-E	MX inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~, sensorless vector, max. output freq. 580Hz	640.00	EC001857	378477	4548583484276	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A4015-E	MX inverter drive, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3~, sensorless vector, max. output freq. 580Hz	718.50	EC001857	379076	4548583484290	#		EA	EAP	CHN	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3MX2-A4022-E	MX inverter drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~, sensorless vector, max. output freq. 580Hz	804.50	EC001857	379078	4548583484313	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A4030-E	MX inverter drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~, sensorless vector, max. output freq. 580Hz	831.50	EC001857	379080	4548583484337	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A4040-E	MX inverter drive, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~, sensorless vector, max. output freq. 580Hz	1005.00	EC001857	379082	4548583484351	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A4055-E	MX inverter drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~, sensorless vector, max. output freq. 580Hz	1290.00	EC001857	379084	4548583484375	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A4075-E	MX inverter drive, 7.5/11.0 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~, sensorless vector, max. output freq. 580Hz	1462.00	EC001857	379085	4548583484382	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A4110-E	MX inverter drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~, sensorless vector, max. output freq. 580Hz	1617.00	EC001857	378478	4548583484399	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A4150-E	MX inverter drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~, sensorless vector, max. output freq. 580Hz	2106.00	EC001857	379086	4548583484405	#		EA	EAP	CHN	9032.8900.90
3G3MX2-AB001-E	MX inverter drive, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1~ input, sensorless vector, max. output freq. 580Hz	321.40	EC001857	379087	4548583484412	#		EA	EAP	CHN	9032.8900.90
3G3MX2-AB002-E	MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1~ input, sensorless vector, max. output freq. 580Hz	331.30	EC001857	379089	4548583484436	#		EA	EAP	CHN	9032.8900.90
3G3MX2-AB004-E	MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ input, sensorless vector, max. output freq. 580Hz	343.50	EC001857	379091	4548583484450	#		EA	EAP	CHN	9032.8900.90
3G3MX2-AB007-E	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ input, sensorless vector, max. output freq. 580Hz	409.30	EC001857	379093	4548583484474	#		EA	EAP	CHN	9032.8900.90
3G3MX2-AB015-E	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ input, sensorless vector, max. output freq. 580Hz	484.30	EC001857	379095	4548583484498	#		EA	EAP	CHN	9032.8900.90
3G3MX2-AB022-E	MX inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~ input, sensorless vector, max. output freq. 580Hz	564.00	EC001857	379097	4548583484511	#		EA	EAP	CHN	9032.8900.90
3G3MX2-A4007-P-E	3G3MX2 inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~, sensorless vector, w/o heatsink, max. output freq. 580Hz	513.50	EC001857	377379	4548583379725	#		EA	EAP	JPN	9032.8900.90
3G3MX2-A4022-P-E	3G3MX2 inverter drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~, sensorless vector, w/o heatsink, max. output freq. 580Hz	935.00	EC001857	377381	4548583379749	#		EA	EAP	JPN	9032.8900.90
3G3MX2-A4030-P-E	3G3MX2 inverter drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~, sensorless vector, w/o heatsink, max. output freq. 580Hz	747.00	EC001857	377397	4548583442801	#		EA	EAP	JPN	9032.8900.90
3G3MX2-AB004-P-E	MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink, max. output freq. 580Hz	385.20	EC001857	377385	4548583442795	#		EA	EAP	JPN	9032.8900.90
3G3MX2-AB007-P-E	3G3MX2 inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink, max. output freq. 580Hz	385.20	EC001857	377375	4548583379688	#		EA	EAP	JPN	9032.8900.90
3G3MX2-AB015-P-E	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink, max. output freq. 580Hz	475.20	EC001857	377376	4548583379695	#		EA	EAP	JPN	9032.8900.90
3G3MX2-AB022-P-E	3G3MX2 inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink, max. output freq. 580Hz	555.50	EC001857	377377	4548583379701	#		EA	EAP	JPN	9032.8900.90
Inverters RX / RX2											
3G3RX2-A2004	Inverter RX2, 200 V, VLD: 4.4 A / 0,75 kW, LD: 3,7 A / 0,75 kW, ND: 3,2 A / 0,4 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1086.00	EC001857	687637	4549734281386	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2007	Inverter RX2, 200 V, VLD: 8,0 A / 1,5 kW, LD: 6,3 A / 1,5 kW, ND: 5,0 A / 0,75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1129.00	EC001857	687638	4549734281393	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2015	Inverter RX2, 200 V, VLD: 10,4 A / 2,2 kW, LD: 9,4 A / 2,2 kW, ND: 8,0 A / 1,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1227.00	EC001857	687639	4549734281409	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2022	Inverter RX2, 200 V, VLD: 15,6 A / 3,7 kW, LD: 12 A / 3,7 kW, ND: 11 A / 2,2 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1287.00	EC001857	687640	4549734281416	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2037	Inverter RX2, 200 V, VLD: 22,8 A / 5,5 kW, LD: 19,6 A / 5,5 kW, ND: 17,5 A / 3,7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1297.00	EC001857	687641	4549734281423	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2075	Inverter RX2, 200 V, VLD: 46 A / 11 kW, LD: 40 A / 11 kW, ND: 32 A / 7,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1752.00	EC001857	687643	4549734281447	#		EA	EAQ	JPN	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3RX2-A2110	Inverter RX2, 200 V, VLD: 60 A / 15 kW, LD: 56 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2039.00	EC001857	687644	4549734281454	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2150	Inverter RX2, 200 V, VLD: 80 A / 18,5 kW, LD: 73 A / 18,5 kW, ND: 64 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2630.00	EC001857	687645	4549734281461	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2185	Inverter RX2, 200 V, VLD: 93 A / 22 kW, LD: 85 A / 22 kW, ND: 76 A / 18,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	3302.00	EC001857	687646	4549734281478	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2220	Inverter RX2, 200 V, VLD: 124 A / 30 kW, LD: 113 A / 30 kW, ND: 95 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	3924.00	EC001857	687647	4549734281485	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2300	Inverter RX2, 200 V, VLD: 153 A / 37 kW, LD: 140 A / 37 kW, ND: 122 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	4990.00	EC001857	687648	4549734281492	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2370	Inverter RX2, 200 V, VLD: 185 A / 45 kW, LD: 169 A / 45 kW, ND: 146 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	6025.00	EC001857	687649	4549734281508	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2450	Inverter RX2, 200 V, VLD: 229 A / 55 kW, LD: 210 A / 55 kW, ND: 182 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	6965.00	EC001857	687650	4549734281515	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A2550	Inverter RX2, 200 V, VLD: 295 A / 75 kW, LD: 270 A / 75 kW, ND: 220 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	8705.00	EC001857	687651	4549734281522	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4007	Inverter RX2, 400 V, VLD: 4,1 A / 1,5 kW, LD: 3,1 A / 1,5 kW, ND: 2,5 A / 0,75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1113.00	EC001857	687652	4549734281539	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4015	Inverter RX2, 400 V, VLD: 5,4 A / 2,2 kW, LD: 4,8 A / 2,2 kW, ND: 4,0 A / 1,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1230.00	EC001857	687653	4549734281546	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4022	Inverter RX2, 400 V, VLD: 8,3 A / 3,7 kW, LD: 6,7 A / 3,7 kW, ND: 5,5 A / 2,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1300.00	EC001857	687654	4549734281553	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4037	Inverter RX2, 400 V, VLD: 12,6 A / 5,5 kW, LD: 11,1 A / 5,5 kW, ND: 9,2 A / 3,7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1413.00	EC001857	687655	4549734281560	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4055	Inverter RX2, 400 V, VLD: 17,5 A / 7,5 kW, LD: 16 A / 7,5 kW, ND: 14,8 A / 5,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1689.00	EC001857	687656	4549734281577	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4075	Inverter RX2, 400 V, VLD: 25 A / 11 kW, LD: 22 A / 11 kW, ND: 19 A / 7,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2031.00	EC001857	687657	4549734281584	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4110	Inverter RX2, 400 V, VLD: 31 A / 15 kW, LD: 29 A / 15 kW, ND: 25 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2305.00	EC001857	687658	4549734281591	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4150	Inverter RX2, 400 V, VLD: 40 A / 18,5 kW, LD: 37 A / 18,5 kW, ND: 32 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2820.00	EC001857	687659	4549734281607	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4185	Inverter RX2, 400 V, VLD: 47 A / 22 kW, LD: 43 A / 22 kW, ND: 39 A / 18,5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	3251.00	EC001857	687660	4549734281614	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4220	Inverter RX2, 400 V, VLD: 62 A / 30 kW, LD: 57 A / 30 kW, ND: 48 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	3783.00	EC001857	687661	4549734281621	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4300	Inverter RX2, 400 V, VLD: 77 A / 37 kW, LD: 70 A / 37 kW, ND: 61 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	4870.00	EC001857	687662	4549734281638	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4370	Inverter RX2, 400 V, VLD: 93 A / 45 kW, LD: 85 A / 45 kW, ND: 75 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	5540.00	EC001857	687663	4549734281645	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4450	Inverter RX2, 400 V, VLD: 116 A / 55 kW, LD: 105 A / 55 kW, ND: 91 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	6375.00	EC001857	687664	4549734281652	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-A4550	Inverter RX2, 400 V, VLD: 147 A / 75 kW, LD: 135 A / 75 kW, ND: 112 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	7040.00	EC001857	687665	4549734281669	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-B411K	Inverter RX2, 400 V, VLD: 252 A / 132 kW, LD: 230 A / 132 kW, ND: 217 A / 110 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	12230.00	EC001857	687668	4549734281690	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-B413K	Inverter RX2, 400 V, VLD: 316 A / 160 kW, LD: 290 A / 160 kW, ND: 260 A / 132 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	15690.00	EC001857	687635	4549734281706	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-B4750	Inverter RX2, 400 V, VLD: 176 A / 90 kW, LD: 160 A / 90 kW, ND: 150 A / 75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	9215.00	EC001857	687666	4549734281676	#		EA	EAQ	JPN	9032.8900.90
3G3RX2-B4900	Inverter RX2, 400 V, VLD: 213 A / 110 kW, LD: 195 A / 110 kW, ND: 180 A / 90 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	11250.00	EC001857	687667	4549734281683	#		EA	EAQ	JPN	9032.8900.90
Inverters SX											
SX-A6030-EVA4	SX inverter IP20, 30 kW, 3~ 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	8850.00	EC001857	692982	4549734988209			EA	EAT	SWE	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Accessory for Inverter											
AX-CUSBM002-E	Mini USB to USB connector cable	46.68	EC001681	322128	4547648872188			EA	EAZ	ITA	8503.0099.99
3G3AX-OP01	LED remote operator panel, cable length max. 3m	85.20	EC002025	335480	4547648489751			EA	EAZ	JPN	8523.8090.00
3G3AX-OP03	LED remote operator panel	263.70	EC002025	357795	4548583121751	#		EA	EAZ	JPN	8503.0099.99
3G3AX-OP05	5 line LCD digital operator with copy function	335.60	EC002025	376184	4548583096110			EA	EAZ	JPN	8523.8090.00
3G3AX-OP05-B-E	Blind cover to be used in combination with communication option boards	7.08	EC002025	372905	4547648949590			EA	EAZ	NLD	8503.0099.99
3G3AX-OP05-H-E	3G3 RX option, holder for LCD operator	57.90	EC002025	356399	4548583059078			EA	EAZ	NLD	8503.0099.99
3G3AX-MX2-CRT-E	CompoNet option card	174.30	EC002025	335663	4547648767910			EA	EAZ	NLD	8517.6200.00
3G3AX-MX2-DRT-E	DeviceNet option card for MX2 inverter	174.00	EC002025	329711	4547648767903			EA	EAZ	NLD	8517.6200.00
3G3AX-MX2-ECT	MX2 EtherCAT option card	423.20	EC002025	343139	4547648834803	#		EA	EAZ	JPN	8517.6200.00
3G3AX-MX2-EIO15-E	Extra I/O option board, 1 analog voltage input, 1 analog current input, 1 analog voltage output, 8 discrete logic inputs, 4 discrete logic outputs	138.20	EC002025	374112	4548583372382			EA	EAZ	NLD	9032.8900.90
3G3AX-MX2-PRT-E	MX2 option card, PROFIBUS DP	256.60	EC002025	327340	4547648767897	#		EA	EAZ	NLD	8517.6200.00
3G3AX-PG01	Encoder feedback card, differential and pulse inputs, pulse monitor output, 100kHz max.	209.50	EC002025	315471	4547648489737	#		EA	EAZ	JPN	8523.8090.00
3G3AX-RX2-PG01	RX2 PG speed controller option board	209.50	EC002025	687957	4549734281362	#		EA	EAZ	JPN	8523.8090.00
3G3AX-RX-DRT-E	DeviceNet option card for RX inverter	274.00	EC002025	355919	4548583059092			EA	EAZ	NLD	8517.6200.00
3G3AX-RX-ECT	RX series EtherCAT option card	565.00	EC002025	371931	4548583344297	#		EA	EAZ	JPN	8517.6200.00
3G3AX-RX-PRT-E	3G3RX option, PROFIBUS DP communication card	373.20	EC002025	355918	4548583059085			EA	EAZ	NLD	8517.6200.00
PG-B3	Open collector PG interface for A1000 and Q2A inverters. A, B, Z pulse, fmax 50 kHz	158.20	EC002025	262489	4547648863605			EA	EAZ	JPN	8523.8090.00
PG-E3	Endat PG interface for A1000. For speed feedback input by connection a motor encoder type: ERN1387 (HEIDENHAIN)	397.90	EC002025	329710	4547648880787			EA	EAZ	JPN	8471.6070.00
PG-F3	Endat PG interface for A1000 and Q2A inverters. For speed feedback input by connection a motor encoder type: EnDat 2.1/01, EnDat 2.2/01, EnDat 2.2/22 (HEIDENHAIN)	343.60	EC002025	323403	4547648872522			EA	EAZ	JPN	8471.6070.00
PG-X3	Line Driver PG interface for A1000 and Q2A inverters. A, B, Z differential (RS422) input, fmax 300 kHz	158.20	EC002025	256633	4547648862806			EA	EAZ	JPN	8523.8090.00
PS-A10HB	A1000 24V DC Control board Power Supply option 400 V class	276.70	EC002025	355602	4547648915878			EA	EAZ	JPN	8471.6070.00
PS-V10S	24VDC control board power supply VZA-B/2/4 from 0.1 to 4 KW	255.50	EC002025	240837	4547648850049			EA	EAZ	JPN	8471.6070.00
SI-232/J	RS-232C comms interface for use with LED operator JVOP-182	95.05	EC002025	249034	4547648856799			EA	EAZ	JPN	8517.6200.00
SI-232/JC	RS-232C communications card for CIMR-J1000 inverter	89.75	EC002025	249035	4547648856805			EA	EAZ	JPN	8517.6200.00
SI-EN3	EtherNet/IP option board for A1000, Q2A and Q2V inverters.	330.70	EC002025	330846	4547648882859	#		EA	EAZ	USA	8517.6200.00
SI-EN3D	Dual Port EtherNet IP option board for A1000, Q2A and Q2V inverters.	287.20	EC002025	414636	4547648997201			EA	EAZ	USA	8517.6200.00
SI-EN3DV	EtherNet/IP option board for V1000 inverter (dual)	393.50	EC002025	414637	4547648997218			EA	EAZ	USA	8517.6200.00
SI-EN3/V	EtherNet/IP option board for V1000 inverter	471.90	EC002025	264659	4547648864237			EA	EAZ	USA	8517.6200.00
SI-EP3	PROFINET option board for A1000, Q2A and Q2V inverters.	686.00	EC002025	373019	4547648949842			EA	EAZ	DEU	8517.6200.00
SI-EP3/V	V1000 option card - PROFINET	548.50	EC002025	373020	4547648949859			EA	EAZ	DEU	8517.6200.00
SI-E53	EtherCAT option board for A1000, Q2A and Q2V inverters.	313.90	EC002025	683366	4549734951203	#		EA	EAZ	GBR	8517.6200.00
SI-E53/Q2V	Q2V EtherCAT option board with JOHB-Q2V option card enclosure mounted from factory.	503.50	EC002025	695540	4549734996938	#		EA	EAZ	SWE	8517.6200.00
SI-E53/V	Ethercat option board for V1000	623.50	EC002025	690265	4549734980753	#		EA	EAZ	GBR	8517.6200.00
SI-N3	DeviceNet option board for A1000, Q2A and Q2V inverters.	235.10	EC002025	278325	4547648864978			EA	EAZ	JPN	8517.6200.00
SI-N3/V	DeviceNet option board for V1000 inverter	227.10	EC002025	241427	4547648850384			EA	EAZ	JPN	8517.6200.00
SI-P3	PROFIBUS DP option board for A1000, Q2A and Q2V inverters.	410.30	EC002025	274269	4547648864831			EA	EAZ	JPN	8517.6200.00
SI-P3/V	PROFIBUS DP option board for V1000 inverter	366.10	EC002025	240836	4547648850032			EA	EAZ	JPN	8517.6200.00
SI-S3	CANopen option board for A1000, Q2A and Q2V inverters.	264.80	EC002025	274270	4547648864848			EA	EAZ	JPN	8517.6200.00
SI-S3/V	CANopen option board for V1000 inverter	277.90	EC002025	240835	4547648850025			EA	EAZ	JPN	8517.6200.00
SI-T3/V	MECHATROLINK II option board for V1000 inverter	609.00	EC002025	256634	4547648862813			EA	EAZ	JPN	8517.6200.00
AX-BCR4015045-TE	Braking unit 400 V, permanent 15 A/11 KVA, peak 45 A/33 KVA, 16 ohm min	818.00	EC002025	324034	4547648873956			EA	EAZ	DEU	8533.2900.00
AX-BCR4017068-TE	Braking unit 400 V, permanent 17 A/13 KVA, peak 68 A/51 KVA, 11 ohm min	805.50	EC002025	324035	4547648873963			EA	EAZ	DEU	8533.2900.00
AX-BCR4035090-TE	Braking unit 400 V, permanent 35 A/26 KVA, peak 90 A/67 KVA, 8.5 ohm min	1411.00	EC002025	324036	4547648873970			EA	EAZ	DEU	8533.2900.00
AX-BCR4090240-TE	Braking unit 400V, permanent 90A/67KVA, Peak 240A/180KVA, 3.2 ohm min	2701.00	EC002025	325091	4547648877442			EA	EAZ	DEU	8533.2900.00
A1000-REJOK15100-HE	Braking Resistor for J1000, 100 Ohm	33.74	EC002025	250563	4547648859806		10	EA	EAZ	ITA	8533.2900.00
A1000-REJOK15200-HE	Braking Resistor for J1000, 200 Ohm	44.52	EC002025	250562	4547648859813		10	EA	EAZ	ITA	8533.2900.00
A1000-REJOK15300-HE	Braking Resistor for J1000, 300 Ohm	24.34	EC002025	250561	4547648859820		10	EA	EAZ	ITA	8533.2900.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A1000-REJOK15400-IE	Braking Resistor for J1000, 400 Ohm	25.26	EC002025	250560	4547648859837		10	EA	EAZ	ITA	8533.2900.00
A1000-REV00K4030-IE	Braking Resistor, 30 ohm	37.55	EC002025	241659	4547648851268			EA	EAZ	ITA	9032.8900.90
A1000-REV00K4100-IE	Braking Resistor, 100 ohm	41.37	EC002025	239854	4536853913878			EA	EAZ	ITA	9032.8900.90
A1000-REV00K5075-IE	Braking Resistor, 75 ohm	43.84	EC002025	239855	4536853913885			EA	EAZ	ITA	9032.8900.90
A1000-REV00K6050-IE	Braking Resistor, 50 ohm	60.50	EC002025	239856	4536853913892			EA	EAZ	ITA	9032.8900.90
A1000-REV00K9040-IE	Braking Resistor, 40 ohm	100.70	EC002025	239857	4536853913908			EA	EAZ	ITA	9032.8900.90
AX-REM00K1200-IE	Braking resistor, 200 ohm, 110 W nominal	25.36	EC002025	324011	4547648873727			EA	EAZ	ITA	8533.2900.00
AX-REM00K1400-IE	Braking resistor, 400 ohm, 190 W nominal	28.41	EC002025	324010	4547648873710			EA	EAZ	ITA	8533.2900.00
AX-REM00K2070-IE	Braking resistor, 70 ohm, 200 W nominal	29.73	EC002025	324012	4547648873734		10	EA	EAZ	ITA	8533.2900.00
AX-REM00K2120-IE	Braking resistor, 120 ohm, 200 W nominal	36.23	EC002025	324017	4547648873789			EA	EAZ	ITA	8533.2900.00
AX-REM00K2200-IE	Braking resistor, 200 ohm, 200 W nominal	36.23	EC002025	324015	4547648873765		10	EA	EAZ	ITA	8533.2900.00
AX-REM00K4035-IE	Braking resistor, 35 ohm, 400 W nominal	39.44	EC002025	324014	4547648873758			EA	EAZ	ITA	8533.2900.00
AX-REM00K4075-IE	Braking resistor, 70 ohm, 400 W nominal	43.69	EC002025	324013	4547648873741			EA	EAZ	ITA	8533.2900.00
AX-REM00K5120-IE	Braking resistor, 120 ohm, 500 W nominal	46.18	EC002025	324016	4547648873772			EA	EAZ	ITA	8533.2900.00
AX-REM00K6035-IE	Braking resistor, 35 ohm, 600 W nominal	71.40	EC002025	324023	4547648873840			EA	EAZ	ITA	8533.2900.00
AX-REM00K6100-IE	Braking resistor, 100 ohm, 600 W nominal	57.20	EC002025	324018	4547648873796			EA	EAZ	ITA	8533.2900.00
AX-REM00K9020-IE	Braking resistor, 20 ohm, 900 W nominal	125.10	EC002025	324024	4547648873857			EA	EAZ	ITA	8533.2900.00
AX-REM00K9070-IE	Braking resistor, 70 ohm, 900 W nominal	125.10	EC002025	324019	4547648873802			EA	EAZ	ITA	8533.2900.00
AX-REM01K9017-IE	Braking resistor, 17 ohm, 1900 W nominal	292.80	EC002025	324025	4547648873864			EA	EAZ	ITA	8533.2900.00
AX-REM01K9070-IE	Braking resistor, 70 ohm, 1900 W nominal	292.80	EC002025	324020	4547648873819			EA	EAZ	ITA	8533.2900.00
AX-REM02K1070-IE	Braking resistor, 70 ohm, 2100 W nominal	454.30	EC002025	324021	4547648873826			EA	EAZ	ITA	8533.2900.00
AX-REM03K5035-IE	Braking resistor, 35 ohm, 3500 W nominal	547.50	EC002025	324022	4547648873833			EA	EAZ	ITA	8533.2900.00
AX-REM19K0020-IE	Braking resistor, 20 ohm, 19 kW nominal	632.50	EC002025	324030	4547648873918			EA	EAZ	ITA	8533.2900.00
AX-REM19K0030-IE	Braking resistor, 30 ohm, 19 kW nominal	532.00	EC002025	324029	4547648873901			EA	EAZ	ITA	8533.2900.00
AX-REM38K0012-IE	Braking resistor, 12 ohm, 38kW nominal	799.00	EC002025	324031	4547648873925			EA	EAZ	ITA	8533.2900.00
ERF-150WJ101	Braking resistor, 100 Ohm, for 200 VAC drives (1.5kW) (equivalent to 3G3IV-PERF150WJ101)	34.93	EC002025	138124	4536853834982			EA	EAZ	JPN	9032.8900.90
ERF-150WJ201	Braking resistor, 200 Ohm, for 200VAC drives (up to 0.75kW) (equivalent to 3G3IV-PERF150WJ201)	45.09	EC002025	138125	4536853834999	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ301	Braking resistor, 300 Ohm, for 400 VAC drives (2.2kW) (equivalent to 3G3IV-PERF150WJ301)	34.93	EC002025	138126	4536853835002			EA	EAZ	JPN	9032.8900.90
ERF-150WJ401	Braking resistor, 400 Ohm, for 400VAC drives (1.5kW) (equivalent to 3G3IV-PERF150WJ401)	34.93	EC002025	147919	4536853835019	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ620	Braking resistor, 62 Ohm, for 200 VAC drives (3.7kW) (equivalent to 3G3IV-PERF150WJ620)	34.91	EC002025	143539	4536853835026			EA	EAZ	JPN	9032.8900.90
ERF-150WJ700	Braking resistor, 70 Ohm, for 200 VAC drives (2.2kW) (equivalent to 3G3IV-PERF150WJ700)	40.36	EC002025	148902	4536853835033			EA	EAZ	JPN	9032.8900.90
ERF-150WJ751	Braking resistor, 750 Ohm, for 400VAC drives (up to 0.75kW) (equivalent to 3G3IV-PERF150WJ751)	34.93	EC002025	138127	4536853835040			EA	EAZ	JPN	9032.8900.90
INV-BR15040-Type A	Resistor, aluminum, 1000 Watt, 40 Ohm	123.40	EC002025	187849	4549734983808			EA	EAZ	ITA	8504.4082.90
3G3RV-PFI3018-SE	E7Z/F7Z footprint RFI filter, 18A, 415VAC, 3-phase, for 3.7 - 5.5kW units (equivalent to FS59721-8-07)	168.90	EC002025	139179	4536853864699			EA	EAZ	THA	8529.9097.90
3G3RV-PFI3035-E	E7Z/F7Z/L7Z footprint RFI filter, 35A, 400VAC, 3-phase, for 7.5 & 11kW units	237.40	EC002025	139050	4536853866570			EA	EAZ	GBR	8529.9097.90
3G3RV-PFI3035-SE	E7Z/F7Z/L7Z footprint RFI filter, 35A, 415VAC, 3-phase, for 7.5 & 11kW units (equivalent to FS5972-35-07)	238.10	EC002025	139180	4536853864712			EA	EAZ	THA	8529.9097.90
3G3RV-PFI3060-E	E7Z/F7Z/L7Z footprint RFI filter, 60A, 415 VAC, 3-phase, for 15 & 18.5kW units	327.10	EC002025	139051	4536853866594			EA	EAZ	GBR	8529.9097.90
3G3RV-PFI3060-SE	E7Z/F7Z/L7Z footprint RFI filter, 60 A, 415 VAC, 3-phase, for 15 & 18.5 kW units (equivalent to FS5972-60-07)	376.70	EC002025	702556	4549734793803			EA	EAZ	THA	8529.9097.90
3G3RV-PFI3070-E	E7Z/F7Z/L7Z RFI filter, 70A, 400VAC, 3-phase, for 22 & 30kW units.	411.90	EC002025	139052	4536853866617			EA	EAZ	GBR	8529.9097.90
3G3RV-PFI3100-SE	E7Z/F7Z RFI filter, 100 A, 415 VAC, 3-phase	504.00	EC002025	702551	4549734793759			EA	EAZ	THA	8529.9097.90
A1000-FIA3024-SE	A1000 footprint RFI filter, 24 A, 3~ 200 VAC: 2A0004 - 2A0021, 3~ 400 VAC: 4A0002 - 4A0023	105.40	EC002025	679458	4549734932608			EA	EAZ	THA	8529.9097.90
A1000-FIA3044-SE	A1000 footprint RFI filter, 44 A, 3~ 400 VAC: 4A0031 - 4A0038	214.00	EC002025	679456	4549734932585			EA	EAZ	THA	8529.9097.90
A1000-FIA3052-SE	A1000 footprint RFI filter, 52 A, 3~ 400 VAC: 4A0044	264.20	EC002025	679457	4549734932592			EA	EAZ	THA	8529.9097.90
A1000-FIA3071-RE	A1000 footprint RFI filter, 71 A, 3~ 400 VAC: 4A0058 - 4A0088	378.90	EC002025	328911	4547648880367			EA	EAZ	GBR	8529.9097.90
A1000-FIA3105-RE	A1000 footprint RFI filter, 105 A, 3~ 400 VAC: 4A0088 - 4A0139	476.40	EC002025	328912	4547648880374			EA	EAZ	GBR	8529.9097.90
A1000-FIA3170-RE	A1000 footprint RFI filter, 170 A, 3~ 400 VAC: 4A0139 - 4A0208	953.50	EC002025	328913	4547648880381			EA	EAZ	GBR	8529.9097.90
A1000-FIA3300-RE	A1000 footprint RFI filter, 300 A, 3~ 400 VAC: 4A0208 - 4A0362	1535.00	EC002025	328914	4547648880398			EA	EAZ	GBR	8529.9097.90
A1000-FIV1010-SE	Q2V/V1000/J1000 footprint RFI filter, 10A, 200 VAC, single phase, for 0.12 to 0.55kW drives	26.61	EC002025	246710	4547648855013	#		EA	EAZ	THA	8529.9097.90
A1000-FIV1020-SE-LL-Q	Q2V/V1000/J1000 Low Leakage Current footprint RFI filter, 20A, 200 VAC, single phase, for 1.1 to 1.5KW drives	44.38	EC002025	693907	4549734993272			EA	EAZ	THA	8529.9097.90
A1000-FIV1020-SE-Q	Q2V/V1000/J1000 footprint RFI filter, 20A, 200 VAC, single phase, for 1.1 to 1.5KW drives	38.71	EC002025	693906	4549734993265			EA	EAZ	THA	8529.9097.90
A1000-FIV1030-SE-LL-Q	Q2V/V1000 Low Leakage Current footprint RFI filter, 30A, 200 VAC, single phase, for 2.2KW drives	57.40	EC002025	693909	4549734993296			EA	EAZ	THA	8529.9097.90
A1000-FIV1030-SE-Q	Q2V/V1000 footprint RFI filter, 30A, 200 VAC, single phase, for 2.2KW drives	50.30	EC002025	693908	4549734993289			EA	EAZ	THA	8529.9097.90
A1000-FIV1040-SE	Q2V/V1000 footprint RFI filter, 40A, 200 VAC, single phase, for 4.0KW drives	75.70	EC002025	246713	4547648855044			EA	EAZ	THA	8529.9097.90
A1000-FIV2010-SE-V1	Q2V/V1000 footprint RFI filter, 10A, 200 VAC, three phase, for up 1.1KW drives	97.80	EC002025	385715	4547648974936			EA	EAZ	THA	8529.9097.90
A1000-FIV2020-SE	Q2V/V1000/J1000 footprint RFI filter, 20 A, 200 VAC, 3-phase, for 1.5 to 2.2 kW drives	142.80	EC002025	246720	4547648855068			EA	EAZ	THA	8529.9097.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A1000-FIV2030-SE	Q2V/V1000/11000 footprint RFI filter, 30 A, 200 VAC, 3-phase, for 4.0 kW drives	142.80	EC002025	246721	4547648855075			EA	EAZ	THA	8529.9097.90
A1000-FIV2060-SE-V1	Q2V/V1000 footprint RFI filter, 52 A, 3-phase 200 VAC, for 5.5 to 7.5 kW drives	201.80	EC002025	392487	4547648980470			EA	EAZ	THA	8529.9097.90
A1000-FIV3005-SE	Q2V/V1000/11000 footprint RFI filter, 5A, 400 VAC, three phase, for 0.37 to 0.55kW drives	59.25	EC002025	246714	4547648855112	#		EA	EAZ	THA	8529.9097.90
A1000-FIV3010-SE-LL-Q	Q2V/V1000/11000 Low Leakage Current footprint RFI filter, 10A, 400 VAC, three phase, for 1.1 to 3.0KW drives	73.95	EC002025	693911	4549734993319			EA	EAZ	THA	8529.9097.90
A1000-FIV3010-SE-Q	Q2V/V1000/11000 footprint RFI filter, 10A, 400 VAC, three phase, for 1.1 to 3.0KW drives	70.10	EC002025	693910	4549734993302	#		EA	EAZ	THA	8529.9097.90
A1000-FIV3020-SE-LL-Q	Q2V/V1000/11000 Low Leakage Current footprint RFI filter, 20A, 400 VAC, three phase, 4.0KW drives	92.25	EC002025	693913	4549734993333			EA	EAZ	THA	8529.9097.90
A1000-FIV3020-SE-Q	Q2V/V1000/11000 footprint RFI filter, 20A, 400 VAC, three phase, 4.0KW drives	83.00	EC002025	693912	4549734993326			EA	EAZ	THA	8529.9097.90
A1000-FIV3030-SE-LL	Q2V/V1000 Low Leakage Current footprint RFI filter, 30A, 400 VAC, three phase, 5.5kW and 7.5kW drives	108.20	EC002025	386169	4547648975421			EA	EAZ	THA	8529.9097.90
A1000-FIV3030-SE-V1	Q2V/V1000 footprint RFI filter, 30A, 400 VAC, three phase, 5.5kW and 7.5kW drives	93.30	EC002025	385718	4547648974967			EA	EAZ	THA	8529.9097.90
A1000-FIV3050-SE-LL	Q2V/V1000 Low Leakage Current footprint RFI filter, 50A, 400 VAC, three phase, 11kW and 15kW drives.	228.60	EC002025	386170	4547648975438			EA	EAZ	THA	8529.9097.90
AX-FIM1010-SE-LL	Accessory inverter MX2 EMC filter	30.41	EC002025	386171	4547648975445			EA	EAZ	THA	8529.9097.90
AX-FIM1010-SE-V1	MX footprint RFI filter, 10A, 200VAC, single phase	27.11	EC002025	354492	4547648905985			EA	EAZ	THA	8529.9097.90
AX-FIM1014-SE-LL	Accessory inverter MX2 EMC filter	43.16	EC002025	386172	4547648975452			EA	EAZ	THA	8529.9097.90
AX-FIM1014-SE-V1	MX footprint RFI filter, 14 A, 1~ 200 VAC, for 0.75 kW models	40.13	EC002025	392486	4547648980463	#		EA	EAZ	THA	8529.9097.90
AX-FIM1024-SE-LL	Accessory inverter MX2 EMC filter	47.19	EC002025	386173	4547648975469			EA	EAZ	THA	8529.9097.90
AX-FIM1024-SE-V1	MX footprint RFI filter, 24A, 200VAC, single phase, for 1.5 to 2.2KW models	44.71	EC002025	354493	4547648905992	#		EA	EAZ	THA	8529.9097.90
AX-FIM2030-SE-V1	MX footprint RFI filter, 30A, 200VAC, three phase	114.20	EC002025	354496	4547648906029			EA	EAZ	THA	8529.9097.90
AX-FIM3005-SE-LL	Accessory inverter MX2 EMC filter	66.60	EC002025	386177	4547648975506			EA	EAZ	THA	8529.9097.90
AX-FIM3005-SE-V1	MX footprint RFI filter, 5A, 400VAC, three phase, for 0.37 to 1.1KW models	68.60	EC002025	354500	4547648906067			EA	EAZ	THA	8529.9097.90
AX-FIM3010-RE-LL	MX footprint RFI filter, 10A, 400VAC, three phase, for 1.5 to 3.0KW models, low leakage current	93.15	EC002025	324545	4547648876056			EA	EAZ	GBR	8529.9097.90
AX-FIM3010-SE-LL	Accessory inverter MX2 EMC filter, Low leakage filter	79.95	EC002025	386178	4547648975513			EA	EAZ	THA	8529.9097.90
AX-FIM3010-SE-V1	Accessory inverter MX2 EMC filter	82.35	EC002025	354501	4547648906074	#		EA	EAZ	THA	8529.9097.90
AX-FIM3014-SE-LL	Accessory inverter MX2 EMC filter	90.00	EC002025	386179	4547648975520			EA	EAZ	THA	8529.9097.90
AX-FIM3014-SE-V1	MX footprint RFI filter, 14A, 400VAC, three phase, 4.0KW models	92.90	EC002025	354502	4547648906081	#		EA	EAZ	THA	8529.9097.90
AX-FIM3030-SE-LL	Accessory inverter MX2 EMC filter	97.85	EC002025	386180	4547648975537			EA	EAZ	THA	8529.9097.90
AX-FIM3050-SE-LL	Accessory inverter MX2 EMC filter	205.40	EC002025	386181	4547648975544			EA	EAZ	THA	8529.9097.90
AX-FIM3050-SE-V1	MX footprint RFI filter, 50A, 400VAC, three phase, for 11 to 15KW models	182.80	EC002025	354504	4547648906104	#		EA	EAZ	THA	8529.9097.90
AX-FIR3010-RE	RX footprint RFI filter, 10 A, 3~ 400 VAC, for 0.4-4.0 kW models	93.25	EC002025	283812	4547648865975			EA	EAZ	GBR	8529.9097.90
AX-FIR3030-RE	RX footprint RFI filter, 30 A, 3~ 400 VAC, for 5.5-11 kW models	114.30	EC002025	283813	4547648865982			EA	EAZ	GBR	8529.9097.90
AX-FIR3053-RE	RX footprint RFI filter, 53 A, 3~ 400 VAC, for 15-22 kW models	219.60	EC002025	283814	4547648865999			EA	EAZ	GBR	8529.9097.90
AX-FIR3064-RE	RX footprint RFI filter, 64 A, 3~ 400 VAC, for 30 kW models	315.20	EC002025	283815	4547648866002			EA	EAZ	GBR	8529.9097.90
AX-FIR3100-RE	RX footprint RFI filter, 100 A, 3~ 400 VAC, for 37 kW models	379.30	EC002025	283816	4547648866019			EA	EAZ	GBR	8529.9097.90
AX-FIR3130-RE	RX footprint RFI filter, 130 A, 3~ 400 VAC, for 45-55 kW models	442.30	EC002025	283817	4547648866026			EA	EAZ	GBR	8529.9097.90
AX-FIR4030-SE	RX2 footprint RFI filter, 30 A, 3~ 400 VAC, for 5.5-11 kW models	152.30	EC002025	689171	4549734976107			EA	EAZ	THA	8529.9097.90
AX-FIR4058-SE	RX2 footprint RFI filter, 58 A, 3~ 400 VAC, for 15-22 kW models	240.40	EC002025	689172	4549734976114			EA	EAZ	THA	8529.9097.90
AX-FIR4073-SE	RX2 book type RFI filter, 73 A, 3~ 400 VAC, for 30 kW models	343.60	EC002025	702548	4549734793728			EA	EAZ	CHN	8529.9097.90
AX-FIR4090-SE	RX2 book type RFI filter, 90 A, 3~ 400 VAC, for 37 kW models	391.30	EC002025	702549	4549734793735			EA	EAZ	CHN	8529.9097.90
AX-FIR4146-SE	RX2 book type RFI filter, 146 A, 3~ 400 VAC, for 44-55 kW models	544.00	EC002025	702546	4549734793704			EA	EAZ	CHN	8529.9097.90
Q2-FIA4010-SE	Q2A footprint RFI filter, 10 A, 3~ 400 VAC, for 4002, 4004, 4005, 4007 models	198.80	EC002025	682622	4549734949200			EA	EAZ	THA	8529.9097.90
Q2-FIA4020-SE	Q2A footprint RFI filter, 20 A, 3~ 400 VAC, for 4009, 4012 models	236.00	EC002025	682631	4549734949293	#		EA	EAZ	THA	8529.9097.90
Q2-FIA4035-SE	Q2A footprint RFI filter, 35 A, 3~ 400 VAC, for 4018, 4023 models	276.90	EC002025	682630	4549734949286	#		EA	EAZ	THA	8529.9097.90
Q2-FIA4050-SE	Q2A footprint RFI filter, 50 A, 3~ 400 VAC, for 4031, 4038 models	438.10	EC002025	682629	4549734949279	#		EA	EAZ	THA	8529.9097.90
Q2-FIA4080-SE	Q2A Book end style RFI filter, 80 A, 3~ 400 VAC, for Q2A-A4044/Q2A-A4060/Q2A-A4075/Q2A-A2042/Q2A-A2056/Q2A-A2070/Q2V-A4044/Q2V-A4060 models.	585.00	EC002025	702544	4549734793681			EA	EAZ	THA	8529.9097.90
Q2-FIA4100-SE	Q2A/Q2V Book end style RFI filter, 100 A, 3~ 400 VAC, for Q2A-A4089/Q2A-A2082/Q2V-A2082 models	732.00	EC002025	702540	4549734793643			EA	EAZ	CHN	8529.9097.90
Q2-FIA4170-SE	Q2A Book end style RFI filter, 170 A, 3~ 400 VAC, for 4103, 4140, 4168 models	1079.00	EC002025	702541	4549734793650			EA	EAZ	CHN	8529.9097.90
Q2-FIA4410-SE	Q2A Busbar termination RFI filter, 410 A, 3~ 400 VAC, for 4208, 4250, 4296, 4371, 4389 models / For 4675 model, 2 units are needed	1174.00	EC002025	702542	4549734793667			EA	EAZ	CHN	8529.9097.90
Q2-FIA4600-SE	Q2A Busbar termination RFI filter, 600 A, 3~ 400 VAC, for 4453, 5468 models	1284.00	EC002025	702543	4549734793674			EA	EAZ	CHN	8529.9097.90
AX-FER2102-PE	Ferrite choke, 21mm diameter, for 2.2kW inverters and below	10.07	EC002025	684893	4549734960939			EA	EAZ	CHN	8529.9097.90
AX-FER2815-PE	Ferrite choke, 28mm diameter, for 15kW inverters and below	12.50	EC002025	684894	4549734960946	#		EA	EAZ	CHN	8529.9097.90
AX-FER5045-PE	Ferrite choke, 50mm diameter, for 45kW inverters and below	52.25	EC002025	684895	4549734960953	#		EA	EAZ	CHN	8529.9097.90
AX-FER5255-PE	Ferrite choke, 52mm diameter, for 45kW Inverters and above	62.15	EC002025	684896	4549734960960			EA	EAZ	CHN	8529.9097.90
AX-RAI00191150-DE	AC input reactor, 115 A, 0.19 mH, for 45 to 55 kW sizes, 400 VAC, 3 phase	852.00	EC002025	319011	4547648871570			EA	EAZ	ESP	8529.9097.90
AX-RAI00290780-DE	AC input reactor, 78 A, 0.29 mH, for 30 to 37 kW sizes, 400 VAC, 3 phase	648.00	EC002025	319010	4547648871563			EA	EAZ	ESP	8529.9097.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
AX-RAI00360500-DE	AC input reactor, 50 A, 0.36 mH, for 18.5 to 22 kW sizes, 400 VAC, 3 phase	439.90	EC0002025	319009	4547648871556			EA	EAZ	ESP	8529.9097.90
AX-RAI00740335-DE	AC input reactor, 33.5 A, 0.74 mH, for 11 and 15 kW sizes, 400 VAC, 3 phase	380.20	EC0002025	319005	4547648871525			EA	EAZ	ESP	8529.9097.90
AX-RAI01300170-DE	AC input reactor, 17 A, 1.3 mH, for 5.5 and 7.5 kW sizes, 400 VAC, 3 phase	305.90	EC0002025	318999	4547648871464			EA	EAZ	ESP	8529.9097.90
AX-RAI03500100-DE	AC input reactor, 10 A, 3.5 mH, for 2.2, 3.0 and 4.0 kW sizes, 400 VAC, 3 phase	206.90	EC0002025	319004	4547648871518			EA	EAZ	ESP	8529.9097.90
AX-RAI07700050-DE	AC input reactor, 5 A, 7.7 mH, for 0.4, 0.7 and 1.5 kW sizes, 400 VAC, 3 phase	198.00	EC0002025	319003	4547648871501			EA	EAZ	ESP	8529.9097.90
AX-RAO02000320-DE	AC output reactor, 32 A, 2 mH, for 15 kW , 400 VAC, 3 phase	541.50	EC0002025	319461	4547648871969			EA	EAZ	ESP	8529.9097.90
AX-RAO02500220-DE	AC output reactor, 22 A, 2.5 mH, for 11 kW , 400 VAC, 3 phase	492.70	EC0002025	319462	4547648871976			EA	EAZ	ESP	8529.9097.90
AX-RAO03600160-DE	AC output reactor, 16 A, 3.6 mH, for 7.5 kW , 400 VAC, 3 phase	363.50	EC0002025	319464	4547648871990			EA	EAZ	ESP	8529.9097.90
AX-RAO04600110-DE	AC output reactor, 11 A, 4.6 mH, for 5.5 kW , 400 VAC, 3 phase	318.60	EC0002025	319466	4547648872010			EA	EAZ	ESP	8529.9097.90
AX-RAO07300080-DE	AC output reactor, 8 A, 7.3 mH, for 3.0 and 4.0 kW , 400 VAC, 3 phase	384.20	EC0002025	319467	4547648872027			EA	EAZ	ESP	8529.9097.90
AX-RAO11800053-DE	AC output reactor, 5,3 A, 11.8 mH, for 2.2 kW , 400 VAC, 3 phase	204.70	EC0002025	354528	4547648906326			EA	EAZ	ESP	8529.9097.90
AX-RAO16300038-DE	AC output reactor, 3,8 A, 16,3 mH, for 0,4, 0,7 and 1,5 kW , 400 VAC, 3 phase	199.80	EC0002025	319471	4547648872065			EA	EAZ	ESP	8529.9097.90
3G3AX-CAJOP300-EE	Cable for connecting remote operator,3 m	4.73	EC0002025	324009	4547648873703			EA	EAZ	ITA	8503.0099.99
3G3AX-PCACN2	RJ45 TO USB converter/ connection cable	374.40	EC0002025	283120	4547648623186			EA	EAZ	JPN	9032.8900.90
A1000-CAVPC232-EE	PC connection cable. RS232 PC tool connection cable.	16.92	EC001681	241953	4547648850759			EA	EAZ	ITA	8544.4290.90
900-192-933-001	Door mounting kit for keypad JVOP-KPLxxxxxx, screw mounitng	48.40	EC0002025	684852	4549734960557			EA	EAZ	JPN	8471.6070.00
JOHB-Q2V	Q2V option card enclosure	32.61	EC0002025	690245	4549734980562	#		EA	EAZ	CHN	8517.6200.00
JVOP-KPBCH04AAZ	Blank cover kit for Q2V	32.61	EC0002025	690779	4549734983976			EA	EAZ	JPN	8528.5291.00
JVOP-KPLCA04AEZ	Q2 LCD Keypad (w/o Bluetooth)	212.00	EC0002025	690347	4549734981323			EA	EAZ	JPN	8528.5291.00
JVOP-KPLCC04ABZ	Q2 LCD Keypad (with Bluetooth)	675.00	EC0002025	693138	4549734989046	#		EA	EAZ	GBR	8528.5291.00
ZPSA-GA50V5-1	Heatsink External Mounting Kit Q2V 2030~2042, 4018~4023	109.30	EC0002025	690261	4549734980715			EA	EAZ	JPN	8531.9000.00
CX-DRIVE 2.9	CX-Drive configuration software for inverters and servos	68.05	EC000809	379897	4547648970013			EA	EAZ	NLD	8523.8090.00
Servo G-series											
R88D-GT01H	G-Series servo drive, 1~ 200 VAC, Analog/Pulse input type, 100 W	1246.00	EC002572	346799	4547648475266			EB	EBK	CHN	9032.8900.90
R88D-GT02H	G-Series servo drive, 1~ 200 VAC, Analog/Pulse input type, 200 W	1327.00	EC002572	346800	4547648475273			EB	EBK	CHN	9032.8900.90
R88D-GT04H	G-Series servo drive, 1~ 200 VAC, Analog/Pulse input type, 400 W	1246.00	EC002572	346801	4547648475280	#		EB	EBK	CHN	9032.8900.90
R88D-GT08H	G-Series servo drive, 1~ 200 VAC, Analog/Pulse input type, 800 W	1425.00	EC002572	346802	4547648475297	#		EB	EBK	CHN	9032.8900.90
R88D-GT15H	G-Series servo drive, 1~ 200 VAC, Analog/Pulse input type, 1.5 kW	2031.00	EC002572	364998	4547648475310			EB	EBK	CHN	9032.8900.90
R88D-GN01H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK II integrated, 100 W	1309.00	EC002572	285522	4547648493284			EB	EBK	CHN	8501.4020.80
R88D-GN02H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK II integrated, 200 W	1343.00	EC002572	285523	4547648493291			EB	EBK	CHN	8501.4020.80
R88D-GN04H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK II integrated, 400 W	1362.00	EC002572	285524	4547648493307	#		EB	EBK	CHN	8501.4020.80
R88D-GN08H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK II integrated, 750 W	1674.00	EC002572	285525	4547648493314			EB	EBK	CHN	8501.4020.80
R88D-GN15H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 1.5 kW	2526.00	EC002572	355423	4547648493338			EB	EBK	CHN	9032.8900.90
R88M-G05030H-BS2	G-Series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, Brake	577.50	EC001851	322925	4547648493635			EB	EBK	CHN	8501.4020.80
R88M-G05030H-S2	G-Series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental	391.40	EC001851	322924	4547648493437			EB	EBK	CHN	8501.4020.80
R88M-G10030H-BS2	G-Series/SmartStep 2 AC servo motor (cylinder type), 100 W, 200 VAC, 3000 rpm, 0.32 Nm, with brake	660.50	EC001851	285893	4547648493642			EB	EBK	CHN	8501.4020.80
R88M-G10030H-S2	G-Series/SmartStep 2 AC servo motor (cylinder type), 100 W, 200 VAC, 3000 rpm, 0.32 Nm	426.80	EC001851	285890	4547648493444			EB	EBK	CHN	8501.4020.80
R88M-G10030H-S2-D	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, with circular connector	485.60	EC001851	378071	4548583414815			EB	EBK	CHN	8501.4020.80
R88M-G20030H-BS2	G-Series/SmartStep 2 AC servo motor (cylinder type), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, with brake	781.00	EC001851	285894	4547648493659			EB	EBK	CHN	8501.4020.80
R88M-G20030H-BS2-D	G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, Brake, with circular connector	787.00	EC001851	378066	4548583415195			EB	EBK	CHN	8501.4020.80
R88M-G20030H-S2	G-Series/SmartStep 2 AC servo motor (cylinder type), 200 W, 200 VAC, 3000 rpm, 0.64 Nm	528.00	EC001851	285891	4547648493451			EB	EBK	CHN	8501.4020.80
R88M-G20030H-S2-D	G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, with circular connector	625.50	EC001851	378075	4548583414853			EB	EBK	CHN	8501.4020.80
R88M-G40030H-BS2	G-Series/SmartStep 2 AC servo motor (cylinder type), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, with brake	846.00	EC001851	285895	4547648493666	#		EB	EBK	CHN	8501.4020.80
R88M-G40030H-BS2-D	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake, with circular connector	942.00	EC001851	378047	4548583414587			EB	EBK	CHN	8501.4020.80
R88M-G40030H-S2	G-Series/SmartStep 2 AC servo motor (cylinder type), 400 W, 200 VAC, 3000 rpm, 1.3 Nm	571.00	EC001851	285892	4547648493468	#		EB	EBK	CHN	8501.4020.80
R88M-G40030H-S2-D	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, with circular connector	682.00	EC001851	378046	4548583414570	#		EB	EBK	CHN	8501.4020.80
R88M-G75030H-BS2	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, Brake	1080.00	EC001851	286728	4547648493673	#		EB	EBK	CHN	8501.4020.80
R88M-G75030H-BS2-D	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, Brake, with circular connector	1179.00	EC001851	378051	4548583414624			EB	EBK	CHN	8501.4020.80
R88M-G75030H-S2	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	785.50	EC001851	286727	4547648493475	#		EB	EBK	CHN	8501.4020.80

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-G75030H-S2-D	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, with circular connector	880.00	EC001851	378050	4548583414617	#		EB	EBK	CHN	8501.4020.80
R88M-GP10030H-S2	G-Series/SmartStep 2 AC servo motor (cube type), 100 W, 200 VAC, 3000 rpm, 0.32 Nm	536.50	EC001851	285896	4547648496131			EB	EBK	CHN	8501.4020.80
R88M-GP40030H-B52	G-Series Flat type AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake	1134.00	EC001851	322928	4547648496278			EB	EBK	CHN	8501.4020.80
R88M-GP40030H-S2	G-Series/SmartStep 2 AC servo motor (cube type), 400 W, 200 VAC, 3000 rpm, 1.3 Nm	665.00	EC001851	285898	4547648496155			EB	EBK	CHN	8501.4020.80
R88M-G05030T-B52	G-Series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute, Brake	861.00	EC001851	355426	4547648494335			EB	EBK	CHN	8501.4020.80
R88M-G05030T-S2	G-Series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute	1024.00	EC001851	317938	4547648493895			EB	EBK	CHN	8501.4020.80
R88M-G10030T-B52	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, Brake	1435.00	EC001851	332276	4547648494342			EB	EBK	CHN	8501.4020.80
R88M-G10030T-S2	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute	863.50	EC001851	313364	4547648493901			EB	EBK	CHN	8501.4020.80
R88M-G1K030T-B52	G-Series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute, Brake	2342.00	EC001851	356460	4547648494380			EB	EBK	CHN	8501.4020.80
R88M-G1K030T-S2	G-Series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute	1745.00	EC001851	317939	4547648493949			EB	EBK	CHN	8501.4020.80
R88M-G1K520T-S2	G series servo motor 1.5kW 2000RPM 230V, abs encoder	2069.00	EC001851	668450	4547648495226			EB	EBK	CHN	8501.4020.80
R88M-G1K530T-B52	G-Series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute, Brake	2554.00	EC001851	355419	4547648494397			EB	EBK	CHN	8501.4020.80
R88M-G1K530T-S2	G-Series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute	1990.00	EC001851	356590	4547648493956			EB	EBK	CHN	8501.4020.80
R88M-G20030T-B52	G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute, Brake	1557.00	EC001851	332277	4547648494359			EB	EBK	CHN	8501.4020.80
R88M-G20030T-S2	G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute	1143.00	EC001851	317940	4547648493918			EB	EBK	CHN	8501.4020.80
R88M-G40030T-B52	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, Brake	1719.00	EC001851	332278	4547648494366			EB	EBK	CHN	8501.4020.80
R88M-G40030T-B52-D	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, Brake, with circular connector	1856.00	EC001851	378049	4548583414600			EB	EBK	CHN	8501.4020.80
R88M-G40030T-S2	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute	1263.00	EC001851	317942	4547648493925			EB	EBK	CHN	8501.4020.80
R88M-G75030T-B52	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, Brake	2015.00	EC001851	332279	4547648494373			EB	EBK	CHN	8501.4020.80
R88M-G75030T-S2	G-Series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute	1507.00	EC001851	317943	4547648493932			EB	EBK	CHN	8501.4020.80
R88A-CNG01A	Servo motor connector for servo motor power cable	15.89	EC002584	292061	4547648491075			EB	EBK	CHN	8501.4020.80
R88A-CNG01B	Brake cable connector G/SmartStep 2 motor side	10.29	EC002584	292063	4547648560313			EB	EBK	CHN	8501.4020.80
R88A-CNG02R	Servo motor connector for incremental encoder cable G-Series 50 to 750 W	19.15	EC002584	678730	4549734927987			EB	EBK	CHN	8544.4290.90
R88A-RR50020S	Servo accessory, resistor 500 W, 20 ohm	316.30	EC002615	292062	4547648560306			EB	EBK	JPN	8533.2900.00
Servo G5-series											
R88A-CPG001S	General purpose servo control cable, 1m	162.00	EC000237	292048	4547648493116	#		EB	EBL	CHN	8544.4290.90
XW2Z-100J-B24	General Purpose servo terminal block cable, 1 m	240.00	EC000237	294103	4547648520881			EB	EBL	JPN	8501.4020.80
XW2Z-100J-B25	Servo control cable for CS1W/CJ1W/C200HW-NCx13, 1 m	161.60	EC000237	294105	4547648520904			EB	EBL	JPN	8501.4020.80
XW2Z-100J-B31	Cable: Servo Relay Unit to Servo driver, 1 m (G, G5)	161.60	EC000237	294107	4547648521031			EB	EBL	JPN	8501.4020.80
XW2Z-100J-B34	G5 series, terminal block cable, for CN1 connector, use with XW2B-20G_ terminal blocks, 1 m	135.20	EC000237	323497	4547648737951			EB	EBL	JPN	8536.9010.00
XW2Z-200J-B24	General Purpose servo terminal block cable, 2 m	269.00	EC000237	294104	4547648520898			EB	EBL	JPN	8501.4020.80
XW2Z-200J-B34	G5 series terminal block cable, for CN1 connector, use with XW2B-20G_ terminal blocks, 2 m	145.00	EC000237	323498	4547648737968			EB	EBL	JPN	8536.9010.00
R88D-KT01H	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 100 W	1137.00	EC002572	285527	4547648651370			EB	EBL	CHN	8501.4020.80
R88D-KT02H	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 200 W	1338.00	EC002572	285528	4547648651387			EB	EBL	CHN	8501.4020.80
R88D-KT04H	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 400 W	1423.00	EC002572	285529	4547648651394	#		EB	EBL	CHN	8501.4020.80
R88D-KT06F	Accurax G5 servo drive, 3~ 400 VAC, analog/pulse type, 600 W	1594.00	EC002572	285533	4547648651462			EB	EBL	CHN	8501.4020.80
R88D-KT08H	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 750 W	1618.00	EC002572	285530	4547648651400			EB	EBL	CHN	8501.4020.80
R88D-KT10F	Accurax G5 servo drive, 3~ 400 VAC, analog/pulse type, 1.0 kW	1694.00	EC002572	285534	4547648651479	#		EB	EBL	CHN	8501.4020.80
R88D-KT10H	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 1.0 kW	1947.00	EC002572	285531	4547648651417			EB	EBL	CHN	8501.4020.80
R88D-KT150F	Accurax G5 servo drive, 3~ 400 VAC, analog/pulse type, 1.5 kW	7525.00	EC002572	352678	4548583016262			EB	EBL	CHN	8501.4020.80
R88D-KT15F	Accurax G5 servo drive, 3~ 400 VAC, analog/pulse type, 1.5 kW	1701.00	EC002572	285535	4547648651486	#		EB	EBL	CHN	8501.4020.80
R88D-KT15H	Accurax G5 servo drive, 1~ 200 VAC, analog/pulse type, 1.5 kW	2236.00	EC002572	285532	4547648651424			EB	EBL	CHN	8501.4020.80
R88D-KT20F	Accurax G5 servo drive, 3~ 400 VAC, analog/pulse type, 2.0 kW	1936.00	EC002572	285536	4547648651493	#		EB	EBL	CHN	8501.4020.80
R88D-KT30F	Accurax G5 servo drive, 3~ 400 VAC, analog/pulse type, 3.0 kW	2096.00	EC002572	285537	4547648651509	#		EB	EBL	CHN	8501.4020.80
R88D-KT50F	Accurax G5 servo drive, 3~ 400 VAC, analog/pulse type, 5.0 kW	3024.00	EC002572	285538	4547648651516	#		EB	EBL	CHN	8501.4020.80
R88D-KT75F	Accurax G5 servo drive, 3~ 400 VAC, analog/pulse type, 7.5 kW	5555.00	EC002572	352677	4548583016255			EB	EBL	CHN	8501.4020.80
R88D-KN01H-ML2	Accurax G5 servo drive, 1~ 200 VAC, MECHATROLINK II type, 100 W	1678.00	EC002572	285539	4547648651561			EB	EBL	CHN	8501.4020.80
R88D-KN02H-ML2	Accurax G5 servo drive, 1~ 200 VAC, MECHATROLINK II type, 200 W	1898.00	EC002572	285540	4547648651578			EB	EBL	CHN	8501.4020.80

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88D-KN04H-ML2	Accurax G5 servo drive, 1~ 200 VAC, MECHATROLINK II type, 400 W	1988.00	EC002572	285541	4547648651585			EB	EBL	CHN	8501.4020.80
R88D-KN06F-ML2	Accurax G5 servo drive, 3~ 400 VAC, MECHATROLINK II type, 600 W	2176.00	EC002572	285545	4547648651653			EB	EBL	CHN	8501.4020.80
R88D-KN08H-ML2	Accurax G5 servo drive, 1~ 200 VAC, MECHATROLINK II type, 750 W	2182.00	EC002572	285542	4547648651592			EB	EBL	CHN	8501.4020.80
R88D-KN10F-ML2	Accurax G5 servo drive, 3~ 400 VAC, MECHATROLINK II type, 1.0 kW	2281.00	EC002572	285546	4547648651660			EB	EBL	CHN	8501.4020.80
R88D-KN10H-ML2	Accurax G5 servo drive, 1~ 200 VAC, MECHATROLINK II type, 1.0 kW	2607.00	EC002572	285543	4547648651608			EB	EBL	CHN	8501.4020.80
R88D-KN15F-ML2	Accurax G5 servo drive, 3~ 400 VAC, MECHATROLINK II type, 1.5 kW	2290.00	EC002572	285547	4547648651677			EB	EBL	CHN	8501.4020.80
R88D-KN15H-ML2	Accurax G5 servo drive, 1~ 200 VAC, MECHATROLINK II type, 1.5 kW	2884.00	EC002572	285544	4547648651615			EB	EBL	CHN	8501.4020.80
R88D-KN20F-ML2	Accurax G5 servo drive, 3~ 400 VAC, MECHATROLINK II type, 2.0 kW	2554.00	EC002572	285548	4547648651684			EB	EBL	CHN	8501.4020.80
R88D-KN30F-ML2	Accurax G5 servo drive, 3~ 400 VAC, MECHATROLINK II type, 3.0 kW	2717.00	EC002572	285549	4547648651691			EB	EBL	CHN	8501.4020.80
R88D-KN50F-ML2	Accurax G5 servo drive, 3~ 400 VAC, MECHATROLINK II type, 5.0 kW	3742.00	EC002572	285550	4547648651707			EB	EBL	CHN	8501.4020.80
R88D-KN01H-ECT	G5 Series servo drive, EtherCAT type, 100 W, 1~ 200 VAC	1552.00	EC002572	352679	4548583021310	#		EB	EBL	CHN	8501.4020.80
R88D-KN02H-ECT	G5 Series servo drive, EtherCAT type, 200 W, 1~ 200 VAC	1827.00	EC002572	352680	4548583021327	#		EB	EBL	CHN	8501.4020.80
R88D-KN04H-ECT	G5 Series servo drive, EtherCAT type, 400 W, 1~ 200 VAC	1915.00	EC002572	352681	4548583021334	#		EB	EBL	CHN	8501.4020.80
R88D-KN06F-ECT	G5 Series servo drive, EtherCAT type, 600 W, 3~ 400 VAC	2108.00	EC002572	352685	4548583021426	#		EB	EBL	CHN	8501.4020.80
R88D-KN08H-ECT	G5 Series servo drive, EtherCAT type, 750 W, 1~ 200 VAC	2105.00	EC002572	352682	4548583021341	#		EB	EBL	CHN	8501.4020.80
R88D-KN10F-ECT	G5 Series servo drive, EtherCAT type, 1000 W, 3~ 400 VAC	2198.00	EC002572	352686	4548583021433	#		EB	EBL	CHN	8501.4020.80
R88D-KN10H-ECT	G5 Series servo drive, EtherCAT type, 1000 W, 1~ 200 VAC	2516.00	EC002572	352683	4548583021358			EB	EBL	CHN	8501.4020.80
R88D-KN150F-ECT	G5 Series servo drive, EtherCAT type, 15 kW, 3~ 400 VAC	8630.00	EC002572	353422	4548583021495	#		EB	EBL	CHN	8501.4020.80
R88D-KN15F-ECT	G5 Series servo drive, EtherCAT type, 1500 W, 3~ 400 VAC	2241.00	EC002572	352687	4548583021440	#		EB	EBL	CHN	8501.4020.80
R88D-KN15H-ECT	G5 Series servo drive, EtherCAT type, 1500 W, 1~ 200 VAC	2609.00	EC002572	352684	4548583021365			EB	EBL	CHN	8501.4020.80
R88D-KN20F-ECT	G5 Series servo drive, EtherCAT type, 2 kW, 3~ 400 VAC	2413.00	EC002572	352688	4548583021457	#		EB	EBL	CHN	8501.4020.80
R88D-KN30F-ECT	G5 Series servo drive, EtherCAT type, 3 kW, 3~ 400 VAC	2566.00	EC002572	352689	4548583021464	#		EB	EBL	CHN	8501.4020.80
R88D-KN50F-ECT	G5 Series servo drive, EtherCAT type, 5 kW, 3~ 400 VAC	3416.00	EC002572	352690	4548583021471	#		EB	EBL	CHN	8501.4020.80
R88D-KN75F-ECT	G5 Series servo drive, EtherCAT type, 7.5 kW, 3~ 400 VAC	5405.00	EC002572	353421	4548583021488	#		EB	EBL	CHN	8501.4020.80
R88M-K05030H-B52	G5 series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, Incremental encoder, with brake	1024.00	EC001851	285565	4547648653176			EB	EBL	CHN	8501.4020.80
R88M-K05030H-S2	G5 series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, Incremental encoder	644.50	EC001851	285551	4547648652964			EB	EBL	CHN	8501.4020.80
R88M-K05030T-B52	G5 series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, Absolute encoder, with brake	1316.00	EC001851	322953	4547648654852			EB	EBL	CHN	8501.4020.80
R88M-K05030T-S2	G5 series AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, Absolute encoder	951.00	EC001851	322939	4547648654647			EB	EBL	CHN	8501.4020.80
R88M-K10030H-B52	G5 series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, Incremental encoder, with brake	1059.00	EC001851	285566	4547648653183			EB	EBL	CHN	8501.4020.80
R88M-K10030H-S2	G5 series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, Incremental encoder	671.00	EC001851	285552	4547648652971			EB	EBL	CHN	8501.4020.80
R88M-K10030T-B52	G5 series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, Absolute encoder, with brake	1348.00	EC001851	322954	4547648654869			EB	EBL	CHN	8501.4020.80
R88M-K10030T-S2	G5 series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, Absolute encoder	985.00	EC001851	322940	4547648654654			EB	EBL	CHN	8501.4020.80
R88M-K11K015C-BOS2	G5 series AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, Absolute encoder, with brake, with oil seal	6960.00	EC001851	352745	4548583017191			EB	EBL	CHN	8501.4020.80
R88M-K11K015C-S2	G5 series AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, Absolute encoder	6615.00	EC001851	352743	4548583016590	#		EB	EBL	CHN	8501.4020.80
R88M-K15K015C-BOS2	G5 series AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, Absolute encoder, with brake, with oil seal	8150.00	EC001851	352691	4548583017207			EB	EBL	CHN	8501.4020.80
R88M-K15K015C-S2	G5 series AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, Absolute encoder	7525.00	EC001851	352697	4548583016606			EB	EBL	CHN	8501.4020.80
R88M-K1K020C-B52	G5 series AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, Absolute encoder, with brake	1769.00	EC001851	322981	4547648657358			EB	EBL	CHN	8501.4020.80
R88M-K1K020C-S2	G5 series AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, Absolute encoder	1174.00	EC001851	322971	4547648657211			EB	EBL	CHN	8501.4020.80
R88M-K1K020F-B52	G5 series AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, Incremental encoder, with brake	1437.00	EC001851	285592	4547648656238			EB	EBL	CHN	8501.4020.80
R88M-K1K020F-S2	G5 series AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, Incremental encoder	958.50	EC001851	285582	4547648656092	#		EB	EBL	CHN	8501.4020.80
R88M-K1K020H-B52	G5 series AC servo motor, 1 kW, 200 VAC, 2000 rpm, 4.77 Nm, Incremental encoder, with brake	1226.00	EC001851	285588	4547648656153			EB	EBL	CHN	8501.4020.80
R88M-K1K020H-S2	G5 series AC servo motor, 1 kW, 200 VAC, 2000 rpm, 4.77 Nm, Incremental encoder	913.50	EC001851	285578	4547648656016			EB	EBL	CHN	8501.4020.80
R88M-K1K020T-B52	G5 series AC servo motor, 1 kW, 200 VAC, 2000 rpm, 4.77 Nm, Absolute encoder, with brake	1536.00	EC001851	322977	4547648657273			EB	EBL	CHN	8501.4020.80
R88M-K1K020T-S2	G5 series AC servo motor, 1 kW, 200 VAC, 2000 rpm, 4.77 Nm, Absolute encoder	1211.00	EC001851	322967	4547648657136			EB	EBL	CHN	8501.4020.80
R88M-K1K030C-B52	G5 series AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, Absolute encoder, with brake	2083.00	EC001851	322961	4547648654975	#		EB	EBL	CHN	8501.4020.80
R88M-K1K030C-S2	G5 series AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, Absolute encoder	1645.00	EC001851	322947	4547648654760	#		EB	EBL	CHN	8501.4020.80
R88M-K1K030F-B52	G5 series AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, Incremental encoder, with brake	1762.00	EC001851	285572	4547648653299			EB	EBL	CHN	8501.4020.80
R88M-K1K030F-S2	G5 series AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, Incremental encoder	1356.00	EC001851	285559	4547648653084	#		EB	EBL	CHN	8501.4020.80
R88M-K1K030H-B52	G5 series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, Incremental encoder, with brake	1841.00	EC001851	322929	4547648653220			EB	EBL	CHN	8501.4020.80
R88M-K1K030H-S2	G5 series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, Incremental encoder	1302.00	EC001851	285556	4547648653015			EB	EBL	CHN	8501.4020.80
R88M-K1K030T-B52	G5 series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, Absolute encoder, with brake	2141.00	EC001851	322958	4547648654906			EB	EBL	CHN	8501.4020.80
R88M-K1K030T-S2	G5 series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, Absolute encoder	1685.00	EC001851	322944	4547648654692			EB	EBL	CHN	8501.4020.80
R88M-K1K520C-B52	G5 series AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, Absolute encoder, with brake	1845.00	EC001851	322982	4547648657365			EB	EBL	CHN	8501.4020.80
R88M-K1K520C-S2	G5 series AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, Absolute encoder	1375.00	EC001851	322972	4547648657228			EB	EBL	CHN	8501.4020.80

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-K1K520F-B52	G5 series AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, Incremental encoder, with brake	1512.00	EC001851	285593	4547648656245	#		EB	EBL	CHN	8501.4020.80
R88M-K1K520F-S2	G5 series AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, Incremental encoder	1088.00	EC001851	285583	4547648656108	#		EB	EBL	CHN	8501.4020.80
R88M-K1K520H-B52	G5 series AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, Incremental encoder, with brake	1446.00	EC001851	285589	4547648656160	#		EB	EBL	CHN	8501.4020.80
R88M-K1K520H-S2	G5 series AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, Incremental encoder	1095.00	EC001851	285579	4547648656023	#		EB	EBL	CHN	8501.4020.80
R88M-K1K520T-B52	G5 series AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, Absolute encoder, with brake	1722.00	EC001851	322978	4547648657280	#		EB	EBL	CHN	8501.4020.80
R88M-K1K520T-S2	G5 series AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, Absolute encoder	1383.00	EC001851	322968	4547648657143	#		EB	EBL	CHN	8501.4020.80
R88M-K1K530C-B52	G5 series AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, Absolute encoder, with brake	2334.00	EC001851	322962	4547648654982	#		EB	EBL	CHN	8501.4020.80
R88M-K1K530C-S2	G5 series AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, Absolute encoder	1822.00	EC001851	322948	4547648654777	#		EB	EBL	CHN	8501.4020.80
R88M-K1K530F-B52	G5 series AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, Incremental encoder, with brake	2034.00	EC001851	285573	4547648653305	#		EB	EBL	CHN	8501.4020.80
R88M-K1K530F-S2	G5 series AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, Incremental encoder	1582.00	EC001851	285560	4547648653091	#		EB	EBL	CHN	8501.4020.80
R88M-K1K530H-B52	G5 series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, Incremental encoder, with brake	2045.00	EC001851	285570	4547648653237	#		EB	EBL	CHN	8501.4020.80
R88M-K1K530H-S2	G5 series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, Incremental encoder	1571.00	EC001851	285557	4547648653022	#		EB	EBL	CHN	8501.4020.80
R88M-K1K530T-B52	G5 series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, Absolute encoder, with brake	2321.00	EC001851	322959	4547648654913	#		EB	EBL	CHN	8501.4020.80
R88M-K1K530T-S2	G5 series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, Absolute encoder	1859.00	EC001851	322945	4547648654708	#		EB	EBL	CHN	8501.4020.80
R88M-K20030H-B52	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Incremental encoder, with brake	1165.00	EC001851	285567	4547648653190	#		EB	EBL	CHN	8501.4020.80
R88M-K20030H-S2	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Incremental encoder	781.00	EC001851	285553	4547648652988	#		EB	EBL	CHN	8501.4020.80
R88M-K20030T-B52	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Absolute encoder, with brake	1460.00	EC001851	322955	4547648654876	#		EB	EBL	CHN	8501.4020.80
R88M-K20030T-S2	G5 series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, Absolute encoder	1061.00	EC001851	322941	4547648654661	#		EB	EBL	CHN	8501.4020.80
R88M-K2K010C-B52	G5 series AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, Absolute encoder, with brake	2736.00	EC001851	322937	4547648658515	#		EB	EBL	CHN	8501.4020.80
R88M-K2K010F-B52	G5 series AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, Incremental encoder, with brake	2476.00	EC001851	285603	4547648658034	#		EB	EBL	CHN	8501.4020.80
R88M-K2K010F-S2	G5 series AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, Incremental encoder	1939.00	EC001851	285600	4547648657976	#		EB	EBL	CHN	8501.4020.80
R88M-K2K020C-B52	G5 series AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, Absolute encoder, with brake	2068.00	EC001851	322983	4547648657372	#		EB	EBL	CHN	8501.4020.80
R88M-K2K020C-S2	G5 series AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, Absolute encoder	1610.00	EC001851	322973	4547648657235	#		EB	EBL	CHN	8501.4020.80
R88M-K2K020F-B52	G5 series AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, Incremental encoder, with brake	1781.00	EC001851	285594	4547648656252	#		EB	EBL	CHN	8501.4020.80
R88M-K2K020F-S2	G5 series AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, Incremental encoder	1259.00	EC001851	285584	4547648656115	#		EB	EBL	CHN	8501.4020.80
R88M-K2K030C-B52	G5 series AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, Absolute encoder, with brake	2575.00	EC001851	322963	4547648654999	#		EB	EBL	CHN	8501.4020.80
R88M-K2K030C-S2	G5 series AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, Absolute encoder	2069.00	EC001851	322949	4547648654784	#		EB	EBL	CHN	8501.4020.80
R88M-K2K030F-B52	G5 series AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, Incremental encoder, with brake	2301.00	EC001851	285574	4547648653312	#		EB	EBL	CHN	8501.4020.80
R88M-K2K030F-S2	G5 series AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, Incremental encoder	1756.00	EC001851	285561	4547648653107	#		EB	EBL	CHN	8501.4020.80
R88M-K3K010C-B52	G5 series AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.7 Nm, Absolute encoder, with brake	3332.00	EC001851	322938	4547648658522	#		EB	EBL	CHN	8501.4020.80
R88M-K3K010C-S2	G5 series AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.7 Nm, Absolute encoder	2809.00	EC001851	322934	4547648658461	#		EB	EBL	CHN	8501.4020.80
R88M-K3K010F-B52	G5 series AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.7 Nm, Incremental encoder, with brake	3088.00	EC001851	285604	4547648658041	#		EB	EBL	CHN	8501.4020.80
R88M-K3K010F-S2	G5 series AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.7 Nm, Incremental encoder	2551.00	EC001851	285601	4547648657983	#		EB	EBL	CHN	8501.4020.80
R88M-K3K020C-B52	G5 series AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.3 Nm, Absolute encoder, with brake	2397.00	EC001851	322984	4547648657389	#		EB	EBL	CHN	8501.4020.80
R88M-K3K020C-S2	G5 series AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.3 Nm, Absolute encoder	1967.00	EC001851	322974	4547648657242	#		EB	EBL	CHN	8501.4020.80
R88M-K3K020F-B52	G5 series AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.3 Nm, Incremental encoder, with brake	2102.00	EC001851	285595	4547648656269	#		EB	EBL	CHN	8501.4020.80
R88M-K3K020F-S2	G5 series AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.3 Nm, Incremental encoder	1575.00	EC001851	285585	4547648656122	#		EB	EBL	CHN	8501.4020.80
R88M-K3K030C-B52	G5 series AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, Absolute encoder, with brake	3116.00	EC001851	322964	4547648655002	#		EB	EBL	CHN	8501.4020.80
R88M-K3K030C-S2	G5 series AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, Absolute encoder	2360.00	EC001851	322950	4547648654791	#		EB	EBL	CHN	8501.4020.80
R88M-K3K030F-B52	G5 series AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, Incremental encoder, with brake	2822.00	EC001851	285575	4547648653329	#		EB	EBL	CHN	8501.4020.80
R88M-K3K030F-S2	G5 series AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, Incremental encoder	2051.00	EC001851	285562	4547648653114	#		EB	EBL	CHN	8501.4020.80
R88M-K40020C-B52	G5 series AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, Absolute encoder, with brake	1460.00	EC001851	322979	4547648657334	#		EB	EBL	CHN	8501.4020.80
R88M-K40020C-S2	G5 series AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, Absolute encoder	1065.00	EC001851	322969	4547648657198	#		EB	EBL	CHN	8501.4020.80
R88M-K40020F-B52	G5 series AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, Incremental encoder, with brake	1150.00	EC001851	285590	4547648656214	#		EB	EBL	CHN	8501.4020.80
R88M-K40020F-S2	G5 series AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, Incremental encoder	771.00	EC001851	285580	4547648656078	#		EB	EBL	CHN	8501.4020.80
R88M-K40030H-B52	G5 series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, Incremental encoder, with brake	1329.00	EC001851	285568	4547648653206	#		EB	EBL	CHN	8501.4020.80
R88M-K40030H-S2	G5 series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, Incremental encoder	884.00	EC001851	285554	4547648652995	#		EB	EBL	CHN	8501.4020.80
R88M-K40030T-B52	G5 series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, Absolute encoder, with brake	1608.00	EC001851	322956	4547648654883	#		EB	EBL	CHN	8501.4020.80
R88M-K40030T-S2	G5 series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, Absolute encoder	1173.00	EC001851	322942	4547648654678	#		EB	EBL	CHN	8501.4020.80
R88M-K4K020C-B52	G5 series AC servo motor, 4 kW, 400 VAC, 2000 rpm, 19.1 Nm, Absolute encoder, with brake	2780.00	EC001851	322985	4547648657396	#		EB	EBL	CHN	8501.4020.80
R88M-K4K020C-S2	G5 series AC servo motor, 4 kW, 400 VAC, 2000 rpm, 19.1 Nm, Absolute encoder	2443.00	EC001851	322975	4547648657259	#		EB	EBL	CHN	8501.4020.80
R88M-K4K020F-B52	G5 series AC servo motor, 4 kW, 400 VAC, 2000 rpm, 19.1 Nm, Incremental encoder, with brake	2495.00	EC001851	285596	4547648656276	#		EB	EBL	CHN	8501.4020.80
R88M-K4K020F-S2	G5 series AC servo motor, 4 kW, 400 VAC, 2000 rpm, 19.1 Nm, Incremental encoder	1997.00	EC001851	285586	4547648656139	#		EB	EBL	CHN	8501.4020.80
R88M-K4K030C-B52	G5 series AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, Absolute encoder, with brake	3849.00	EC001851	322965	4547648655019	#		EB	EBL	CHN	8501.4020.80
R88M-K4K030C-S2	G5 series AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, Absolute encoder	3077.00	EC001851	322951	4547648654807	#		EB	EBL	CHN	8501.4020.80
R88M-K4K030F-B52	G5 series AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, Incremental encoder, with brake	3515.00	EC001851	285576	4547648653336	#		EB	EBL	CHN	8501.4020.80

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-K4K030F-S2	G5 series AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, Incremental encoder	2710.00	EC001851	285563	4547648653121	#		EB	EBL	CHN	8501.4020.80
R88M-K4K510C-BOS2	G5 series AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43 Nm, Absolute encoder, with brake, with oil seal	3840.00	EC001851	373213	4548583017160			EB	EBL	CHN	8501.4020.80
R88M-K4K510C-S2	G5 series AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43 Nm, Absolute encoder	3874.00	EC001851	356385	4548583016569			EB	EBL	CHN	8501.4020.80
R88M-K5K020C-B52	G5 series AC servo motor, 5 kW, 400 VAC, 2000 rpm, 23.9 Nm, Absolute encoder, with brake	3082.00	EC001851	322986	4547648657402			EB	EBL	CHN	8501.4020.80
R88M-K5K020C-S2	G5 series AC servo motor, 5 kW, 400 VAC, 2000 rpm, 23.9 Nm, Absolute encoder	2724.00	EC001851	322976	4547648657266	#		EB	EBL	CHN	8501.4020.80
R88M-K5K020F-B52	G5 series AC servo motor, 5 kW, 400 VAC, 2000 rpm, 23.9 Nm, Incremental encoder, with brake	2667.00	EC001851	285597	4547648656283	#		EB	EBL	CHN	8501.4020.80
R88M-K5K020F-S2	G5 series AC servo motor, 5 kW, 400 VAC, 2000 rpm, 23.9 Nm, Incremental encoder	2102.00	EC001851	285587	4547648656146	#		EB	EBL	CHN	8501.4020.80
R88M-K5K030C-B52	G5 series AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, Absolute encoder, with brake	5050.00	EC001851	322966	4547648655026	#		EB	EBL	CHN	8501.4020.80
R88M-K5K030C-S2	G5 series AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, Absolute encoder	4264.00	EC001851	322952	4547648654814			EB	EBL	CHN	8501.4020.80
R88M-K5K030F-B52	G5 series AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, Incremental encoder, with brake	4651.00	EC001851	285577	4547648653343			EB	EBL	CHN	8501.4020.80
R88M-K5K030F-S2	G5 series AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, Incremental encoder	3901.00	EC001851	285564	4547648653138	#		EB	EBL	CHN	8501.4020.80
R88M-K60020C-B52	G5 series AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, Absolute encoder, with brake	1489.00	EC001851	322980	4547648657341			EB	EBL	CHN	8501.4020.80
R88M-K60020C-S2	G5 series AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, Absolute encoder	1080.00	EC001851	322970	4547648657204			EB	EBL	CHN	8501.4020.80
R88M-K60020F-B52	G5 series AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, Incremental encoder, with brake	1233.00	EC001851	285591	4547648656221	#		EB	EBL	CHN	8501.4020.80
R88M-K60020F-S2	G5 series AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, Incremental encoder	875.00	EC001851	285581	4547648656085	#		EB	EBL	CHN	8501.4020.80
R88M-K6K010C-BOS2	G5 series AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, Absolute encoder, with brake, with oil seal	5250.00	EC001851	352701	4548583017177			EB	EBL	CHN	8501.4020.80
R88M-K6K010C-S2	G5 series AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, Absolute encoder	4800.00	EC001851	352695	4548583016576			EB	EBL	CHN	8501.4020.80
R88M-K75030C-B52	G5 series AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, Absolute encoder, with brake	2029.00	EC001851	322960	4547648654968			EB	EBL	CHN	8501.4020.80
R88M-K75030C-S2	G5 series AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, Absolute encoder	1688.00	EC001851	322946	4547648654753			EB	EBL	CHN	8501.4020.80
R88M-K75030F-B52	G5 series AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, Incremental encoder, with brake	1745.00	EC001851	285571	4547648653282			EB	EBL	CHN	8501.4020.80
R88M-K75030F-S2	G5 series AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, Incremental encoder	1334.00	EC001851	285558	4547648653077	#		EB	EBL	CHN	8501.4020.80
R88M-K75030H-B52	G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Incremental encoder, with brake	1622.00	EC001851	285569	4547648653213	#		EB	EBL	CHN	8501.4020.80
R88M-K75030H-S2	G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Incremental encoder	1116.00	EC001851	285555	4547648653008	#		EB	EBL	CHN	8501.4020.80
R88M-K75030T-B52	G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Absolute encoder, with brake	2051.00	EC001851	322957	4547648654890			EB	EBL	CHN	8501.4020.80
R88M-K75030T-S2	G5 series AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, Absolute encoder	1622.00	EC001851	322943	4547648654685			EB	EBL	CHN	8501.4020.80
R88M-K7K515C-BOS2	G5 series AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, Absolute encoder, with brake, with oil seal	5780.00	EC001851	352702	4548583017184	#		EB	EBL	CHN	8501.4020.80
R88M-K7K515C-S2	G5 series AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, Absolute encoder	5170.00	EC001851	352696	4548583016583	#		EB	EBL	CHN	8501.4020.80
R88M-K90010C-B52	G5 series AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, Absolute encoder, with brake	2122.00	EC001851	322936	4547648658508			EB	EBL	CHN	8501.4020.80
R88M-K90010C-S2	G5 series AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, Absolute encoder	1797.00	EC001851	322932	4547648658444			EB	EBL	CHN	8501.4020.80
R88M-K90010F-B52	G5 series AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, Incremental encoder, with brake	1794.00	EC001851	285602	4547648658027			EB	EBL	CHN	8501.4020.80
R88M-K90010F-S2	G5 series AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, Incremental encoder	1363.00	EC001851	285599	4547648657969			EB	EBL	CHN	8501.4020.80
R88M-K90010H-B52	G5 series AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, Incremental encoder, with brake	1852.00	EC001851	322930	4547648657990			EB	EBL	CHN	8501.4020.80
R88M-K90010H-S2	G5 series AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, Incremental encoder	1363.00	EC001851	285598	4547648657938			EB	EBL	CHN	8501.4020.80
R88M-K90010T-B52	G5 series AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, Absolute encoder, with brake	2122.00	EC001851	322935	4547648658478			EB	EBL	CHN	8501.4020.80
R88M-K90010T-S2	G5 series AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, Absolute encoder	1694.00	EC001851	322931	4547648658416			EB	EBL	CHN	8501.4020.80
R88M-KH40030H-B52-D	G5 series high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, with brake	1339.00	EC001851	378081	4548583406704			EB	EBL	CHN	8501.4020.80
R88M-KH40030H-S2-D	G5 series high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental	938.00	EC001851	378080	4548583406698			EB	EBL	CHN	8501.4020.80
R88M-KH75030H-B52-D	G5 series high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, with brake	1884.00	EC001851	378085	4548583406742			EB	EBL	CHN	8501.4020.80
R88M-KH75030H-S2-D	G5 series high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1155.00	EC001851	378084	4548583406735			EB	EBL	CHN	8501.4020.80
R88M-KH1K020F-B51	G5 series high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, with brake	1351.00	EC001851	377699	4548583406780			EB	EBL	CHN	8501.4020.80
R88M-KH1K020F-S1	G5 series high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental	1005.00	EC001851	374909	4548583406773			EB	EBL	CHN	8501.4020.80
R88M-KH1K520F-S1	G5 series high inertia AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental	1193.00	EC001851	374910	4548583406810			EB	EBL	CHN	8501.4020.80
R88M-KH3K020F-S1	G5 series high inertia AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental	1740.00	EC001851	377860	4548583406896			EB	EBL	CHN	8501.4020.80
R88M-KH4K020F-S1	G5 series high inertia AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental	2182.00	EC001851	377709	4548583406933			EB	EBL	CHN	8501.4020.80
R88M-KH5K020C-B51	G5 series high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute, with brake	3728.00	EC001851	377716	4548583407008			EB	EBL	CHN	8501.4020.80
R88M-KH5K020C-S1	G5 series high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute	2811.00	EC001851	377715	4548583406995			EB	EBL	CHN	8501.4020.80
R88M-KH5K020F-B51	G5 series high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental, with brake	3045.00	EC001851	377714	4548583406988			EB	EBL	CHN	8501.4020.80
R88M-KH5K020F-S1	G5 series high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental	2402.00	EC001851	377713	4548583406971			EB	EBL	CHN	8501.4020.80
R88M-KH7K515C-B51	G5 series high inertia AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute, with brake	6160.00	EC001851	377862	4548583407022			EB	EBL	CHN	8501.4020.80
R88A-CMK001S	Analog monitor cable, 1 m	26.44	EC000237	678728	4549734927963	#		EB	EBL	JPN	8544.4290.90
R88A-CNK41L	G5 series servo external encoder connector [for CN4]	32.07	EC002584	294101	4547648720489			EB	EBL	JPN	8501.4020.80
R88A-CNK81S	Accessory servo, G5, safety I/O signal connector (CN8)	23.45	EC002584	678726	4549734927949			EB	EBL	CHN	8536.9010.00
R88A-CNW01R	Encoder cable connector [CN2], drive side, all models	53.40	EC002584	678725	4549734927932	#		EB	EBL	CHN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CRGD0R3C	Absolute encoder battery cable [battery not included]	129.10	EC002615	292058	4547648493215			EB	EBL	CHN	8501.4020.80
R88A-CRGD0R3C-BS	Absolute encoder battery cable [BAT01G included]	226.20	EC002615	292064	4547648582780	#		EB	EBL	CHN	8501.4020.80
Servo SmartStep2											
R7A-CPB001S	SmartStep 2 series servo control cable, 1m	77.85	EC002615	292039	4547648491013			EB	EBM	CHN	8501.4020.80
XW2Z-100J-B29	I/O connection cable, CJ1W-NC113/213/413 to terminal block, 1 m	204.50	EC000237	292069	4547648520997			EB	EBM	JPN	8501.4020.80
XW2Z-100J-B32	Cable: Servo Relay Unit to Servo driver, 1 m (SmartStep 2)	165.40	EC000237	292071	4547648521055			EB	EBM	JPN	8501.4020.80
R7D-BP01H	SmartStep 2 servo drive, pulse input type, 100 W, 1~ 200 VAC	858.50	EC002572	285887	4547648475181			EB	EBM	CHN	8501.4020.80
R7D-BP02HH	SmartStep 2 servo drive, pulse input type, 200 W, 1-phase 200 VAC	878.50	EC002572	285888	4547648475204			EB	EBM	CHN	8501.4020.80
R7D-BP04H	SmartStep 2 servo drive, pulse input type, 400 W, 1~ 200 VAC	912.50	EC002572	285889	4547648475211	#		EB	EBM	CHN	8501.4020.80
R88D-GP08H	G-Series Servo Drive, Pulse input type, 800 W, 1~ 200 VAC	1214.00	EC002572	285526	4547648728911	#		EB	EBM	CHN	8501.4020.80
R7A-CNB01A	SmartStep 2 servo motor connector (CNB)	12.48	EC002584	292043	4547648491068			EB	EBM	CHN	8501.4020.80
R7A-CNB01P	SmartStep 2 main circuit connector (CNA)	11.10	EC002584	292044	4547648491082			EB	EBM	CHN	8501.4020.80
R88A-RR080100S	Servo accessory, resistor 80 W, 100 ohm	81.55	EC002615	292066	4547648512688			EB	EBM	JPN	8533.2900.00
R88A-RR08050S	Servo accessory, resistor 80 W, 50 ohm	81.55	EC002615	292065	4547648512671			EB	EBM	JPN	8533.2900.00
R7A-CLB002RG	External regenerative resistor connector cable, 2m	24.04	EC002584	292042	4547648491051			EB	EBM	CHN	8501.4020.80
Accessory for Servo											
JZSP-CHP800-10-ME	Encoder cable 10 m	205.60	EC002615	247407	4547648856157			EB	EBZ	ITA	8544.4290.90
R88A-CFKB005CR-E	Extension cable from Hall and Temperature sensors to Serial Converter, 5m	161.60	EC002615	354073	4547648903493			EB	EBZ	ITA	8544.4290.90
R88A-CRGA001-5CR-E	G-Series servo encoder cable, 1.5 m, absolute encoder type, 50 to 750 W	103.90	EC002615	294075	4547648867917			EB	EBZ	ITA	8544.4290.90
R88A-CRGA003CR-E	G-Series servo encoder cable, 3 m, absolute encoder type, 50 to 750 W	117.40	EC002615	294076	4547648867924			EB	EBZ	ITA	8544.4290.90
R88A-CRGA005CR-E	G-Series servo encoder cable, 5 m, absolute encoder type, 50 to 750 W	131.80	EC002615	294077	4547648867931			EB	EBZ	ITA	8544.4290.90
R88A-CRGA010CR-E	G-Series servo encoder cable, 10 m, absolute encoder type, 50 to 750 W	165.40	EC002615	294078	4547648867948			EB	EBZ	ITA	8544.4290.90
R88A-CRGA015CR-E	G-Series servo encoder cable, 15 m, absolute encoder type, 50 to 750 W	201.80	EC002615	294079	4547648867955			EB	EBZ	ITA	8544.4290.90
R88A-CRGA020CR-E	G-Series servo encoder cable, 20 m, absolute encoder type, 50 to 750 W	238.50	EC002615	294080	4547648867962			EB	EBZ	ITA	8544.4290.90
R88A-CRGB001-5CR-E	Servo encoder cable, 1.5 m, incremental encoder type, 50 to 750 W	93.40	EC002615	281397	4547648865593			EB	EBZ	ITA	8544.4290.90
R88A-CRGB003CR-E	Servo encoder cable, 3 m, incremental encoder type, 50 to 750 W	104.60	EC002615	281398	4547648865609	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGB005CR-E	Servo encoder cable, 5 m, incremental encoder type, 50 to 750 W	119.30	EC002615	281399	4547648865616	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGB010CR-E	Servo encoder cable, 10 m, incremental encoder type, 50 to 750 W	156.70	EC002615	281400	4547648865623	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGB015CR-E	Servo encoder cable, 15 m, incremental encoder type, 50 to 750 W	193.60	EC002615	281401	4547648865630			EB	EBZ	ITA	8544.4290.90
R88A-CRGB020CR-E	Servo encoder cable, 20 m, incremental encoder type, 50 to 750 W	230.90	EC002615	281402	4547648865647			EB	EBZ	ITA	8544.4290.90
R88A-CRKA001-5CR-E	G5 series servo encoder cable, 1.5 m, 50 to 750 W	99.00	EC002615	298261	4547648868419			EB	EBZ	ITA	8544.4290.90
R88A-CRKA003CR-E	G5 series servo encoder cable, 3 m, 50 to 750 W	109.90	EC002615	298262	4547648868426			EB	EBZ	ITA	8544.4290.90
R88A-CRKA005CR-E	G5 series servo encoder cable, 5 m, 50 to 750 W	124.80	EC002615	301748	4547648870184	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA010CR-E	G5 series servo encoder cable, 10 m, 50 to 750 W	161.60	EC002615	298264	4547648868444	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA015CR-E	G5 series servo encoder cable, 15 m, 50 to 750 W	198.80	EC002615	298265	4547648868457			EB	EBZ	ITA	8544.4290.90
R88A-CRKA020CR-E	G5 series servo encoder cable, 20 m, 50 to 750 W	235.50	EC002615	298266	4547648868464	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA030CR-E	G5 series servo encoder cable, 30 m, 50 to 750 W	383.30	EC002615	347145	4547648889612			EB	EBZ	ITA	8544.4290.90
R88A-CRKC001-5NR-E	G5 series servo encoder cable, 1.5 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	124.20	EC002615	301010	4547648869553			EB	EBZ	ITA	8544.4290.90
R88A-CRKC003NR-E	G5 series servo encoder cable, 3 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	135.20	EC002615	301011	4547648869560	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC005NR-E	G5 series servo encoder cable, 5 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	150.50	EC002615	298269	4547648868495	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC010NR-E	G5 series servo encoder cable, 10 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	187.40	EC002615	298270	4547648868501	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC015NR-E	G5 series servo encoder cable, 15 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	224.30	EC002615	298271	4547648868518	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC020NR-E	G5 series servo encoder cable, 20 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	261.60	EC002615	298272	4547648868525	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC030NR-E	G5 series servo encoder cable, 30 m, 200 V: 1 to 1.5 kW, 400 V: 400 W to 5 kW	376.50	EC002615	341857	4547648887090			EB	EBZ	ITA	8544.4290.90
R88A-CRKM005SR-E	Accurax G5 external encoder cable for CN4, 5m	154.60	EC002615	349416	4547648891875			EB	EBZ	ITA	8544.4290.90
R88A-CRKN001-5CR-E	Accurax G5 linear drive to serial converter cable, 1.5m	226.40	EC002615	354065	4547648903417			EB	EBZ	ITA	8544.4290.90
R88A-CRKN003CR-E	Accurax G5 linear drive to serial converter cable 3m	173.10	EC002615	354066	4547648903424			EB	EBZ	ITA	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CRKN005CR-E	Accurax G5 linear drive to serial converter cable, 5m	192.70	EC002615	354067	4547648903431			EB	EBZ	ITA	8544.4290.90
R88A-CRKN101OCR-E	Accurax G5 linear drive to serial converter cable 10m	301.00	EC002615	354068	4547648903448			EB	EBZ	ITA	8544.4290.90
R88A-CRWA003C-DE	servo encoder cable, 3m (equivalent to DP9325256-3G)	180.10	EC002615	139213	4536853863616	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA005C-DE	servo encoder cable, 5m (equivalent to DP9325256-5G)	214.70	EC002615	139214	4536853863630			EB	EBZ	DEU	8544.4290.90
R88A-CRWA1010C-DE	servo encoder cable, 10m (equivalent to DP9325256-10G)	255.70	EC002615	139215	4536853863654			EB	EBZ	DEU	8544.4290.90
R88A-CRWA1015C-DE	servo encoder cable, 15m (equivalent to DP9325256-15G)	320.90	EC002615	139216	4536853863661			EB	EBZ	DEU	8544.4290.90
R88A-CRWA1020C-DE	servo encoder cable, 20m (equivalent to DP9325256-20G)	374.50	EC002615	139217	4536853863685			EB	EBZ	DEU	8544.4290.90
R88A-CRWB003N-E	Sigma II encoder cable for 415 V motors, 3m (straight connector, similar JZSP-CMP02-3G is right-angled)	236.80	EC002615	155713	4536853861636			EB	EBZ	ITA	8544.4290.90
R88A-CRWB005N-E	Sigma II encoder cable for 415 V motors, 5m (straight connector, similar JZSP-CMP02-5G is right-angled)	253.20	EC002615	139427	4536853861643			EB	EBZ	ITA	8544.4290.90
R88A-CRWB010N-E	Sigma II encoder cable for 415 V motors, 10m (straight connector, similar JZSP-CMP02-10G is right-angled)	292.80	EC002615	157478	4536853861667			EB	EBZ	ITA	8544.4290.90
R88A-CRWB015N-E	Sigma II encoder cable for 415 V motors, 15 m (straight connector, similar JZSP-CMP02-15G is right-angled)	333.90	EC002615	139428	4536853861681			EB	EBZ	ITA	8544.4290.90
R88A-CSK003S-E	Servo drive, accessory, safety cable, 3m, G5 (CN8) - open wires	72.15	EC000237	413679	4547648996754	#		EB	EBZ	ITA	8544.4999.00
R7A-CAB001-5SR-E	Power cable for SmartStep 2 motor, 1.5 m	48.09	EC002615	281391	4547648865531			EB	EBZ	ITA	8544.4999.00
R7A-CAB003SR-E	Power cable for SmartStep 2 motor, 3 m	54.85	EC002615	281392	4547648865548			EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-DE	SmartStep 2 power cable for 50 W to 400 W models, circular IP67 connectors, non braked, 5 m	114.60	EC002615	377686	4547648963251			EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-E	Power cable for SmartStep 2 motor, 5 m	62.75	EC002615	281393	4547648865555			EB	EBZ	ITA	8544.4999.00
R7A-CAB010SR-E	Power cable for SmartStep 2 motor, 10 m	83.95	EC002615	281394	4547648865562			EB	EBZ	ITA	8544.4999.00
R7A-CAB015SR-E	Power cable for SmartStep 2 motor, 15 m	104.60	EC002615	281395	4547648865579			EB	EBZ	ITA	8544.4999.00
R88A-CAGA001-5BR-E	SmartStep 2/G-Series brake cable 1.5m, 50-750 W	43.92	EC002615	281403	4547648865654			EB	EBZ	ITA	8544.4290.90
R88A-CAGA001-5SR-E	SmartStep 2/G-Series power cable 1.5 m, 50-750 W	45.67	EC002615	294069	4547648867856			EB	EBZ	ITA	8544.4999.00
R88A-CAGA003BR-E	SmartStep 2/G-Series brake cable 3m, 50-750 W	48.75	EC002615	281404	4547648865661			EB	EBZ	ITA	8544.4290.90
R88A-CAGA003SR-E	SmartStep 2/G-Series power cable 3 m, 50-750 W	51.90	EC002615	294070	4547648867863	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA005BR-E	SmartStep 2/G-Series brake cable 5m, 50-750 W	55.45	EC002615	281405	4547648865678	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA005SR-E	SmartStep 2/G-Series power cable 5 m, 50-750 W	60.70	EC002615	294071	4547648867870	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA010BR-E	SmartStep 2/G-Series brake cable 10m, 50-750 W	71.50	EC002615	281406	4547648865685	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA010SR-E	SmartStep 2/G-Series power cable 10 m, 50-750 W	81.50	EC002615	294072	4547648867887	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA015BR-E	SmartStep 2/G-Series brake cable 15m, 50-750 W	87.50	EC002615	281407	4547648865692			EB	EBZ	ITA	8544.4290.90
R88A-CAGA015SR-E	SmartStep 2/G-Series power cable 15 m, 50-750 W	102.40	EC002615	294073	4547648867894			EB	EBZ	ITA	8544.4999.00
R88A-CAGA020SR-E	SmartStep 2/G-Series power cable 20 m, 50-750 W	123.20	EC002615	294074	4547648867900			EB	EBZ	ITA	8544.4999.00
R88A-CAGB001-5SR-E	Servo motor power cable, 1.5 m, w/o brake, 900 W-1.5 kW	123.80	EC002615	294081	4547648867979			EB	EBZ	ITA	8544.4999.00
R88A-CAGB003SR-E	Servo motor power cable, 3 m, w/o brake, 900 W-1.5 kW	142.40	EC002615	294082	4547648867986	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB005BR-E	Servo motor power cable, 5 m, with brake, 900 W-1.5 kW	186.20	EC002615	294089	4547648868051			EB	EBZ	ITA	8544.4999.00
R88A-CAGB005SR-E	Servo motor power cable, 5 m, w/o brake, 900 W-1.5 kW	167.20	EC002615	294083	4547648867993	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB010BR-E	Servo motor power cable, 10 m, with brake, 900 W-1.5 kW	257.60	EC002615	294090	4547648868068			EB	EBZ	ITA	8544.4999.00
R88A-CAGB010SR-E	Servo motor power cable, 10 m, w/o brake, 900 W-1.5 kW	228.50	EC002615	294084	4547648868006	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB015SR-E	Servo motor power cable, 15 m, w/o brake, 900 W-1.5 kW	289.70	EC002615	294085	4547648868013	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB020BR-E	Servo motor power cable, 20 m, with brake, 900 W-1.5 kW	422.00	EC002615	294092	4547648868082			EB	EBZ	ITA	8544.4999.00
R88A-CAGB020SR-E	Servo motor power cable, 20 m, w/o brake, 900 W-1.5 kW	352.20	EC002615	294086	4547648868020	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB030SR-E	Servo motor power cable, 30 m, w/o brake, 900 W to 1.5 kW	505.50	EC002615	347177	4547648889933			EB	EBZ	ITA	8544.4999.00
R88A-CAGD003BR-E	G5 series servo motor power cable, 3 m, with brake, 3 to 5 kW	237.90	EC002615	298292	4547648868723			EB	EBZ	ITA	8544.4999.00
R88A-CAGD003SR-E	G5 series servo motor power cable, 3 m, w/o brake, 3-5 kW	155.40	EC002615	298280	4547648868600	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005BR-E	G5 series servo motor power cable, 5 m, with brake, 3 to 5 kW	277.80	EC002615	298293	4547648868730	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005SR-E	G5 series servo motor power cable, 5 m, w/o brake, 3-5 kW	181.80	EC002615	298281	4547648868617	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010BR-E	G5 series servo motor power cable, 10 m, with brake, 3 to 5 kW	380.20	EC002615	298294	4547648868747	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010SR-E	G5 series servo motor power cable, 10 m, w/o brake, 3-5 kW	259.20	EC002615	298282	4547648868624	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD015BR-E	G5 series servo motor power cable, 15 m, with brake, 3 to 5 kW	477.50	EC002615	301013	4547648869584			EB	EBZ	ITA	8544.4999.00
R88A-CAGD015SR-E	G5 series servo motor power cable, 15 m, w/o brake, 3-5 kW	386.90	EC002615	298283	4547648868631	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD020BR-E	G5 series servo motor power cable, 20 m, with brake, 3 to 5 kW	544.50	EC002615	298296	4547648868754			EB	EBZ	ITA	8544.4999.00
R88A-CAGD020SR-E	G5 series servo motor power cable, 20 m, w/o brake, 3-5 kW	470.10	EC002615	298284	4547648868648	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGE005BR-E	G5 series servo brake cable, 5 m, 6 kW - 15 kW	128.10	EC002615	355782	4547648917353			EB	EBZ	ITA	8544.4290.90
R88A-CAGE010BR-E	G5 series servo brake cable, 10 m, 6 kW - 15 kW	159.90	EC002615	355783	4547648917360			EB	EBZ	ITA	8544.4290.90
R88A-CAGE015BR-E	G5 series servo brake cable, 15 m, 6 kW - 15 kW	185.70	EC002615	355784	4547648917377			EB	EBZ	ITA	8544.4290.90
R88A-CAGE020BR-E	G5 series servo brake cable, 20 m, 6 kW - 15 kW	188.50	EC002615	355785	4547648917384			EB	EBZ	ITA	8544.4290.90
R88A-CAKA001-5BR-E	G5 series servo brake cable, 1.5m, 50-750W	105.00	EC002615	298297	4547648868761			EB	EBZ	ITA	8544.4999.00
R88A-CAKA001-5SR-E	G5 series servo motor power cable, 1.5 m, non braked, 50-750 W	157.10	EC002615	298273	4547648868532			EB	EBZ	ITA	8544.4999.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CAKA003BR-E	G5 series servo brake cable, 3m, 50-750W	109.90	EC002615	298298	4547648868778			EB	EBZ	ITA	8544.4999.00
R88A-CAKA003SR-E	G5 series servo motor power cable, 3 m, non braked, 50-750 W	170.10	EC002615	298274	4547648868549			EB	EBZ	ITA	8544.4999.00
R88A-CAKA005BR-E	G5 series servo brake cable, 5m, 50-750W	116.40	EC002615	298299	4547648868785	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA005SR-E	G5 series servo motor power cable, 5 m, non braked, 50-750 W	188.00	EC002615	298275	4547648868556	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010BR-E	G5 series servo brake cable, 10m, 50-750W	132.20	EC002615	298300	4547648868792	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010SR-E	G5 series servo motor power cable, 10 m, non braked, 50-750 W	232.50	EC002615	298276	4547648868563	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA015BR-E	G5 series servo brake cable, 15m, 50-750W	148.80	EC002615	298301	4547648868808			EB	EBZ	ITA	8544.4999.00
R88A-CAKA015SR-E	G5 series servo motor power cable, 15 m, non braked, 50-750 W	276.30	EC002615	298277	4547648868570			EB	EBZ	ITA	8544.4999.00
R88A-CAKA020BR-E	G5 series servo brake cable, 20m, 50-750W	164.10	EC002615	298302	4547648868815			EB	EBZ	ITA	8544.4999.00
R88A-CAKA020SR-E	G5 series servo motor power cable, 20 m, non braked, 50-750 W	320.30	EC002615	298278	4547648868587	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA030SR-E	G5 series servo motor power cable, 30 m, non braked, 50 to 750 W	466.80	EC002615	347158	4547648889742			EB	EBZ	ITA	8544.4999.00
R88A-CAKE005SR-E	G5 series servo motor power cable, 5 m, non braked, 6 k W to 7.5 kW	411.60	EC002615	355770	4547648917230	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKE010SR-E	G5 series servo motor power cable, 10 m, non braked, 6 k W to 7.5 kW	557.50	EC002615	355771	4547648917247	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKE015SR-E	G5 series servo motor power cable, 15 m, non braked, 6 k W to 7.5 kW	805.00	EC002615	355772	4547648917254			EB	EBZ	ITA	8544.4290.90
R88A-CAKE020SR-E	G5 series servo motor power cable, 20 m, non braked, 6 k W to 7.5 kW	833.50	EC002615	355773	4547648917261			EB	EBZ	ITA	8544.4290.90
R88A-CAKF003BR-E	G5 series servo motor power cable, 3 m, braked, 750 W to 2 kW	213.00	EC002615	298286	4547648868662			EB	EBZ	ITA	8544.4999.00
R88A-CAKF005BR-E	G5 series servo motor power cable, 5 m, braked, 750 W to 2 kW	236.90	EC002615	298287	4547648868679	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF010BR-E	G5 series servo motor power cable, 10 m, braked, 750 W to 2 kW	295.90	EC002615	298288	4547648868686	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF015BR-E	G5 series servo motor power cable, 15 m, braked, 750 W to 2 kW	355.40	EC002615	298289	4547648868693	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKF020BR-E	G5 series servo motor power cable, 20 m, braked, 750 W to 2 kW	415.20	EC002615	298290	4547648868709			EB	EBZ	ITA	8544.4999.00
R88A-CAKG010SR-E	G5 series servo motor power cable, 10 m, non braked, 11 k W to 15 kW	707.50	EC002615	355777	4547648917308			EB	EBZ	ITA	8544.4290.90
R88A-CAWA003B-DE	servo motor (with brake) cable, 3 m (equivalent to DP9325253-3G)	133.20	EC002615	139296	4536853863371			EB	EBZ	DEU	8544.4290.90
R88A-CAWA003S-DE	servo motor cable, 3 m (equivalent to DP9325252-3G)	124.90	EC002615	157422	4536853863302	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA005B-DE	servo motor (with brake) cable, 5 m (equivalent to DP9325253 to 5G)	161.40	EC002615	139297	4536853863395			EB	EBZ	DEU	8544.4290.90
R88A-CAWA010B-DE	servo motor (with brake) cable, 10 m (equivalent to DP9325253-10G)	223.90	EC002615	139298	4536853863418			EB	EBZ	DEU	8544.4290.90
R88A-CAWA010S-DE	servo motor cable, 10 m (equivalent to DP9325252-10G)	208.60	EC002615	139295	4536853863333			EB	EBZ	DEU	8544.4290.90
R88A-CAWA015S-DE	servo motor cable, 15 m (equivalent to DP9325252-15G)	281.60	EC002615	155691	4536853863340			EB	EBZ	DEU	8544.4290.90
R88A-CAWA020S-DE	servo motor cable, 20 m (equivalent to DP9325252-20G)	346.10	EC002615	146112	4536853863364			EB	EBZ	DEU	8544.4290.90
R88A-CAWC003S-E	Sigma II power cable for 0.45, 0.85, 1, 1.3, 1.5, 2 k W motors, 3 m	181.10	EC002615	139430	4536853861711			EB	EBZ	ITA	8544.4290.90
R88A-CAWC005S-E	Sigma II power cable for 0.45, 0.85, 1, 1.3, 1.5, 2 k W motors, 5 m	200.20	EC002615	139431	4536853861735			EB	EBZ	ITA	8544.4290.90
R88A-CAWC010S-E	Sigma II power cable for 0.45, 0.85, 1, 1.3, 1.5, 2 k W motors, 10 m	247.90	EC002615	142781	4536853861759			EB	EBZ	ITA	8544.4290.90
R88A-CAWC015S-E	Sigma II power cable for 0.45, 0.85, 1, 1.3, 1.5, 2 k W motors, 15 m	297.70	EC002615	139432	4536853861766			EB	EBZ	ITA	8544.4290.90
R88A-CAWG003S-E	Sigma II motor cable for 4.4 k W motors, 3 m (straight connector, similar JZSP-CMM02D44-03G is right-angled)	202.70	EC002615	150202	4536853867270	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWG005S-E	Sigma II motor cable for 4.4 k W motors, 5 m (straight connector, similar JZSP-CMM02D44-05G is right-angled)	244.00	EC002615	138835	4536853867355			EB	EBZ	ITA	8544.4290.90
R88A-CAWG010S-E	Sigma II motor cable for 4.4 k W motors, 10 m (straight connector, similar JZSP-CMM02D44-10G is right-angled)	323.00	EC002615	156912	4536853867430			EB	EBZ	ITA	8544.4290.90
R88A-CAWK005S-DE	Sigma II/V servo motor power cable (400 V without brake), 5 m	155.60	EC002615	138782	4536853868345			EB	EBZ	DEU	8544.4290.90
R88A-SC01K-E	Serial Converter unit for iron core linear motor	911.00	EC002584	354679	4547648907156			EB	EBZ	DEU	8501.4020.80
R7A-FIB104-RE	SmartStep 2 RFI filter (Rasmi), 1~ 200 VAC, 4 A (100 W, 200 W, 400 W)	60.35	EC002564	283801	4547648865869			EB	EBZ	GBR	8529.9097.90
R88A-FIK102-RE	G/G5 series RFI filter; 2.4 A, 250 VAC, for 100 and 200 W models	59.05	EC002564	283802	4547648865876	#		EB	EBZ	CHN	8529.9097.90
R88A-FIK102-SE	G/G5 series RFI filter; 2.4 A, 230 VAC, for 100 and 200 W models	49.84	EC002564	668904	4548583963443			EB	EBZ	THA	8529.9097.90
R88A-FIK104-RE	G/G5 series RFI filter; 4.1 A, 250 VAC, for 400 W models	60.35	EC002564	283803	4547648865883	#		EB	EBZ	CHN	8529.9097.90
R88A-FIK104-SE	G/G5 series RFI filter; 4.1 A, 230 VAC, for 400 W models	52.00	EC002564	668897	4548583963375			EB	EBZ	THA	8529.9097.90
R88A-FIK107-RE	G/G5 series RFI filter; 6.6 A, 250 VAC, for 750 W models	68.50	EC002564	283804	4547648865890			EB	EBZ	GBR	8529.9097.90
R88A-FIK107-SE	G/G5 series RFI filter; 6.6 A, 230 VAC, for 750 W models	59.65	EC002564	668901	4548583963412			EB	EBZ	THA	8529.9097.90
R88A-FIK114-RE	G/G5 series RFI filter; 14.2 A, 250 VAC, for 1.0 and 1.5 kW models	86.30	EC002564	283805	4547648865906			EB	EBZ	GBR	8529.9097.90
R88A-FIK114-SE	G/G5 series RFI filter; 14.2 A, 230 VAC, for 1.0 and 1.5 kW models	75.85	EC002564	668900	4548583963405			EB	EBZ	THA	8529.9097.90
R88A-FIK304-RE	G5 series RFI filter; 4 A, 400 VAC, for 600 to 1.5 kW models	88.60	EC002564	303857	4547648870887			EB	EBZ	GBR	8529.9097.90
R88A-FIK304-SE	G5 series RFI filter; 4 A, 400 VAC, for 600 to 1.5 kW models	73.75	EC002564	668899	4548583963399	#		EB	EBZ	THA	8529.9097.90
R88A-FIK306-RE	G5 series RFI filter; 6 A, 400 VAC, for 2.0 kW models	94.20	EC002564	303858	4547648870894			EB	EBZ	GBR	8529.9097.90
R88A-FIK306-SE	G5 series RFI filter; 6 A, 400 VAC, for 2.0 kW models	80.20	EC002564	668902	4548583963429			EB	EBZ	THA	8529.9097.90
R88A-FIK312-RE	G5 series RFI filter; 12 A, 400 VAC, for 3.0 to 5.0 kW models	130.10	EC002564	303859	4547648870900			EB	EBZ	GBR	8529.9097.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-FIK312-SE	G5 series RFI filter; 12 A, 400 VAC, for 3.0 to 5.0 kW models	111.80	EC002564	668898	4548583963382	#		EB	EBZ	THA	8529.9097.90
R88A-FIK330-RE	G5 series RFI filter; 30 A, 400 VAC, for 7.5 kW models	200.00	EC002564	357083	4547648926270	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK330-SE	G5 series RFI filter; 30 A, 400 VAC, for 3.0 to 7.5 kW models	164.00	EC002564	668903	4548583963436	#		EB	EBZ	THA	8529.9097.90
R88A-FIK350-SE	G5 series RFI filter; 50 A, 400 VAC, for 3.0 to 15 kW models	238.40	EC002564	668906	4548583963467	#		EB	EBZ	THA	8529.9097.90
R88A-FIW115-E	SmartStep/XtraDrive/Sigma II RFI filter (Rasmi), 1~ 200 VAC, 15 A (750 W)	160.10	EC002564	139312	4536853862640	#		EB	EBZ	GBR	8529.9097.90
JZSP-CMP9-1-E	Sigma II servo driver CN2 (encoder) connector kit	52.35	EC002584	365008	4547648934886	#		EB	EBZ	ITA	8544.4290.90
LPRA-06B-FRBN170	Motor power connector (female) for SGMMAH (400 V) and SGMMPH (400 V)	42.11	EC002584	138248	4536853871703	#		EB	EBZ	DEU	8503.0099.99
MS3108E18-10S	Military power connector IP67 for 400 V motors SGMGMH (05/10/13)D, SGMSSH (10/15/20)D, SGMUJH (10/15)D, SGMBH fan	62.75	EC002584	168878	4536853875893	#		EB	EBZ	ITA	8536.9010.00
MS3108E20-4S	Power cable connector G5 motor side	69.05	EC002584	329420	4547648880664	#		EB	EBZ	ITA	8536.9010.00
MS3108E22-22S	Military power connector IP67 for 400 V motors SGMGMH (20/30/44)D, SGMSSH (30/40/50)D, SGMUJH (30/40)D	83.65	EC002584	168879	4536853875909	#		EB	EBZ	ITA	8536.9010.00
MS3108E24-11S	Power cable connector G5 motor side	73.55	EC002584	331799	4547648883078	#		EB	EBZ	ITA	8536.9010.00
MS3108E32-17S	Military power connector IP67 for 400 V motors SGMGMH (55/75/1 A/1E)D	113.00	EC002584	168880	4536853875916	#		EB	EBZ	ITA	8536.9010.00
R88A-CNK02R	Encoder cable connector, motor side, models up to 750 W	35.22	EC002584	294392	4547648720434	#		EB	EBZ	JPN	8501.4020.80
R88A-CNK04R-E	Encoder cable connector, motor side: R88M-K(1K0/1K5)30(H/T), -K(750/1K0/1K5/2K0/3K0/4K0/5K0)30(F/C), -K(400/600/1K0/1K5/2K0/3K0/4K0/5K0)20, -K(900/2K0/3K0)10	69.05	EC002584	329419	4547648880657	#		EB	EBZ	ITA	8536.9010.00
R88A-CNK11A	Motor power cable connector, motor side, models up to 750 W	61.75	EC002584	294393	4547648720458	#		EB	EBZ	JPN	8501.4020.80
R88A-CNK11B	Connector for breaking cable R88M-K(050/100/200/400/750)30(H/T)-B52	80.85	EC002584	354777	4547648720465	#		EB	EBZ	JPN	8536.9010.00
R88A-CNU01C	Servo control I/O connector	37.00	EC002584	678723	4549734927918	#		EB	EBZ	JPN	8536.9010.00
R88A-CNU11C	Connector for CN1, control I/O [analog/ pulse model only]	47.75	EC002584	678727	4549734927956	#		EB	EBZ	JPN	8536.9010.00
R88A-CNW01C	G5 Servo I/O connector kit for CN1, network type drives only	39.72	EC002584	678729	4549734927970	#		EB	EBZ	JPN	8536.9010.00
SPOC-06K-FSDN169	Motor power connector (female) for SGMMAH (200 V) and SGMMPH (200 V). Similar to SPUC-06K-FSDN169, but cable clamp variable from 5.5mm to 12mm	35.40	EC002584	137635	4536853874124	#		EB	EBZ	DEU	8536.5015.90
SPOC-17H-FRON169	Motor encoder connector (female) for SGMMAH and SGMMPH. Similar to SPUC-17H-FRON169, but cable clamp variable from 5.5mm to 12mm	35.39	EC002584	156581	4536853874131	#		EB	EBZ	DEU	8536.5015.90
SRUC-06J-MSCN236	Smart Step IP67 motor power connector, male (used by the motor)	21.39	EC002584	137636	4536853874155	#	20	EB	EBZ	DEU	8536.5015.90
SRUC-17G-MRWON087	Smart Step IP67 motor encoder connector, male (used by the motor)	27.05	EC002584	175766	4536853883942	#	20	EB	EBZ	DEU	8536.9010.00
R88A-RR22047S1	Servo accessory, resistor 220 W, 47 ohm	86.45	EC002615	357773	4547648803557	#		EB	EBZ	JPN	8533.2900.00
R7A-CLB002S2	Power supply cable (CNA), 2m	30.40	EC002584	298303	4547648868822	#		EB	EBZ	ITA	8544.4999.00
R88A-BAT01G	Absolute encoder backup battery	83.35	EC002584	292045	4547648491105	#		EB	EBZ	JPN	8506.5010.90
R88A-CPK0015-E	General purpose I/O cable (CN1)for G5 EtherCAT driver, 1m	117.70	EC000237	349414	4547648891851	#		EB	EBZ	ITA	8501.4020.80
R88A-CPK0025-E	General purpose I/O cable (CN1)for G5 EtherCAT driver, 2m	131.20	EC000237	349415	4547648891868	#		EB	EBZ	ITA	8501.4020.80
R88A-CAWA005S-DE	servo motor cable, 5 m (equivalent to DP9325252-5G)	153.70	EC002615	139294	4536853863319	#		EB	EBZ	DEU	8544.4290.90
Motion PLC-based control											
CJ1W-NC281	CJ1 Position Control unit over EtherCAT, 2 axes, 16 nodes	1644.00	EC001422	332458	4547648810418	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC481	CJ1 Position Control unit over EtherCAT, 4 axes, 16 nodes	2295.00	EC001422	332459	4547648810425	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC482	CJ1 Position Control unit over EtherCAT, 4 axes, 64 nodes	2391.00	EC001422	339849	4547648837453	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC881	CJ1 Position Control unit over EtherCAT, 8 axes, 16 nodes	2833.00	EC001422	332460	4547648810432	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC882	CJ1 Position Control unit over EtherCAT, 8 axes, 64 nodes	2850.00	EC001422	339850	4547648837460	#		EC	ECA	JPN	8471.6070.00
CJ1W-NCF82	CJ1 Position Control unit over EtherCAT, 16 axes, 64 nodes	3268.00	EC001422	354622	4548583044388	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC271	CJ1 Position control unit with MECHATROLINK II, 2 axes	1499.00	EC001422	323608	4547648708906	#		EC	ECA	CHN	8471.6070.00
CJ1W-NC471	CJ1 Position control unit with MECHATROLINK II, 4 axes	1592.00	EC001422	323609	4547648708913	#		EC	ECA	CHN	8471.6070.00
CJ1W-NCF71	CJ1 Position control unit with MECHATROLINK II, 16 axes	3008.00	EC001422	323225	4547648708869	#		EC	ECA	CHN	8471.6070.00
CS1W-MC221-V1	Motion control unit, 2 axis	3024.00	EC001422	171093	4547648074438	#		EC	ECA	JPN	8471.6070.00
CS1W-MC421-V1	4 axis motion control unit	4930.00	EC001422	171092	4547648074421	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC113	Position control unit, 1 axis, NPN open collector pulse string output, 500 KHz	1196.00	EC001422	323223	4547648708845	#		EC	ECA	CHN	8471.6070.00
CJ1W-NC213	Position control unit, 2 axes, NPN open collector pulse string output, 500 KHz	1713.00	EC001422	323224	4547648708852	#		EC	ECA	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CJ1W-NC233	Position control unit, 2 axes, Line-driver output, 500kHz	1735.00	EC001422	323222	4547648708838			EC	ECA	CHN	8471.6070.00
CJ1W-NC413	Position control unit, 4 axes, NPN open collector pulse string output, 500 KHz	2564.00	EC001422	323227	4547648708883			EC	ECA	CHN	8471.6070.00
Accessory for Motion Control											
XW2B-20J6-8A	Servo Relay Unit, 1 axis (Does not support communications functions)	172.10	EC002584	149077	4536854871849			EC	ECZ	JPN	8536.9010.00
XW2B-40J6-2B	Servo Relay Unit, 2 axis. For CS1W-NC213/233/413/433, CJ1W-NC213/233/413/433, C200HW-NC213/413, C500-NC113/211 and C200H-NC211 (Doesn't support communications functions)	175.60	EC002584	107564	4536854229718			EC	ECZ	JPN	8536.9010.00
XW2B-40J6-7	Servo Relay Unit, 2 axis	184.50	EC002584	107562	4536854229688			EC	ECZ	JPN	8536.9010.00
XW2B-40J6-9A	Servo Relay Unit, 2 axis (Does not support communications functions)	203.70	EC002584	107567	4536854871856			EC	ECZ	JPN	8536.9010.00
XW2Z-100J-A15	Servo control cable for CS1W-NC213/413, 1 m	212.50	EC000237	107528	4536854778186			EC	ECZ	JPN	8536.9010.00
XW2Z-100J-A33	Cable: Pulse I/O Modules to Servo Relay Unit, 1 m (SmartStep2, G, G5)	147.90	EC000237	281447	4547648521086			EC	ECZ	JPN	8536.9010.00
XW2Z-100J-F1	Cable to Servo Driver, 1 m	184.00	EC000237	107499	4536854230271			EC	ECZ	JPN	8536.9010.00
R88A-CCM002P4-E	Programming cable, 2 m (port 0)	56.60	EC001681	321832	4547648872157			EC	ECZ	ITA	8544.4290.90
GRT1-ML2	SmartSlice communication adaptor for Mechatrolink II, connects up to 64 GRT1 I/O units (End plate to be ordered separately)	431.80	EC001603	239859	4547648446198			EC	ECZ	NLD	8471.6070.00
XW2Z-100X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 1 m	63.40	EC000237	300889	4547648236362			EC	ECZ	JPN	8536.9010.00
MX2 Bundle											
3G3MX2-A2007-E-ECT	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ input, sensorless vector, with EtherCAT interface, max. output freq. 580Hz	582.50	EC001857	658980	4548583950351			EZ	EZA	NLD	9032.8900.90
3G3MX2-A4004-E-ECT	MX inverter drive, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	697.50	EC001857	410015	4547648994422	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-A4007-E-ECT	MX inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	716.50	EC001857	410017	4547648994446	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-A4015-E-ECT	MX inverter drive, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	784.00	EC001857	410019	4547648994460	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-A4022-E-ECT	MX inverter drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	836.50	EC001857	410021	4547648994484	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-A4030-E-ECT	MX inverter drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	904.50	EC001857	410023	4547648994507	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-A4040-E-ECT	MX inverter drive, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	1047.00	EC001857	410025	4547648994521	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-A4055-E-ECT	MX inverter drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3-phase, sensorless vector+ MX2 EtherCAT option card, max. output freq. 580Hz	1136.00	EC001857	670452	4548583971066	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-A4075-E-ECT	MX inverter drive, 7.5/11 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3-phase, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	1241.00	EC001857	670454	4548583971080	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-A4110-E-ECT	MX inverter drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	2125.00	EC001857	668517	4548583961814	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-A4150-E-ECT	MX inverter drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	2313.00	EC001857	668519	4548583961838	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-AB001-E-ECT	MX inverter drive, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1~ input, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	473.70	EC001857	410027	4547648994545			EZ	EZA	NLD	9032.8900.90
3G3MX2-AB002-E-ECT	MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1~ input, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	473.70	EC001857	410029	4547648994569	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-AB004-E-ECT	MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ input, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	485.30	EC001857	410031	4547648994583	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-AB007-E-ECT	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ input, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	533.50	EC001857	410033	4547648994606	#		EZ	EZA	NLD	9032.8900.90
3G3MX2-AB015-E-ECT	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ input, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	564.50	EC001857	410035	4547648994620	#		EZ	EZA	NLD	9032.8900.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3MX2-AB022-E-ECT	MX inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~ input, sensorless vector + MX2 EtherCAT option card, max. output freq. 580Hz	719.00	EC001857	410037	4547648994644	#		EZ	EZA	NLD	9032.8900.90
Safety Limit switch											
D4N-1120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	13.58	EC000030	170095	4547648033732	#		FA	FAA	JPN	8536.5007.00
D4N-1122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	18.19	EC000030	170101	4547648033794			FA	FAA	JPN	8536.5007.00
D4N-112G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	16.66	EC000030	170140	4547648034180	#		FA	FAA	JPN	8536.5007.00
D4N-112H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	21.30	EC000030	170146	4547648034241			FA	FAA	JPN	8536.5007.00
D4N-1131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	10.85	EC000030	170114	4547648033923	#		FA	FAA	JPN	8536.5007.00
D4N-1132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	11.99	EC000030	170120	4547648033985	#		FA	FAA	JPN	8536.5007.00
D4N-1162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	12.06	EC000030	170126	4547648034043			FA	FAA	JPN	8536.5007.00
D4N-122H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (snap-action), 2NC (snap-action), Pg13.5 (1-conduit)	18.97	EC000030	170212	4547648034906			FA	FAA	JPN	8536.5007.00
D4N-1231	Limit switch, Top plunger, 2NC (snap-action), 2NC (snap-action), Pg13.5 (1-conduit)	12.19	EC000030	170173	4547648034517			FA	FAA	JPN	8536.5007.00
D4N-1232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), Pg13.5 (1-conduit)	12.41	EC000030	170181	4547648034593			FA	FAA	JPN	8536.5007.00
D4N-1A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	16.66	EC000030	170219	4547648034975			FA	FAA	JPN	8536.5007.00
D4N-1A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	17.04	EC000030	170267	4547648035453			FA	FAA	JPN	8536.5007.00
D4N-1A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	20.51	EC000030	170274	4547648035521			FA	FAA	JPN	8536.5007.00
D4N-1A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	11.99	EC000030	170238	4547648035163			FA	FAA	JPN	8536.5007.00
D4N-1A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	11.99	EC000030	170245	4547648035231			FA	FAA	JPN	8536.5007.00
D4N-1A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	13.58	EC000030	170251	4547648035293			FA	FAA	JPN	8536.5007.00
D4N-1B20	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	15.87	EC000030	170281	4547648035590			FA	FAA	JPN	8536.5007.00
D4N-1B22	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	17.04	EC000030	170289	4547648035675			FA	FAA	JPN	8536.5007.00
D4N-1B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	11.99	EC000030	170309	4547648035880			FA	FAA	JPN	8536.5007.00
D4N-2120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	14.69	EC000030	170081	4547648030328			FA	FAA	JPN	8536.5007.00
D4N-2187	Limit switch, Plastic rod, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	21.22	EC000030	170593	4547648038683			FA	FAA	JPN	8536.5007.00
D4N-2280	Limit switch, Cat whisker, 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)	27.01	EC000030	170598	4547648038737			FA	FAA	JPN	8536.5007.00
D4N-2B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	13.17	EC000030	170310	4547648035897			FA	FAA	JPN	8536.5007.00
D4N-4120	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), roller lever (resin lever, resin roller)	12.78	EC000030	168848	4547648030335	#		FA	FAA	JPN	8536.5007.00
D4N-4122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (1-conduit)	17.04	EC000030	170104	4547648033824	#		FA	FAA	JPN	8536.5007.00
D4N-4125	Limit switch, Roller lever (metal lever, metal roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (1-conduit)	20.12	EC000030	170112	4547648033909			FA	FAA	JPN	8536.5007.00
D4N-412G	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, resin roller)	15.48	EC000030	170142	4547648034203	#		FA	FAA	JPN	8536.5007.00
D4N-412H	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, rubber roller)	22.05	EC000030	170148	4547648034265			FA	FAA	JPN	8536.5007.00
D4N-4131	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), top plunger	10.34	EC000030	170083	4547648030359	#		FA	FAA	JPN	8536.5007.00
D4N-4132	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), top roller plunger	11.21	EC000030	170085	4547648030373	#		FA	FAA	JPN	8536.5007.00
D4N-4162	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), one-way roller arm lever (horizontal)	12.05	EC000030	170087	4547648030397	#		FA	FAA	JPN	8536.5007.00
D4N-4172	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (snap-action), one-way roller arm lever (vertical)	15.48	EC000030	170135	4547648034135			FA	FAA	JPN	8536.5007.00
D4N-4180	Limit switch, cat whisker, 1 conduit, M20	27.08	EC000030	170590	4547648038652			FA	FAA	JPN	8536.5007.00
D4N-4187	Limit switch, plastic rod, 1 conduit, M20	21.09	EC000030	170595	4547648038706	#		FA	FAA	JPN	8536.5007.00
D4N-4220	Limit switch, Roller lever (resin lever, resin roller), 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	13.94	EC000030	170155	4547648034333			FA	FAA	JPN	8536.5007.00
D4N-422G	Limit switch, adjustable roller lever (form lock), M20 conduit, 2NC snap action	19.73	EC000030	170208	4547648034869			FA	FAA	JPN	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4N-4232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	13.74	EC000030	170184	4547648034623			FA	FAA	JPN	8536.5007.00
D4N-4262	Limit switch, One-way roller arm lever (horizontal), 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	12.41	EC000030	170192	4547648034708			FA	FAA	JPN	8536.5007.00
D4N-4A20	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), roller lever (resin lever, resin roller)	15.09	EC000030	170089	4547648030410			FA	FAA	JPN	8536.5007.00
D4N-4A2G	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), adjustable roller lever (metal lever, resin roller)	15.87	EC000030	170270	4547648035484			FA	FAA	JPN	8536.5007.00
D4N-4A2H	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), adjustable roller lever (metal lever, rubber roller)	20.92	EC000030	170277	4547648035552			FA	FAA	JPN	8536.5007.00
D4N-4A31	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top plunger	10.85	EC000030	170240	4547648035187			FA	FAA	JPN	8536.5007.00
D4N-4A32	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top roller plunger	11.30	EC000030	170092	4547648030441			FA	FAA	JPN	8536.5007.00
D4N-4A62	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), one-way roller arm lever (horizontal)	12.78	EC000030	170254	4547648035323			FA	FAA	JPN	8536.5007.00
D4N-4A72	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), one-way roller arm lever (vertical)	18.60	EC000030	170262	4547648035408			FA	FAA	JPN	8536.5007.00
D4N-4B2G	Safety Limit switch, D4N, M20 (1 conduit), 2NC (slow-action), adjustable roller lever (metal lever, resin roller)	16.38	EC000030	170336	4547648036153			FA	FAA	JPN	8536.5007.00
D4N-4B32	Safety Limit switch, D4N, M20 (1 conduit), 2NC (slow-action), top roller plunger	11.17	EC000030	170312	4547648035910			FA	FAA	JPN	8536.5007.00
D4N-8120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-conduit)	21.30	EC000030	170100	4547648033787			FA	FAA	JPN	8536.5007.00
D4N-8131	Limit switch, plunger, 2 conduit, M20	16.70	EC000030	170119	4547648033978	50		FA	FAA	JPN	8536.5007.00
D4N-8A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (2-conduit)	17.74	EC000030	170250	4547648035286			FA	FAA	JPN	8536.5007.00
D4N-9120	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), roller lever (resin lever, resin roller)	37.47	EC000030	170097	4547648033756			FA	FAA	JPN	8536.5007.00
D4N-912G	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, resin roller)	40.19	EC000030	170143	4547648034210			FA	FAA	JPN	8536.5007.00
D4N-9132	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), top roller plunger	32.89	EC000030	170122	4547648034005			FA	FAA	JPN	8536.5007.00
D4N-9B31	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), top plunger	30.77	EC000030	170305	4547648035842			FA	FAA	JPN	8536.5007.00
D4N-9B62	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), one-way roller arm lever (horizontal)	35.33	EC000030	170321	4547648036009			FA	FAA	JPN	8536.5007.00

Safety relay

G7SA-2A2B 24VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 24 VDC	30.39	EC001437	146147	4536854579691	#	20	FA	FAB	JPN	8536.4900.99
G7SA-2A2B 12VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 12 VDC	30.39	EC001437	121498	4536854716041		20	FA	FAB	JPN	8536.4900.99
G7SA-3A1B 24VDC	Safety relay, plug-in, 3PST-NO, SPST-NC, 6 A, forcible-guided contacts, 24 VDC	30.39	EC001437	121590	4536854579752	#	10	FA	FAB	JPN	8536.4900.99
P7SA-10F	Socket, DIN rail/surface mounting, 10-pin, screw terminals, for G7SA 4 pole relays	24.94	EC001456	377197	4548583409095	#	10	FA	FAB	CHN	8536.6990.99
P7SA-10F-ND 24VDC	Socket, DIN rail/surface mounting, 10 pin, screw terminals, for G7SA 4 pole relays, LED indicator	33.19	EC001456	377195	4548583409071	#	10	FA	FAB	CHN	8536.6990.99
P7SA-10F-ND-PU 24VDC	Socket, DIN rail/surface mounting, 10 pin, push-in terminals, for G7SA 4 pole relays, LED indicator	32.34	EC001456	677437	4549734136150		10	FA	FAB	MYS	8536.6990.99
P7SA-10P	Socket, back connecting, PCB terminals, 10-pin, for G7SA 4 pole relays	8.30	EC001456	377193	4548583409057		10	FA	FAB	CHN	8536.6990.99
P7SA-14F	Socket, DIN rail/surface mounting, 14-pin, screw terminals, for G7SA 6 pole relays	23.20	EC001456	377194	4548583409064		10	FA	FAB	CHN	8536.6990.99
P7SA-14F-ND 24VDC	Socket, DIN rail/surface mounting, 14 pin, screw terminals, for G7SA 6 pole relays, LED indicator	33.19	EC001456	377196	4548583409088	#	10	FA	FAB	CHN	8536.6990.99
P7SA-14F-ND-PU 24VDC	Socket, DIN rail/surface mounting, 14 pin, push in terminals, for G7SA 6 pole relays, LED indicator	32.34	EC001456	677438	4549734136167		10	FA	FAB	MYS	8536.6990.99
P7SA-14P	Socket, back connecting, PCB terminals, 14-pin, for G7SA 6 pole relays	7.30	EC001456	377192	4548583409040		10	FA	FAB	CHN	8536.6990.99
G7S-3A3B-E DC24	Safety relay, plug-in, 3PST-NO, 3PST-NC, 10 A, forcibly-guided contacts, 24 VDC	38.41	EC001437	121503	4536854872631	#	20	FA	FAB	JPN	8536.4900.99
G7S-4A2B-E DC24	Safety relay, plug-in, 4PST-NO, 2PST-NC, 10 A, forcibly-guided contacts, 24 VDC	38.41	EC001437	121504	4536854872648	#	20	FA	FAB	JPN	8536.4900.99
P7S-14F-END 24VDC	Socket, DIN rail/surface mounting, screw terminals, led indicator, for G7S relay	26.26	EC001456	113493	4536854872655	#	5	FA	FAB	JPN	8536.4900.99

Safety unit G9SA / B

G9SA-301 AC100-240	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	186.10	EC001449	347788	4547648814058			FA	FAC	CHN	8536.4900.99
G9SA-301 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	126.90	EC001449	346855	4547648813945	#		FA	FAC	CHN	8536.4900.99
G9SA-321-T075 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 0.5 to 7.5sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	231.00	EC001449	346848	4547648813969	#		FA	FAC	CHN	8536.4900.99
G9SA-321-T15 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 1 to 15sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	230.70	EC001449	347783	4547648813976	#		FA	FAC	CHN	8536.4900.99
G9SA-321-T30 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 2 to 30sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	230.10	EC001449	347784	4547648813983			FA	FAC	CHN	8536.4900.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G9SA-501 AC/DC24	Safety relay unit, 5PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	179.10	EC001449	346847	4547648813952			FA	FAC	CHN	8536.4900.99
G9SA-TH301 AC100-240	Two-hand controller, 3PST-NO (category 4), 5 A, SPST-NC aux, 2 channel input	165.60	EC001449	347778	4547648814102	#		FA	FAC	CHN	8536.4900.99
G9SA-TH301 AC/DC24	Two-hand controller, 3PST-NO (Category 4), 5 A, SPST-NC aux, 2 channel input	139.40	EC001449	347785	4547648813990	#		FA	FAC	CHN	8536.4900.99
G9SA-EX301	Expansion unit for G9SA, 3PST-NO (Category 4), 5 A, SPST-NC aux	115.40	EC001449	347786	4547648814003			FA	FAC	CHN	8536.4900.99
G9SB-2002-A AC/DC24	Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, auto-reset	104.10	EC001449	346849	4547648814195	#		FA	FAC	CHN	8536.4900.99
G9SB-2002-C AC/DC24	Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, manual-reset	104.10	EC001449	346850	4547648814218	#		FA	FAC	CHN	8536.4900.99
G9SB-200-B AC/DC24	Safety relay unit, DIN 17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, auto-reset (+ common input)	92.45	EC001449	347790	4547648814201	#		FA	FAC	CHN	8536.4900.99
G9SB-200-D AC/DC24	Safety relay unit, DIN 17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, manual-reset (+ common input)	103.90	EC001449	347791	4547648814225	#		FA	FAC	CHN	8536.4900.99
G9SB-3010 DC24	Safety relay unit, DIN 17.5mm, 3PST-NO (Category 3), SPST-NC aux., 5 A, 2 channel direct breaking input, auto-reset	110.10	EC001449	346851	4547648814232			FA	FAC	CHN	8536.4900.99
G9SB-3012-A AC/DC24	Safety relay unit, 3PST-NO (Category 4), SPST-NC aux., 5 A, 2 channel input, auto-reset	114.30	EC001449	347792	4547648814249	#		FA	FAC	CHN	8536.4900.99
G9SB-3012-C AC/DC24	Safety relay unit, 3PST-NO (Category 4), SPST-NC aux., 5 A, 2 channel input, manual-reset	114.30	EC001449	346852	4547648814263	#		FA	FAC	CHN	8536.4900.99
G9SB-301-B AC/DC24	Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input, auto-reset (+ common input)	101.70	EC001449	347793	4547648814256	#		FA	FAC	CHN	8536.4900.99
G9SB-301-D AC/DC24	Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input, manual-reset (+ common input)	114.60	EC001449	347794	4547648814270	#		FA	FAC	CHN	8536.4900.99
Safety unit G9SX											
G9SX-AD322-T15-RC DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state aux, logic AND output, 1 or 2 channel input, spring mounted terminals	353.70	EC001449	353677	4547648837026			FA	FAD	CHN	8536.4900.99
G9SX-AD322-T15-RT DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state aux, logic AND output, 1 or 2 channel input, screw terminals	364.60	EC001449	353676	4547648837019			FA	FAD	CHN	8536.4900.99
G9SX-ADA222-T15-RT DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state aux, logic AND output, 1 or 2 channel input, screw terminals	471.90	EC001449	353664	4547648837118			FA	FAD	CHN	8536.4900.99
G9SX-BC202-RC DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state aux, 2 logic AND outputs, 1 or 2 channel input, spring mounted terminals	292.00	EC001449	353679	4547648837040			FA	FAD	CHN	8536.4900.99
G9SX-BC202-RT DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state aux, 2 logic AND outputs, 1 or 2 channel input, screw terminals	292.00	EC001449	353678	4547648837033			FA	FAD	CHN	8536.4900.99
G9SX-EX401-RT DC24	Expansion unit (to be used with advanced unit), 4PST-NO relay outputs (3 A), 1 x NO solid state output (PNP), screw terminals	254.40	EC001449	353680	4547648837057			FA	FAD	CHN	8536.4900.99
G9SX-LM224-F10-RC	Limited speed monitoring unit with spring-cage terminals	1115.00	EC001449	353671	4547648837286			FA	FAD	CHN	8536.4900.99
G9SX-NS202-RC DC24	Safety relays for D40A non-contact switches, 2 semiconductor outputs, 2 auxiliary outputs, spring-cage terminals	318.60	EC001449	353683	4547648837163			FA	FAD	CHN	8536.4900.99
G9SX-NS202-RT DC24	Non Contact door switch controller for D40A, 2 instantaneous, 2 Aux, Screw terminals, 24DC	304.10	EC001449	353682	4547648837156			FA	FAD	CHN	8536.4900.99
G9SX-NSA222-T03-RC DC24	Safety relays for D40A non-contact switches, 2 semiconductor outputs without delay, 2 semiconductor outputs with up to 3s delay, 2 auxiliary outputs, spring-cage terminals	464.50	EC001449	353685	4547648837187			FA	FAD	CHN	8536.4900.99
G9SX-NSA222-T03-RT DC24	Non Contact door switch controller for D40A, 2 instantaneous, 2 timed, 2 Aux, Screw terminals, 24DC	464.50	EC001449	353684	4547648837170			FA	FAD	CHN	8536.4900.99
G9SX-GS226-T15-RC DC24	Safety guard switching unit with two operation modes, spring-cage terminals	587.50	EC001449	353687	4547648837200			FA	FAD	CHN	8536.4900.99
G9SX-SM032-RC	Standstill monitoring unit with spring-cage terminals	827.50	EC001449	353669	4547648837262	#		FA	FAD	CHN	8536.4900.99
G9SX-SM032-RT	Standstill monitoring unit with screw terminals	827.50	EC001449	353668	4547648837255			FA	FAD	CHN	8536.4900.99
Safety door switch or guard lock											
D4NS-1AF	Safety interlock switch, 1NC/1NO, 10 A, single PG 13.5 conduit	26.45	EC002592	163395	4536854963629	#		FA	FAE	JPN	8536.5015.90
D4NS-1BF	Safety interlock switch, 2NC, 10 A, 1 x PG13.5 conduit	26.45	EC002592	163393	4536854963674	#		FA	FAE	JPN	8536.5015.90
D4NS-1CF	Safety interlock switch, 2NC+1NO, 10 A, single PG 13.5 conduit	24.53	EC002592	162281	4536854963728			FA	FAE	JPN	8536.5015.90
D4NS-1DF	Safety interlock switch, 3NC, 10 A, single PG 13.5 conduit	24.91	EC002592	100324	4536854963766			FA	FAE	JPN	8536.5015.90
D4NS-2AF	Safety interlock switch, 1NC/1NO, 10 A, single G1/2 conduit	22.94	EC002592	163779	4536854963636			FA	FAE	JPN	8536.5015.90
D4NS-2BF	Safety interlock switch, 2NC, 10 A, single G1/2 conduit	26.07	EC002592	163692	4536854963681			FA	FAE	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4NS-2CF	Safety interlock switch, 2NC/1NO, 10 A, single G1/2 conduit	26.45	EC002592	162586	4536854963735	#		FA	FAE	JPN	8536.5015.90
D4NS-2DF	Safety interlock switch, 3NC, 10 A, single G1/2 conduit	24.53	EC002592	162290	4536854963773			FA	FAE	JPN	8536.5015.90
D4NS-4AF	Safety-door switch, D4NS, M20 (1-conduit), 1NC/1NO (slow-action)	21.80	EC002592	162578	4536854963667	#		FA	FAE	JPN	8536.5015.90
D4NS-4BF	Safety interlock switch, M20 (1-conduit), 2NC (slow-action)	21.80	EC002592	163778	4536854963704			FA	FAE	JPN	8536.5015.90
D4NS-4CF	Safety-door switch, D4NS, M20 (1-conduit), 2NC/1NO (slow-action)	25.32	EC002592	163875	4536854963759	#		FA	FAE	JPN	8536.5015.90
D4NS-4DF	Safety-door switch, D4NS, M20 (1-conduit), 3NC (slow-action)	25.32	EC002592	163560	4536854963797			FA	FAE	JPN	8536.5015.90
D4NS-4FF	Safety-door switch, D4NS, M20 (1-conduit), 2NC/1NO (MBB contact)	27.22	EC002592	163876	4536854963872	#		FA	FAE	JPN	8536.5015.90
D4NS-5AF	Safety-door switch, PG13.5 (2-conduit), 1NC/NO (slow-action)	27.86	EC002592	163563	4536854963889			FA	FAE	JPN	8536.5015.90
D4NS-5BF	Safety interlock switch, PG13.5 (2-conduit), 2NC (slow-action)	30.39	EC002592	162295	4536854963919			FA	FAE	JPN	8536.5015.90
D4NS-8BF	Safety interlock switch, 2 NC, 10 A, 2 x M20 conduit	27.79	EC002592	163693	4536854963957			FA	FAE	JPN	8536.5015.90
D4NS-8CF	Safety interlock switch, 2 NC+1 NO, 10 A, 2 x M20 conduit	30.21	EC002592	100390	4536854963995			FA	FAE	JPN	8536.5015.90
D4NS-9AF	Safety interlock switch, 1 NC/1 NO, 10 A, M12 connector	54.05	EC002592	163192	4536854964121			FA	FAE	JPN	8536.5015.90
D4NS-9BF	Safety interlock switch, 2 NC, 10 A, M12 connector	54.05	EC002592	163874	4536854964138			FA	FAE	JPN	8536.5015.90
D4JL-2NFA-D5	Door switch with mechanical lock, Solenoid release, with orange indicator, (2NC/1NO+2NC/1NO).	228.20	EC002593	670949	4547648174909			FA	FAE	JPN	8536.5015.90
D4NL-1AFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 entry	155.20	EC002593	133792	4536854898341	#		FA	FAE	JPN	8536.5015.90
D4NL-1AFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 entry	161.00	EC002593	154667	4536854898587			FA	FAE	JPN	8536.5015.90
D4NL-1CFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry	154.10	EC002593	133797	4536854898402			FA	FAE	JPN	8536.5015.90
D4NL-1CFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry	153.50	EC002593	133813	4536854898648			FA	FAE	JPN	8536.5015.90
D4NL-1DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, PG 13.5 entry	161.30	EC002593	144779	4536854898433	#		FA	FAE	JPN	8536.5015.90
D4NL-1DFA-BS	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, PG13.5 entry, Front key release	159.00	EC002593	228865	4536854903212			FA	FAE	JPN	8536.5015.90
D4NL-1DFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 2NC, PG13.5 entry, Front key release	159.90	EC002593	133816	4536854898679			FA	FAE	JPN	8536.5015.90
D4NL-1EFA-B	Safety door-lock switch, PG13.5 entry, 2NC/1NO + 1NC/1NO, mechanical lock, 24 VDC	153.50	EC002593	133802	4536854898464			FA	FAE	JPN	8536.5015.90
D4NL-1HDG-B	Safety door-lock switch, PG13.5 entry, 3NC + 2NC, metal head, solenoid lock, 24 VDC,	159.10	EC002593	363820	4548583138193			FA	FAE	JPN	8536.5007.00
D4NL-2AFA-B4	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 1NC/1NO, G1/2 entry	157.20	EC002593	133732	4536854898839			FA	FAE	JPN	8536.5015.90
D4NL-2BFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 2NC, G1/2 entry	155.60	EC002593	133795	4536854898389			FA	FAE	JPN	8536.5015.90
D4NL-2CFG-B	Safety door-lock switch, solenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A G1/2 entry	156.30	EC002593	133814	4536854898655			FA	FAE	JPN	8536.5015.90
D4NL-2DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, G1/2 entry	148.30	EC002593	133800	4536854898440	#		FA	FAE	JPN	8536.5015.90
D4NL-2DFA-B4	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, G1/2 entry	161.30	EC002593	145868	4536854898921	#		FA	FAE	JPN	8536.5015.90
D4NL-2DFG-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, G1/2 entry	140.20	EC002593	133817	4536854898686			FA	FAE	JPN	8536.5015.90
D4NL-2FFA-B	Safety door-lock switch, G1/2 entry, 3NC + 2NC, mechanical lock, 24 VDC	176.90	EC002593	133805	4536854898501			FA	FAE	JPN	8536.5015.90
D4NL-2FFA-B4S	Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, mechanical lock, 24 VDC, Front key release	176.90	EC002593	353628	4547648621021			FA	FAE	JPN	8536.5007.00
D4NL-2HFG-B	Safety door-lock switch, G1/2 entry, 3NC + 2NC, solenoid lock, 24 VDC	164.90	EC002593	155468	4536854898808			FA	FAE	JPN	8536.5015.90
D4NL-4AFA-B	Guard lock safety-door switch, D4NL, M20, 1NC/1NO + 1NC/1NO (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	157.70	EC002593	133793	4536854898365	#		FA	FAE	JPN	8536.5015.90
D4NL-4AFG-B	Guard lock safety-door switch, D4NL, M20, 1NC/1NO + 1NC/1NO (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	159.00	EC002593	133810	4536854898600			FA	FAE	JPN	8536.5015.90
D4NL-4CFA-B	Guard lock safety-door switch, D4NL, M20, 2NC + 1NC/1NO (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	155.60	EC002593	133799	4536854898426	#		FA	FAE	JPN	8536.5015.90
D4NL-4CFG-B	Guard lock safety-door switch, D4NL, M20, 2NC + 1NC/1NO (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	159.00	EC002593	133815	4536854898662			FA	FAE	JPN	8536.5015.90
D4NL-4DFA-B	Guard lock safety-door switch, D4NL, M20, 2NC + 2NC (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	159.90	EC002593	133801	4536854898457			FA	FAE	JPN	8536.5015.90
D4NL-4DFG-B	Guard lock safety-door switch, D4NL, M20, 2NC + 2NC (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	159.90	EC002593	151293	4536854898693			FA	FAE	JPN	8536.5015.90
D4NL-4EFA-B	Guard lock safety-door switch, D4NL, M20, 2NC/1NO + 1NC/1NO (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	164.60	EC002593	133803	4536854898488			FA	FAE	JPN	8536.5015.90
D4NL-4EFG-B	Guard lock safety-door switch, D4NL, M20, 2NC/1NO + 1NC/1NO (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	164.60	EC002593	133820	4536854898723			FA	FAE	JPN	8536.5015.90
D4NL-4FFA-B	Guard lock safety-door switch, D4NL, M20, 2NC/1NO + 2NC (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	164.90	EC002593	142528	4536854898518	#		FA	FAE	JPN	8536.5015.90
D4NL-4FFG-B	Guard lock safety-door switch, D4NL, M20, 2NC/1NO + 2NC (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	164.90	EC002593	133823	4536854898754			FA	FAE	JPN	8536.5015.90
D4NL-4GFA-B	Guard lock safety-door switch, D4NL, M20, 3NC + 1NC/1NO (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	164.90	EC002593	133806	4536854898549	#		FA	FAE	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4NL-4GFG-B	Guard lock safety-door switch, D4NL, M20, 3NC + 1NC/1NO (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	164.90	EC002593	103662	4536854898785	#		FA	FAE	JPN	8536.5015.90
D4NL-4HFA-B	Guard lock safety-door switch, D4NL, M20, 3NC + 2NC (slow-action), head: plastic, mechanical lock/24-VDC solenoid release, 10 to 115 VAC/VDC LED indicator	164.90	EC002593	133809	4536854898570			FA	FAE	JPN	8536.5015.90
D4NL-4HFG-B	Guard lock safety-door switch, D4NL, M20, 3NC + 2NC (slow-action), head: plastic, 24-VDC solenoid lock/mechanical release, 10 to 115 VAC/VDC LED indicator	164.90	EC002593	133827	4536854898815			FA	FAE	JPN	8536.5015.90
D4SL-N2NFA-D	Guard lock safety door switch, G1/2 conduit, 2NC/1NO+2NC/1NO, resin, Mechanical lock/24VDC solenoid release, LED indicator	210.20	EC002593	669102	4548583316171			FA	FAE	JPN	8536.5007.00
D4SL-N2NFG-DN	Guard lock safety door switch, G1/2 conduit, 2NC/1NO+2NC/1NO, resin head, solenoid lock, connector	171.40	EC002593	372876	4548583316225			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA	Guard lock safety-door switch, D4SL-N, M20, 1NC/1NO + 1NC/1NO, head: resin, mechanical lock/24VDC solenoid release	171.40	EC002593	367767	4548583315051			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Guard lock safety-door switch, M20, 1NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, connector	185.20	EC002593	382531	4548583315068			FA	FAE	JPN	8536.5007.00
D4SL-N4AFG	Guard lock safety-door switch, D4SL-N, M20, 1NC/1NO + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release	179.20	EC002593	374819	4548583315075			FA	FAE	JPN	8536.5007.00
D4SL-N4CFA	Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release	140.20	EC002593	382548	4548583315136			FA	FAE	JPN	8536.5007.00
D4SL-N4CFG	Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release	173.50	EC002593	377986	4548583315150			FA	FAE	JPN	8536.5007.00
D4SL-N4DFA	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, Mechanical lock/24VDC solenoid release	142.30	EC002593	382551	4548583315174			FA	FAE	JPN	8536.5007.00
D4SL-N4DFG	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, 24VDC solenoid lock/mechanical release	173.50	EC002593	377987	4548583315198			FA	FAE	JPN	8536.5007.00
D4SL-N4EFA-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	140.20	EC002593	382663	4548583315853			FA	FAE	JPN	8536.5007.00
D4SL-N4EFA-DN	Door locking switch, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator, connector	128.10	EC002593	382553	4548583315860			FA	FAE	JPN	8536.5007.00
D4SL-N4EFG-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	147.90	EC002593	382555	4548583315891			FA	FAE	JPN	8536.5007.00
D4SL-N4FFA-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 2NC, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	147.90	EC002593	382664	4548583315938	#		FA	FAE	JPN	8536.5007.00
D4SL-N4FFG-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 2NC, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	147.90	EC002593	382562	4548583315976	#		FA	FAE	JPN	8536.5007.00
D4SL-N4GFA-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	166.40	EC002593	382661	4548583316010			FA	FAE	JPN	8536.5007.00
D4SL-N4GFG-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	174.20	EC002593	382569	4548583316058			FA	FAE	JPN	8536.5007.00
D4SL-N4HDG-D	Door locking switch, M20, 3NC+ 2NC, head: metal, 24VDC solenoid lock/mechanical release, LED indicator	173.50	EC002593	377992	4548583370432			FA	FAE	JPN	8536.5007.00
D4SL-N4HFA-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, Mechanical lock/24VDC solenoid release, LED indicator	151.80	EC002593	382573	4548583316096			FA	FAE	JPN	8536.5007.00
D4SL-N4HFG-D	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	148.00	EC002593	382577	4548583316133	#		FA	FAE	JPN	8536.5007.00
D4SL-N4NDA-D	Guard lock safety door switch, M20 conduit, 2NC/1NO+2NC/1NO, metal head, solenoid release, terminal block	200.50	EC002593	373889	4548583317772			FA	FAE	JPN	8536.5007.00
D4SL-N4NDG-D	Guard lock safety door switch, M20 conduit, 2NC/1NO+2NC/1NO, metal head, solenoid lock, terminal block	198.70	EC002593	373890	4548583317819			FA	FAE	JPN	8536.5007.00
D4SL-N4NFA-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 2NC/1NO, head: resin, mechanical lock/24VDC solenoid release, 24VDC (LED indicator)	187.90	EC002593	371536	4548583316812			FA	FAE	JPN	8536.5007.00
D4SL-N4NFA-DN	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 2NC/1NO, head: resin, Mechanical lock/24VDC solenoid release, LED indicator, connector	140.20	EC002593	382581	4548583316829			FA	FAE	JPN	8536.5007.00
D4SL-N4NFG-D	Guard lock safety-door switch, D4SL-N, M20, 2NC/1NO + 2NC/1NO, head: resin, 24VDC solenoid lock/mechanical release, LED indicator	147.90	EC002593	382584	4548583316850			FA	FAE	JPN	8536.5007.00
D4SL-N4RDA-D	Guard lock safety door switch, M20 conduit, 3NC+3NC, metal head, solenoid release, terminal block	200.50	EC002593	373886	4548583318014	#		FA	FAE	JPN	8536.5007.00
D4SL-N4RDA-DN	Guard lock safety door switch, M20 conduit, 3NC+3NC, metal head, solenoid release, connector	185.80	EC002593	367248	4548583318021			FA	FAE	JPN	8536.5007.00
D4SL-N4RDG-D	Guard lock safety door switch, M20 conduit, 3NC+3NC, metal head, solenoid lock, terminal block	202.80	EC002593	373887	4548583318052			FA	FAE	JPN	8536.5007.00
D4SL-N4VFA	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, Mechanical lock / 24 VDC solenoid release	144.80	EC002593	395860	4548583314696	#		FA	FAE	JPN	8536.5007.00
D4DS-K1	Guard lock safety-door switch accessory, D4NL/DS, operation key: horizontal mounting	3.21	EC001487	104525	4536853219956	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K2	Guard lock safety-door switch accessory, D4NL/DS, operation key: vertical mounting	3.21	EC001487	134023	4536853219963	#	10	FA	FAE	JPN	8301.7000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4DS-K3	Guard lock safety-door switch accessory, D4NL/DS, operation key: adjustable mounting (horizontal)	11.28	EC001487	150258	4536853219970	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K5	Guard lock safety-door switch accessory, D4NL/DS, operation key: adjustable mounting (horizontal/vertical)	17.92	EC001487	152522	4536854383878	#	10	FA	FAE	JPN	8301.7000.00
D4JL-K1	Operation key for D4JL, horizontal mounting	6.98	EC001487	262987	4547648174558			FA	FAE	JPN	8536.5015.90
D4JL-K3	Operation key for D4JL, adjustable mounting (horizontal)	48.68	EC001487	372385	4547648527460			FA	FAE	JPN	8536.5007.00
D4NH-1AAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 1NC/1NO (slow-action)	46.23	EC002591	170730	4547648045322			FA	FAE	JPN	8536.5015.90
D4NH-1BAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 2NC (slow-action)	46.58	EC002591	170746	4547648045483			FA	FAE	JPN	8536.5015.90
D4NH-1BBC	Safety door-hinge switch, Arm lever actuator, PG 13.5 Conduit, 2NC (slow-action)	46.92	EC002591	170754	4547648045568			FA	FAE	JPN	8536.5015.90
D4NH-4AAS	Safety Limit switch, D4NH, M20 (1 conduit), 1NC/1NO (slow-action), shaft actuator	46.23	EC002591	170732	4547648045346			FA	FAE	JPN	8536.5015.90
D4NH-4ABC	Safety Limit switch, D4NH, M20 (1 conduit), 1NC/1NO (slow-action), arm lever actuator	45.44	EC002591	170740	4547648045421			FA	FAE	JPN	8536.5015.90
D4NH-4BAS	Safety Limit switch, D4NH, M20 (1 conduit), 2NC (slow-action), shaft actuator	45.51	EC002591	170748	4547648045506	#		FA	FAE	JPN	8536.5015.90
D4NH-4BBC	Safety Limit switch, D4NH, M20 (1 conduit), 2NC (slow-action), arm lever actuator	44.49	EC002591	170756	4547648045582			FA	FAE	JPN	8536.5015.90
D4NH-4CAS	Safety Limit switch, D4NH, M20 (1 conduit), 2NC/1NO (slow-action), shaft actuator	54.70	EC002591	170765	4547648045674			FA	FAE	JPN	8536.5015.90
Accessory for safety limit switch											
D4BL-K1	Slide operation key for D4BL switch, horizontal mounting	8.34	EC001487	134705	4536853204402	#	10	FA	FAF	JPN	8301.7000.00
D4BL-K2	Slide operation key for D4BL switch, vertical mounting	11.59	EC001487	134706	4536853204419	#	10	FA	FAF	JPN	8301.7000.00
D4BL-K3	Hinge operation key for D4BL switch, vertical mounting (horiz. adjust.)	21.51	EC001487	134707	4536853204426	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K1	Safety-door switch accessory, D4BS, operation key: horizontal mounting	5.77	EC001487	134587	4536853207533	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K2	Safety-door switch accessory, D4BS, operation key: vertical mounting	6.60	EC001487	134588	4536853207540	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K3	Safety-door switch accessory, D4BS, operation key: horizontal mounting	20.82	EC001487	148097	4536853207557	#	10	FA	FAF	JPN	8301.7000.00
D4GS-NK1	Operation Key, horizontal mounting	7.79	EC001487	133923	4536854688300		10	FA	FAF	JPN	8536.5015.90
D4GS-NK2	Operation Key, vertical mounting	8.21	EC001487	133828	4536854688317	#	10	FA	FAF	JPN	8536.5015.90
D4GS-NK4	Operation Key, adjustable	20.65	EC001487	133829	4536854688324	#	10	FA	FAF	JPN	8536.5015.90
Safety light curtain											
F3SJ-A0299P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 299mm, PNP	2461.00	EC002549	246952	4547648138383			FA	FAG	JPN	8536.5019.90
F3SJ-A0461P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 461mm, PNP	3051.00	EC002549	294390	4547648138475			FA	FAG	JPN	8536.5019.90
F3SJ-A0623P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 623mm, PNP	3814.00	EC002549	232587	4547648138567			FA	FAG	JPN	8536.5019.90
F3SJ-A0731P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 731mm, PNP	4223.00	EC002549	225440	4547648138598			FA	FAG	JPN	8536.5019.90
F3SJ-A0875P14	Safety Light Curtain, F3SJ Advanced, Type 4, 14mm resolution, range 0.2 to 9.0m, height 875mm, PNP	4776.00	EC002549	289065	4547648138635			FA	FAG	JPN	8536.5019.90
F3SJ-A0470P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 470mm, PNP	1224.00	EC002549	224505	4547648137881			FA	FAG	JPN	8536.5019.90
F3SJ-A1505P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 1505mm, PNP	4239.00	EC002549	670396	4547648137188			FA	FAG	JPN	8536.5019.90
F3SJ-A1520P25-01TS	Safety Light Curtain, F3SJ Advanced, Type 4, 25mm resolution, range 0.2 to 9.0m, height 1520mm, PNP, 01TS version	3761.00	EC002549	351981	4547648809955			FA	FAG	JPN	8536.5019.90
F3SJ-A1620P30	Safety Light Curtain, F3SJ Advanced, Type 4, 30mm resolution, range 0.2 to 9.0m, height 1620mm, PNP	3433.00	EC002549	239470	4547648138246			FA	FAG	JPN	8536.5019.90
F3SJ-B0305P25	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 305 mm, PNP	856.00	EC002549	356724	4548583047426	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0545P25	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 545 mm, PNP	1070.00	EC002549	356741	4548583047457	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0625P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 625mm, PNP	1204.00	EC002549	356738	4548583047464	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0705P25	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 705 mm, PNP	1266.00	EC002549	356726	4548583047471	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0785P25	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 785 mm, PNP	1360.00	EC002549	356739	4548583047488	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0865P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 865mm, PNP	1434.00	EC002549	356727	4548583047495	#		FA	FAG	JPN	8536.5019.90
F3SJ-B0945P25	Safety Light Curtain, F3SJ Basic, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 945 mm, PNP	1514.00	EC002549	356746	4548583047501	#		FA	FAG	JPN	8536.5019.90
F3SJ-B1025P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1025mm, PNP	1603.00	EC002549	356728	4548583047518	#		FA	FAG	JPN	8536.5019.90
F3SJ-B1105P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1105mm, PNP	1720.00	EC002549	356743	4548583047525	#		FA	FAG	JPN	8536.5019.90
F3SJ-B1185P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1185mm, PNP	1835.00	EC002549	356729	4548583047532	#		FA	FAG	JPN	8536.5019.90
F3SJ-B1505P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1505mm, PNP	2137.00	EC002549	356742	4548583047570	#		FA	FAG	JPN	8536.5019.90
F3SJ-E0185P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 185 mm, PNP	677.50	EC002549	356003	4548583047655			FA	FAG	JPN	8536.5019.90
F3SJ-E0225P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 225 mm, PNP	815.00	EC002549	356004	4548583047662			FA	FAG	JPN	8536.5019.90
F3SJ-E0305P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 305 mm, PNP	900.50	EC002549	356005	4548583047679	#		FA	FAG	JPN	8536.5019.90
F3SJ-E0465P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 465 mm, PNP	952.50	EC002549	356006	4548583047693	#		FA	FAG	JPN	8536.5019.90
F3SJ-E0625P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 625 mm, PNP	1160.00	EC002549	356013	4548583047716	#		FA	FAG	JPN	8536.5019.90
F3SJ-E0785P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 785 mm, PNP	1326.00	EC002549	356008	4548583047730			FA	FAG	JPN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SJ-E0945P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 945 mm, PNP	1370.00	EC002549	356009	4548583047754			FA	FAG	JPN	8536.5019.90
F3SJ-E1025P25	Safety Light Curtain, F3SJ Easy, Type 4, 25 mm resolution, range 0.2 to 7.0 m, height 1025 mm, PNP	1620.00	EC002549	356012	4548583047761			FA	FAG	JPN	8536.5019.90
F3SJ-E1105P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1105mm, PNP	1775.00	EC002549	356010	4548583047778			FA	FAG	JPN	8536.5019.90
Safety non-contact switch											
F3S-TGR-NCPR-21-05	Non-contact door switch, reed, compact sensor 5 m, plastic, 2NC+1NO contacts (D40B size equivalent)	128.40	EC002592	330853	4547648882927			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLMP-21-05	Non-contact door switch, reed, elongated stainless steel, 2NC+1NO, 5m cable	211.20	EC002592	387898	4547648977098			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLXM-21-05	Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 5m cable	312.40	EC002592	387941	4547648977524	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLXM-21-10	Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 10m cable	345.50	EC002592	387942	4547648977531			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPR-20-05	Non-contact door switch, reed, elongated sensor 5m, plastic, 2NC contacts	120.20	EC002592	231385	4536853906269			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-21-05	Non-contact door switch, reed, elongated sensor plastic, 2 NC+1 NO, 5m cable	126.40	EC002592	231389	4536853906306			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-21-10	Non-contact door switch, reed, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	142.40	EC002592	231390	4536853906313			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-21-M1J8	Non-contact door switch, reed, elongated sensor, plastic, 2 NC+1 NO contacts, M12 connector pigtail	145.80	EC002592	231391	4536853906283			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMHR-21-05	Non-contact door switch, reed, miniature stainless steel hygienic design, 2NC+1NO, 5m cable	165.80	EC002592	387891	4547648977029			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMHR-21-10	Non-contact door switch, reed, miniature stainless steel hygienic design, 2NC+1NO, 10m cable	176.20	EC002592	387892	4547648977036			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-20-05	Non-contact door switch, reed, miniature plastic, 2NC, 5m cables	87.35	EC002592	252048	4547648861397			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-20-08-L10	Non-contact door switch, reed, miniature plastic, 2NC, M8 connector left side	105.70	EC002592	387885	4547648976961			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-20-M8-WN	Non-contact door switch, reed, miniature plastic, 2NC, M8 connector	49.97	EC002592	295581	4547648868273	#		FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-02	Non-contact door switch, Miniature, reed, 2m, plastic, 2NC+1NO contacts	89.00	EC002592	252051	4547648861427			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-05	Non-contact door switch, Miniature, reed, 5m, plastic, 2NC+1NO contacts	96.85	EC002592	252052	4547648861434			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-10	Non-contact door switch, Miniature, reed, 10m, plastic, 2NC+1NO contacts	112.60	EC002592	252053	4547648861441			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-M1J8	Non-contact door switch, Miniature, reed, M12 connector, plastic, 2NC+1NO contacts	117.10	EC002592	252054	4547648861410			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-20-02	Non-contact door switch, reed, small sensor 2m, stainless steel, 2NC contacts	179.90	EC002592	231392	4536853906412			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-20-05	Non-contact door switch, reed, small sensor 5m, stainless steel, 2NC contacts	184.60	EC002592	231393	4536853906429			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-20-M1J8	Non-contact door switch, reed, small sensor M12 connector, steel, 2NC contacts	199.40	EC002592	231395	4536853906405			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-21-02	Non-contact door switch, reed, small sensor 2 m, stainless steel, 2NC+1NO contacts	182.40	EC002592	231396	4536853906450			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-21-05	Non-contact door switch, reed, small stainless steel, 2NC+1NO, 5m cable	187.40	EC002592	231397	4536853906467			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-21-10	Non-contact door switch, reed, small stainless steel, 2NC+1NO, 10 m cable	192.00	EC002592	231398	4536853906474			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-21-M1J8	Non-contact door switch, reed, small stainless steel, 2NC+1NO, M12 connector pigtail	202.40	EC002592	231399	4536853906443			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSPR-21-05	Non-contact door switch, reed, small plastic, 2NC+1NO, 5m cable	135.40	EC002592	330847	4547648882866			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSPR-21-10	Non-contact door switch, reed, small plastic, 2NC+1NO, 10m cable	143.40	EC002592	330848	4547648882873			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPM-21-05	Non-contact door switch, RFID master coded, elongated plastic, 2NC+1NO, 5m cable	121.10	EC002592	387923	4547648977340			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPM-21-10	Non-contact door switch, RFID master coded, elongated plastic, 2NC+1NO, 10m cable	134.70	EC002592	387924	4547648977357			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPM-21-M1J8	Safety Non-contact Door switch, RFID master coded, elongated plastic housing, 2NC+1NO, M12 8pin	136.50	EC002592	378257	4547648965590	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPU-21-05	Non-contact door switch, RFID unique coded, elongated plastic, 2NC+1NO, 5m cable	121.10	EC002592	387921	4547648977326	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPU-21-10	Non-contact door switch, RFID unique coded, elongated plastic, 2NC+1NO, 10m cable	134.70	EC002592	387922	4547648977333			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPU-21-M1J8	Safety Non-contact Door switch, RFID unique coded, elongated plastic housing, 2NC+1NO, M12 connector pigtail	138.00	EC002592	378256	4547648965583	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSPM-21-05	Non-contact door switch, RFID master coded, small plastic, 2NC+1NO, 5m cable	138.60	EC002592	387919	4547648977302			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSPM-21-10	Non-contact door switch, RFID master coded, small plastic, 2NC+1NO, 10m cable	148.80	EC002592	387920	4547648977319			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSPM-21-M1J8	Non-contact door switch, small, RFID master code, M12 pigtail connector, 2NC+1NO contacts	145.80	EC002592	383763	4547648974042			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSPU-21-05	Non-contact door switch, RFID unique coded, small plastic, 2NC+1NO, 5m cable	138.60	EC002592	387916	4547648977272	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NSPU-21-M1J8	Non-contact door switch, RFID unique coded, small plastic, 2NC+1NO, M12 connector pigtail	156.50	EC002592	387918	4547648977296	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NBPC-21-05	Non-contact door switch, coded, barrel plastic M30, 2NC+1NO, 5m cable	100.40	EC002592	387870	4547648976817			FA	FAI	GBR	8536.5005.00
F3S-TGR-NBPC-21-M1J8	Non-contact door switch, coded, barrel plastic M30, 2NC+1NO, M12 connector pigtail	116.40	EC002592	387872	4547648976831			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLMC-21-05	Non-contact door switch, coded, elongated stainless steel, 2NC+1NO, 5m cable	172.70	EC002592	387867	4547648976787			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-20-02	Non-contact door switch, coded, elongated sensor 2 m, plastic, 2 NC contacts	77.40	EC002592	231368	4536853906177			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-20-05	Non-contact door switch, coded, elongated sensor 5m, plastic, 2 NC contacts	79.80	EC002592	231369	4536853906184	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-20-10	Non-contact door switch, coded, elongated sensor 10 m, plastic, 2 NC contacts	102.90	EC002592	231370	4536853906191			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-20-M1J8	Non-contact door switch, coded, elongated sensor M12 connector, plastic, 2 NC contacts	97.85	EC002592	231371	4536853906160	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-21-02	Non-contact door switch, coded, elongated sensor 2m, plastic, 2 NC+1 NO contacts	84.35	EC002592	231372	4536853906214	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-21-05	Non-contact door switch, coded, elongated sensor plastic, 2 NC+1 NO, 5m cable	86.70	EC002592	231373	4536853906221	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPC-21-10	Non-contact door switch, coded, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	109.70	EC002592	231374	4536853906238	#		FA	FAI	GBR	8536.5005.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3S-TGR-NLPC-21-M1J8	Non-contact door switch, coded, elongated sensor, plastic, 2 NC+1 NO contacts, M12 connector pigtail	112.50	EC002592	231375	4536853906207	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-20-02	Non-contact door switch, miniature, coded, 2m, plastic, 2 NC contacts	90.60	EC002592	252056	4547648861304			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-20-05	Non-contact door switch, miniature, coded, 5m, plastic, 2 NC contacts	83.40	EC002592	252057	4547648861311			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-20-M1J8	Non-contact door switch, miniature, coded, M12 connector, plastic, 2 NC contacts	99.25	EC002592	252059	4547648861298	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-21-02	Non-contact door switch, miniature, coded, 2m, plastic, 2 NC+1 NO contacts	81.40	EC002592	252060	4547648861342			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-21-05	Non-contact door switch, coded, miniature plastic, 2NC+1NO, 5m cable	96.85	EC002592	252061	4547648861359	#		FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-21-10	Non-contact door switch, coded, miniature plastic, 2NC+1NO, 10m cable	112.60	EC002592	252062	4547648861366			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPC-21-M1J8	Non-contact door switch, miniature, coded, M12 connector, plastic, 2 NC+1 NO contacts	117.10	EC002592	252063	4547648861335			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-20-05	Non-contact door switch, coded, small sensor 5m, stainless steel, 2 NC contacts	157.70	EC002592	231377	4536853906344			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-20-M1J8	Non-contact door switch, coded, small sensor M12 connector, steel, 2 NC contacts	188.90	EC002592	231379	4536853906320			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-21-02	Non-contact door switch, coded, small sensor 2m, stainless steel, 2 NC+1 NO contacts	161.20	EC002592	231380	4536853906375			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-21-05	Non-contact door switch, coded, small stainless steel, 2NC+1NO, 5m cable	171.60	EC002592	231381	4536853906382			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-21-10	Non-contact door switch, coded, small stainless steel, 2NC+1NO, 10m cable	184.80	EC002592	231382	4536853906399			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMC-21-M1J8	Non-contact door switch, coded, small stainless steel, 2NC+1NO, M12 connector pigtail	192.40	EC002592	231383	4536853906368			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSPC-21-05	Non-contact door switch, coded, small plastic, 2NC+1NO, 5m cable	87.35	EC002592	330850	4547648882897			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSPC-21-10	Non-contact door switch, coded, small plastic, 2NC+1NO, 10m cable	109.40	EC002592	330851	4547648882903			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSPC-21-M1J8	Non-contact door switch, coded, small plastic, 2NC+1NO, M12 connector pigtail	118.20	EC002592	330852	4547648882910			FA	FAI	GBR	8536.5007.00
D40ML-M2-U-M12	RFID Magnetic Locking Safety Switch, Die-cast Metal, 900N, Unique Actuator Code, Pigtail w/M12 Connector	428.70	EC002593	669719	4548583967908			FA	FAI	GBR	8536.5007.00
D40ML-P2-B-5M	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, 5m Cable	381.40	EC002593	669735	4548583968066			FA	FAI	GBR	8536.5007.00
D40ML-P2-B-M12	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, Pigtail w/M12 Connector	402.50	EC002593	669708	4548583967793	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-U-10M	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, 10m Cable	396.30	EC002593	669722	4548583967939			FA	FAI	GBR	8536.5007.00
D40ML-P2-U-M12	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, Pigtail w/M12 Connector	402.50	EC002593	669709	4548583967809	#		FA	FAI	GBR	8536.5007.00
D40ML-SS1-U-M12	RFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Unique Actuator Code, Pigtail w/M12 Connector	625.50	EC002593	669703	4548583967748			FA	FAI	GBR	8536.5007.00
D40ML-SS2-B-10M	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 10m Cable	522.00	EC002593	669698	4548583967694			FA	FAI	GBR	8536.5007.00
D40ML-CBL-M12-10M	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 10 Meter Length	59.05	EC001855	670948	4548583973756			FA	FAI	GBR	8544.4290.90
D40ML-CBL-M12-5M	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 5 Meter Length	49.10	EC001855	670947	4548583973749			FA	FAI	GBR	8544.4290.90
F39-TGR-NLPC-A	Spare actuator for Coded type, Plastic, Elongated	23.94	EC001487	234166	4536853907402			FA	FAI	GBR	8536.5007.00
F39-TGR-NMPC-A	Accessory F3S-TGR-NMPC, actuator	25.68	EC001487	252064	4547648861458			FA	FAI	GBR	8536.5005.00
F39-TGR-N-SCREWS	Safety Torx screws set, M4, 4 x 30 mm + 4 x 20 mm + 4 x 10 mm, incl. Washers and Torx bit	8.29	EC002594	387947	4547648977586		20	FA	FAI	GBR	8536.5005.00
Safety DeviceNet component											
NE1A-SCPU01-V1 VER2.0	Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs	2193.00	EC001449	231688	4547648303385			FA	FAJ	JPN	8471.4100.00
NE1A-SCPU02-EIP VER1.0	Safety network controller, 40x PNP inputs, 8x PNP outputs, 8x test outputs, IP	4953.00	EC001449	313544	4547648695121			FA	FAJ	JPN	8471.4100.00
NE1A-SCPU02 VER2.0	Safety network controller, 40x PNP inputs, 8x PNP outputs, 8x test outputs	3857.00	EC001449	231689	4547648303392			FA	FAJ	JPN	8471.4100.00
DST1-HD12SL-1	Remote I/O terminal, 12 x PNP inputs, 4 x test outputs	891.00	EC001449	353672	4547648836821			FA	FAJ	CHN	8536.4900.99
DST1-MRD08SL-1	Remote I/O terminal, 4 x PNP inputs, 4 x relay outputs, 4 x test outputs	1083.00	EC001449	353655	4547648836845			FA	FAJ	CHN	8536.4900.99
DST1-MD16SL-1	Remote I/O terminal, 8 x PNP inputs, 8 x PNP outputs, 4 x test outputs	1030.00	EC001449	353673	4547648836838			FA	FAJ	CHN	8536.4900.99
WS02-CFSC1-EV3	Safety network configurator, PC software	595.00	EC000809	354910	4548583052260			FA	FAJ	JPN	8523.8090.00
GI-SMD1624	Safety Remote I/O Terminal (CIP-S) with 2 port switching hub and 12 PNP S-Digital Inputs (12 Test Pulses) / 4 PNP S-Digital Output	1070.00	EC001599	684978	4549734420501			FA	FAJ	CHN	8471.6070.00
Safety limit switch D4B											
D4B-2111N	Limit switch, roller lever 17.5mm dia, SPDB NO/NC, snap action, 10 A	33.97	EC000030	134568	4536853207151	#		FA	FAK	CHN	8536.5007.00
D4B-2115N	Limit switch, roller lever, SPDB NO/NC, snap action, 10 A, G1/2 conduit	45.18	EC000030	104521	4536853205379			FA	FAK	JPN	8536.5007.00
D4B-2116N	Limit switch, adjustable roller lever, SPDB NO/NC, snap action, 10 A	45.00	EC000030	134571	4536853207182	#		FA	FAK	CHN	8536.5007.00
D4B-2171N	Limit switch, roller plunger, SPDB NO/NC, snap action, 10 A	31.27	EC000030	149173	4536853207229			FA	FAK	CHN	8536.5007.00
D4B-2511N	Limit switch, roller lever 17.5 mm dia, SPDB NO/NC, slow action, 10 A	46.60	EC000030	134690	4536853205621			FA	FAK	JPN	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4B-2A11N	Limit switch, roller lever, DPDB 2-NC, slow action, 10 A	52.65	EC000030	134688	4536853205584			FA	FAK	JPN	8536.5007.00
D4B-2A71N	Safety Limit switch, G1/2 conduit, DPDB 2-NC (slow-action), top roller plunger	57.35	EC000030	224504	4536853205645			FA	FAK	JPN	8536.5007.00
D4B-4111N	Safety Limit switch, D4B, M20, 1NC/1NO (snap-action), roller lever (resin)	34.78	EC000030	373424	4548583369528	#	10	FA	FAK	CHN	8536.5007.00
D4B-4113N	Limit switch, SPDB NO/NC, snap action, 10 A	58.15	EC000030	251100	4547648598989			FA	FAK	JPN	8536.5007.00
D4B-4115N	Limit switch, roller lever, SPDB NO/NC, snap action, 10 A, M20 conduit	47.24	EC000030	370630	4547648740999			FA	FAK	JPN	8536.5007.00
D4B-4116N	Limit switch, adjustment roller lever, 1NC/1NO (snap-action), M20 conduit	36.96	EC000030	373425	4548583369481	#	10	FA	FAK	CHN	8536.5007.00
D4B-4117N	Limit switch, D4B, M20, 1NC/1NO (snap-action), adjustable rod lever	40.85	EC000030	373233	4548583369498	#	10	FA	FAK	CHN	8536.5007.00
D4B-4170N	Safety Limit switch, D4B, M20, 1NC/1NO (snap-action), top plunger	35.44	EC000030	373246	4548583369504	#		FA	FAK	CHN	8536.5007.00
D4B-4171N	Safety Limit switch, D4B, M20, 1NC/1NO (snap-action), top roller plunger	36.09	EC000030	373234	4548583369511	#		FA	FAK	CHN	8536.5007.00
D4B-4511N	Safety Limit switch, D4B, M20, 1NC/1NO (slow-action), roller lever (resin)	40.03	EC000030	134607	4536854776601			FA	FAK	JPN	8536.5007.00
D4B-4515N	Limit switch, stainless steel roller lever, 1NC/1NO, slow action, 10 A, M20 conduit	45.36	EC000030	373626	4547648811835			FA	FAK	JPN	8536.5007.00
D4B-4516N	Limit switch, D4B, M20, 1NC/1NO (slow-action), adjustable roller lever	45.51	EC000030	158135	4536854776618			FA	FAK	JPN	8536.5007.00
D4B-4571N	Safety Limit switch, top roller plunger, 1NC/1NO (slow-action), M20 conduit	45.25	EC000030	134609	4536854776632		10	FA	FAK	JPN	8536.5007.00
D4B-4A11N	Safety Limit switch, D4B, M20, DPDB 2-NC (slow-action), roller lever (resin)	47.17	EC000030	103702	4536854776649			FA	FAK	JPN	8536.5007.00
D4B-4A16N	Limit switch, D4B, M20, DPDB 2-NC (slow-action), adjustable roller lever	56.25	EC000030	134610	4536854776656			FA	FAK	JPN	8536.5007.00
D4B-4A17N	Limit switch, D4B, M20, DPDB 2-NC (slow-action), adjustable rod lever	51.30	EC000030	134613	4536854790966			FA	FAK	JPN	8536.5007.00
D4B-4A70N	Safety Limit switch, D4B, M20, DPDB 2-NC (slow-action), top plunger	47.24	EC000030	153605	4536854776663			FA	FAK	JPN	8536.5007.00
D4B-4A71N	Safety Limit switch, D4B, M20, DPDB 2-NC (slow-action), top roller plunger	49.93	EC000030	134611	4536854776670			FA	FAK	JPN	8536.5007.00
Safety Area											
OS32C-BP-DM	Safety laser scanner, measurement and EtherNet/IP, safety radius 3 m, warning zone 10 m, PLd & Cat 3 (ISO 13849-1), Ethernet, 24 VDC, back location cable exit	4984.00	EC002550	674735	4548583409217			FA	FAO	USA	8536.5019.90
OS32C-BP VER2 @ OEE	Safety laser scanner, safety radius 3 m, warning zone 10 m, PLd & Cat 3 (ISO 13849-1), Ethernet, 24 VDC, back location cable exit	4527.00	EC002550	674732	4548583061118			FA	FAO	USA	8536.5019.90
OS32C-SN VER2	Accessory safety, laser scanner, spare for replacement, sensor block without I/O block, Ver.2	3679.00	EC002550	674727	4548583061132			FA	FAO	USA	8536.5019.90
OS32C-SP1-DM	Safety laser scanner, measurement and EtherNet/IP, safety radius 3 m, warning zone 10 m, PLd & Cat 3 (ISO 13849-1), Ethernet, 24 VDC, side location cable exit	4984.00	EC002550	674734	4548583409224	#		FA	FAO	USA	8536.5019.90
OS32C-SP1 VER2	Safety laser scanner, safety radius 3 m, warning zone 10 m, PLd & Cat 3 (ISO 13849-1), Ethernet, 24 VDC, side location cable exit	4527.00	EC002550	674725	4548583061125	#		FA	FAO	USA	8536.5019.90
OS32C-BP-4M	Safety laser scanner, safety radius 4 m, warning zone 15 m, PLd & Cat 3, 24 VDC, back location cable exit	5490.00	EC002550	674731	4548583522183			FA	FAO	USA	8536.5019.90
OS32C-BP-DM-4M	Safety laser scanner with measurement data, safety radius 4m, warning zone 10 m, PLd & Cat 3, EtherNet/IP, 24 VDC, back location cable exit	6050.00	EC002550	674726	4548583522213			FA	FAO	USA	8536.5019.90
OS32C-SP1-4M	Safety laser scanner, safety radius 4m, warning zone 15 m, PLd & Cat 3, 24 VDC, side location cable exit	5490.00	EC002550	674729	4548583522176			FA	FAO	USA	8536.5019.90
OS32C-SP1-DM-4M	Safety laser scanner with measurement data, safety radius 4m, warning zone 10 m, PLd & Cat 3, EtherNet/IP, 24 VDC, side location cable exit	6050.00	EC002550	674733	4548583522206			FA	FAO	USA	8536.5019.90
OS32C-BKT1	Bottom/side mounting bracket + unit mounting screws	111.10	EC003015	349185	4547648823531	#		FA	FAO	USA	8541.4090.00
OS32C-BKT2	Accessory safety, laser scanner mounting kit, XY rotational mounting, must be used with OS32C-BKT1	122.10	EC003015	349186	4547648823548			FA	FAO	USA	8541.4090.00
OS32C-BKT3	Simple mounting brackets x 2 + mounting screws	75.70	EC003015	349187	4547648823555			FA	FAO	USA	8541.4090.00
OS32C-BKT4	Safety laser scanner protective cover for window	78.45	EC003015	349188	4547648823562			FA	FAO	USA	8541.4090.00
OS32C-CBL-03M	Safety laser scanner power and I/O cable, 3m	122.70	EC001855	349178	4547648823463	#		FA	FAO	MYS	8541.4090.00
OS32C-CBL-10M	Safety laser scanner power and I/O cable, 10m	163.20	EC001855	349179	4547648823470	#		FA	FAO	MYS	8541.4090.00
OS32C-CBL-20M	Safety laser scanner power and I/O cable, 20m	239.50	EC001855	349180	4547648823487			FA	FAO	MYS	8541.4090.00
OS32C-CBL-30M	Safety laser scanner power and I/O cable, 30m	315.00	EC001855	349181	4547648823494			FA	FAO	MYS	8541.4090.00
OS32C-ECBL-02M	Ethernet cable, for configuration and monitoring, 2 m	185.70	EC002599	349182	4547648823500			FA	FAO	JPN	8541.4090.00
OS32C-ECBL-05M	Ethernet cable, for configuration and monitoring, 5 m	238.40	EC002599	349183	4547648823517			FA	FAO	JPN	8541.4090.00
OS32C-ECBL-15M	Ethernet cable, for configuration and monitoring, 15 m	361.40	EC002599	349184	4547648823524			FA	FAO	JPN	8541.4090.00
OS32C-WIN-KT	Accessory safety, laser scanner, spare for replacement, Scan window	142.40	EC003015	349191	4547648823593	#		FA	FAO	USA	8541.4090.00
WIN-CLN-KT	Accessory safety, cleaning kit	78.45	EC003015	359022	4548583130548			FA	FAO	USA	8541.4090.00
UMAL	Aluminium ramp trim, 2.44m	173.30		363812	4547648535298			FA	FAO	USA	8536.5007.00
UMIC	Molded inside corner	59.45		363814	4547648579261			FA	FAO	USA	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
UMJS4	Safety mat, joining trim, 1.22 m	213.80		679544	4547648535267			FA	FAO	USA	8536.5007.00
Safety Controller											
G9SP-N10D	G9SP Standalone Safety controller, 10 safety input, 16 safety output, 6 test output, PNP	756.00	EC001449	342714	4547648830263			FA	FAP	CHN	8471.4100.00
G9SP-N10S	G9SP Standalone Safety controller, 10 safety input, 4 safety output, 4 test output, 4 standard output, PNP	624.00	EC001449	342713	4547648830256			FA	FAP	CHN	8471.4100.00
G9SP-N20S	G9SP Standalone Safety controller, 20 safety input, 8 safety output, 6 test output, PNP	652.50	EC001449	342715	4547648830270	#		FA	FAP	CHN	8471.4100.00
WS02-G9SP01-V2	G9SP Configurator, 1 license, WIN-2000/XP/Vista.	451.20	EC000809	393620	4548583546318			FA	FAP	JPN	8471.4100.00
Other Safety											
E3ZS-T81A	Photoelectric sensor, rectangular housing, through-beam, red LED, PLC, Safety Category 2, 0.2 - 3 m, DC, 3-wire, PNP, 2 m cable	234.70	EC002716	323229	4547648674355	#		FA	FAX	CHN	8541.4090.00
A4EG-OP2	Mounting bracket for securing the A4EG	64.95	EC002886	247808	4547648477062			FA	FAX	JPN	8536.5015.90
A4EG-OP3	A4EG Holding Key	55.20	EC002886	247809	4547648477079			FA	FAX	JPN	8536.5015.90
D4BS-15FS	Safety-door switch, D4BS, PG13.5 (1 conduit), 1NC/1NO (slow-action)	42.60	EC002592	134578	4536853207366	10		FA	FAX	JPN	8536.5015.90
D4BS-1AFS	Safety-door switch, D4BS, PG13.5 (1 conduit), 2NC (slow-action)	45.54	EC002592	134589	4536853207564			FA	FAX	JPN	8536.5015.90
D4BS-25FS	Limit switch	43.31	EC002592	134579	4536853207373			FA	FAX	JPN	8536.5015.90
D4BS-2AFS	Safety interlock switch, DPDB 2-NC, 10 A	54.35	EC002592	134590	4536853207571			FA	FAX	JPN	8536.5015.90
D4BS-45FS	Limit switch	44.84	EC002592	147019	4536854776724			FA	FAX	JPN	8536.5015.90
D4BS-4AFS	Safety interlock switch, DPDB 2-NC, 10 A	47.81	EC002592	148098	4536854776731			FA	FAX	JPN	8536.5015.90
D4GS-N1R	Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 1m cable	64.05	EC002592	133907	4536854687976			FA	FAX	JPN	8536.5015.90
D4GS-N2R	Safety door switch, IP67, 2NC (slow-action), horizontal key insertion, 1m cable	65.95	EC002592	133910	4536854688034			FA	FAX	JPN	8536.5015.90
D4GS-N3R	Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 1 m cable	71.20	EC002592	133916	4536854688171			FA	FAX	JPN	8536.5015.90
F3S-TGR-KH16-22	Safety key switch, full stainless steel body, M20, 2NC/2NO	173.30	EC002592	419038	4547648999830			FA	FAX	GBR	8536.5005.00
F3S-TGR-KM15-21	Safety key switch, plastic body with stainless steel head, M20, 2NC/1NO	63.15	EC002592	419032	4547648999779			FA	FAX	GBR	8536.5005.00
D41G-1YDA-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	821.50	EC002593	701145	4549734703079			FA	FAX	DEU	8536.5019.90
D41G-1YDA-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection	714.00	EC002593	701146	4549734703062			FA	FAX	DEU	8536.5019.90
D41G-2YDA-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	800.50	EC002593	701143	4549734703109			FA	FAX	DEU	8536.5019.90
D41G-2YDA-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection, re-teaching enabled	694.50	EC002593	701144	4549734703086			FA	FAX	DEU	8536.5019.90
D41G-2YDG-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	800.50	EC002593	701142	4549734703116			FA	FAX	DEU	8536.5019.90
D41G-2YDG-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Screw connection, re-teaching enabled	694.50	EC002593	701116	4549734703093			FA	FAX	DEU	8536.5019.90
D41G-2ZDA-T1	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Screw connection	694.50	EC002593	701149	4549734703031			FA	FAX	DEU	8536.5019.90
D41G-2ZDG-N2	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	800.50	EC002593	701147	4549734703055			FA	FAX	DEU	8536.5019.90
D41G-2ZDG-T1	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Screw connection	694.50	EC002593	701148	4549734703048			FA	FAX	DEU	8536.5019.90
D41L-1YDA-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	666.00	EC002593	701132	4549734703277			FA	FAX	DEU	8536.5019.90
D41L-1YDG-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	666.00	EC002593	701131	4549734703284			FA	FAX	DEU	8536.5019.90
D41L-1ZDA-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	666.00	EC002593	701137	4549734703222			FA	FAX	DEU	8536.5019.90
D41L-1ZDG-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	666.00	EC002593	701136	4549734703239			FA	FAX	DEU	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D41L-2YDAE-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	744.50	EC002593	701128	4549734703314			FA	FAX	DEU	8536.5019.90
D41L-2YDAE-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	645.00	EC002593	701130	4549734703291			FA	FAX	DEU	8536.5019.90
D41L-2YDG-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	645.00	EC002593	701129	4549734703307			FA	FAX	DEU	8536.5019.90
D41L-2ZDA-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	645.00	EC002593	701135	4549734703246			FA	FAX	DEU	8536.5019.90
D41L-2ZDGE-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	744.50	EC002593	701133	4549734703260			FA	FAX	DEU	8536.5019.90
D41L-2ZDG-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	645.00	EC002593	701134	4549734703253			FA	FAX	DEU	8536.5019.90
D4BL-1CRA	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A	298.00	EC002593	134702	4536853204372			FA	FAX	JPN	8536.5015.90
D4BL-1CRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A	358.50	EC002593	158134	4536853204365			FA	FAX	JPN	8536.5015.90
D4BL-1DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2 NC/1 NO+1 NC, 10 A	399.60	EC002593	134710	4536853204525			FA	FAX	JPN	8536.5015.90
D4BL-2CRA	Safety door-lock switch, mechanical lock, 24 VDC, 1NC+1NC/1NO+1NC, 10 A	293.60	EC002593	134708	4536853204433	#		FA	FAX	JPN	8536.5015.90
D4BL-2DRA	Safety door-lock switch, mechanical lock, 24 VDC, 2NC/1NO+1NC, 10 A	345.10	EC002593	134711	4536853204556	#		FA	FAX	JPN	8536.5015.90
D4BL-2DRG	Limit switch	320.50	EC002593	134724	4536854404221	#		FA	FAX	JPN	8536.5015.90
D4BL-4DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC, 10 A	325.70	EC002593	147015	4536854776526	#		FA	FAX	JPN	8536.5015.90
F3S-TGR-KHL3	Safety interlock key switch, hygienic stainless steel housing, 3000 N holding force, M20, 2NC/2NO	477.80	EC002593	419041	4547648999861			FA	FAX	GBR	8536.5005.00
F3S-TGR-KHL3R	Safety interlock key switch, hygienic stainless steel housing with manual release button, 3000N holding force, M20, 2NC/2NO	645.00	EC002593	419042	4547648999878			FA	FAX	GBR	8536.5005.00
D40Z-1C2	Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G9SX-NS or G9SP controller for Category 4/PLe, 2 m	228.60	EC002592	356424	4547648833752			FA	FAX	CHN	8536.5015.90
D40Z-1C5	Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G9SX-NS or G9SP controller for Category 4/PLe, 5 m	239.90	EC002592	356425	4547648833677			FA	FAX	CHN	8536.5015.90
D40Z-1C5-S	Safety non-contact door switch, Cat 4/PLe, 5m cable, switch only	198.60	EC002592	356440	4547648833707			FA	FAX	CHN	8536.5015.90
D40Z-1C-A	Safety non-contact door switch, Cat 4/PLe, actuator only	90.20	EC001487	356438	4547648833684			FA	FAX	CHN	8536.5015.90
D41D-1CD-N1	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Connector plug M8	215.30	EC002592	701115	4549734702935			FA	FAX	DEU	8536.5019.90
D41D-2CD-025N2	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Pigtail with M12 connector 8-pole	238.00	EC002592	701114	4549734702942			FA	FAX	DEU	8536.5019.90
D40A-1C015-F	Non-contact door switches, Pigtail with M12 connector 4-pole	129.70	EC002592	355125	4547648839068			FA	FAX	CHN	8536.5015.90
D40A-1C2	Non-contact door switches, 2m cable	135.50	EC002592	353674	4547648839044			FA	FAX	CHN	8536.5015.90
D40A-1C5	Non-contact door switches, 5m cable	130.00	EC002592	353675	4547648839051			FA	FAX	CHN	8536.5015.90
D41D-8P5-CFM8-702M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 2 m	38.85	EC001855	701299	4549734703000			FA	FAX	DEU	8536.5019.90
D41D-8P5-CFM8-705M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 5 m	52.50	EC001855	701298	4549734703017			FA	FAX	DEU	8536.5019.90
D41D-8P5-CFM8-710M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 10 m	73.50	EC001855	701297	4549734703024			FA	FAX	DEU	8536.5019.90
D41D-A1	Actuator for D41D, actuation from side, 2 x M4 screw, 39 x 29.5 x 18 mm	26.25	EC001487	701127	4549734702959			FA	FAX	DEU	8536.5019.90
D41D-A2	Actuator for D41D, frontal actuation, 2 x M5 screw, 60 x 16 x 6.8 mm	26.25	EC001487	701152	4549734702966			FA	FAX	DEU	8536.5019.90
D41D-A3	Actuator for D41D, frontal actuation, 1 x M3 screw, 23 x 9 x 7 mm	26.25	EC001487	701151	4549734702973			FA	FAX	DEU	8536.5019.90
D41D-MS	Mounting Kit for D41D, 2 mounting plates and 4 ferrule plugs	24.15	EC002594	701150	4549734702997			FA	FAX	DEU	8536.5019.90
D41D-SK	Sealing Kit for D41D, 4 flat plugs and 4 plugs with rim for high screw head	8.40	EC002594	701126	4549734702980			FA	FAX	DEU	8536.5019.90
D41G-A1L	Actuator for D41G, compact, left-hand side, without emergency exit	168.00	EC001487	701141	4549734703123			FA	FAX	DEU	8536.5019.90
D41G-A1L-E0	Actuator for D41G, compact, left-hand side, with emergency exit	232.10	EC001487	701140	4549734703130			FA	FAX	DEU	8536.5019.90
D41G-A1R	Actuator for D41G, compact, right-hand side, without emergency exit	168.00	EC001487	701139	4549734703147			FA	FAX	DEU	8536.5019.90
D41G-A1R-E0	Actuator for D41G, compact, right-hand side, with emergency exit	232.10	EC001487	701138	4549734703154			FA	FAX	DEU	8536.5019.90
D41G-A2L	Actuator for D41G, with door handle, left-hand side, without emergency exit	257.30	EC001487	701120	4549734703161			FA	FAX	DEU	8536.5019.90
D41G-A2L-E1	Actuator for D41G, with door handle, left-hand side, with emergency exit	384.30	EC001487	701121	4549734703178			FA	FAX	DEU	8536.5019.90
D41G-A2L-E1T	Actuator for D41G, with door handle, left-hand side, with emergency exit, with lockout tag	459.90	EC001487	701122	4549734703185			FA	FAX	DEU	8536.5019.90
D41G-A2R	Actuator for D41G, with door handle, right-hand side, without emergency exit	257.30	EC001487	701123	4549734703192			FA	FAX	DEU	8536.5019.90
D41G-A2R-E1	Actuator for D41G, with door handle, right-hand side, with emergency exit	384.30	EC001487	701124	4549734703208			FA	FAX	DEU	8536.5019.90
D41G-A2R-E1T	Actuator for D41G, with door handle, right-hand side, with emergency exit, with lockout tag	459.90	EC001487	701125	4549734703215			FA	FAX	DEU	8536.5019.90
D41L-8P5-CFM12-905M	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 5 m	67.95	EC001855	701296	4549734703352			FA	FAX	DEU	8536.5019.90
D41L-8P5-CFM12-910M	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 10 m	101.90	EC001855	701295	4549734703369			FA	FAX	DEU	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D41L-A1	Actuator for D41L, straight, 127 x 35 x 46 mm	90.30	EC001487	701119	4549734703321			FA	FAX	DEU	8536.5019.90
D41L-MP	Mounting plate for D41L, Plastic, 101 x 40 x 18.5 mm	22.05	EC002594	701118	4549734703338			FA	FAX	DEU	8536.5019.90
D41L-MS	Mounting Kit for D41L, 1 x Aluminium protective plate, 2x Aluminium threaded head Ø 20 mm with M6 thread, 2x Rubber discs	26.25	EC002594	701117	4549734703345			FA	FAX	DEU	8536.5019.90
A4E-B200HS	Enabling switch, two outputs, horizontal mounting, no rubber seal	45.72	EC002571	155443	4536854780318			FA	FAX	JPN	8536.5080.90
A4E-B200SS	Enabling switch, two outputs, no mounting bracket, no rubber seal	42.66	EC002571	329800	4536854780295		2	FA	FAX	JPN	8536.5080.90
A4E-C211VA	Enabling switch, four outputs, vertical mounting, with rubber seal	82.00	EC002571	150156	4536854780363		10	FA	FAX	JPN	8536.5080.90
A4EG-BE2R041	Emergency stop switch, enabling grip switch, emergency stop switch (2NC)	363.20	EC002571	674137	4548583869417			FA	FAX	JPN	8536.5015.90
A4EG-BM2B041	Emergency stop switch, enabling grip switch, momentary operation switch (2NO)	375.30	EC002571	247806	4547648521642	#		FA	FAX	JPN	8536.5015.90
A4EG-C000041	Emergency stop switch, enabling grip switch, 1 NC (grip output)	295.30	EC002571	247804	4547648477031	#		FA	FAX	JPN	8536.5015.90
MTKCA-0500-0250	Set of molded outside corners and Trims that fit the mat dimensions 500*250	192.00		679658	4549734114066			FA	FAX	USA	9031.4990.00
MTKCA-0500-0400	Set of molded outside corners and trims that fit the mat dimensions 500 x 400 mm	274.00		680039	4549734114080			FA	FAX	USA	9031.4990.00
MTKCA-0500-1500	Set of molded outside corners and Trims that fit the mat dimensions 500*1500	469.30		677812	4549734114110			FA	FAX	USA	9031.4990.00
MTKCA-0600-0400	Set of molded outside corners and trims that fit the mat dimensions 600 x 400 mm	316.20		680043	4549734114165			FA	FAX	USA	9031.4990.00
MTKCA-0750-0250	Set of molded outside corners and Trims that fit the mat dimensions 750*250	295.10		679437	4549734114233			FA	FAX	USA	9031.4990.00
MTKCA-0750-0500	Set of molded outside corners and Trims that fit the mat dimensions 750*500	322.40		679571	4549734114264			FA	FAX	USA	9031.4990.00
MTKCA-0750-0750	Set of molded outside corners and trims that fit the mat dimensions 750 x 750 mm	414.80		680181	4549734114288			FA	FAX	USA	9031.4990.00
MTKCA-0750-1500	Set of molded outside corners and Trims that fit the mat dimensions 750*1500 mm	404.20		679543	4549734114301			FA	FAX	USA	9031.4990.00
MTKCA-1000-0750	Set of molded outside corners and Trims that fit the mat dimensions 1000 x 750	385.60		679818	4549734114615			FA	FAX	USA	9031.4990.00
MTKCA-1000-1250	Set of molded outside corners and Trims that fit the mat dimensions 1000*1250 mm	410.40		679540	4549734114653			FA	FAX	USA	9031.4990.00
UMMA-0300-0300-1	Safety mat black with 1-cable, 300 x 300 mm dimension	229.30	EC002887	678348	4549734115131			FA	FAX	USA	9031.4990.00
UMMA-0300-0300-2	Safety mat black with 2-cable, 300 x 300 mm dimension	229.30	EC002887	679690	4549734116152			FA	FAX	USA	9031.4990.00
UMMA-0500-0250-1	Safety mat black with 1-cable, 500 x 250 mm dimension	189.60	EC002887	679659	4549734115254			FA	FAX	USA	9031.4990.00
UMMA-0500-0250-2	Safety mat black with 2-cable, 500 x 250 mm dimension	205.40	EC002887	679657	4549734116275			FA	FAX	USA	9031.4990.00
UMMA-0500-0400-1	Safety mat black with 1-cable, 500 x 400 mm dimension	308.40	EC002887	680041	4549734115278			FA	FAX	USA	9031.4990.00
UMMA-0500-0400-2	Safety mat black with 2-cable, 500 x 400 mm dimension	308.40	EC002887	680046	4549734116299			FA	FAX	USA	9031.4990.00
UMMA-0500-0500-1	Safety mat black with 1-cable, 500 x 500 mm dimension	338.00	EC002887	680119	4549734115285			FA	FAX	USA	9031.4990.00
UMMA-0500-0500-2	Safety mat black with 2-cable, 500 x 500 mm dimension	338.00	EC002887	678238	4549734116305			FA	FAX	USA	9031.4990.00
UMMA-0500-1500-1	Safety mat black with 1-cable, 500 x 1500 mm dimension	668.00	EC002887	680366	4549734115308	#		FA	FAX	USA	9031.4990.00
UMMA-0500-1500-2	Safety mat black with 2-cable, 500 x 1500 mm dimension	668.00	EC002887	678239	4549734116329			FA	FAX	USA	9031.4990.00
UMMA-0600-0400-1	Safety mat black with 1-cable, 600 x 400 mm dimension	321.10	EC002887	680042	4549734115353			FA	FAX	USA	9031.4990.00
UMMA-0600-0400-2	Safety mat black with 2-cable, 600 x 400 mm dimension	321.10	EC002887	680040	4549734116374			FA	FAX	USA	9031.4990.00
UMMA-0750-0250-1	Safety mat black with 1-cable, 750 x 250 mm dimension	295.10	EC002887	679435	4549734115421			FA	FAX	USA	9031.4990.00
UMMA-0750-0500-1	Safety mat black with 1-cable, 750 x 500 mm dimension	410.40	EC002887	679570	4549734115452			FA	FAX	USA	9031.4990.00
UMMA-0750-0750-1	Safety mat black with 1-cable, 750 x 750 mm dimension	610.00	EC002887	680179	4549734115476			FA	FAX	USA	9031.4990.00
UMMA-0750-0750-2	Safety mat black with 2-cable, 750 x 750 mm dimension	610.00	EC002887	680182	4549734116497			FA	FAX	USA	9031.4990.00
UMMA-1000-0500-2	Safety mat black with 2-cable, 1000 x 500 mm dimension	492.40	EC002887	678240	4549734116800			FA	FAX	USA	9031.4990.00
UMMA-1000-0750-1	Safety mat black with 1-cable, 1000 x 750 mm dimension	660.00	EC002887	679817	4549734115803	#		FA	FAX	USA	9031.4990.00
UMMA-1000-0750-2	Safety mat black with 2-cable, 1000 x 750 mm dimension	660.00	EC002887	679819	4549734116824			FA	FAX	USA	9031.4990.00
UMMA-1000-1000-1	Safety mat black with 1-cable, 1000 x 1000 mm dimension	776.00	EC002887	680368	4549734115834			FA	FAX	USA	9031.4990.00
UMMA-1000-1000-2	Safety mat black with 2-cable, 1000 x 1000 mm dimension	667.50	EC002887	678241	4549734116855			FA	FAX	USA	9031.4990.00
UMMA-1000-1250-1	Safety mat black with 1-cable, 1000 x 1250 mm dimension	851.00	EC002887	679486	4549734115841			FA	FAX	USA	9031.4990.00
UMMA-1000-1500-1	Safety mat black with 1-cable, 1000 x 1500 mm dimension	967.50	EC002887	678350	4549734115858	#		FA	FAX	USA	9031.4990.00
UMMA-1000-1500-2	Safety mat black with 2-cable, 1000 x 1500 mm dimension	967.50	EC002887	678351	4549734116879			FA	FAX	USA	9031.4990.00
UMMYA-0500-0400-1	Safety mat yellow with 1-cable, 500 x 400 mm dimension	338.00	EC002887	680044	4549734117319			FA	FAX	USA	9031.4990.00
UMMYA-0500-0400-2	Safety mat yellow with 2-cable, 500 x 400 mm dimension	338.00	EC002887	680038	4549734118330			FA	FAX	USA	9031.4990.00
UMMYA-0500-1500-1	Safety mat yellow with 1-cable, 500 x 1500 mm dimension	701.00	EC002887	677813	4549734117340			FA	FAX	USA	9031.4990.00
UMMYA-0600-0400-1	Safety mat yellow with 1-cable, 600 x 400 mm dimension	337.00	EC002887	680045	4549734117395			FA	FAX	USA	9031.4990.00
UMMYA-0600-0400-2	Safety mat yellow with 2-cable, 600 x 400 mm dimension	337.00	EC002887	680047	4549734118415			FA	FAX	USA	9031.4990.00
UMMYA-0750-0750-2	Safety mat yellow with 2-cable, 750 x 750 mm dimension	648.00	EC002887	680180	4549734118538			FA	FAX	USA	9031.4990.00
UMMYA-0750-1500-1	Safety mat yellow with 1-cable, 750 x 1500 mm dimension	790.50	EC002887	679542	4549734117531			FA	FAX	USA	9031.4990.00
UMMYA-1000-0750-1	Safety mat yellow with 1-cable, 1000 x 750 mm dimension	692.00	EC002887	679816	4549734117845			FA	FAX	USA	9031.4990.00
UMMYA-1000-0750-2	Safety mat yellow with 2-cable, 1000 x 750 mm dimension	692.00	EC002887	679815	4549734118866			FA	FAX	USA	9031.4990.00
UMMYA-1000-1000-1	Safety mat yellow with 1-cable, 1000 x 1000 mm dimension	716.00	EC002887	679539	4549734117876			FA	FAX	USA	9031.4990.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
UMMYA-1000-1500-1	Safety mat yellow with 1-cable , 1000 x 1500 mm dimension	953.50	EC002887	679541	4549734117890			FA	FAX	USA	9031.4990.00
UMMYA-1000-1500-2	Safety mat yellow with 2-cable , 1000 x 1500 mm dimension	956.50	EC002887	679538	4549734118910			FA	FAX	USA	9031.4990.00
UMOC	Molded outside corner	33.80		354882	4547648562133			FA	FAX	USA	9031.4990.00
UMRT4	Ramp trim with yellow PVC cover (1.22 m)	133.90	EC003015	393576	4547648535212			FA	FAX	USA	9031.4990.00
UMA-CBL-3PCF-M8-05M	Single connector 5 m cable to connect a 2-cable Mat (UMMA-2) to a Controller. M8, 3-socket	34.23	EC001855	678244	4549734113861			FA	FAX	MYS	8544.4290.90
UMA-CBL-3PCF-M8-10M	Single connector 10 m cable to connect a 2-cable Mat (UMMA-2) to a Controller. M8, 3-socket	31.62	EC001855	678245	4549734113878			FA	FAX	MYS	8544.4290.90
UMA-CBL-3PMM-M8-0.15M	M8, 3-pin male to male extension cable , 0,15 m, to connect the connector sockets of 2-cable UMA Safety Mat together.	36.37	EC001855	678243	4549734113830			FA	FAX	MYS	8544.4290.90
UMA-CBL-4PCF-M8-05M	Single connector 5 m cable to connect a 1-cable mat (UMMA-1) to a controller. M8, 4-socket	44.22	EC001855	679436	4549734113892			FA	FAX	MYS	9031.4990.00
UMA-CBL-4PCF-M8-10M	Single connector 10 m cable to connect a 1-cable mat (UMMA-1) to a controller. M8, 4-socket	59.35	EC001855	677814	4549734113908			FA	FAX	MYS	9031.4990.00
Sentir Edge 35.55TT-10m	Safety Edge Sentir 35.55TT-10 m	488.50	EC002887	674068	4548583992931			FA	FAX	DEU	8536.5080.90
MC3	Safety mat controller	478.50	EC003015	354880	4547648535328	#		FA	FAX	USA	9031.4990.00
SCC-1224A	Safety Edge Controller	485.80	EC003015	683824	4549734113755			FA	FAX	DEU	8536.5019.90
ELMON-RAIL-41-322	Safety relay for safety edge, PL d, 24 VAC/DC, 1 channel input, relay output	294.80		393975	4547648987516			FA	FAX	DEU	8536.3010.90
A165E-02	DPST-NC contact block for A165E Emergency stop switch	14.43	EC000041	160649	4536854344794	#	50	FA	FAX	JPN	8536.5015.90
A165E-LS-24D-01	Emergency stop switch, illuminated, 30mm dia, push-lock/turn-reset, SPST-NC, 24 VDC	31.95	EC002034	160652	4536854344824		5	FA	FAX	JPN	8536.5015.90
A165E-LS-24D-02	Emergency stop switch, illuminated, 30mm dia, push-lock/turn-reset, DPST-NC, 24 VDC	46.78	EC002034	103317	4536854344831		5	FA	FAX	JPN	8536.5015.90
A165E-M-02	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, DPST-NC	35.51	EC002034	160653	4536854344855		5	FA	FAX	JPN	8536.5015.90
A165E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock / turn-reset	5.90	EC001038	153220	4536854344770		20	FA	FAX	JPN	8536.5015.90
A165E-S-01	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, SPST-NC	31.95	EC002034	142199	4536854344862		5	FA	FAX	JPN	8536.5015.90
A165E-S-02	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, DPST-NC	38.26	EC002034	142200	4536854344879	#	5	FA	FAX	JPN	8536.5015.90
A165E-S-03U	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, TPST-NC	51.65	EC002034	103725	4536854479090	#	10	FA	FAX	JPN	8536.5015.90
A22EL-M	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	24.74	EC001038	141588	4536854349225		10	FA	FAX	JPN	8536.5015.90
A22EL-M-24A-02	Emergency stop switch, illuminated, 40 mm dia., push-lock/turn-reset, IP65	53.90	EC002034	151036	4536854349331	#	30	FA	FAX	JPN	8536.5015.90
A22EL-M-24A-11	Emergency stop switch, 24 VAC/DC illuminated, 40 mm dia., push-lock/turn-reset, SPST-NO + SPST-NC, IP65	50.55	EC002034	142271	4536854349348	#	10	FA	FAX	JPN	8536.5015.90
A22E-M	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, IP65	15.31	EC001038	153294	4536854349232		10	FA	FAX	JPN	8536.5015.90
A22E-M-01	Emergency stop switch, screw terminal, non-illuminated, 40 mm dia, push-lock/turn-reset, 1NC	28.77	EC002034	141595	4536854349249		20	FA	FAX	JPN	8536.5015.90
A22E-M-02	Emergency stop switch, screw terminal, non-illuminated, 40 mm dia, push-lock/turn-reset, 2NC	36.45	EC002034	141596	4536854349256	#	20	FA	FAX	JPN	8536.5015.90
A22E-M-02B	Emergency stop switch, 24 VAC / VDC , 40 mm dia., push-lock / turn-reset, DPST-NC, within a control box	83.15	EC002034	264239	4536854860263	#		FA	FAX	JPN	8536.5015.90
A22E-M-11	Emergency stop switch, screw terminal, non-illuminated, 40 mm dia, push-lock/turn-reset, 1NC + 1NO	26.55	EC002034	148854	4536854349270		20	FA	FAX	JPN	8536.5015.90
A22E-M-11B	Emergency stop switch, 24 VAC/DC , 40 mm dia., push-lock/turn-reset, SPST-NO + SPST-NC , within a control box	82.10	EC002034	264240	4536854860270			FA	FAX	JPN	8536.5015.90
A22E-S	Emergency stop switch, non-illuminated, 30 mm dia., push-lock/turn-reset, IP65	19.38	EC001038	141591	4536854380280		10	FA	FAX	JPN	8536.5015.90
A22E-S-02	Emergency stop switch, non-illuminated, 30 mm dia., push-lock/turn-reset, 2 x SPST-N/C, IP65	28.77	EC002034	141511	4536854380433		20	FA	FAX	JPN	8536.5015.90
A22NE-M-L	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	28.62	EC001038	680136	4549734184649		10	FA	FAX	JPN	8536.5015.90
A22NE-M-N	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, IP65	20.27	EC001038	680134	4549734184588		10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-C	Emergency stop switch, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, SPST-NC, Push-in	60.85	EC002034	679730	4549734184885		10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 1NC	34.60	EC002034	679746	4549734184724		10	FA	FAX	JPN	8536.5015.90
A22NE-M-P002-N-B	E-Stop, push-in, 1NC, 40-dia. head Medium Turn-reset. with integrated control box	57.30	EC002034	679806	4549734185295			FA	FAX	JPN	8536.5015.90
A22NE-M-P102-C	Emergency stop switch, Push-in, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, NO +NC	65.60	EC002034	679748	4549734184892			FA	FAX	JPN	8536.5015.90
A22NE-M-P102-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 1NC+NO	39.36	EC002034	679732	4549734184731		10	FA	FAX	JPN	8536.5015.90
A22NE-M-P102-N-B	E-Stop, push-in, 1NC+1NO, 40-dia. head Medium Turn-reset. with integrated control box	66.75	EC002034	679808	4549734185301			FA	FAX	JPN	8536.5015.90
A22NE-M-P202-C	Emergency stop switch, Push-in, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 2NC	65.60	EC002034	679722	4549734184908		10	FA	FAX	JPN	8536.5015.90
A22NE-M-P202-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2NC	39.36	EC002034	679734	4549734184748	#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P202-N-B	E-Stop, push-in, 2NC, 40-dia. head Medium Turn-reset. with integrated control box	65.60	EC002034	679807	4549734185318			FA	FAX	JPN	8536.5015.90
A22NE-M-P212-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2NC+NO	45.30	EC002034	679745	4549734184755			FA	FAX	JPN	8536.5007.00
A22NE-M-P222-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 3NC	45.30	EC002034	679747	4549734184762		10	FA	FAX	JPN	8536.5007.00
A22NE-M-PD02-C	Emergency stop switch, Push-in, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 2 NC	48.43	EC002034	687815	4549734441810			FA	FAX	JPN	8536.5015.90
A22NE-M-PD02-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2 NC	42.02	EC002034	687825	4549734442176	#		FA	FAX	JPN	8536.5015.90
A22NE-M-PD12-C	Emergency stop switch, Push-in, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 2 NC + 1 NO	54.25	EC002034	687817	4549734441858			FA	FAX	JPN	8536.5015.90
A22NE-MP-PD02-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 2 NC, IP69K	81.30	EC002034	687835	4549734443340			FA	FAX	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NE-MP-PD12-N-69K	Emergency stop switch, Push-in, non-illuminated, 40 mm dia, push-lock/pull-reset, 2 NC + 1 NO, IP69K	88.30	EC002034	687837	4549734443388			FA	FAX	JPN	8536.5015.90
A22NE-S-N	Emergency stop switch, non-illuminated, 30 mm dia, push-lock/turn-reset, IP65	21.46	EC001038	680135	4549734184571	10		FA	FAX	JPN	8536.5015.90
A22NE-S-P002-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, NC	32.23	EC002034	679744	4549734184670			FA	FAX	JPN	8536.5015.90
A22NE-S-P102-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, NC+NO	36.95	EC002034	679743	4549734184687	5		FA	FAX	JPN	8536.5015.90
A22NE-S-P202-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 2NC	36.95	EC002034	679727	4549734184694	10		FA	FAX	JPN	8536.5015.90
A22NE-S-P212-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 2NC+NO	42.89	EC002034	679737	4549734184700	5		FA	FAX	JPN	8536.5015.90
A22NE-S-P222-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 3NC	42.89	EC002034	679733	4549734184717	10		FA	FAX	JPN	8536.5015.90
A22NE-S-PD22-N	Emergency stop switch, Push-In, non-illuminated, 30 mm dia, push-lock/turn-reset, 2 NC + 2 NO	54.35	EC002034	687823	4549734442060	5		FA	FAX	JPN	8536.5015.90
A22Z-EG1	E-stop shroud, EMERGENCY OFF legend included.	33.76	EC000624	224501	4536854844058			FA	FAX	JPN	8536.5015.90
A22Z-EG2	E-Stop Shroud yellow	33.76	EC000624	234627	4536854952579			FA	FAX	JPN	8536.5015.90
44506-4010 ER5018-021M	Safety rope pull E-stop switch, up to 40m, 2NC + 1NO, M20 wiring entry (3x)	124.70	EC002033	406333	4547648564427	#		FA	FAX	GBR	8536.5080.90
44506-4030 ER5018-030M	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	145.50	EC002033	406349	4547648581608			FA	FAX	GBR	8536.5080.90
44506-4110 ER5018-021ME	Safety rope pull E-stop switch, up to 40m, 2 NC + 1NO, M20 wiring entry (3x)	169.90	EC002033	406335	4547648564687	#		FA	FAX	GBR	8536.5080.90
44506-4130 ER5018-030ME	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	184.60	EC002033	406353	4547648579865			FA	FAX	GBR	8536.5080.90
44506-5010 ER6022-021M	Safety rope pull E-stop switch, up to 80 m, contact 2 NC+1 NO, wiring 3 x M20	147.60	EC002033	406341	4547648565004	#		FA	FAX	GBR	8536.5080.90
44506-5110 ER6022-021ML	Safety rope pull E-stop switch, up to 80m, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	160.70	EC002033	406358	4547648582018			FA	FAX	GBR	8536.5080.90
44506-5210 ER6022-021ME	Safety rope pull E-stop switch, up to 80m, E-stop, contact 2 NC+1 NO, wiring 3 x M20	167.00	EC002033	406351	4547648579889			FA	FAX	GBR	8536.5080.90
44506-5410 ER6022-021MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	226.40	EC002033	406340	4547648565479			FA	FAX	GBR	8536.5080.90
44506-5450 ER6022-031MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 3 NC + 1 NO, wiring 3 x M20	331.60	EC002033	406364	4548583151499			FA	FAX	GBR	8536.5080.90
44506-7410 ER1032-042MEL	Safety rope pull E-stop switch, up to 200 m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, both-sided	383.90	EC002033	406334	4547648580694	#		FA	FAX	GBR	8536.5080.90
44506-2705 RKS	Safety rope pull E-stop switch accessory, rope kit 5m	67.10	EC002026	406346	4547648563192			FA	FAX	GBR	8536.5080.90
44506-2710 RK10	Safety rope pull E-stop switch accessory, rope kit 10m	75.05	EC002026	406342	4547648563420	#		FA	FAX	GBR	8536.5080.90
44506-2720 RK20	Safety rope pull E-stop switch accessory, rope kit 20m	91.10	EC002026	406339	4547648563987	#		FA	FAX	GBR	8536.5080.90
44506-2750 RK50	Safety rope pull E-stop switch accessory, rope kit 50m	135.70	EC002026	406338	4547648565387	#		FA	FAX	GBR	8536.5080.90
44506-3711 R100M	Safety rope pull E-stop switch accessory, rope only 100m	134.30	EC002026	406350	4547648563888			FA	FAX	GBR	8536.5080.90
44506-4700 SM06-TG00	Safety rope pull E-stop switch accessory, tensioner gripper, stainless steel	56.85	EC002026	406344	4547648562751			FA	FAX	GBR	8536.5080.90
44506-4710 SM06-EB10	Safety rope pull E-stop switch accessory, eye bolt stainless steel, 8 pack	17.16	EC002026	406354	4547648561969			FA	FAX	GBR	8536.5080.90
44506-4720 SM06-DL20	Safety rope pull E-stop switch accessory, double loop clip, stainless steel, 4 pack	11.55	EC002026	406355	4547648561754			FA	FAX	GBR	8536.5080.90
44506-4730 SM06-TB30	Safety rope pull E-stop switch accessory, rope pull switch turnbuckle, stainless steel	14.28	EC002026	406357	4547648561822			FA	FAX	GBR	8536.5080.90
44506-4750 SM06-SP50	Safety rope pull E-stop switch accessory, spring, stainless steel	19.69	EC002026	406345	4547648561990			FA	FAX	GBR	8536.5080.90
44506-4770 SM06-THSS	Safety rope pull E-stop switch accessory, thimble stainless steel, 4 pack	10.07	EC002026	406356	4547648561693			FA	FAX	GBR	8536.5080.90
44506-4780 SM06-RPSS	Safety rope pull E-stop switch accessory, rope pulley, stainless steel	39.51	EC002026	406343	4547648562331			FA	FAX	GBR	8536.5080.90
A22TK-2LL-12-K01	Safety Key Selector Switch, Operation Unit 2LL, DPST-NC + SPST-NO, Key 01	189.10	EC001029	308692	4547648715058			FA	FAX	JPN	8536.5015.90
F3SP-B1P	Control Unit for F3SJ, 3NO + 1NC, (use F39-JC_B double ended cable)	379.10	EC001449	346846	4547648813402	#		FA	FAX	CHN	8536.4900.99
LR5-02KTNK	DC 24 V, Base Unit, Mounting Bracket with knock-outs/Terminal, No Flashing Buzzer, Black	44.72	EC001042	679426	4549734932332			FA	FAX	IDN	8531.8070.00
LR5-02KTNW	DC 24 V, Base Unit, Mounting Bracket with knock-outs/Terminal, No Flashing Buzzer, Off-white	44.72	EC001042	679425	4549734932325			FA	FAX	IDN	8531.8070.00
LR6-02WJNU	DC 24 V, Base Unit, Direct Mount/Cable, No Flashing/Buzzer, Silver	75.40	EC001042	678307	4549734924078			FA	FAX	IDN	8531.9000.00
LR6-02WJNW	DC 24 V, Base Unit, Direct Mount/Cable, No Flashing/Buzzer, Off-white	63.55	EC001042	678255	4549734923552			FA	FAX	IDN	8531.9000.00
LR6-BU	DC 24 V, Buzzer Unit, Silver	57.10	EC001042	678294	4549734923941			FA	FAX	IDN	8531.2020.90
LR6-BW	DC 24 V, Buzzer Unit, Off-white	54.15	EC001042	678257	4549734923576			FA	FAX	IDN	8531.2020.90
LR6-E-B	DC 24 V, LED Unit, Blue	48.28	EC001042	679432	4549734932394			FA	FAX	IDN	8531.8070.00
LR6-E-G	DC 24 V, LED Unit, Green	37.03	EC001042	679431	4549734932387			FA	FAX	IDN	8531.8070.00
LR6-E-R	Modular signal tower, LED modul, Red, 24 VDC	37.03	EC001042	679434	4549734932417			FA	FAX	IDN	8531.8070.00
LR6-E-Y	DC 24 V, LED Unit, Amber	37.03	EC001042	679433	4549734932400			FA	FAX	IDN	8531.8070.00
LR7-02KTNK	Signal Tower Ø 70 mm LR7 24 VDC Base module Black PNP/NPN	48.28	EC001042	679430	4549734932370			FA	FAX	IDN	8531.8070.00
LR7-02KTNW	DC 24 V, Base Unit, Mounting Bracket with knock-outs/Terminal, No Flashing/Buzzer, Silver	59.15	EC001042	679428	4549734932356			FA	FAX	IDN	8531.9000.00
LR7-02KTNW	DC 24 V, Base Unit, Mounting Bracket with knock-outs/Terminal, No Flashing/Buzzer, Off-white	48.28	EC001042	679429	4549734932363			FA	FAX	IDN	8531.8070.00
SZP-003U	Circular bracket, Silver.	12.36	EC001154	679424	4549734932318			FA	FAX	IDN	8531.8070.00
D4F-102-1R	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 1 m cable, horizontal cable exit	80.25	EC000030	150189	4536854896101	#		FA	FAX	JPN	8536.5007.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4F-102-3D	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 3 m cable, vertical cable exit	105.70	EC000030	134013	4536854896347			FA	FAX	JPN	8536.5007.00
D4F-102-3R	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 3 m cable, horizontal cable exit	98.50	EC000030	134008	4536854896262			FA	FAX	JPN	8536.5007.00
D4F-120-3D	Small Safety Limit Switch, 1NC/1NO slow-action, roller lever, 3 m cable, vertical cable exit	132.10	EC000030	156891	4536854896309			FA	FAX	JPN	8536.5007.00
D4F-302-5R	Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 5 m cable, horizontal cable exit	138.90	EC000030	145878	4536854896446			FA	FAX	JPN	8536.5007.00
D4F-320-1R	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 1 m cable, horizontal cable exit	115.60	EC000030	151302	4536854896088			FA	FAX	JPN	8536.5007.00
D4F-320-3R	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 3 m cable, horizontal cable exit	132.40	EC000030	143735	4536854896248			FA	FAX	JPN	8536.5007.00
D4F-320-5D	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 5 m cable, vertical cable exit	144.60	EC000030	149121	4536854896484			FA	FAX	JPN	8536.5007.00
D4N-4C32	Safety Limit switch, D4N, M20 (1 conduit), 2NC/1NO (slow-action), top roller plunger	15.09	EC000030	170375	4547648036535			FA	FAX	JPN	8536.5007.00
D4N-1A2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pq13.5 (1-conduit), manual reset feature	35.95	EC000030	170882	4547648039574			FA	FAX	JPN	8536.5007.00
D4N-4A20R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), roller lever (resin lever, resin roller), , manual reset feature	22.77	EC000030	170831	4547648039062			FA	FAX	JPN	8536.5007.00
D4N-4A31R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top plunger, , manual reset feature	22.77	EC000030	170840	4547648039154			FA	FAX	JPN	8536.5007.00
D4N-4A32R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top roller plunger, , manual reset feature	25.38	EC000030	170849	4547648039246			FA	FAX	JPN	8536.5007.00
Accessory for safety component											
F39-A11	Muting lamp, to be used with F3SP controllers	96.15	EC003015	150199	4536853860066			FA	FAZ	ITA	8531.2020.90
F39-JBR2W	Series connection cable for extension for F3SJ	161.20	EC001855	357833	4548583047792			FA	FAZ	JPN	8541.4090.00
F39-JD10A	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver cable M12 8-pin, female, 10 m	374.00	EC001855	356813	4548583097124	#		FA	FAZ	CHN	8544.4290.90
F39-JD10B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 10 m	268.50	EC001855	374272	4548583097209			FA	FAZ	CHN	8541.4090.00
F39-JD15A	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver cable M12 8-pin, female, 15 m	509.50	EC001855	356814	4548583097131			FA	FAZ	CHN	8544.4290.90
F39-JD3A	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver cable M12 8-pin, female, 3 m	196.90	EC001855	356811	4548583097100			FA	FAZ	CHN	8544.4290.90
F39-JD5B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 5 m	171.50	EC001855	374274	4548583097186			FA	FAZ	CHN	8541.4090.00
F39-JD7A	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver cable M12 8-pin, female, 7 m	288.90	EC001855	356812	4548583097117			FA	FAZ	CHN	8544.4290.90
F39-JD7B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 7 m	252.90	EC001855	374271	4548583097193			FA	FAZ	CHN	8541.4090.00
F39-JDR5B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 0.5 m	158.50	EC001855	359019	4548583097155			FA	FAZ	CHN	8544.4290.90
F39-JUR15L	Series connection cable for F3SJ, 0.15 m (cap both ends)	117.00	EC001855	189901	4547648149631			FA	FAZ	JPN	8541.4090.00
F39-TGR-CVL-B-15-R	Receiver cable M12 8-pin, female connector, shielded cable 15 m	112.40	EC001855	284041	4547648866064			FA	FAZ	ITA	8541.4090.00
F39-TGR-MCL	Muting actuators for active/active safety sensor, set of Transmitter and Receiver unit, mounting bracket are pre-mounted	368.90	EC003015	337393	4547648885010			FA	FAZ	ITA	8541.4090.00
F39-TGR-MCL-CMD	Muting connection box for Transceiver and Receiver	93.20	EC003015	337396	4547648885041			FA	FAZ	ITA	8536.9010.00
F39-TGR-MCL-CML	Muting connection box for Transmitter	51.40	EC003015	337395	4547648885034			FA	FAZ	ITA	8536.9010.00
F39-TGR-MCL-R	Muting actuators for active/passive safety sensor, set of Transceiver and Reflector unit, mounting bracket are pre-mounted	375.00	EC003015	337394	4547648885027			FA	FAZ	ITA	8541.4090.00
F39-TGR-MDG0310	Mirror, 125x362mm, for 300mm Safety light curtains	127.60	EC003015	249218	4547648857062			FA	FAZ	ITA	8531.9000.00
F39-TGR-MDG0907	Mirror, 125x958mm, for 900mm Safety light curtains	226.50	EC003015	249222	4547648857109			FA	FAZ	ITA	8531.9000.00
F39-TGR-MDG1207	Mirror, 125x1258mm, for 1200mm Safety light curtains	260.30	EC003015	249224	4547648857123			FA	FAZ	ITA	8531.9000.00
F39-TGR-ST-MDG2	Mounting kit to fix MDG-serie mirror on ECO-1 stand	76.55	EC003015	249241	4547648857291			FA	FAZ	ITA	8541.4090.00
F39-TGR-AS-AM1	Kit with adjustable mirror, can be mounted on F39-TGR-AS-MA-MM1	133.00	EC003015	354162	4548583056244			FA	FAZ	DEU	8541.9000.00
F39-TGR-AS-B-1200	Adjustable stand for F3S-TGR-CL family, height 1200 mm, 1 pcs.	564.00	EC003015	352024	4548583036680			FA	FAZ	DEU	8541.4090.00
F39-TGR-AS-B-1600	Adjustable stand for F3S-TGR-CL family, height 1600 mm, 1 pcs.	874.00	EC003015	352025	4548583036697			FA	FAZ	DEU	8541.4090.00
F39-TGR-AS-MM1	Mirror mounting bracket for 1200 and 1600 mm stand	210.80	EC003015	354161	4548583056237			FA	FAZ	DEU	8541.9000.00
F39-LJB1	Safety Light Curtain Accessory, F3SJ-E/-B Series, top/bottom bracket (4 pcs.)	39.73	EC003015	355956	4548583033092	#		FA	FAZ	CHN	8541.9000.00
F39-LJB2	Safety Light Curtain Accessory, F3SJ-E/-B Series, intermediate-side mounting bracket (2 pcs.)	67.35	EC003015	355957	4548583033108	#		FA	FAZ	CHN	8541.9000.00
F39-LJB5	Safety Light Curtain Accessory, F3SJ-E/-B Series, contact mount bracket (4 pcs.)	45.12	EC003015	355963	4548583083202			FA	FAZ	CHN	8541.9000.00
F39-TGR-CL-LLK	Laser-alignment kit including bracket for F3S-TGR-CL SLC	665.00	EC003015	377560	4547648962902			FA	FAZ	ITA	8541.4090.00
F39-TGR-ST-ADJ	Mounting bracket (1 pc) for TGR light curtain, adjustable +/- 8°	23.28	EC003015	249239	4547648857277			FA	FAZ	ITA	8541.4090.00
F39-TGR-ST-SB	Mounting bracket (1 pc) for TGR light curtain	12.31	EC003015	249246	4547648857345			FA	FAZ	ITA	8541.4090.00
F39-TRD14	Safety light curtain accessory, test rod , 14 mm	46.82	EC003015	397116	4548583561038	#		FA	FAZ	JPN	8541.9000.00
F39-TRD30	Safety light curtain accessory, test rod , 30 mm	44.80	EC003015	397119	4548583561069			FA	FAZ	JPN	8541.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4NS-SK30	Slide key with protective cover, for D4NS 1-conduit type, includes D4DS-K2	500.50	EC001487	227639	4547648183109	#		FA	FAZ	JPN	8536.5015.90
D4SL-CN10	Guard lock safety-door switch accessory, D4SL-N, connector cable 10 m	84.00	EC003015	393318	4548583560284	#		FA	FAZ	CHN	8536.5007.00
D4SL-CN3	Guard lock safety-door switch accessory, D4SL-N, connector cable 3m	41.65	EC003015	357560	4547648782425			FA	FAZ	CHN	8536.5007.00
D4SL-CN5	Guard lock safety-door switch accessory, D4SL-N, connector cable 5m	67.15	EC003015	357561	4547648782432			FA	FAZ	CHN	8536.5007.00
D4SL-NK1	Guard lock safety-door switch accessory, D4SL-N, operation key: horizontal mounting	7.01	EC001487	373813	4548583322271	#		FA	FAZ	JPN	8536.5007.00
D4SL-NK1G	Guard lock safety-door switch accessory, D4SL-N, operation key: horizontal mounting, cushion rubber	9.57	EC001487	373815	4548583322318			FA	FAZ	JPN	8536.5007.00
D4SL-NK1S	Guard lock safety-door switch accessory, D4SL-N, operation key: horizontal mounting, no cushion rubber (short type)	7.01	EC001487	372695	4548583322301			FA	FAZ	JPN	8536.5007.00
D4SL-NK2	Guard lock safety-door switch accessory, D4SL-N, operation key: vertical mounting	7.24	EC001487	373814	4548583322288	#	10	FA	FAZ	JPN	8536.5007.00
D4SL-NK2G	Guard lock safety-door switch accessory, D4SL-N, operation key: vertical mounting, cushion rubber	7.74	EC001487	373816	4548583322325	#		FA	FAZ	JPN	8536.5007.00
D4SL-NK3	Guard lock safety-door switch accessory, D4SL-N, operation key: adjustable mounting (horizontal)	21.80	EC001487	367249	4548583322295		10	FA	FAZ	JPN	8536.5007.00
D4SL-NK5	Guard lock safety-door switch accessory, D4SL-N, operation key: adjustable (horizontal/vertical)	19.39	EC002593	412973	4548583560277	#		FA	FAZ	JPN	8536.5007.00
D4SL-NSK10-LK	D4SL-N slide/lockout key system, without inner lever	204.40	EC001487	373979	4548583330122	#		FA	FAZ	JPN	8536.5007.00
D4SL-NSK10-LKH	D4SLN slide/lockout key system, with inner lever	247.00	EC001487	373978	4548583330153			FA	FAZ	JPN	8536.5007.00
F39-TGR-KAM	Key for safety key switch with metal head	6.00	EC001487	419025	4547648999700			FA	FAZ	GBR	8536.5005.00
F39-TGR-KHFFH	Key for safety key switch, flexible with hygienic stainless steel body	42.69	EC001487	419029	4547648999748			FA	FAZ	GBR	8536.5005.00
F39-TGR-NT	T-Connector for F3S-TGR-N_C and F3S-TGR-N_M(U)	74.20	EC002594	667288	4548583954809			FA	FAZ	ITA	8544.4999.00
82611-0010 CM-EIP-1	G9SP EIP communications option	309.50	EC001449	364929	4548583062429			FA	FAZ	USA	8538.9099.99
G9SE											
G9SE-201 DC24	Safety relay unit, 24 VDC, 2 safety outputs 5 A max, aux. output	93.05	EC001449	679415	4549734169332	#		FB	FBE	CHN	8536.4900.99
G9SE-221-T05 DC24	Safety relay unit, 24 VDC, 4 safety outputs 5 A max (2+2 with 5 s off delay), aux. output	117.50	EC001449	679416	4549734169356	#		FB	FBE	CHN	8536.4900.99
G9SE-221-T30 DC24	Safety relay unit, 24 VDC, 4 safety outputs 5 A max (2+2 with 30 s off delay), aux. output	117.50	EC001449	679413	4549734169363	#		FB	FBE	CHN	8536.4900.99
G9SE-401 DC24	Safety relay unit, 24 VDC, 4 safety outputs 5 A max, aux. output	97.75	EC001449	679414	4549734169349	#		FB	FBE	CHN	8536.4900.99
G9SR											
G9SR-AD201-RC	Safety relay unit, 24VDC, 2 safety 5A, aux. output	158.30	EC001449	395792	4547648989039			FB	FBR	NLD	8536.4900.99
G9SR-BC201-RC	Safety relay unit, 24VDC, 2 safety 2A max, aux. output	99.15	EC001449	395791	4547648989022			FB	FBR	NLD	8536.4900.99
G9SR-EX031-T90-RC	Safety relay unit, 24VDC, output extension, 90s, 3 safety 5A, aux. output	153.00	EC001449	395793	4547648989046			FB	FBR	NLD	8536.4900.99
F3SG Safety Light Curtain											
F3SG-2RE0160P14	Safety sensor, F3SG-R Easy, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP	433.90	EC002549	673577	4549734103695			FC	FCS	NLD	8536.5019.90
F3SG-2RE0240P14	Safety Sensor, F3SG-R Easy, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP	467.90	EC002549	673531	4549734103701			FC	FCS	NLD	8536.5019.90
F3SG-2RE0320P14	Safety Sensor, F3SG-R Easy, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP	674.00	EC002549	673572	4549734103718			FC	FCS	NLD	8536.5019.90
F3SG-2RE1040P14	Safety Sensor, F3SG-R Easy, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1040 mm, PNP	1375.00	EC002549	673516	4549734103800			FC	FCS	NLD	8536.5019.90
F3SG-2SRB0160-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	538.50	EC002549	699754	4549734517157			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0240-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	612.00	EC002549	699756	4549734517164			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0320-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	685.00	EC002549	699759	4549734517171			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0400-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	721.00	EC002549	699761	4549734517188			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0480-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	794.50	EC002549	699765	4549734517195			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0560-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	868.00	EC002549	699767	4549734517201			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0640-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	905.50	EC002549	699771	4549734517218			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0800-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1053.00	EC002549	699775	4549734517225			FC	FCS	CHN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-2SRB1000-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1215.00	EC002549	699780	4549734517232			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1200-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1358.00	EC002549	699783	4549734517249			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1400-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	1513.00	EC002549	699788	4549734517256			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1600-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	1675.00	EC002549	699792	4549734517263			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1800-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	1862.00	EC002549	699796	4549734517270			FC	FCS	CHN	8536.5019.90
F3SG-2SRB2000-14	Safety Light Curtain, F3SG-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2005.00	EC002549	699799	4549734517287			FC	FCS	CHN	8536.5019.90
F3SG-2RA0510-30	Safety Sensor, F3SG-R Advanced, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 510 mm, PNP/NPN	780.00	EC002549	674108	4549734102889			FC	FCS	NLD	8536.5019.90
F3SG-2RE0190P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 190 mm, PNP	396.20	EC002549	673584	4549734103947			FC	FCS	NLD	8536.5019.90
F3SG-2RE0270P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 270 mm, PNP	484.10	EC002549	673579	4549734103954			FC	FCS	NLD	8536.5019.90
F3SG-2RE0510P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 510 mm, PNP	647.00	EC002549	673556	4549734103985			FC	FCS	NLD	8536.5019.90
F3SG-2RE0590P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 590 mm, PNP	728.50	EC002549	673500	4549734103992			FC	FCS	NLD	8536.5019.90
F3SG-2RE0910P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 910 mm, PNP	964.00	EC002549	673490	4549734104036			FC	FCS	NLD	8536.5019.90
F3SG-2RE0990P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 990 mm, PNP	971.50	EC002549	673591	4549734104043			FC	FCS	NLD	8536.5019.90
F3SG-2RE1070P30	Safety Sensor, F3SG-R Easy, Type 2, 30 mm resolution, range 0.3 to 20.0 m, height 1070 mm, PNP	1050.00	EC002549	673489	4549734104050			FC	FCS	NLD	8536.5019.90
F3SG-2SRB0160-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	506.00	EC002549	699755	4549734517294			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0240-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	564.00	EC002549	699757	4549734517300			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0320-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	621.50	EC002549	699760	4549734517317			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0400-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	640.50	EC002549	699762	4549734517324			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0480-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	698.50	EC002549	699766	4549734517331			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0560-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	757.00	EC002549	699768	4549734517348			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0640-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	774.50	EC002549	699772	4549734517355			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0720-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	832.50	EC002549	699773	4549734517362			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0800-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	891.00	EC002549	699776	4549734517379			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0880-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	908.50	EC002549	699777	4549734517386			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0960-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	979.50	EC002549	699779	4549734517393			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1040-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1037.00	EC002549	699781	4549734517409			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1120-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1056.00	EC002549	699782	4549734517416			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1200-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1115.00	EC002549	699784	4549734517423			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1280-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1176.00	EC002549	699786	4549734517430			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1360-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1194.00	EC002549	699787	4549734517447			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1440-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1252.00	EC002549	699789	4549734517454			FC	FCS	CHN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-2SRB1520-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1330.00	EC002549	699790	4549734517461			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1600-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1348.00	EC002549	699793	4549734517478			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1680-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1407.00	EC002549	699794	4549734517485			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1760-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN	1464.00	EC002549	699795	4549734517492			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1840-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	1483.00	EC002549	699797	4549734517508			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1920-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	1541.00	EC002549	699798	4549734517515			FC	FCS	CHN	8536.5019.90
F3SG-2SRB2080-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	1618.00	EC002549	699800	4549734517522			FC	FCS	CHN	8536.5019.90
F3SG-2SRB2280-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	1804.00	EC002549	699801	4549734517539			FC	FCS	CHN	8536.5019.90
F3SG-2SRB2480-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	1905.00	EC002549	699802	4549734517546			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0240-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	542.50	EC002549	699758	4549734517553			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0280-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	562.00	EC002549	699725	4549734517621			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0400-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	605.00	EC002549	699763	4549734517560			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0440-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	618.00	EC002549	699764	4549734517638			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0560-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	706.00	EC002549	699769	4549734517577			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0600-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	712.00	EC002549	699770	4549734517645			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0720-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	768.00	EC002549	699774	4549734517584			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0760-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	768.00	EC002549	699727	4549734517652			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0880-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	831.50	EC002549	699778	4549734517591			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0920-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	838.00	EC002549	699726	4549734517669			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1200-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1009.00	EC002549	699785	4549734517607			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1520-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1196.00	EC002549	699791	4549734517614			FC	FCS	CHN	8536.5019.90
F3SG-4RA0160-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	769.00	EC002549	673587	4549734102049			FC	FCS	NLD	8536.5019.90
F3SG-4RA0240-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	850.00	EC002549	673576	4549734102056			FC	FCS	NLD	8536.5019.90
F3SG-4RA0320-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	929.50	EC002549	673491	4549734102063	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0400-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	1009.00	EC002549	673497	4549734102070			FC	FCS	NLD	8536.5019.90
F3SG-4RA0480-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	1089.00	EC002549	673567	4549734102087	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0560-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1171.00	EC002549	673542	4549734102094			FC	FCS	NLD	8536.5019.90
F3SG-4RA0640-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1249.00	EC002549	673510	4549734102100	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0720-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 720 mm, PNP/NPN	1328.00	EC002549	673518	4549734102117	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0800-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1409.00	EC002549	673529	4549734102124	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0880-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 880 mm, PNP/NPN	1491.00	EC002549	673573	4549734102131	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0960-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 960 mm, PNP/NPN	1568.00	EC002549	673568	4549734102148	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1040-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1040 mm, PNP/NPN	1647.00	EC002549	673550	4549734102155	#		FC	FCS	NLD	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4RA1120-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1120 mm, PNP/NPN	1729.00	EC002549	673524	4549734102162	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1200-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1808.00	EC002549	673580	4549734102179	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1360-14	Safety Sensor, F3SG-R Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1360 mm, PNP/NPN	1967.00	EC002549	673548	4549734102193	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0160P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP	634.00	EC002549	673303	4549734103145	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0240P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP	707.50	EC002549	673276	4549734103152	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0320P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP	780.00	EC002549	673294	4549734103169	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0400P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP	853.00	EC002549	673272	4549734103176	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0480P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP	926.00	EC002549	673258	4549734103183	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0560P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP	999.00	EC002549	673298	4549734103190	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0640P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP	1073.00	EC002549	673270	4549734103206	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0720P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 720 mm, PNP	1147.00	EC002549	673292	4549734103213	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0800P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP	1219.00	EC002549	673290	4549734103220	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0880P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 880 mm, PNP	1292.00	EC002549	673300	4549734103237	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0960P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 960 mm, PNP	1366.00	EC002549	673283	4549734103244	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1040P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1040 mm, PNP	1437.00	EC002549	673304	4549734103251	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1200P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP	1586.00	EC002549	673262	4549734103275	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1360P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1360 mm, PNP	1753.00	EC002549	673277	4549734103299	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1520P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1520 mm, PNP	1892.00	EC002549	673281	4549734103312	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1840P14	Safety Sensor, F3SG-R Easy, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1840 mm, PNP	2575.00	EC002549	673251	4549734103350	#		FC	FCS	NLD	8536.5019.90
F3SG-4SRA0160-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	553.50	EC002549	699729	4549734515511			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0240-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	633.50	EC002549	699731	4549734515535			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0320-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	721.00	EC002549	699734	4549734515559			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0400-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	947.50	EC002549	699736	4549734515573			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0480-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	926.00	EC002549	699739	4549734515597			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0560-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1602.00	EC002549	699741	4549734515610			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0600-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN	1062.00	EC002549	699742	4549734515627			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0640-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1104.00	EC002549	699743	4549734515634			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0800-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1276.00	EC002549	699744	4549734515672			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0920-14-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN	1525.00	EC002549	699745	4549734515702			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1000-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1583.00	EC002549	699747	4549734515726			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1200-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1762.00	EC002549	699748	4549734515733			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1400-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	1937.00	EC002549	699749	4549734515740			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1600-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2144.00	EC002549	699750	4549734515757			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1800-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2362.00	EC002549	699751	4549734515764			FC	FCS	CHN	8536.5019.90
F3SG-4SRA2000-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2591.00	EC002549	699752	4549734515771			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0160-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	541.50	EC002549	699803	4549734516396			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0200-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 200 mm, PNP/NPN	578.00	EC002549	699805	4549734516402			FC	FCS	CHN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock #	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB0240-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	614.00	EC002549	699807	4549734516419			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 280 mm, PNP/NPN	656.00	EC002549	699810	4549734516426			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	697.50	EC002549	699813	4549734516433			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 320 mm, PNP/NPN	1886.00	EC002549	700911	4549734513531			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0360-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 360 mm, PNP/NPN	734.00	EC002549	699815	4549734516440			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	770.00	EC002549	699817	4549734516457			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0440-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 440 mm, PNP/NPN	812.00	EC002549	699820	4549734516464			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	853.50	EC002549	699823	4549734516471			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 480 mm, PNP/NPN	2059.00	EC002549	695983	4549734513555			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0520-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 520 mm, PNP/NPN	890.00	EC002549	699825	4549734516488			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	926.00	EC002549	699827	4549734516495			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 560 mm, PNP/NPN	2121.00	EC002549	700703	4549734513562			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0600-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN	968.00	EC002549	699698	4549734516501			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1010.00	EC002549	699832	4549734516518			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 640 mm, PNP/NPN	2169.00	EC002549	700704	4549734513579			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0680-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 680 mm, PNP/NPN	1047.00	EC002549	699834	4549734516525			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 720 mm, PNP/NPN	1083.00	EC002549	699836	4549734516532			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0760-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 760 mm, PNP/NPN	1124.00	EC002549	699839	4549734516549			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0800-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1166.00	EC002549	699842	4549734516556			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0840-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 840 mm, PNP/NPN	1203.00	EC002549	699844	4549734516563			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 880 mm, PNP/NPN	1239.00	EC002549	699846	4549734516570			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0920-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN	1281.00	EC002549	699849	4549734516587			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0960-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 960 mm, PNP/NPN	1322.00	EC002549	699852	4549734516594			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1000-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1436.00	EC002549	699854	4549734516600			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1000-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1000 mm, PNP/NPN	2613.00	EC002549	699291	4549734513593			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1200-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1551.00	EC002549	699858	4549734516617			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1200 mm, PNP/NPN	2808.00	EC002549	699292	4549734513609			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1400-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	1743.00	EC002549	699863	4549734516624			FC	FCS	CHN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB1400-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1400 mm, PNP/NPN	2985.00	EC002549	696213	4549734513616			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1600-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	1936.00	EC002549	699867	4549734516631			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1800-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2134.00	EC002549	699871	4549734516648			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1800-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1800 mm, PNP/NPN	3343.00	EC002549	700977	4549734513630			FC	FCS	JPN	8536.5019.90
F3SG-4SRB2000-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2331.00	EC002549	699874	4549734516655			FC	FCS	CHN	8536.5019.90
F3SG-4RA0270-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 270 mm, PNP/NPN	720.50	EC002549	673533	4549734102551	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0350-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 350 mm, PNP/NPN	780.00	EC002549	673564	4549734102568			FC	FCS	NLD	8536.5019.90
F3SG-4RA0430-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 430 mm, PNP/NPN	840.00	EC002549	673560	4549734102575	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0510-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 510 mm, PNP/NPN	898.50	EC002549	673569	4549734102582			FC	FCS	NLD	8536.5019.90
F3SG-4RA0590-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 590 mm, PNP/NPN	958.50	EC002549	673519	4549734102599	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0670-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 670 mm, PNP/NPN	1018.00	EC002549	673578	4549734102605			FC	FCS	NLD	8536.5019.90
F3SG-4RA0750-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 750 mm, PNP/NPN	1079.00	EC002549	673511	4549734102612	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0830-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 830 mm, PNP/NPN	1139.00	EC002549	673504	4549734102629			FC	FCS	NLD	8536.5019.90
F3SG-4RA0910-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 910 mm, PNP/NPN	1197.00	EC002549	673554	4549734102636	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0990-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 990 mm, PNP/NPN	1258.00	EC002549	673505	4549734102643			FC	FCS	NLD	8536.5019.90
F3SG-4RA1070-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1070 mm, PNP/NPN	1316.00	EC002549	673553	4549734102650	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1150-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1150 mm, PNP/NPN	1377.00	EC002549	673527	4549734102667			FC	FCS	NLD	8536.5019.90
F3SG-4RA1230-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1230 mm, PNP/NPN	1435.00	EC002549	673594	4549734102674	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1310-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1310 mm, PNP/NPN	1497.00	EC002549	673502	4549734102681			FC	FCS	NLD	8536.5019.90
F3SG-4RA1470-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1470 mm, PNP/NPN	1615.00	EC002549	673513	4549734102704	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1550-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1550 mm, PNP/NPN	1675.00	EC002549	673549	4549734102711			FC	FCS	NLD	8536.5019.90
F3SG-4RA1630-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1630 mm, PNP/NPN	1733.00	EC002549	673523	4549734102728			FC	FCS	NLD	8536.5019.90
F3SG-4RA1790-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1790 mm, PNP/NPN	1853.00	EC002549	673546	4549734102742			FC	FCS	NLD	8536.5019.90
F3SG-4RA1950-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1950 mm, PNP/NPN	1973.00	EC002549	673487	4549734102766			FC	FCS	NLD	8536.5019.90
F3SG-4RA2110-30	Safety Sensor, F3SG-R Advanced, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 2110 mm, PNP/NPN	2519.00	EC002549	673558	4549734102780			FC	FCS	NLD	8536.5019.90
F3SG-4RE0190P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 190 mm, PNP	535.00	EC002549	673285	4549734103398	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0270P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 270 mm, PNP	589.00	EC002549	673299	4549734103404	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0350P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 350 mm, PNP	644.00	EC002549	673256	4549734103411			FC	FCS	NLD	8536.5019.90
F3SG-4RE0430P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 430 mm, PNP	698.50	EC002549	673293	4549734103428	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0510P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 510 mm, PNP	753.00	EC002549	673297	4549734103435	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0590P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 590 mm, PNP	807.50	EC002549	673278	4549734103442	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0670P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 670 mm, PNP	863.00	EC002549	673279	4549734103459			FC	FCS	NLD	8536.5019.90
F3SG-4RE0750P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 750 mm, PNP	918.00	EC002549	673289	4549734103466	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0830P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 830 mm, PNP	971.50	EC002549	673291	4549734103473	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0910P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 910 mm, PNP	1027.00	EC002549	673284	4549734103480	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0990P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 990 mm, PNP	1083.00	EC002549	673263	4549734103497			FC	FCS	NLD	8536.5019.90
F3SG-4RE1070P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1070 mm, PNP	1139.00	EC002549	673269	4549734103503	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1230P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1230 mm, PNP	1247.00	EC002549	673271	4549734103527	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1310P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1310 mm, PNP	1302.00	EC002549	673257	4549734103534			FC	FCS	NLD	8536.5019.90
F3SG-4RE1470P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1470 mm, PNP	1412.00	EC002549	673275	4549734103558	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1550P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1550 mm, PNP	1466.00	EC002549	673273	4549734103565	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1630P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1630 mm, PNP	1522.00	EC002549	673274	4549734103572			FC	FCS	NLD	8536.5019.90
F3SG-4RE1710P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1710 mm, PNP	1578.00	EC002549	673259	4549734103589			FC	FCS	NLD	8536.5019.90
F3SG-4RE1790P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1790 mm, PNP	1632.00	EC002549	673264	4549734103596	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE1870P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1870 mm, PNP	1685.00	EC002549	673266	4549734103602			FC	FCS	NLD	8536.5019.90
F3SG-4RE1950P30	Safety Sensor, F3SG-R Easy, Type 4, 30 mm resolution, range 0.3 to 20.0 m, height 1950 mm, PNP	1723.00	EC002549	673288	4549734103619			FC	FCS	NLD	8536.5019.90
F3SG-4SRA0160-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	489.30	EC002549	699730	4549734515788			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0240-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	550.00	EC002549	699732	4549734515801			FC	FCS	CHN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRA0280-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	587.50	EC002549	699733	4549734515818			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0320-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	604.00	EC002549	699735	4549734515825			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0400-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	656.50	EC002549	699737	4549734515849			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0440-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	697.50	EC002549	699738	4549734515856			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0480-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	733.00	EC002549	699740	4549734515863			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0560-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	819.00	EC002549	699724	4549734515887			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0600-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	922.00	EC002549	699723	4549734515894			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0640-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	843.00	EC002549	699722	4549734515900			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0720-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	907.50	EC002549	699721	4549734515924			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0800-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	964.50	EC002549	699720	4549734515948			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0880-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1044.00	EC002549	699719	4549734515962			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0960-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	1191.00	EC002549	699718	4549734515986			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1000-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1000 mm, PNP/NPN	1166.00	EC002549	699717	4549734515993			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1040-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1182.00	EC002549	699716	4549734516006			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1120-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1261.00	EC002549	699715	4549734516013			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1200-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1375.00	EC002549	699714	4549734516020			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1280-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1405.00	EC002549	699713	4549734516037			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1360-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1432.00	EC002549	699712	4549734516044			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1440-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1535.00	EC002549	699711	4549734516051			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1520-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1650.00	EC002549	699710	4549734516068			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1600-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1672.00	EC002549	699709	4549734516075			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1680-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1716.00	EC002549	699708	4549734516082			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1760-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN	1788.00	EC002549	699707	4549734516099			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1840-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	1814.00	EC002549	699706	4549734516105			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1920-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	1861.00	EC002549	699705	4549734516112			FC	FCS	CHN	8536.5019.90
F3SG-4SRA2080-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	1985.00	EC002549	699704	4549734516129			FC	FCS	CHN	8536.5019.90
F3SG-4SRA2280-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	2209.00	EC002549	699703	4549734516136			FC	FCS	CHN	8536.5019.90
F3SG-4SRA2480-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2331.00	EC002549	699702	4549734516143			FC	FCS	CHN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB0160-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	447.40	EC002549	699804	4549734516662			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0200-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 200 mm, PNP/NPN	478.60	EC002549	699806	4549734516679			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0240-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	499.40	EC002549	699808	4549734516686			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	531.00	EC002549	699811	4549734516693			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	547.50	EC002549	699814	4549734516709			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 320 mm, PNP/NPN	2311.00	EC002549	696345	4549734513647			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0360-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 360 mm, PNP/NPN	578.00	EC002549	699816	4549734516716			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	604.00	EC002549	699818	4549734516723			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0440-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	635.00	EC002549	699821	4549734516730			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	666.00	EC002549	699824	4549734516747			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 480 mm, PNP/NPN	2168.00	EC002549	700917	4549734513661			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0520-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 520 mm, PNP/NPN	697.50	EC002549	699826	4549734516754			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	723.50	EC002549	699828	4549734516761			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 560 mm, PNP/NPN	2266.00	EC002549	699491	4549734513678			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0600-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	749.50	EC002549	699830	4549734516778			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	780.50	EC002549	699833	4549734516785			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 640 mm, PNP/NPN	2302.00	EC002549	696356	4549734513685			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0680-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 680 mm, PNP/NPN	812.00	EC002549	699835	4549734516792			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	838.00	EC002549	699837	4549734516808			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 720 mm, PNP/NPN	2674.00	EC002549	696346	4549734513692			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0760-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	864.00	EC002549	699840	4549734516815			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0800-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	895.50	EC002549	699843	4549734516822			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0800-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 800 mm, PNP/NPN	2454.00	EC002549	698652	4549734513708			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0840-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 840 mm, PNP/NPN	926.00	EC002549	699845	4549734516839			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	957.50	EC002549	699847	4549734516846			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0920-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	988.50	EC002549	699850	4549734516853			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0960-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	1015.00	EC002549	699853	4549734516860			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0960-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 960 mm, PNP/NPN	2653.00	EC002549	695799	4549734513722			FC	FCS	JPN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB1000-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1000 mm, PNP/NPN	1041.00	EC002549	699855	4549734516877			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1000-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1000 mm, PNP/NPN	2696.00	EC002549	699189	4549734610353			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1040-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1104.00	EC002549	699856	4549734516884			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1040-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN	2712.00	EC002549	700925	4549734513739			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1120-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1166.00	EC002549	699857	4549734516891			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1218.00	EC002549	699859	4549734516907			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1200 mm, PNP/NPN	2558.00	EC002549	700894	4549734513753			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1280-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1281.00	EC002549	699861	4549734516914			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1360-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1343.00	EC002549	699862	4549734516921			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1360-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1360 mm, PNP/NPN	2684.00	EC002549	699293	4549734513777			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1440-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1395.00	EC002549	699864	4549734516938			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1457.00	EC002549	699865	4549734516945			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1520 mm, PNP/NPN	3143.00	EC002549	699029	4549734513791			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1600-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1520.00	EC002549	699868	4549734516952			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1600-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1600 mm, PNP/NPN	3176.00	EC002549	699490	4549734513807			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1680-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1572.00	EC002549	699869	4549734516969			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1760-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN	1634.00	EC002549	699870	4549734516976			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1840-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	1697.00	EC002549	699872	4549734516983			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1840-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1840 mm, PNP/NPN	3369.00	EC002549	699489	4549734513838			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1920-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	1748.00	EC002549	699873	4549734516990			FC	FCS	CHN	8536.5019.90
F3SG-4SRB2080-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	1811.00	EC002549	699875	4549734517003			FC	FCS	CHN	8536.5019.90
F3SG-4SRB2280-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	1926.00	EC002549	699728	4549734517010			FC	FCS	CHN	8536.5019.90
F3SG-4SRB2480-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2040.00	EC002549	699753	4549734517027			FC	FCS	CHN	8536.5019.90
F3SG-4PGA0670-2A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 20.0 m, Product length 670 mm, Active/active	772.00	EC001832	695671	4549734453486			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0670-2C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 5 m, product length 670 mm, Active/passive	691.50	EC001832	695715	4549734453523			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0670-2L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 70 m, product length 670 mm, Active/active	792.50	EC001832	695718	4549734453561			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0970-3A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 20.0 m, Product length 970 mm, Active/active	959.50	EC001832	695664	4549734453493			FC	FCS	JPN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4PGA0970-3L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 70 m, product length 970 mm, Active/active	985.00	EC001832	695719	4549734453578			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1070 mm, Active/active	1232.00	EC001832	695711	4549734453509			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1070 mm, Active/passive	1105.00	EC001832	695716	4549734453547			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1070 mm, Active/active	1238.00	EC001832	695720	4549734453585			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1370 mm, Active/active	1288.00	EC001832	695710	4549734453516			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1370 mm, Active/passive	1157.00	EC001832	695717	4549734453554			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1370 mm, Active/active	1294.00	EC001832	695721	4549734453592			FC	FCS	JPN	8536.5019.90
F3SG-4SRA0560-45	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	690.50	EC002549	699701	4549734516174			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0920-85	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1223.00	EC002549	699699	4549734516266			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1520-45	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1639.00	EC002549	699700	4549734516211			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0240-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	650.50	EC002549	699809	4549734517034			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	674.50	EC002549	699812	4549734517102			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	725.50	EC002549	699819	4549734517041			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0440-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	741.50	EC002549	699822	4549734517119			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	846.50	EC002549	699829	4549734517058			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0600-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	853.50	EC002549	699831	4549734517126			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	922.00	EC002549	699838	4549734517065			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0760-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	922.00	EC002549	699841	4549734517133			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	997.50	EC002549	699848	4549734517072			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0920-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1006.00	EC002549	699851	4549734517140			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1210.00	EC002549	699860	4549734517089			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1434.00	EC002549	699866	4549734517096			FC	FCS	CHN	8536.5019.90
F3W-MA0100P	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, 100mm beam gap	383.20	EC003015	667382	4548583571150			FC	FCS	JPN	8541.4090.00
F3W-MA0300P	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, 300mm beam gap	479.70	EC003015	667381	4548583571167			FC	FCS	JPN	8541.4090.00
F3SG Accessories											
F39-BTLP	Safety Sensor Accessory, F3SG-R Advanced, bluetooth and lamp unit	88.40	EC003015	667384	4548583564367	#		FC	FCZ	JPN	8541.4090.00
F39-FMA150R	Muting sensor arm mounter for retroreflective sensor; length 150 mm (2 mounters per set)	71.80	EC003015	695791	4549734523134			FC	FCZ	CHN	8541.4090.00
F39-FMA150T	Muting sensor arm mounter for through-beam sensor; length 150 mm (2 mounters per set)	58.30	EC003015	695793	4549734523110			FC	FCZ	CHN	8541.4090.00
F39-FMA400R	Muting sensor arm mounter for retroreflective sensor; length 400 mm (2 mounters per set)	80.15	EC003015	695790	4549734523141			FC	FCZ	CHN	8541.4090.00
F39-FMA400T	Muting sensor arm mounter for through-beam sensor; length 400 mm (2 mounters per set)	66.60	EC003015	695792	4549734523127			FC	FCZ	CHN	8541.4090.00
F39-GCN4	Safety sensor accessory, F3W-MA Smart Muting Actuator, 4 joint connector set (1 for receiver + 1 for emitter)	139.80	EC003015	667378	4548583594197			FC	FCZ	JPN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F39-GCN4-D	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, 4 joint connector for receiver	78.45	EC003015	667380	4548583594210			FC	FCZ	JPN	8541.4090.00
F39-GCN4-L	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, 4 joint connector for emitter	61.30	EC003015	667379	4548583594203			FC	FCZ	JPN	8541.4090.00
F39-GCN5	Muting Sensor Connection Box for F3SG-SR/PG series	189.50	EC003015	695767	4549734458177			FC	FCZ	JPN	8541.4090.00
F39-GCNY1	Safety sensor accessory, F3SG-R Easy, M12 Y-joint connector, 0.5 m	25.64	EC003015	667638	4548583568013			FC	FCZ	JPN	8541.4090.00
F39-GCNY2	Safety sensor accessory, F3SG-R SR, M12 Y-joint connector, 0.5 m	43.70	EC003015	667643	4548583568020			FC	FCZ	JPN	8541.4090.00
F39-JG10A-D	Safety sensor accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 10 m	54.00	EC001855	667628	4548583567856			FC	FCZ	JPN	8544.4290.90
F39-JG10A-L	Safety sensor accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 10 m	39.80	EC001855	667630	4548583567672			FC	FCZ	JPN	8544.4290.90
F39-JG10B-L	Safety sensor accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 10 m	49.94	EC001855	667645	4548583567801			FC	FCZ	JPN	8544.4290.90
F39-JG10C-D	Root-straight cable 10 m for F3SG-SR (cable for receive with dedicated connector - Black)	42.66	EC001855	690360	4549734458009			FC	FCZ	JPN	8544.4290.90
F39-JG10C-L	Root-straight cable 10 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	32.25	EC001855	690359	4549734457996			FC	FCZ	JPN	8544.4290.90
F39-JG15A-D	Safety sensor accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 15 m	72.85	EC001855	667600	4548583567863			FC	FCZ	JPN	8544.4290.90
F39-JG15A-L	Safety sensor accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 15 m	52.35	EC001855	667626	4548583567689			FC	FCZ	JPN	8544.4290.90
F39-JG18-B	Safety sensor accessory, F3SG-R Advanced, receiver extension cable M12 8-pin, male/female, 1 m	29.70	EC001855	667634	4548583567948		5	FC	FCZ	JPN	8544.4290.90
F39-JG18-L	Safety sensor accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 1 m	22.26	EC001855	667631	4548583567764		5	FC	FCZ	JPN	8544.4290.90
F39-JG20A-D	Safety sensor accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 20 m	91.10	EC001855	667633	4548583567870			FC	FCZ	JPN	8544.4290.90
F39-JG20A-L	Safety sensor accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 20 m	65.75	EC001855	667644	4548583567696			FC	FCZ	JPN	8544.4290.90
F39-JG3A-D	Safety sensor accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 3 m	26.98	EC001855	667599	4548583567832		5	FC	FCZ	JPN	8544.4290.90
F39-JG3A-L	Safety sensor accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 3 m	20.22	EC001855	667598	4548583567658		5	FC	FCZ	JPN	8544.4290.90
F39-JG3B-L	Safety sensor accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 3 m	27.81	EC001855	667639	4548583567771		5	FC	FCZ	JPN	8544.4290.90
F39-JG3C-D	Root-straight cable 3 m for F3SG-SR (cable for receive with dedicated connector - Black)	23.93	EC001855	690027	4549734457941			FC	FCZ	JPN	8544.4290.90
F39-JG3C-L	Root-straight cable 3 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	19.77	EC001855	690033	4549734457934			FC	FCZ	JPN	8544.4290.90
F39-JG7A-D	Safety sensor accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 7 m	42.15	EC001855	667627	4548583567849			FC	FCZ	JPN	8544.4290.90
F39-JG7A-L	Safety sensor accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 7 m	31.05	EC001855	667625	4548583567665			FC	FCZ	JPN	8544.4290.90
F39-JG7C-D	Root-straight cable 7 m for F3SG-SR (cable for receive with dedicated connector - Black)	32.25	EC001855	690358	4549734457972			FC	FCZ	JPN	8544.4290.90
F39-JG7C-L	Root-straight cable 7 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	27.05	EC001855	690357	4549734457965		5	FC	FCZ	JPN	8544.4290.90
F39-JGR12L	Side-by-side Cascading Cable set 0.12 m for F3SG-4SR (2 cables per set, for emitter and receiver)	89.85	EC001855	688922	4549734458061			FC	FCZ	JPN	8544.4290.90
F39-JGR2W	Safety Sensor Accessory, F3SG-R Advanced, cascading cable set (2pcs.)	44.45	EC001855	667568	4548583564398			FC	FCZ	JPN	8544.4290.90
F39-JGR2WTS	Cascading cable for Safety sensor F3SG-4RA ____-25-01TS (two cables per set, for emitter and receiver) M12 (8-pin) to cap connector	100.10	EC001855	679503	4548583865013			FC	FCZ	JPN	8544.4290.90
F39-JGR3K-D	Root-Plug cable for extended set 0.3 m for F3SG-4SR (cable for receiver - black)	26.01	EC001855	690029	4549734458030			FC	FCZ	JPN	8544.4290.90
F39-JGR3K-L	Root-Plug cable for extended set 0.3 m for F3SG-4SR (cable for emitter - gray)	21.85	EC001855	690028	4549734458023			FC	FCZ	JPN	8544.4290.90
F39-JGR3W	Cascading cable for extended set 0.3 m for F3SG-4SR (2 cables per set, for emitter and receiver)	89.85	EC001855	688669	4549734458054			FC	FCZ	JPN	8544.4290.90
F39-LMAF1	Bracket for muting sensor arm mounter (2 units per set)	29.13	EC003015	695794	4549734523714			FC	FCZ	CHN	8541.4090.00
F39-PML0990-2	Mirror column 990 mm for multibeam safety sensor F3SG-PG_A/L (2 beams)	234.20	EC002467	695785	4549734523264			FC	FCZ	CHN	8541.9000.00
F39-PML1310-3	Mirror column 1310 mm for multibeam safety sensor F3SG-PG_A/L (3 beams)	287.20	EC002467	695784	4549734523271			FC	FCZ	CHN	8541.9000.00
F39-PML1310-4	Mirror column 1310 mm for multibeam safety sensor F3SG-PG_A/L (4 beams)	337.20	EC002467	695783	4549734523288			FC	FCZ	CHN	8541.9000.00
F39-PML1630-4	Mirror column 1630 mm for multibeam safety sensor F3SG-PG_A/L (4 beams)	344.50	EC002467	695782	4549734523295			FC	FCZ	CHN	8541.9000.00
F39-SML0990	Mirror column 990 mm for Safety Light Curtain F3SG-SR/PG up to 800 mm	421.40	EC002467	695789	4549734523219			FC	FCZ	CHN	8541.9000.00
F39-SML1310	Mirror column 1310 mm for Safety Light Curtain F3SG-SR/PG up to 1120 mm	476.90	EC002467	695788	4549734523226			FC	FCZ	CHN	8541.9000.00
F39-SML1950	Mirror column 1950 mm for Safety Light Curtain F3SG-SR/PG up to 1760 mm	657.50	EC002467	695786	4549734523240			FC	FCZ	CHN	8541.9000.00
F39-ST1310	Floor mount column of 1310 mm for F3SG-SR/PG, protective height up to 1280 mm	160.30	EC003015	695771	4549734523172			FC	FCZ	CHN	8541.9000.00
F39-ST1630	Floor mount column of 1630 mm for F3SG-SR/PG, protective height up to 1520 mm	208.10	EC003015	695772	4549734523189			FC	FCZ	CHN	8541.9000.00
F39-ST1950	Floor mount column of 1950 mm for F3SG-SR/PG, protective height up to 1840 mm	213.40	EC003015	695773	4549734523196			FC	FCZ	CHN	8541.9000.00
F39-STB	Mount-column adjustable base for F3SG-SR/PG	110.40	EC003015	695769	4549734523158			FC	FCZ	CHN	8541.9000.00
F39-GIF	Safety sensor accessory, F3SG-R Advanced, interface unit	173.10	EC003015	667567	4548583564381			FC	FCZ	JPN	8541.4090.00
F39-LGA	Safety Sensor Accessory, F3SG-R Series, adjustable bracket set (2pcs.), adjustable +/- 15°	22.28	EC003015	667566	4548583564121			FC	FCZ	JPN	8541.4090.00
F39-LGF	Safety sensor accessory, F3SG-R Series, fixed bracket set (2 pcs.)	14.46	EC003015	667565	4548583564114			FC	FCZ	JPN	8541.4090.00
F39-LGTB	Safety Sensor Accessory, F3SG-R Series, top/bottom adjustable bracket set (4pcs.), adjustable +/- 22.5°	75.90	EC003015	667385	4548583564329		#	FC	FCZ	JPN	8541.4090.00
F39-LP	Safety Sensor Accessory, F3SG-R Advanced, lamp unit	37.67	EC003015	667337	4548583564343			FC	FCZ	JPN	8541.4090.00
F39-LSGA	Adjustable Side-Mount Bracket (2 brackets per set)	28.09	EC003015	690252	4549734523684			FC	FCZ	CHN	8544.4290.90
F39-LSGF	Fixed Side-Mount Bracket (2 brackets per set)	26.01	EC003015	694903	4549734457804		#	FC	FCZ	JPN	8544.4290.90
F39-LSGTB-SJ	Adjustable top/bottom bracket set (2 pcs.) for F3SJ/ SN series	17.69	EC003015	690268	4549734523042			FC	FCZ	CHN	8541.4090.00
F39-PTG	Safety Sensor Accessory, F3SG-R Series, Laser-alignment kit	309.80	EC003015	668894	4548583757707			FC	FCZ	JPN	8541.4090.00
F39-PTS	Laser-alignment kit for F3SG-SR/PG Series	546.00	EC003015	701636	4549734712286			FC	FCZ	JPN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F39-SGLP	Safety sensor accessory, F3SG-SR/PG, lamp unit	17.69	EC003015	695768	4549734523103			FC	FCZ	CHN	8541.4090.00
F39-LTF1	Intelligent Tap Bracket For DIN in Panel	17.07	EC003015	688923	4549734523745			FC	FCZ	CHN	8541.4090.00
F39-SGBT	Bluetooth Communication Unit for F39-SGIT-IL3	69.10	EC003015	688699	4549734523097			FC	FCZ	CHN	8541.4090.00
F39-SGIT-IL3	Intelligent Tap unit for F3SG-SR/PG	197.40	EC003015	688700	4549734523080			FC	FCZ	CHN	8541.4090.00
Ultrasonic sensor											
E4E2-TS50C1 2M	Ultrasonic sensor, through-beam, 500 mm, NPN-NO, 2 m cable	563.50	EC001847	329619	4536854838736			GA	GAA	JPN	8541.4090.00
E4C-DS30	Ultrasonic sensor, M18, 50 to 300 mm, diffuse	759.00	EC001846	224790	4547648213264			GA	GAA	SGP	8536.5019.90
E4C-DS80	Ultrasonic sensor, M18, 85 to 735 mm, diffuse	857.00	EC001846	224792	4547648213288			GA	GAA	SGP	8536.5019.90
Profile measurement system ZG											
ZG2-WDC41A	ZG Profile sensor controller, PNP, 24 VDC, includes Smart Monitor ZG Software.	4994.00	EC001825	257544	4547648621687			GA	GAB	JPN	8541.4090.00
ZG2-WDS22 2M	ZG sensor head, width measurement 22mm (30µm), height profile 100+/-12mm (3µm)	7530.00	EC001825	257545	4547648621717			GA	GAB	JPN	8541.4090.00
Laser measurement system ZS											
ZS-HLDC41	ZS-H controller, analog output and PNP digital outputs	1545.00	EC001825	223618	4547648218634			GA	GAC	JPN	8541.4090.00
ZS-HLDC41A	ZS-H controller, analog output and PNP digital outputs, software & USB lead	1962.00	EC001825	223617	4547648218627			GA	GAC	JPN	8541.4090.00
ZS-LD200 2M	Sensor head, diffuse, 200+/-50mm sensing range, 5µm resolution, 2 m cable	2345.00	EC001825	180553	4547648084543			GA	GAC	JPN	8541.4090.00
ZS-LD50 2M	Sensor head, diffuse, 50+/-5mm sensing range, 0.8µm resolution	2652.00	EC001825	180559	4547648103565			GA	GAC	JPN	8541.4090.00
Smart sensors ZX											
ZX-LDA11-N 2M	Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor NPN outputs	1204.00	EC003015	169183	4547648027342			GA	GAD	JPN	9031.9000.00
ZX-LDA41-N 2M	Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor PNP outputs	1226.00	EC003015	169184	4547648027359			GA	GAD	JPN	9031.9000.00
ZX-LD100L	Laser displacement sensor head, 100+/-40mm, line beam (requires amplifier)	1356.00	EC001825	106270	4536854772399			GA	GAD	JPN	9031.9000.00
ZX-LD40L	Laser displacement sensor head, 40+/-10mm, line beam (requires amplifier)	1349.00	EC001825	106269	4536854772375			GA	GAD	JPN	9031.9000.00
ZX-LD40L 2M	Laser displacement sensor head, 40+/-10mm, line beam (requires amplifier)	1444.00	EC001825	237554	4547648342186			GA	GAD	JPN	9031.9000.00
ZX-GT28S11	Sensor head separate type, measuring width 28mm, distance 500mm, NPN (for use with ZX-GTC)	2948.00	EC002716	238016	4547648424394			GA	GAD	JPN	8541.4090.00
ZX-GT28S41	Sensor head separate type, measuring width 28mm, distance 500mm, PNP (for use with ZX-GTC)	2948.00	EC002716	238017	4547648424400			GA	GAD	JPN	8541.4090.00
ZX-LD100	Laser displacement sensor head, 100+/-40mm, spot focus (requires amplifier)	1165.00	EC001825	154718	4536854772306			GA	GAD	JPN	9031.9000.00
ZX-LD30V	Laser displacement sensor head, 30+/-2mm, spot focus, for highly reflective surfaces (requires amplifier)	2621.00	EC001825	106275	4536854810091			GA	GAD	JPN	9031.9000.00
ZX-LD40	Laser displacement sensor head, 40+/-10mm, spot focus (requires amplifier)	1165.00	EC001825	150241	4536854772290			GA	GAD	JPN	9031.9000.00
ZX-LT005	Laser sensor head, through-beam, 5mm beam width (requires amplifier)	1204.00	EC002716	106277	4536854810121			GA	GAD	JPN	9031.4990.00
ZX-LT010	Laser sensor head, through-beam, 10mm beam width (requires amplifier)	1211.00	EC002716	106279	4536854823633			GA	GAD	JPN	9031.4990.00
ZX-XC4A 4M	Extension cable (amplifier to head), 4m	274.00	EC003015	267630	4547648597081			GA	GAD	CHN	8544.4290.90
ZX-EDA41 2M	Proximity Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model	967.00	EC003015	147926	4536854864063			GA	GAD	JPN	8542.3390.00
ZX-EM02HT	Inductive proximity sensor head, 12mm dia., Heat resistant, 2mm sensing distance (requires ZX-EDA amplifier)	1136.00	EC002714	162403	4547648007979			GA	GAD	JPN	9031.4990.00
ZX-EM02T	Inductive proximity sensor head, 10mm dia., Shielded type, 2mm sensing distance (requires ZX-EDA amplifier)	659.00	EC002714	106190	4536854895777			GA	GAD	JPN	9031.4990.00
ZX-EM07MT	Inductive proximity sensor head, 18mm dia., Shielded type, 7mm sensing distance (requires ZX-EDA amplifier)	1098.00	EC002714	106191	4536854895784			GA	GAD	JPN	9031.4990.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ZX-EDR5T	Inductive proximity sensor head, 3mm dia., Shielded type, 0.5 mm sensing distance (requires ZX-EDA amplifier)	679.00	EC002714	143642	4536854895746			GA	GAD	JPN	9031.4990.00
ZX-EV04T	Inductive proximity sensor head, 30 x 14 x 4.8 mm, flat type, 4mm sensing distance (requires ZX-EDA amplifier)	828.50	EC002714	162899	4547648007962			GA	GAD	JPN	9031.4990.00
E9NC-TA0	Contact sensor amplifier, Smart tuning, fieldbus communication	252.00	EC003015	393087	4548583519046			GA	GAD	JPN	8541.4090.00
E9NC-TA51 2M	Contact sensor amplifier, 1 input, 2 outputs, PNP, 2m cable	213.70	EC003015	393086	4548583414525	#		GA	GAD	JPN	8541.4090.00
ZX-TDA41 2M	Contact smart sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model	1216.00	EC003015	175666	4547648095488			GA	GAD	JPN	8541.4090.00
ZX-TDS04T	Sensor head, standard type Ø 6 mm, distance 4 mm (for use with ZX-TDA)	1993.00	EC003015	168125	4547648006071			GA	GAD	JPN	8541.4090.00
E9NC-TH12LF 2M	Contact sensor, right-angle air type, M9, flange, 12 mm detection range, 0.1 µm resolution	1839.00	EC003015	393082	4548583414419	#		GA	GAD	JPN	8541.4090.00
E9NC-TXC5	Accessory contact sensor, E9NC, connection cable for contact sensor, 5 m	100.90	EC003015	393084	4548583414488	#		GA	GAD	JPN	9031.9000.00
ZX2-LDA11 2M	Laser displacement sensor, CMOS type, amplifier unit, NPN output, 2 m cable	575.00	EC001825	351515	4548583005860			GA	GAD	JPN	9031.9000.00
ZX2-LDA41 2M	Laser displacement sensor, CMOS type, amplifier unit, PNP output	575.00	EC001825	351516	4548583005877	#		GA	GAD	JPN	9031.9000.00
ZX2-LD100 0.5M	Laser displacement sensor, CMOS type, sensor head, spot beam type, 100mm +/-35mm, 5µm resolution, 0.5m cable	748.00	EC001825	351521	4548583005938	#		GA	GAD	JPN	9031.9000.00
ZX2-LD100L 0.5M	Laser displacement sensor, CMOS type, sensor head, line beam type, 100mm +/-35mm, 5µm resolution, 0.5m cable	713.00	EC001825	351522	4548583005945	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50 0.5M	Laser displacement sensor, CMOS type, sensor head, spot beam type, 50mm +/-10mm, 1.5µm resolution, 0.5m cable	690.50	EC001825	351519	4548583005914	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50L 0.5M	Laser displacement sensor, CMOS type, sensor head, line beam type, 50mm +/-10mm, 1.5µm resolution, 0.5m cable	709.50	EC001825	351520	4548583005921	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50V 0.5M	Laser displacement sensor head, 48 +/- 5mm, spot focus (requires amplifier), glass-mirror-wafer applications	1315.00	EC001825	355135	4548583074019			GA	GAD	JPN	9031.9000.00
ZX2-XC1R	Extension cable (amplifier to head), 1m	109.30	EC003015	351517	4548583005891			GA	GAD	CHN	9031.9000.00
ZX2-XC4R	Extension cable (amplifier to head), 4m	172.60	EC003015	351518	4548583005907	#		GA	GAD	CHN	9031.9000.00
ZX2-XC9R	Extension cable (amplifier to head), 9m	271.20	EC003015	351523	4548583005952			GA	GAD	CHN	9031.9000.00
ZX2-CAL	Calculation unit for ZX2 smart sensor	223.60	EC003015	352349	4548583005884			GA	GAD	JPN	9031.9000.00
ZX1-LD100A61 2M	Laser displacement sensor, 100 +/- 35 mm, NPN, 2m cable	908.50	EC001825	358734	4548583105836			GA	GAD	JPN	9031.9000.00
ZX1-LD100A81 2M	Laser displacement sensor, 100 +/- 35 mm, PNP, 2m cable	908.50	EC001825	358735	4548583105843	#		GA	GAD	JPN	9031.9000.00
ZX1-LD100A81 5M	Laser displacement sensor, 100 +/- 35 mm, PNP, 5m cable	951.00	EC001825	358743	4548583105935			GA	GAD	JPN	9031.9000.00
ZX1-LD100A86 0.5M	Laser displacement sensor, 100 +/- 35 mm, PNP, 0,5m pigtail connector	1037.00	EC001825	358751	4548583106048			GA	GAD	JPN	9031.9000.00
ZX1-LD300A61 2M	Laser displacement sensor, 300 +/- 150 mm, NPN, 2m cable	908.50	EC001825	358736	4548583105867			GA	GAD	JPN	9031.9000.00
ZX1-LD300A61 5M	Laser displacement sensor, 300 +/- 150 mm, NPN, 5m cable	951.00	EC001825	358744	4548583105942			GA	GAD	JPN	9031.9000.00
ZX1-LD300A66 0.5M	Laser displacement sensor, 300 +/- 150 mm, NPN, 0,5m pigtail connector	1037.00	EC001825	358752	4548583106055			GA	GAD	JPN	9031.9000.00
ZX1-LD300A81 2M	Laser displacement sensor, 300 +/- 150 mm, PNP, 2m cable	908.50	EC001825	358737	4548583105874	#		GA	GAD	JPN	9031.9000.00
ZX1-LD300A81 5M	Laser displacement sensor, 300 +/- 150 mm, PNP, 5m cable	951.00	EC001825	358745	4548583105959			GA	GAD	JPN	9031.9000.00
ZX1-LD300A86 0.5M	Laser displacement sensor, 300 +/- 150 mm, PNP, 0,5m pigtail connector	1037.00	EC001825	358753	4548583106062			GA	GAD	JPN	9031.9000.00
ZX1-LD50A61 2M	Laser displacement sensor, 50 +/- 10 mm, NPN, 2m cable	908.50	EC001825	358732	4548583105812			GA	GAD	JPN	9031.9000.00
ZX1-LD50A81 2M	Laser displacement sensor, 50 +/- 10 mm, PNP, 2m cable	908.50	EC001825	358733	4548583105829	#		GA	GAD	JPN	9031.9000.00
ZX1-LD50A81 5M	Laser displacement sensor, 50 +/- 10 mm, PNP, 5m cable	951.00	EC001825	358741	4548583105911			GA	GAD	JPN	9031.9000.00
ZX1-LD50A86 0.5M	Laser displacement sensor, 50 +/- 10 mm, PNP, 0,5m pigtail connector	1037.00	EC001825	358749	4548583106024			GA	GAD	JPN	9031.9000.00
ZX1-LD600A61 2M	Laser displacement sensor, 600 +/- 400 mm, NPN, 2m cable	908.50	EC001825	358738	4548583105881			GA	GAD	JPN	9031.9000.00
ZX1-LD600A81 2M	Laser displacement sensor, 600 +/- 400 mm, PNP, 2m cable	908.50	EC001825	358739	4548583105898	#		GA	GAD	JPN	9031.9000.00
ZX1-LD600A81 5M	Laser displacement sensor, 600 +/- 400 mm, PNP, 5m cable	951.00	EC001825	358747	4548583105980			GA	GAD	JPN	9031.9000.00
ZX1-LD600A81L 2M	Laser displacement sensor, 600 +/- 400 mm, PNP, 2m cable, laser class 1	905.50	EC001825	668927	4548583314054			GA	GAD	JPN	9031.9000.00
ZX1-LD600A86 0.5M	Laser displacement sensor, 600 +/- 400 mm, PNP, 0,5m pigtail connector	1037.00	EC001825	358755	4548583106086			GA	GAD	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
IoT Flow/Pressure sensors											
E8PC-010D-E	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP, IO-Link COM2, analog	619.00	EC001190	684391	4549734213219			GA	GAF	JPN	9026.2020.00
E8PC-010T-E	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP, IO-Link COM3, analog	619.00	EC001190	684394	4549734213240	#		GA	GAF	JPN	9026.2020.00
E8PC-100T-E	Pressure sensor, liquid, 0 to 10 MPa, PNP, IO-Link COM3, analog	619.00	EC001190	684395	4549734213257	#		GA	GAF	JPN	9026.2020.00
E8FC-25D	Flow sensor, liquid, PNP, IO-Link COM2, analog	796.00	EC001190	684370	4549734213004			GA	GAF	JPN	9026.1021.00
E8FC-25T	Flow sensor, liquid, PNP, IO-Link COM3, analog	796.00	EC001190	684371	4549734213011	#		GA	GAF	JPN	9026.1021.00
N-Smart Separate Amp. Sensors											
E3NC-LA21 2M	Photoelectric sensor, Laser amplifier, Smart tuning, NPN, double output, external input, 2m cable	214.80	EC003015	375078	4548583374980			GA	GAN	CHN	8536.5019.90
E3NC-LA51 2M	Photoelectric sensor, Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	214.80	EC003015	375079	4548583374997			GA	GAN	CHN	8536.5019.90
E3NC-LH02 2M	Laser sensor head, 1200 mm, 0.8 mm spot adjustable	278.60	EC001821	375085	4548583376137			GA	GAN	JPN	8541.4090.00
E3NC-LH03 2M	Laser sensor head, retro-reflective, 8m, 2 mm spot	234.20	EC002717	392637	4548583489318			GA	GAN	JPN	8541.4090.00
E3NC-SA51 2M	Photoelectric sensor, CMOS Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	214.80	EC003015	375071	4548583376090			GA	GAN	JPN	8536.5019.90
E3NC-SA54	Photoelectric Sensor, Laser amplifier, Smart tuning, PNP, single output, external input, M8 connector	214.80	EC003015	379286	4548583425743			GA	GAN	JPN	8536.5019.90
E3NC-SH100 2M	CMOS Laser sensor head, 35-100mm, 1 mm spot	393.90	EC002719	375074	4548583376151			GA	GAN	JPN	8541.4090.00
E3NC-SH250 2M	CMOS Laser sensor head, 35-250mm, 0.5 mm spot	393.90	EC002719	375077	4548583376168			GA	GAN	JPN	8541.4090.00
E3NC-SH250H 2M	CMOS Laser head, 35-250mm, 1mm spot, Class 2 Laser	393.90	EC002719	379290	4548583442061			GA	GAN	JPN	8541.4090.00
E3NX-CA11 2M	Fiber amplifier, standard model, color mark detection white LED, NPN output, smart tuning, 2m cable	211.30	EC001820	671056	4548583802582	#		GA	GAN	JPN	8536.5019.90
E3NX-CA21 2M	Fiber amplifier, advanced model, color mark detection white LED, NPN output, smart tuning, 2m cable	257.80	EC001820	671057	4548583802599			GA	GAN	JPN	8536.5019.90
E3NX-CA41 2M	Fiber amplifier, standard model, color mark detection white LED, PNP output, smart tuning, 2m cable	214.60	EC001820	671058	4548583802605	#		GA	GAN	JPN	8536.5019.90
E3NX-CA51 2M	Fiber amplifier, advanced model, color mark detection white LED, PNP output, smart tuning, 2m cable	257.80	EC001820	671059	4548583802612	#		GA	GAN	JPN	8536.5019.90
E3NX-FA0	Fiber amplifier, red LED, twin digital display, smart tuning, Fieldbus communication	204.20	EC002651	375783	4548583375222			GA	GAN	CHN	8536.5019.90
E3NX-FA11 2M	Fiber amplifier, twin digital display, smart tuning, NPN, single output, 2m cable	188.00	EC002651	375081	4548583375123			GA	GAN	CHN	8536.5019.90
E3NX-FA11AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, NPN output, 2 m cable	236.20	EC002651	681543	4549734190442	#		GA	GAN	CHN	8536.5019.90
E3NX-FA21 2M	Fiber amplifier, twin digital display, smart tuning, NPN, double output, external input, 2m cable	204.20	EC002651	375076	4548583375130			GA	GAN	CHN	8536.5019.90
E3NX-FA41 2M	Fiber amplifier, twin digital display, smart tuning, PNP, single output, 2m cable	188.00	EC002651	375075	4548583375147	#		GA	GAN	CHN	8536.5019.90
E3NX-FA41AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, PNP output, 2 m cable	236.20	EC002651	681545	4549734190459			GA	GAN	CHN	8536.5019.90
E3NX-FA51 2M	Fiber amplifier, twin digital display, smart tuning, PNP, double output, external input, 2m cable	204.20	EC002651	375073	4548583375154			GA	GAN	CHN	8536.5019.90
E3NX-FA54	Fiber amplifier, twin digital display, smart tuning, PNP, single output, external input, M8 connector	204.20	EC002651	378463	4548583424210			GA	GAN	CHN	8536.5019.90
E3NX-FA54TW	Fiber amplifier, twin digital display, smart tuning, PNP, double output, M8 connector	204.20	EC002651	382424	4548583424227			GA	GAN	CHN	8536.5019.90
E3NX-FA6	Fiber amplifier, twin digital display, smart tuning, NPN, single output, system connector	188.00	EC002651	375072	4548583375161			GA	GAN	CHN	8536.5019.90
E3NX-FA8	Fiber amplifier, twin digital display, smart tuning, PNP, single output, system connector	188.00	EC002651	375065	4548583375185			GA	GAN	CHN	8536.5019.90
E3NX-FA9TW	Fiber amplifier, twin digital display, smart tuning, PNP, double output, system connector	204.20	EC002651	375068	4548583375215			GA	GAN	CHN	8536.5019.90
E3NX-MA11 2M	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 NPN output, 2 m cable	245.90	EC002651	681533	4548583514690			GA	GAN	CHN	8536.5019.90
E3NX-MA41 2M	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, 2 m cable	245.90	EC002651	681532	4548583514713	#		GA	GAN	CHN	8536.5019.90
E3NX-MA8	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, system connector	241.20	EC002651	681535	4548583514744			GA	GAN	CHN	8536.5019.90
E3NW-ECT	EtherCat communication unit for N-Smart sensors	436.70	EC001603	375785	4548583375093			GA	GAN	CHN	8541.4090.00
Other sensing component											
E2C-ED01	Sensor head shielded, cylindrical 5.4mm, distance 1mm (for use with E2C-EDA)	345.20	EC002714	176694	4547648076852			GA	GAX	JPN	8541.4090.00
E2C-EDA11 2M	High precision positioning inductive proximity sensor amplifier, DC, twin output model, NPN, digital display, 2m cable	283.70	EC003015	176685	4547648076760			GA	GAX	JPN	8536.5019.90
E2C-EDR6-F	Sensor head shielded, cylindrical 3mm, distance 0.6mm (for use with E2C-EDA)	363.00	EC002714	176693	4547648076845			GA	GAX	JPN	8541.4090.00
F3E-06-T6	Light curtain, through-beam, 5m, pitch 40mm, potentialfree output, M8 4-pin connector, detection area 200mm	257.40	EC001832	235624	4536853911218			GA	GAX	DEU	8536.5019.90
F3E-12-T6	Light curtain, through-beam, 5m, pitch 120mm, potentialfree output, detection area 1320mm, M8-4pin connector	411.30	EC001832	253472	4547648861588			GA	GAX	DEU	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3E-16-T6	Light curtain, through-beam, 5m, pitch 120mm, potentialfree output, M8 4-pin plug-in, detection area 1800mm	447.60	EC001832	231744	4536853908485			GA	GAX	DEU	8536.5019.90
F3E-46-T6	Light curtain, through-beam, 5m, pitch 40mm, potentialfree output, M8 4-pin plug-in, detection area 1800mm	629.00	EC001832	231748	4536853908522			GA	GAX	DEU	8536.5019.90
F3W-D052B 2M	Picking Sensor, Through Beam, sensing distance 3 m, NPN output, M12 pigtail 2 m cable	737.00	EC001832	677796	4549734111461			GA	GAX	JPN	8536.5019.90
F3W-D052C 5M	Picking Sensor, Through Beam, sensing distance 3 m, PNP output, 5 m cable	459.80	EC001832	677791	4549734111539			GA	GAX	JPN	8536.5019.90
F3W-D052D 1M	Picking Sensor, Through Beam, Sensing distance 3 m, PNP output	784.50	EC001832	676805	4549734111522	#		GA	GAX	JPN	8536.5019.90
ZW-8000T	Confocal Displacement controller, ultra high precision model, with EtherCAT communication, NPN/PNP	5835.00	EC001825	683875	4549734194877			GA	GAX	JPN	9031.4990.00
ZW-S8030 2M	Confocal displacement sensor, sensing head square shape, measuring range 30 mm +/- 2 mm, spot diameter 10 µm, 2 m cable	3816.00	EC001825	682733	4549734194938			GA	GAX	JPN	9031.4990.00
ZJ-BAS050	High performance bar type ioniser, 500mm	2054.00		250523	4547648514446			GA	GAX	JPN	8543.7090.99
ZJ-BAS074	High performance bar type ioniser, 740mm	1942.00		250525	4547648514460			GA	GAX	JPN	8543.7090.99
ZJ-BAS090	High performance bar type ioniser, 900mm	1821.00		250526	4547648514477			GA	GAX	JPN	8543.7090.99
Accessory for sensor system											
ZX-XC1A 1M	Extension cable (amplifier to head), 1m	200.20	EC003015	106271	4536854776465			GA	GAZ	JPN	8544.4290.90
ZX-XC8A 8M	Extension cable (amplifier to head), 8m	374.80	EC003015	106274	4536854810169			GA	GAZ	JPN	8544.4290.90
E39-L180	Mounting bracket for ZX1-LD50/LD100 sensor	33.70	EC003015	364865	4548583104938			GA	GAZ	JPN	9031.9000.00
E39-L181	Mounting bracket for ZX1-LD300/LD600 sensor	33.70	EC003015	364866	4548583104945			GA	GAZ	JPN	9031.9000.00
ZX0-XC10R	Extension cable ZX1 (for pre-wired connector models), 10m	160.70	EC001855	359063	4548583104914			GA	GAZ	CHN	8544.4290.90
ZX0-XC20R	Extension cable ZX1 (for pre-wired connector models), 20m	214.80	EC001855	359064	4548583104921			GA	GAZ	CHN	8544.4290.90
ZS-XC5BR	Extension Robot cable (amplifier to head), 5m	690.50	EC003015	180561	4547648103589			GA	GAZ	JPN	8536.5015.90
ZS-XRS3	RS-232C cable, 2 m cable length, for PC connection	158.30	EC001681	680914	4549734168717			GA	GAZ	JPN	8544.4210.00
ZW-XF7005R	Extension fiber optic cable 5 m for family ZW-7000. Fiber adapter ZW-XFCM is included	636.00	EC003015	676438	4548583796102			GA	GAZ	JPN	8544.7000.90
E39-R13	Reflector, E3C-LDA sensor, 7x7mm effective area	25.64	EC002467	163377	4536854958311	#		GA	GAZ	JPN	8541.9000.00
Rotary encoder E6A2											
E6A2-CSSC 360P/R 2M	Encoder, incremental, 360ppr, 12-24 VDC, NPN open collector, 2 m cable	177.60	EC001486	147610	4536853366728			GC	GCA	JPN	9032.9000.90
E6A2-CW5C 100P/R 2M	Encoder, incremental, 100ppr, 12-24 VDC, NPN open collector, 2m cable	179.00	EC001486	128501	4536853366810			GC	GCA	JPN	9032.9000.90
E6A2-CW5C 100P/R 0.5M	Encoder, incremental, 100ppr, 12-24 VDC, NPN open collector, 0.5m cable	165.60	EC001486	128484	4536853366490			GC	GCA	JPN	9032.9000.90
E6A2-CW5C 200P/R 2M	Encoder, incremental, 200ppr, 12-24 VDC, 2-phase, NPN open collector, 2m cable	178.80	EC001486	128502	4536853366827			GC	GCA	JPN	9032.9000.90
E6A2-CW5C 200P/R 0.5M	Encoder, incremental, 200ppr, 12-24 VDC, 2-phase, NPN open collector, 0.5m cable	165.60	EC001486	128485	4536853366506			GC	GCA	JPN	9032.9000.90
E6A2-CWZ5C 200P/R 0.5M	Encoder, incremental, 200 ppr, 12 to 24 VDC, NPN open collector, 0.5 m cable	170.90	EC001486	128414	4536854494055			GC	GCA	JPN	9032.9000.90
Rotary encoder E6B2											
E6B2-CWZ1X 1000P/R 0.5M	Encoder, incremental, 1000 ppr, 5 VDC, Line driver 0.5 m cable	217.50	EC001486	236008	4547648295543			GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 1000P/R 2M	Encoder, incremental, 1000ppr, 5 VDC, Line driver 2m cable	234.00	EC001486	235972	4547648295642			GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 1024P/R 0.5M	Encoder, incremental, 1024ppr, 5 VDC, Line driver 0.5m cable	273.70	EC001486	235966	4547648296311			GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 2000P/R 0.5M	Encoder, incremental, 2000ppr, 5 VDC, Line driver 0.5m cable	240.00	EC001486	236009	4547648295581			GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 500P/R 0.5M	Encoder, incremental, 500ppr, 5 VDC, Line driver 0.5m cable	203.40	EC001486	235935	4547648295529			GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 1000P/R 0.5M	Encoder, incremental, 1000ppr, 12-24 VDC, PNP output, 0.5m cable	221.50	EC001486	235986	4547648296212			GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 100P/R 0.5M	Encoder, incremental, 100ppr, 12-24 VDC, PNP output, 0.5m cable	229.60	EC001486	235982	4547648296168			GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 2000P/R 0.5M	Encoder, incremental, 2000ppr, 12-24 VDC, PNP output, 0.5m cable	244.10	EC001486	235987	4547648296229	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 200P/R 0.5M	Encoder, incremental, 200ppr, 12-24 VDC, PNP output, 0.5m cable	237.30	EC001486	235983	4547648296175			GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 360P/R 0.5M	Encoder, incremental, 360ppr, 12-24 VDC, PNP output, 0.5m cable	274.00	EC001486	235984	4547648296182			GC	GCB	CHN	9032.9000.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E6B2-CWZ5B 360P/R 2M	Encoder, incremental, 360 ppr, 12 to 24 VDC, PNP output, 0.5 m cable	219.50	EC001486	361819	4547648462907	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 500P/R 0.5M	Encoder, incremental, 500ppr, 12-24 VDC, PNP output, 0.5m cable	244.80	EC001486	235985	4547648296199			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 1000P/R 0.5M	Encoder, incremental, 1000 ppr, 5 to 24 VDC, 3-phase, NPN output, 0.5 m cable	219.50	EC001486	236001	4547648295185			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 1000P/R 2M	Encoder, incremental, 1000ppr, 5-24 VDC, 3-phase, NPN output	229.90	EC001486	236012	4547648295611	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 100P/R 2M	Encoder, incremental, 100ppr, 5-24 VDC, 3-phase, NPN output	232.90	EC001486	236010	4547648295598			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 1024P/R 0.5M	Encoder, incremental, 1024ppr, 5-24 VDC, NPN output, 0.5m cable	275.60	EC001486	351619	4547648296304			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 2000P/R 0.5M	Encoder, incremental, 2000ppr, 5-24 VDC, NPN output, 0.5m cable	286.10	EC001486	236005	4547648295222			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 2000P/R 2M	Encoder, incremental, 2000ppr, 5-24VDC, 3-phase, NPN output, 2m cable	252.20	EC001486	235979	4547648295949			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 200P/R 2M	Encoder, incremental, 200ppr, 5-24 VDC, 3-phase, NPN output	199.30	EC001486	236015	4547648295703			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 360P/R 0.5M	Encoder, incremental, 360 ppr, 5 to 24 VDC, NPN output, 0.5 m cable	219.50	EC001486	235997	4547648295147			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 360P/R 2M	Encoder, incremental, 360ppr, 5-24 VDC, 3-phase, NPN output	229.90	EC001486	236014	4547648295697			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 500P/R 0.5M	Encoder, incremental, 500 ppr, 5 to 24 VDC, NPN output, 0.5 m cable	219.50	EC001486	235999	4547648295161			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 500P/R 2M	Encoder, incremental, 500ppr, 5-24 VDC, 3-phase, NPN output	215.40	EC001486	236011	4547648295604	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 600P/R 2M	Encoder, incremental, 600ppr, 5-24VDC, 3-phase, NPN output	223.70	EC001486	236013	4547648295659	#		GC	GCB	CHN	9032.9000.90
Rotary encoder E6C2-C											
E6C2-CWZ1X 1000P/R 2M	Encoder, incremental, 1000ppr, 5 VDC, Line driver output, 2m cable	311.00	EC001486	257299	4547648528559	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 1000P/R 5M	Encoder, incremental, 1000 ppr, 5 VDC, Line driver output, 5 m cable	350.60	EC001486	257319	4547648528856	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 2000P/R 2M	Encoder, incremental, 2000ppr, 5 VDC, Line driver output, 2m cable	331.60	EC001486	257303	4547648528597	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 360P/R 2M	Encoder, incremental, 360 ppr, 5 VDC, Line driver output, 2 m cable	248.00	EC001486	257297	4547648528535			GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 1000P/R 2M	Encoder, incremental, 1000ppr, 12-24 VDC, PNP output, 2m cable	262.90	EC001486	257309	4547648528658	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 100P/R 2M	Encoder, incremental, 100ppr, 12-24 VDC, PNP output, 2m cable	233.20	EC001486	257304	4547648528603	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 2000P/R 2M	Encoder, incremental, 2000ppr, 12-24 VDC, PNP output, 2m cable	281.50	EC001486	257310	4547648528665			GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 200P/R 2M	Encoder, incremental, 200ppr, 12-24 VDC, PNP output, 2m cable	233.20	EC001486	257305	4547648528610	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 360P/R 2M	Encoder, incremental, 360ppr, 12-24 VDC, PNP output, 2m cable	245.90	EC001486	257306	4547648528627	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 500P/R 2M	Encoder, incremental, 500ppr, 12-24 VDC, PNP output, 2m cable	248.00	EC001486	257307	4547648528634	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 1000P/R 2M	Encoder, incremental, 1000ppr, 5-24 VDC, NPN output, 2m cable	306.00	EC001486	257263	4547648528191	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 100P/R 2M	Encoder, incremental, 100ppr, 5-24 VDC, NPN output, 2m cable	231.10	EC001486	257256	4547648528122			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 1800P/R 2M	Encoder, incremental, 1800ppr, 5-24 VDC, NPN output, 2m cable	368.40	EC001486	257266	4547648528221			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 2000P/R 2M	Encoder, incremental, 2000ppr, 5-24 VDC, NPN output, 2m cable	327.10	EC001486	257267	4547648528238			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 200P/R 2M	Encoder, incremental, 200ppr, 5-24 VDC, NPN output, 2m cable	231.10	EC001486	257257	4547648528139			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 360P/R 2M	Encoder, incremental, 360ppr, 5-24 VDC, NPN output, 2m cable	244.20	EC001486	257259	4547648528153			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 500P/R 2M	Encoder, incremental, 500ppr, 5-24 VDC, NPN output, 2m cable	245.90	EC001486	257261	4547648528177			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 60P/R 2M	Encoder, incremental, 60ppr, 5-24 VDC, NPN output, 2m cable	270.90	EC001486	257255	4547648528115			GC	GCC	CHN	9032.9000.90
Rotary encoder E6CP											
E6CP-AG5C-C 256 2M	Encoder, absolute, 256ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS connector	259.20	EC001486	106174	4536854588532	#		GC	GCE	CHN	9032.9000.90
Rotary encoder E6F											
E6F-CWZ5G 1000P/R 2M	Encoder, incremental, 1000 ppr, 12 to 24 VDC complimentary output, 2 m cable	559.50	EC001486	128114	4536854740435			GC	GCF	JPN	9032.9000.90
E6F-AB3C-C 360 2M	Encoder, absolute, 360ppr, 10-bit, 5-12 VDC, BCD output, 2m cable, H8PR connector	698.50	EC001486	154208	4536853371975			GC	GCF	JPN	9032.9000.90
E6F-AB5B 360 2M	Encoder, absolute, 360ppr, 12-24 VDC, PNP open collector, BCD output, 2m cable	682.50	EC001486	106003	4536854687815			GC	GCF	JPN	9032.9000.90
E6F-AG5B 360 2M	Encoder, absolute, 360ppr, 8-bit, 12-24 VDC, gray code output, 2m cable	613.50	EC001486	128108	4536854687877			GC	GCF	JPN	9032.9000.90
E6F-AG5C-C 256 2M	Encoder, absolute, 256ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS connector	613.00	EC001486	145524	4536853372033			GC	GCF	JPN	9032.9000.90
E6F-AG5C-C 360 2M	Encoder, absolute, 360ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS connector	627.00	EC001486	168882	4547648048132			GC	GCF	JPN	9032.9000.90
E6F-AG5C-C 720 2M	Encoder, absolute, 720ppr, 8-bit, 12-24 VDC, gray code output, 2m cable, H8PS connector	655.00	EC001486	168883	4547648048149			GC	GCF	JPN	9032.9000.90
Rotary encoder E6C3-C											
E6C3-CWZ3XH 3600P/R 1M	Encoder incremental 8 dia. rugged housing, line driver output, 3600 ppr	416.80	EC001486	150186	4536854873553			GC	GCG	JPN	9032.9000.90
E6C3-CWZ3XH 3600P/R 2M	Encoder incremental 8 dia rugged housing, line driver output, 3600 ppr, 2m cable	451.10	EC001486	149118	4536854871825			GC	GCG	JPN	9032.9000.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E6C3-CW25GH 1000P/R 2M	Encoder incremental, 8mm dia. shaft, rugged housing, 1000ppr, 12-24 VDC, complementary output, 2m cable	416.80	EC001486	143733	4536854871399			GC	GCG	JPN	9032.9000.90
E6C3-CW25GH 100P/R 2M	Encoder incremental 8 dia rugged housing, 100ppr, 12-24 VDC, Complimentary output, 2m cable	375.50	EC001486	151300	4536854871313			GC	GCG	JPN	9032.9000.90
E6C3-CW25GH 200P/R 1M	Encoder incremental 8 dia rugged housing, complimentary output, 200 ppr	341.50	EC001486	128190	4536854873065			GC	GCG	JPN	9032.9000.90
E6C3-CW25GH 200P/R 2M	Encoder incremental, 8mm dia. shaft, rugged housing, 200ppr, 12-24 VDC, complementary output, 2m cable	375.50	EC001486	142535	4536854871320			GC	GCG	JPN	9032.9000.90
E6C3-CW25GH 300P/R 2M	https://industrial.omron.eu/en/products/e6c2-c-e6c3-c	375.50	EC001486	149115	4536854871337			GC	GCG	JPN	9032.9000.90
E6C3-CW25GH 3600P/R 2M	Encoder incremental 8 dia rugged housing, complimentary output, 3600 ppr, 2m cable	451.10	EC001486	128260	4536854871474			GC	GCG	JPN	9032.9000.90
E6C3-CW25GH 500P/R 2M	Encoder incremental 8 dia rugged housing, complimentary output, 500 ppr, 2m cable	416.80	EC001486	146939	4536854871351			GC	GCG	JPN	9032.9000.90
E6C3-CW25GH 720P/R 2M	Encoder incremental, 8mm dia. shaft, rugged housing, 720ppr, 12-24 VDC, complementary output, 2m cable	416.80	EC001486	128252	4536854871375			GC	GCG	JPN	9032.9000.90
Rotary encoder E6C3-A											
E6C3-AG5B 1024P/R 2M	Encoder, absolute, 1024ppr, 9-bit, 12-24 VDC, gray code output, 2m cable	548.50	EC001486	128235	4536854871221			GC	GCH	JPN	9032.9000.90
E6C3-AG5B 360P/R 2M	Encoder, absolute, 360ppr, 9-bit, 12-24 VDC, PNP open collector, gray code output, 2m cable	548.50	EC001486	156885	4536854871207			GC	GCH	JPN	9032.9000.90
E6C3-AG5B 720P/R 2M	Encoder, absolute, 720ppr, 9-bit, 12-24 VDC, PNP open collector, gray code output, 2m cable	548.50	EC001486	128234	4536854871214			GC	GCH	JPN	9032.9000.90
E6C3-AG5C 1024P/R 2M	Encoder, absolute, 1024ppr, 9-bit, 12-24 VDC, NPN open collector, gray code output, 2m cable	512.00	EC001486	128227	4536854870989			GC	GCH	JPN	9032.9000.90
E6C3-AG5C 360P/R 2M	Encoder, absolute, 360 ppr, 9-bit, 12-24 VDC, NPN open collector, gray code output, 2 m cable	534.50	EC001486	128225	4536854870965			GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 256P/R 2M	Encoder, absolute, 256ppr, 9-bit, 12-24 VDC, NPN open collector, gray code output, 2m cable	548.50	EC001486	145873	4536854871061	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 360P/R 2M	Encoder, absolute, 360ppr, 9-bit, 12-24 VDC, NPN open collector, gray code output, 2m cable	548.50	EC001486	103666	4536854871078			GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 720P/R 2M	Encoder, absolute, 720ppr, 9-bit, 12-24 VDC, NPN open collector, gray code output, 2m cable	548.50	EC001486	168881	4547648048125			GC	GCH	JPN	9032.9000.90
Accessory for rotary encoder											
E69-C04B	Accessory encoder, shaft coupling dia. 4mm	17.30	EC003015	128545	4536853373498	#		GC	GCZ	JPN	9029.9000.90
E69-C06B	Accessory encoder, shaft coupling for E6B2/E6C2-C/E6CP/E6D encoder	17.69	EC003015	128543	4536853373467	#		GC	GCZ	JPN	9029.9000.90
E69-C06M	Accessory encoder, shaft coupling dia. 6mm, metal	77.25	EC003015	144309	4536853373634			GC	GCZ	USA	9029.9000.90
E69-C08B	Accessory encoder, shaft coupling for E6C3-A encoder	24.77	EC003015	150821	4536853373689			GC	GCZ	JPN	9029.9000.90
E69-C10B	Accessory encoder, shaft coupling for E6F encoder	27.86	EC003015	156411	4536853373504			GC	GCZ	JPN	9029.9000.90
E69-C10M	Accessory encoder, shaft coupling dia. 10 mm, metal	104.30	EC003015	224046	4536853373641			GC	GCZ	USA	9029.9000.90
E69-C610B	Shaft coupling for E6F-C encoder, Different end diameter	33.56	EC003015	128458	4536853373610			GC	GCZ	JPN	9029.9000.90
E69-C68B	Accessory encoder, shaft coupling dia. 6mm and 8mm	29.66	EC003015	105487	4536853373603	#		GC	GCZ	JPN	9029.9000.90
E69-DF10	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 10 m	209.80	EC001855	357358	4548583064980			GC	GCZ	CHN	9029.9000.90
E69-DF20	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 20 m	318.70	EC001855	357361	4536853373573			GC	GCZ	CHN	9029.9000.90
E69-DF5	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 5m	149.80	EC001855	357364	4536853373542			GC	GCZ	CHN	9029.9000.90
E69-FCA	Flange for E6C2-C encoder	10.36	EC003015	143272	4536853373481			GC	GCZ	JPN	9029.9000.90
Fiber sensing head E32											
E32-D11N 2M	Fiber optic sensor, diffuse, M6 side view, 2m cable	136.80	EC002651	374494	4548583336124			GD	GDA	CHN	8541.4090.00
E32-D11R 2M	Photoelectric sensor, fiber sensor head, diffuse, M6, high flex, 2 m cable	37.67	EC002651	412734	4548583049208			GD	GDA	CHN	8541.4090.00
E32-D14L 2M	Fiber optic sensor, diffuse, 6mm diameter, long side view, 2m cable (requires E3X amplifier)	112.10	EC002651	182524	4547648094924			GD	GDA	CHN	8541.4090.00
E32-D211 2M	Fiber optic sensor, diffuse, M4 head, standard R10 fiber, 2 m cable	35.25	EC002651	379167	4548583413863			GD	GDA	CHN	8541.4090.00
E32-D211R 2M	Fiber optic sensor, diffuse, M4 head, high flex R1, 2 m cable	87.95	EC002651	379168	4548583413870			GD	GDA	CHN	8541.4090.00
E32-D21N 2M	Fiber optic sensor, diffuse, M4 hex right-angled head, high-flex R2 fiber, 2 m cable	85.15	EC002651	383729	4548583487833			GD	GDA	CHN	8541.4090.00
E32-D21R 2M	Fiber optic sensor, diffuse, M3, high flex, 2 m cable	117.40	EC002651	416699	4548583049215			GD	GDA	CHN	8541.4090.00
E32-DC200	Fiber optic sensor, diffuse, M6, 2m cable	28.80	EC002651	182959	4547648094986	#		GD	GDA	CHN	8541.4090.00
E32-DC200E 2M	Fiber optic sensor, diffuse, M3, 2m cable	37.99	EC002651	182804	4547648094993	#		GD	GDA	CHN	8541.4090.00
E32-DC500 5M	Fiber optic sensor, diffuse, M6, 5m	63.20	EC002651	182799	4547648094764	#		GD	GDA	CHN	8541.4090.00
E32-LR11NP 2M	Fiber optic sensor, retro-reflective, M6 hex right-angled head, integrated lens, high-flex R2 fiber, 2 m cable	59.95	EC002651	383734	4548583487871			GD	GDA	CHN	8541.4090.00
E32-R21 2M	Fiber optic sensor, retro-reflective, M6 head, R10 fiber, 2m cable	159.20	EC002651	357347	4548583049130			GD	GDA	CHN	8541.4090.00
E32-T11N 2M	Fiber optic sensor, through-beam, M4 side view, 2m cable	106.20	EC002651	374495	4548583336117	#		GD	GDA	CHN	8541.4090.00
E32-T11R 2M	Fiber optic sensor, through-beam, M4 head, high flex R1 fiber, 2m cable	55.35	EC002651	356136	4548583049147		10	GD	GDA	CHN	8541.4090.00
E32-T21R 2M	Fiber optic sensing head, through-beam, M3, high-flex R1 fiber, 2 m	93.65	EC002651	411349	4548583049185			GD	GDA	CHN	8541.4090.00
E32-TC200 2M	Fiber optic sensor, through-beam, M4, 2m cable	33.49	EC002651	182801	4547648094870	#		GD	GDA	CHN	8541.4090.00
E32-TC200E 2M	Fiber optic sensor, through-beam, M3, 2m cable	47.16	EC002651	182803	4547648094894			GD	GDA	CHN	8541.4090.00
E32-TC500 5M	Fiber optic sensor, through-beam, M4, 5m cable	72.85	EC002651	182793	4547648094702			GD	GDA	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E32-D15XR 2M	Fiber optic sensor, diffuse, square head, high flex R1 fiber, 2 m cable	132.10	EC002651	379164	4548583413825			GD	GDA	CHN	8541.4090.00
E32-D15Y 2M	Fiber optic sensor, diffuse, square shape, standard R25 fiber, 2m cable	111.60	EC002651	172129	4547648018081			GD	GDA	JPN	8541.4090.00
E32-D15YR 2M	Fiber optic sensor, diffuse, square side view, high flex R1 fiber, 2 m cable	89.65	EC002651	379165	4548583413832			GD	GDA	CHN	8541.4090.00
E32-D15ZR 2M	Fibre optic sensor, diffuse, square flat form head, high flex R1 fibre, 2m cable	133.30	EC002651	379166	4548583413849			GD	GDA	CHN	8541.4090.00
E32-EC41-1 1M	Fiber optic sensor, diffuse co-axial, M3 head, high-flex fiber R1, 1 m cable	115.30	EC002651	656830	4548583737624			GD	GDA	NLD	8541.4090.00
E32-ET15YR-1 2M	Fiber optic sensor, through-beam, square shape, long hole mounting, high-flex R1 fiber, 2m cable	231.10	EC002651	656856	4548583737860			GD	GDA	NLD	8541.4090.00
E32-ETS14R 2M	Fiber optic sensor, through-beam, rectangular body, side view, high flex, 2m cable	161.60	EC002651	656843	4548583737969			GD	GDA	NLD	8541.4090.00
E32-T15Y 2M	fiber optic sensor, through-beam, square right angle head, standard R25 fiber, 2m cable	123.90	EC002651	379183	4548583414167			GD	GDA	CHN	8541.4090.00
E32-T15YR 2M	fiber optic sensor, through-beam, square side view, high flex R1 fiber, 2m cable	165.60	EC002651	379197	4548583414174			GD	GDA	CHN	8541.4090.00
E32-T15ZR 2M	Fibre optic sensor, through-beam, square flat form head, high flex R1 fibre, 2 m cable	172.80	EC002651	379196	4548583414198			GD	GDA	CHN	8541.4090.00
E32-D22R 2M	Fiber optic sensor, diffuse, miniature shape, dia 3mm, high-flex fiber R1, 2m cable	78.05	EC002651	357351	4548583049222			GD	GDA	CHN	8541.4090.00
E32-D24 2M	Fiber optic sensor, diffuse, 3mm diameter, side view, 2m cable	84.40	EC002651	374487	4548583336148			GD	GDA	CHN	8541.4090.00
E32-D24R 2M	Fibre optic sensor, diffuse, 2mm dia right-angle head, flexible R1 fibre, 2m cable	134.90	EC002651	379169	4548583413900			GD	GDA	CHN	8541.4090.00
E32-D32 2M	Fiber optic sensor, diffuse, 2mm diameter, coaxial, 2m cable	63.95	EC002651	182528	4547648094979			GD	GDA	CHN	8541.4090.00
E32-D33 2M	Fiber optic sensor, diffuse, 3mm dia, needle, 2m cable	67.10	EC002651	182796	4547648094733			GD	GDA	CHN	8541.4090.00
E32-DC200B 2M	Fiber optic sensor, diffuse, M6 with 90mm bendable sleeve	49.31	EC002651	182797	4547648094740			GD	GDA	CHN	8541.4090.00
E32-DC200B4 2M	Fiber optic sensor, diffuse, dia 2.5mm head with bendable sleeve, standard fiber R25, 2m cable	60.40	EC002651	182798	4547648094757			GD	GDA	CHN	8541.4090.00
E32-DC200F	fiber optic sensor, diffuse, M3 head with 1.2mm dia sleeve, standard R10 fiber, 2m cable	33.63	EC002651	379175	4548583413986			GD	GDA	CHN	8541.4090.00
E32-DC200F4	Fiber optic sensor, diffuse, M3 head with 1.2mm dia sleeve, R10, 2m cable	73.15	EC002651	379176	4548583413993			GD	GDA	CHN	8541.4090.00
E32-T12R 2M	Fiber optic sensor, through-beam, miniature shape, dia 3mm, high-flex fiber R1, 2m cable	56.75	EC002651	356130	4548583049178			GD	GDA	CHN	8541.4090.00
E32-T14L 2M	Fiber optic sensor, through-beam, long-distance, 2m cable	118.90	EC002651	182517	4547648094818			GD	GDA	CHN	8541.4090.00
E32-T14LR 2M	fiber optic sensor, through-beam, 3mm side view, high flex R1 fiber, 2m cable	227.40	EC002651	374490	4548583336193			GD	GDA	CHN	8541.4090.00
E32-T22 2M	Fiber optic sensor, through-beam, 2mm dia head, standard R10 fiber, 2m cable	60.70	EC002651	182520	4547648094849			GD	GDA	CHN	8541.4090.00
E32-T222R 2M	Fiber optic sensor, through-beam, 1.5mm dia head, high flex R1 fiber, 2m cable	105.10	EC002651	379186	4548583414228			GD	GDA	CHN	8541.4090.00
E32-T223R 2M	Fiber optic sensor, through-beam, 1mm dia head, high flex R1 fiber, 2m cable	91.60	EC002651	379187	4548583414235			GD	GDA	CHN	8541.4090.00
E32-T24 2M	Fiber optic sensor, through-beam, 1mm, side-view, 2m cable	113.80	EC002651	374488	4548583336155			GD	GDA	CHN	8541.4090.00
E32-TC200B	Fiber optic sensor, through-beam, M4 head with 1.2mm sleeve, standard R25 fiber, 2m cable	67.10	EC002651	379191	4548583414303			GD	GDA	CHN	8541.4090.00
E32-D11L 2M	Photoelectric sensor optical fiber, diffuse, M6, long-distance, 2m cable (requires E3X amplifier)	89.40	EC002651	182523	4547648094917			GD	GDA	CHN	8541.4090.00
E32-D21L 2M	Fiber optic sensor, diffuse, M4, long-distance, 2m cable	96.20	EC002651	182526	4547648094955			GD	GDA	CHN	8541.4090.00
E32-D22L 2M	Photoelectric sensor optical fiber, diffuse, 3 mm diameter, long-distance, 2 m cable (requires E3X amplifier)	90.80	EC002651	182527	4547648094962			GD	GDA	CHN	8541.4090.00
E32-LD11 2M	Fiber optic sensor, diffuse, M6 head with lens, long distance, standard R25 fiber, 2m cable	46.47	EC002651	374457	4548583363458			GD	GDA	CHN	8541.4090.00
E32-LD11R 2M	Fiber optic sensor, diffuse, M6 head, long distance, high flex R1 fiber, 2 m cable	99.00	EC002651	374454	4548583363472			GD	GDA	CHN	8541.4090.00
E32-LT11 2M	Fiber optic sensor, through-beam, M4 head with lens, long distance, standard R25 fiber, 2m cable	52.25	EC002651	374449	4548583336551			GD	GDA	CHN	8541.4090.00
E32-LT11N 2M	Fiber optic sensor, through-beam, M4 hex right-angled head, integrated lens, high-flex R2 fiber, 2 m cable	87.30	EC002651	383735	4548583485686			GD	GDA	CHN	8541.4090.00
E32-LT11R 2M	Fiber optic sensor, through-beam, M4 head, long distance, high flex R1 fiber, 2m cable	104.70	EC002651	374450	4548583336568			GD	GDA	CHN	8541.4090.00
E32-R16 2M	Fiber optic sensor, retro-reflective, long-distance, 2m cable	127.70	EC002651	392257	4548583414075			GD	GDA	CHN	8541.4090.00
E32-T11L 2M	Photoelectric sensor optical fiber, through-beam, M4, long-distance, 2m cable (requires E3X amplifier)	70.20	EC002651	182515	4547648094795			GD	GDA	CHN	8541.4090.00
E32-T12L 2M	Fiber optic sensor, through-beam, dia 3mm head with lens, long distance, standard R25 fiber, 2m cable	92.60	EC002651	182516	4547648094801			GD	GDA	CHN	8541.4090.00
E32-T14 2M	Fiber optic sensor, through-beam, side view, 2m cable	95.50	EC002651	356129	4548583049123			GD	GDA	CHN	8541.4090.00
E32-T14 5M	Fiber optic sensor, through-beam, screw mount right angle head, long distance, standard R25 fibre, 5 m cable	149.60	EC002651	131622	4536853293680			GD	GDA	JPN	8541.4090.00
E32-T21L 2M	Fiber optic sensing head, through-beam, 2 m cable	75.60	EC002651	182519	4547648094832			GD	GDA	CHN	8541.4090.00
E32-T22L 2M	Fiber optic sensor, through-beam, dia 2mm head with lens, long distance, standard R25 fiber, 2m cable	105.40	EC002651	182521	4547648094863			GD	GDA	CHN	8541.4090.00
E32-TC200A 2M	Fiber optic sensor, through-beam, M3, 2m cable	32.65	EC002651	182802	4547648094887			GD	GDA	CHN	8541.4090.00
E32-D11 2M	Fiber optic sensor, diffuse, M6, robotic fiber R4, 2m cable	50.65	EC002651	182522	4547648094900			GD	GDA	CHN	8541.4090.00
E32-D21 2M	Fiber optic sensor, diffuse, M3, robotic fiber R4, 2m cable	74.00	EC002651	182525	4547648094931			GD	GDA	CHN	8541.4090.00
E32-D21B 2M	Fiber optic sensor, diffuse, M4, robotic fiber R4, 2m cable	94.00	EC002651	182958	4547648094948			GD	GDA	CHN	8541.4090.00
E32-D22B 2M	Fiber optic sensor, diffuse, dia 1.5mm head, high-flex fiber R1, 2m cable	141.60	EC002651	182795	4547648094726			GD	GDA	CHN	8541.4090.00
E32-DC200C	Photoelectric sensor optical fibre, diffuse, M6, 2m spiral flex cable (requires E3X amplifier)	53.65	EC002651	103780	4536853293871			GD	GDA	JPN	8541.4090.00
E32-T11 2M	Fiber optic sensor, through-beam, M4, 2m cable	49.90	EC002651	182514	4547648094788			GD	GDA	CHN	8541.4090.00
E32-T21 2M	Fiber optic sensor, through-beam, M3, robotic fiber R4, 2m cable	83.25	EC002651	182518	4547648094825			GD	GDA	CHN	8541.4090.00
E32-T22B 2M	Fiber optic sensor, through-beam, dia 1.5mm head, robotic fiber R4, 2m cable	84.55	EC002651	182957	4547648094856			GD	GDA	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E32-A04 2M	Fiber optic sensor, through-beam, 2mm dia side view head, standard R10 fiber, 2m cable	603.00	EC002651	379194	4548583414334			GD	GDA	CHN	8541.4090.00
E32-A09 2M	Fiber optic sensor, limited reflective, 15 to 38mm, 2m cable	425.60	EC002651	172351	4547648093569			GD	GDA	JPN	8541.4090.00
E32-C21N 2M	Fiber optic sensor, diffuse, M3 hex right-angled head, co-axial, high-flex R2 fiber, 2 m cable	118.20	EC002651	383726	4548583485747			GD	GDA	CHN	8541.4090.00
E32-C31 2M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 2 m cable	69.20	EC002651	411347	4547648095006	#		GD	GDA	CHN	8541.4090.00
E32-C31N 2M	Fiber optic sensor, diffuse coaxial, M3 side view, high flex R4 fiber, 2m cable	123.90	EC002651	379159	4548583413771			GD	GDA	CHN	8541.4090.00
E32-C41 1M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 1 m cable	92.30	EC002651	411346	4547648094771			GD	GDA	CHN	8541.4090.00
E32-C42 1M	Fiber optic sensor, diffuse coaxial, 2 mm, standard R25 fiber, 1 m cable	140.20	EC002651	379160	4548583413788			GD	GDA	CHN	8541.4090.00
E32-CC200 2M	Fiber optic sensor, diffuse coaxial, M6, standard fiber R25, 2m cable	39.05	EC002651	182805	4547648095013			GD	GDA	CHN	8541.4090.00
E32-CC200R	Fiber optic sensor, diffuse coaxial, M6, high flex R4 fiber, 2 m cable	61.40	EC002651	379161	4548583413795			GD	GDA	CHN	8541.4090.00
E32-D32L 2M	Fiber optic sensor, diffuse, 3mm dia head, coaxial type, standard R25 fiber, 2m cable	62.75	EC002651	379199	4548583413931			GD	GDA	CHN	8541.4090.00
E32-EC31 6M	Fibre optic sensor, diffuse, M3 head, co-axial type, standard R25 fibre, 6 m cable	97.95	EC002651	656864	4548583737600			GD	GDA	NLD	8541.4090.00
E32-L15 2M	Diffuse fiber, 50 mm stand-off, 6 mm beam spot, 2 m cable	190.80	EC002651	392260	4548583414020			GD	GDA	CHN	8541.4090.00
E32-L25	Fiber optic sensor, limited reflective, 2m cable	81.65	EC002651	392254	4548583414044			GD	GDA	CHN	8541.4090.00
E32-L25L 2M	Fiber optic sensor, limited reflective, label detection, 7mm, R10 fiber, 2m cable	133.60	EC002651	357349	4548583049093			GD	GDA	CHN	8541.4090.00
E32-T22S 2M	Fiber optic sensor, through-beam, 3mm dia head, standard R10 fiber, 2m cable	118.90	EC002651	374492	4548583336216			GD	GDA	CHN	8541.4090.00
E32-D36P1 2M	Fiber optic sensor, diffuse, square head, area sensing 11 mm, robot application, break resistant R4, 2 m cable	368.40	EC003015	379173	4548583413955			GD	GDA	CHN	8541.4090.00
E32-ET16WR-1 2M	Fiber optic sensor, through-beam, 70mm curtain, 2m cable	702.00	EC003015	656858	4548583737891			GD	GDA	NLD	8541.4090.00
E32-ET16WR-2 2M	Fiber optic sensor, through-beam, 50mm curtain, 2m cable	722.00	EC003015	656836	4548583737907			GD	GDA	NLD	8541.4090.00
E32-T16 2M	Fiber optic sensor, through-beam, area detection, 10mm area, R25 fiber, 2m cable	170.60	EC003015	357343	4548583049062			GD	GDA	CHN	8541.4090.00
E32-T16 5M	Fiber optic sensor, through-beam, square right angle head, area detection (10mm), standard R25 fibre, 5m cable	174.70	EC003015	357342	4548583049079			GD	GDA	CHN	8541.4090.00
E32-T16J 2M	Fiber optic sensor, through-beam, area detection, 11mm area, standard fiber R10, 2m cable	485.80	EC003015	356125	4548583049000			GD	GDA	CHN	8541.4090.00
E32-T16JR 2M	Fiber optic sensor, through-beam, area detection, 11mm area, high-flex fiber R1, 2m cable	318.40	EC003015	356127	4548583049024			GD	GDA	CHN	8541.4090.00
E32-T16P 2M	Fiber optic sensor, through-beam, area detection, 11mm area, R10 fiber, 2m cable	210.90	EC003015	356124	4548583048980			GD	GDA	CHN	8541.4090.00
E32-T16PR 2M	Fiber optic sensor, through-beam, area detection, 11mm area, high-flex fiber R1, 2m cable	294.50	EC003015	356126	4548583049017			GD	GDA	CHN	8541.4090.00
E32-T16W 2M	Fiber optic sensor, through-beam, area detection, 30mm area, R10 fiber, 2m cable	485.80	EC003015	357346	4548583048997			GD	GDA	CHN	8541.4090.00
E32-T16WR 2M	Fiber optic sensor, through-beam, area detection, 30mm area, high-flex fiber R1, 2m cable	560.50	EC003015	357348	4548583049055			GD	GDA	CHN	8541.4090.00
E32-C91N 2M	Fiber optic sensor, diffuse, M6 hex right-angled head, flexible R4 fiber, 2m cable	119.40	EC002651	671062	4548583802643	#		GD	GDA	CHN	8541.4090.00
E32-D51 2M	Fibre optic sensor, diffuse, M6 head, temperature resistant (150 degC), R35 fibre, 2 m cable	139.60	EC002651	131592	4536853292904			GD	GDA	JPN	8541.4090.00
E32-D61 2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable, for E3X-NA/SD amp only	329.40	EC002651	365161	4548583080454			GD	GDA	CHN	8541.4090.00
E32-D61-S 2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable	255.10	EC002651	369327	4548583080478			GD	GDA	CHN	8541.4090.00
E32-D81R-S 2M	Fiber optic sensor, diffuse, M6 head, heat resistant 200°C, R10, 2 m cable	423.40	EC002651	355398	4548583034341			GD	GDA	CHN	8541.4090.00
E32-ED34 2M	Fiber optic sensor, diffuse, side view, dia. 6 mm head, R5 fiber, 2 m cable	106.60	EC002651	656813	4548583737754			GD	GDA	NLD	8541.4090.00
E32-G14	Fiber optic sensor, through-beam, 10mm slot, 2m cable	174.00	EC002651	356128	4548583049260			GD	GDA	CHN	8541.4090.00
E32-T24S 2M	Fiber optic sensor, through-beam, 3 mm dia. side view, standard R10 fiber, 2 m cable	333.50	EC002651	374493	4548583336223			GD	GDA	CHN	8541.4090.00
E32-T54 2M	Fiber optic sensor, through-beam, dia 2mm side view, heat-resistant 150°C, R35, 2m cable	620.50	EC002651	158116	4536853294502			GD	GDA	JPN	8541.4090.00
E32-T61-S 2M	Fiber optic sensor, through-beam, M4 head, heat resistant 350°C, R25 fiber, 2m cable	324.70	EC002651	355403	4548583034495			GD	GDA	CHN	8541.4090.00
E32-T61-S 5M	Fiber optic sensor, through-beam, M4 head, temperature resistant (350 degC), R25 fibre, 5 m cable	907.00	EC002651	355405	4548583034518			GD	GDA	CHN	8541.4090.00
E39-EF51	Sideview lens 90 deg for E32 fibre	152.80	EC003015	656850	4548583738010			GD	GDA	NLD	8541.9000.00
E32-E01 100M	Optical fiber, 100m roll, R10, 2.2mm dia, monocoire	791.50	EC003015	656829	4548583737501			GD	GDA	NLD	8541.4090.00
E32-E01R 100M	Optical Fiber, 100m roll, high-flex R1, 2.2mm dia, multicore	3111.00	EC003015	656861	4548583737525			GD	GDA	NLD	8541.4090.00
E32-E02R 100M	Optical Fiber, 100m roll, high flex R1, 1.1mm dia, multicore	3268.00	EC003015	656862	4548583737563			GD	GDA	NLD	8541.4090.00
Photoelectric sensor E3JM											
E3JM-10M4-G-NN	Photoelectric sensor, square shape, through-beam, 10m, relay output, connector clamps, PG13.5	137.20	EC002716	680474	4549734172912			GD	GDG	CHN	8541.4090.00
E3JM-10M4-NN	Photoelectric sensor, square shape, through-beam, 10m, relay output, connector clamps, PF1/2 conduit	147.30	EC002716	680483	4549734172875			GD	GDG	CHN	8541.4090.00
E3JM-10M4T-G-NN	Photoelectric sensor, square shape, through-beam, 10m, timer function, relay output, connector clamps, PG13.5	147.90	EC002716	680478	4549734172943			GD	GDG	CHN	8541.4090.00
E3JM-DS70M4-G	Photoelectric sensor, diffuse, 700mm, AC/DC, relay	96.20	EC001821	232860	4536854779107	#		GD	GDG	CHN	8541.4090.00
E3JM-DS70M4	Photoelectric sensor, diffuse, 700 mm, AC/DC, relay	102.00	EC001821	232869	4536854779190			GD	GDG	CHN	8541.4090.00
E3JM-DS70M4T-G	Photoelectric sensor, diffuse, 700mm, AC/DC, relay, timer 5s, conduit size PG13.5	106.70	EC001821	232861	4536854779114	#		GD	GDG	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3JM-R4M4-G	Photoelectric sensor, retro-reflective, 4m, AC/DC, relay	96.55	EC002717	232862	4536854779121	#		GD	GDG	CHN	8541.4090.00
E3JM-R4M4	Photoelectric sensor, retro-reflective, 4m, AC/DC, relay, conduit PF 1/2	101.00	EC002717	232871	4536854779213			GD	GDG	CHN	8541.4090.00
E3JM-R4M4T-G	Photoelectric sensor, retro-reflective, 4m, AC/DC, relay, timer 5s	108.60	EC002717	232863	4536854779138	#		GD	GDG	CHN	8541.4090.00
E3JM-R4R4-G	Photoelectric sensor, polarized retroreflective, 4m, AC/DC, transistor output PNP	130.00	EC002717	232892	4536854779435			GD	GDG	CHN	8541.4090.00
E3JM-R4R4T-G-33	Photoelectric sensor, Polarized retroreflective, 4m, AC/DC, Transistor output PNP, timer	150.40	EC002717	232904	4536854779923			GD	GDG	CHN	8541.4090.00
Photoelectric sensor E3AS											
E3AS-F1000IMN 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable	141.40	EC002719	690973	4549734512510			GD	GDH	CHN	8541.4090.00
E3AS-F1000IMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	166.70	EC002719	690972	4549734512558			GD	GDH	CHN	8541.4090.00
E3AS-F1000IMN M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	136.40	EC002719	690206	4549734512534			GD	GDH	CHN	8541.4090.00
E3AS-F1000IMT 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	141.40	EC002719	690969	4549734512619			GD	GDH	CHN	8541.4090.00
E3AS-F1000IMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	166.70	EC002719	690968	4549734512657			GD	GDH	CHN	8541.4090.00
E3AS-F1000IMT M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	136.40	EC002719	690208	4549734512633	#		GD	GDH	CHN	8541.4090.00
E3AS-F1000IPN 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable	106.10	EC002719	690967	4549734512664			GD	GDH	CHN	8541.4090.00
E3AS-F1000IPN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	131.30	EC002719	690966	4549734512701			GD	GDH	CHN	8541.4090.00
E3AS-F1000IPN M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	95.95	EC002719	690209	4549734512688			GD	GDH	CHN	8541.4090.00
E3AS-F1000IPT 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	106.10	EC002719	690963	4549734512763			GD	GDH	CHN	8541.4090.00
E3AS-F1000IPT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	131.30	EC002719	690961	4549734512800			GD	GDH	CHN	8541.4090.00
E3AS-F1000IPT-M3J 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 pigtail connector 4-pin, 0.3 m	131.30	EC002719	690962	4549734512794			GD	GDH	CHN	8541.4090.00
E3AS-F1000IPT M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	95.95	EC002719	690211	4549734512787	#		GD	GDH	CHN	8541.4090.00
E3AS-F1500IMD M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector	136.40	EC002719	690201	4549734512282			GD	GDH	CHN	8541.4090.00
E3AS-F1500IMN 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable	141.40	EC002719	690948	4549734512213			GD	GDH	CHN	8541.4090.00
E3AS-F1500IMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	166.70	EC002719	690985	4549734512251			GD	GDH	CHN	8541.4090.00
E3AS-F1500IMN M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	136.40	EC002719	690200	4549734512237			GD	GDH	CHN	8541.4090.00
E3AS-F1500IMT 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	141.40	EC002719	690982	4549734512312			GD	GDH	CHN	8541.4090.00
E3AS-F1500IMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	166.70	EC002719	690981	4549734512350			GD	GDH	CHN	8541.4090.00
E3AS-F1500IMT M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	136.40	EC002719	690202	4549734512336	#		GD	GDH	CHN	8541.4090.00
E3AS-F1500IPN 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable	106.10	EC002719	690980	4549734512367			GD	GDH	CHN	8541.4090.00
E3AS-F1500IPN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	131.30	EC002719	690979	4549734512404			GD	GDH	CHN	8541.4090.00
E3AS-F1500IPN M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	95.95	EC002719	690203	4549734512381			GD	GDH	CHN	8541.4090.00
E3AS-F1500IPT 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	106.10	EC002719	690976	4549734512466			GD	GDH	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3AS-F1500IPT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	131.30	EC002719	690974	4549734512503			GD	GDH	CHN	8541.4090.00
E3AS-F1500IPT M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	95.95	EC002719	690205	4549734512480	#		GD	GDH	CHN	8541.4090.00
E3AS-HL150LMN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	358.60	EC002719	696057	4549734663854			GD	GDH	CHN	8541.4090.00
E3AS-HL150LMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	373.70	EC002719	696075	4549734663380			GD	GDH	CHN	8541.4090.00
E3AS-HL150LMN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	358.60	EC002719	696056	4549734663878			GD	GDH	CHN	8541.4090.00
E3AS-HL150LMT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	358.60	EC002719	696055	4549734663939			GD	GDH	CHN	8541.4090.00
E3AS-HL150LMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	373.70	EC002719	696074	4549734663403			GD	GDH	CHN	8541.4090.00
E3AS-HL150LMT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	358.60	EC002719	696053	4549734663953			GD	GDH	CHN	8541.4090.00
E3AS-HL150MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	348.50	EC002719	696063	4549734663731			GD	GDH	CHN	8541.4090.00
E3AS-HL150MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	363.60	EC002719	696077	4549734663359			GD	GDH	CHN	8541.4090.00
E3AS-HL150MN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	348.50	EC002719	696062	4549734663755			GD	GDH	CHN	8541.4090.00
E3AS-HL150MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	348.50	EC002719	696061	4549734663816			GD	GDH	CHN	8541.4090.00
E3AS-HL150MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	363.60	EC002719	696076	4549734663373			GD	GDH	CHN	8541.4090.00
E3AS-HL150MT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	348.50	EC002719	696059	4549734663830	#		GD	GDH	CHN	8541.4090.00
E3AS-HL500LMN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	358.60	EC002719	696069	4549734663618			GD	GDH	CHN	8541.4090.00
E3AS-HL500LMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	373.70	EC002719	696079	4549734663328			GD	GDH	CHN	8541.4090.00
E3AS-HL500LMN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	358.60	EC002719	696068	4549734663632			GD	GDH	CHN	8541.4090.00
E3AS-HL500LMT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	358.60	EC002719	696067	4549734663694			GD	GDH	CHN	8541.4090.00
E3AS-HL500LMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	373.70	EC002719	696078	4549734663342			GD	GDH	CHN	8541.4090.00
E3AS-HL500LMT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	358.60	EC002719	696065	4549734663717			GD	GDH	CHN	8541.4090.00
E3AS-HL500MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	348.50	EC002719	696040	4549734663250			GD	GDH	CHN	8541.4090.00
E3AS-HL500MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	363.60	EC002719	696081	4549734663298			GD	GDH	CHN	8541.4090.00
E3AS-HL500MN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	348.50	EC002719	696038	4549734663274			GD	GDH	CHN	8541.4090.00
E3AS-HL500MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	348.50	EC002719	696073	4549734663571			GD	GDH	CHN	8541.4090.00
E3AS-HL500MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	363.60	EC002719	696080	4549734663311			GD	GDH	CHN	8541.4090.00
E3AS-HL500MT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	348.50	EC002719	696071	4549734663595	#		GD	GDH	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3AS-L200MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, 2 m cable	171.70	EC002719	690960	4549734512817			GD	GDH	CHN	8541.4090.00
E3AS-L200MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	197.00	EC002719	690959	4549734512855			GD	GDH	CHN	8541.4090.00
E3AS-L200MN M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	166.70	EC002719	690212	4549734512831			GD	GDH	CHN	8541.4090.00
E3AS-L200MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	171.70	EC002719	690956	4549734512916			GD	GDH	CHN	8541.4090.00
E3AS-L200MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	197.00	EC002719	690955	4549734512954			GD	GDH	CHN	8541.4090.00
E3AS-L200MT M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	166.70	EC002719	690214	4549734512930	#		GD	GDH	CHN	8541.4090.00
E3AS-L80MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, 2 m cable	171.70	EC002719	690954	4549734512961			GD	GDH	CHN	8541.4090.00
E3AS-L80MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	197.00	EC002719	690953	4549734513005			GD	GDH	CHN	8541.4090.00
E3AS-L80MN M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	166.70	EC002719	690215	4549734512985		2	GD	GDH	CHN	8541.4090.00
E3AS-L80MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	171.70	EC002719	690950	4549734513067			GD	GDH	CHN	8541.4090.00
E3AS-L80MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	197.00	EC002719	690949	4549734513104			GD	GDH	CHN	8541.4090.00
E3AS-L80MT M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	166.70	EC002719	690217	4549734513081	#		GD	GDH	CHN	8541.4090.00
Photoelectric sensor E3Z											
E3Z-B61 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, transparent object, 500 mm, NPN, Light-ON/Dark-ON, 2 m cable	139.00	EC002717	323118	4547648676632			GD	GDI	CHN	8541.4090.00
E3Z-B66	Photoelectric sensor, rectangular housing, red LED, retro-reflective, transparent object, 500 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	127.70	EC002717	323120	4547648676656			GD	GDI	CHN	8541.4090.00
E3Z-B67	Photoelectric sensor, rectangular housing, red LED, retro-reflective, transparent object, 2 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	127.70	EC002717	323123	4547648676724			GD	GDI	CHN	8541.4090.00
E3Z-B81 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, transparent object, 500 mm, PNP, Light-ON/Dark-ON, 2 m cable	139.00	EC002717	323119	4547648676649			GD	GDI	CHN	8541.4090.00
E3Z-B82 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, transparent object, 2 m, PNP, Light-ON/Dark-ON, 2 m cable	139.00	EC002717	323124	4547648676762	#		GD	GDI	CHN	8541.4090.00
E3Z-B86	Photoelectric sensor, rectangular housing, red LED, retro-reflective, transparent object, 500 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	127.70	EC002717	323121	4547648676663	#		GD	GDI	CHN	8541.4090.00
E3Z-B87	Photoelectric sensor, rectangular housing, red LED, retro-reflective, transparent object, 2 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	127.70	EC002717	323125	4547648676786	#		GD	GDI	CHN	8541.4090.00
E3Z-D61 2M	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, NPN, Light-ON/Dark-ON, 2 m cable	81.75	EC001821	685917	4549734446600	#		GD	GDI	IDN	8541.4090.00
E3Z-D61 5M	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, NPN, Light-ON/Dark-ON, 5 m cable	82.40	EC001821	241529	4547648287166			GD	GDI	CHN	8541.4090.00
E3Z-D62 2M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, NPN, Light-ON/Dark-ON, 2 m cable	82.05	EC001821	685920	4549734446648	#		GD	GDI	IDN	8541.4090.00
E3Z-D62 5M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, NPN, Light-ON/Dark-ON, 5 m cable	82.40	EC001821	241530	4547648287180			GD	GDI	CHN	8541.4090.00
E3Z-D66	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	85.90	EC001821	685918	4549734446624		50	GD	GDI	IDN	8541.4090.00
E3Z-D67	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	85.90	EC001821	685921	4549734446662			GD	GDI	IDN	8541.4090.00
E3Z-D81 2M	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, 2 m cable	81.80	EC001821	685614	4549734446617	#		GD	GDI	IDN	8541.4090.00
E3Z-D81 5M	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, 5 m cable	84.85	EC001821	241516	4547648287173			GD	GDI	CHN	8541.4090.00
E3Z-D81-J0SHW-P2	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, with diagnostic function, no timer function, 2 m cable	80.45	EC001821	323089	4547648681704			GD	GDI	CHN	8541.4090.00
E3Z-D81-M1J 0.3M	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	83.50	EC001821	338387	4547648676212			GD	GDI	CHN	8541.4090.00
E3Z-D82 2M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, 2 m cable	82.05	EC001821	685613	4549734446655	#		GD	GDI	IDN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-D82 5M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, 5 m cable	84.85	EC001821	241531	4547648287197			GD	GDI	CHN	8541.4090.00
E3Z-D82-IL3 2M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	86.20	EC001821	671105	4548583793255			GD	GDI	CHN	8541.4090.00
E3Z-D82-IL3 5M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 5 m cable	93.20	EC001821	671100	4548583793262			GD	GDI	CHN	8541.4090.00
E3Z-D82-M1J 0.3M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	94.80	EC001821	338388	4547648676229			GD	GDI	CHN	8541.4090.00
E3Z-D82-M1TJ-IL3 0.3M	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	86.20	EC001821	671222	4548583793279			GD	GDI	CHN	8541.4090.00
E3Z-D86	Photoelectric sensor, rectangular housing, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	85.90	EC001821	685919	4549734446631	#		GD	GDI	IDN	8541.4090.00
E3Z-D87-IL3	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	86.20	EC001821	671102	4548583793309			GD	GDI	CHN	8541.4090.00
E3Z-D87	Photoelectric sensor, rectangular housing, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	85.90	EC001821	685922	4549734446679	#		GD	GDI	IDN	8541.4090.00
E3Z-G61 2M	Photoelectric sensor, slot housing, infrared LED, single through-beam, 25 mm, NPN, Light-ON/Dark-ON, 2 m cable	107.70	EC002720	332056	4547648676519			GD	GDI	CHN	8541.4090.00
E3Z-G61-M3J	Photoelectric sensor, slot housing, infrared LED, single through-beam, 25 mm, NPN, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	111.70	EC002720	332057	4547648676533		10	GD	GDI	CHN	8541.4090.00
E3Z-G62-M3J	Photoelectric sensor, slot housing, infrared LED, twin through-beam, 25 mm, NPN, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	126.40	EC002720	332033	4547648676564		10	GD	GDI	CHN	8541.4090.00
E3Z-G81 2M	Photoelectric sensor, slot housing, infrared LED, single through-beam, 25 mm, PNP, Light-ON/Dark-ON, 2 m cable	107.70	EC002720	332059	4547648676908	#	10	GD	GDI	CHN	8541.4090.00
E3Z-G81-M1J-1 0.3M	Photoelectric sensor, slot housing, infrared LED, single through-beam, 25 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	103.40	EC002720	332063	4547648677318			GD	GDI	CHN	8541.4090.00
E3Z-G81-M3J	Photoelectric sensor, slot housing, infrared LED, single through-beam, 25 mm, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	140.10	EC002720	332060	4547648676915		10	GD	GDI	CHN	8541.4090.00
E3Z-G82 2M	Photoelectric sensor, slot housing, infrared LED, twin through-beam, 25 mm, PNP, Light-ON/Dark-ON, 2 m cable	131.20	EC002720	332061	4547648676939			GD	GDI	CHN	8541.4090.00
E3Z-G82-M3J	Photoelectric sensor, slot housing, infrared LED, twin through-beam, 25 mm, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	165.10	EC002720	332062	4547648676946	#		GD	GDI	CHN	8541.4090.00
E3Z-L61 2M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 30 mm, NPN, Light-ON/Dark-ON, 2 m cable	116.70	EC001821	323114	4547648676250			GD	GDI	CHN	8541.4090.00
E3Z-L81 2M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 30 mm, PNP, Light-ON/Dark-ON, 2 m cable	130.00	EC001821	323115	4547648676274			GD	GDI	CHN	8541.4090.00
E3Z-L81-IL3 2M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	86.20	EC001821	671107	4548583793354			GD	GDI	CHN	8541.4090.00
E3Z-L81-IL3 5M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 5 m cable	93.20	EC001821	671104	4548583793361			GD	GDI	CHN	8541.4090.00
E3Z-L81-M1J-1 0.3M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 30 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	114.10	EC001821	323131	4547648677301	#		GD	GDI	CHN	8541.4090.00
E3Z-L81-M1TJ-IL3-1 0.3M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector with protective tube, 0.3 m	97.30	EC001821	671090	4548583793385			GD	GDI	CHN	8541.4090.00
E3Z-L86-IL3	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	86.20	EC001821	671112	4548583793408			GD	GDI	CHN	8541.4090.00
E3Z-L86	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 ± 30 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	130.00	EC001821	323117	4547648676298			GD	GDI	CHN	8541.4090.00
E3Z-LL61 2M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, NPN, Light-ON/Dark-ON, 2 m cable	178.80	EC002719	323137	4547648678735	#		GD	GDI	CHN	8541.4090.00
E3Z-LL66	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	174.60	EC002719	323138	4547648678742	#		GD	GDI	CHN	8541.4090.00
E3Z-LL68	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, high speed version, 300 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	210.40	EC002719	323142	4547648678780			GD	GDI	CHN	8541.4090.00
E3Z-LL81 2M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, PNP, Light-ON/Dark-ON, 2 m cable	178.80	EC002719	323139	4547648678759	#		GD	GDI	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-LL81-M1J 0.3M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	211.90	EC002719	323041	4547648678926			GD	GDI	CHN	8541.4090.00
E3Z-LL81-M3J 0.3M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	179.40	EC002719	323064	4547648679282	#		GD	GDI	CHN	8541.4090.00
E3Z-LL83 2M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, high speed version, 300 mm, PNP, Light-ON/Dark-ON, 2 m cable	178.80	EC002719	323143	4547648678797			GD	GDI	CHN	8541.4090.00
E3Z-LL83-M1J 0.3M	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, high speed version, 300 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	211.90	EC002719	323045	4547648678964			GD	GDI	CHN	8541.4090.00
E3Z-LL86	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, 300 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	175.40	EC002719	323140	4547648678766	#		GD	GDI	CHN	8541.4090.00
E3Z-LL88	Photoelectric sensor, rectangular housing, red laser class 1, background suppression, high speed version, 300 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	178.00	EC002719	323144	4547648678803	#		GD	GDI	CHN	8541.4090.00
E3Z-LR61 2M	Photoelectric sensor, rectangular housing, red laser class 1, retro-reflective, 15 m, NPN, Light-ON/Dark-ON, 2 m cable	140.40	EC002717	323145	4547648678810			GD	GDI	CHN	8541.4090.00
E3Z-LR66	Photoelectric sensor, rectangular housing, red laser class 1, retro-reflective, 15 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	142.00	EC002717	323146	4547648678827			GD	GDI	CHN	8541.4090.00
E3Z-LR81 2M	Photoelectric sensor, rectangular housing, red laser class 1, retro-reflective, 15 m, PNP, Light-ON/Dark-ON, 2 m cable	140.40	EC002717	323147	4547648678834	#		GD	GDI	CHN	8541.4090.00
E3Z-LR81-M1J 0.3M	Photoelectric sensor, rectangular housing, red laser class 1, retro-reflective, 15 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	128.50	EC002717	323049	4547648679008			GD	GDI	CHN	8541.4090.00
E3Z-LR86	Photoelectric sensor, rectangular housing, red laser class 1, retro-reflective, 15 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	139.00	EC002717	323148	4547648678841	#		GD	GDI	CHN	8541.4090.00
E3Z-LS61 2M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, 2 m cable	113.50	EC002719	323126	4547648677011	#		GD	GDI	CHN	8541.4090.00
E3Z-LS63 2M	Photoelectric sensor, rectangular housing, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, 2 m cable	143.10	EC002719	323153	4547648680592			GD	GDI	CHN	8541.4090.00
E3Z-LS66	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	116.70	EC002719	323128	4547648677035	#		GD	GDI	CHN	8541.4090.00
E3Z-LS68	Photoelectric sensor, rectangular housing, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	119.90	EC002719	323154	4547648680615			GD	GDI	CHN	8541.4090.00
E3Z-LS81 2M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, 2 m cable	113.50	EC002719	323129	4547648677059	#		GD	GDI	CHN	8541.4090.00
E3Z-LS81 5M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, 5 m cable	132.20	EC002719	323034	4547648677080			GD	GDI	CHN	8541.4090.00
E3Z-LS81-M1J 0.3M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	164.40	EC002719	323136	4547648678674			GD	GDI	CHN	8541.4090.00
E3Z-LS81-M3J 0.3M	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	92.20	EC002719	323113	4547648677912			GD	GDI	CHN	8541.4090.00
E3Z-LS83 2M	Photoelectric sensor, rectangular housing, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, 2 m cable	142.10	EC002719	323134	4547648678339			GD	GDI	CHN	8541.4090.00
E3Z-LS86	Photoelectric sensor, rectangular housing, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	116.70	EC002719	323130	4547648677066	#		GD	GDI	CHN	8541.4090.00
E3Z-LS88	Photoelectric sensor, rectangular housing, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	144.10	EC002719	323135	4547648678353			GD	GDI	CHN	8541.4090.00
E3Z-LT61 2M	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, 60 m, NPN, Light-ON/Dark-ON, 2 m cable	178.80	EC002716	323149	4547648678858	#		GD	GDI	CHN	8541.4090.00
E3Z-LT66	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, 60 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	175.40	EC002716	323150	4547648678865			GD	GDI	CHN	8541.4090.00
E3Z-LT81 2M	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, 60 m, PNP, Light-ON/Dark-ON, 2 m cable	178.80	EC002716	323151	4547648678872			GD	GDI	CHN	8541.4090.00
E3Z-LT81-M1J 0.3M	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, 60 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	196.90	EC002716	323053	4547648679046			GD	GDI	CHN	8541.4090.00
E3Z-LT86-D	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	69.25	EC002716	333179	4547648679695	#		GD	GDI	CHN	8541.4090.00
E3Z-LT86-L	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, emitter unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	128.50	EC002716	323058	4547648679091			GD	GDI	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-LT86	Photoelectric sensor, rectangular housing, red laser class 1, through-beam, 60 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	178.80	EC002716	323152	4547648678889	#		GD	GDI	CHN	8541.4090.00
E3Z-R61 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, 2 m cable	87.20	EC002717	685914	4549734446563	#		GD	GDI	IDN	8541.4090.00
E3Z-R61-C 5M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, 5 m cable, reflector E39-R3 included	130.00	EC002717	372328	4547648676748			GD	GDI	CHN	8541.4090.00
E3Z-R61K-M3J 0.3M	Photoelectric sensor, rectangular housing, oil resistant coating, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	99.95	EC002717	342548	4547648677943			GD	GDI	CHN	8541.4090.00
E3Z-R66	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	91.40	EC002717	685915	4549734446587	#		GD	GDI	IDN	8541.4090.00
E3Z-R81 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, 2 m cable	87.30	EC002717	685615	4549734446570	#		GD	GDI	IDN	8541.4090.00
E3Z-R81 5M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, 5 m cable	87.30	EC002717	241528	4547648287159			GD	GDI	CHN	8541.4090.00
E3Z-R81-IL3 2M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	85.60	EC002717	671110	4548583793156			GD	GDI	CHN	8541.4090.00
E3Z-R81-IL3 5M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 5 m cable	93.20	EC002717	671106	4548583793163			GD	GDI	CHN	8541.4090.00
E3Z-R81-M1J 0.3M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	65.20	EC002717	338386	4547648676205			GD	GDI	CHN	8541.4090.00
E3Z-R81-M1J 0.8M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.8 m	79.55	EC002717	339281	4547648678179			GD	GDI	CHN	8541.4090.00
E3Z-R81-M1TJ-IL3 0.3M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	85.60	EC002717	671094	4548583793170			GD	GDI	CHN	8541.4090.00
E3Z-R81-M3J 0.3M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 pigtail connector 4-pin, 0.3 m	83.85	EC002717	339271	4547648676694			GD	GDI	CHN	8541.4090.00
E3Z-R81-M5J 0.3M	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 pigtail connector 3-pin, 0.3 m	98.10	EC002717	338405	4547648678131			GD	GDI	CHN	8541.4090.00
E3Z-R86-4	Photoelectric sensor, rectangular housing, infrared LED, retro-reflective, without MSR function, 5 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	82.05	EC002717	339294	4547648680011			GD	GDI	CHN	8541.4090.00
E3Z-R86H	Photoelectric sensor, rectangular housing, infrared LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, switch output with wire, M8 4-pin connector	70.10	EC002717	658924	4548583583818			GD	GDI	CHN	8541.4090.00
E3Z-R86-IL3	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	85.60	EC002717	671109	4548583793200			GD	GDI	CHN	8541.4090.00
E3Z-R86	Photoelectric sensor, rectangular housing, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	91.40	EC002717	685916	4549734446594	#		GD	GDI	IDN	8541.4090.00
E3Z-T61 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, 2 m cable	111.00	EC002716	685902	4549734446440	#		GD	GDI	IDN	8541.4090.00
E3Z-T61A 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, NPN, Light-ON/Dark-ON, 2 m cable	105.40	EC002716	685906	4549734446488		20	GD	GDI	IDN	8541.4090.00
E3Z-T66A	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	114.80	EC002716	685908	4549734446501			GD	GDI	IDN	8541.4090.00
E3Z-T66	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	115.10	EC002716	685904	4549734446464	#		GD	GDI	IDN	8541.4090.00
E3Z-T81 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 2 m cable	111.90	EC002716	685903	4549734446457	#		GD	GDI	IDN	8541.4090.00
E3Z-T81 5M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 5 m cable	45.90	EC002716	241526	4547648287135			GD	GDI	CHN	8541.4090.00
E3Z-T81A 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, PNP, Light-ON/Dark-ON, 2 m cable	37.51	EC002716	685907	4549734446495			GD	GDI	IDN	8541.4090.00
E3Z-T81A-D 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, 2 m cable	79.30	EC002716	685932	4549734446792			GD	GDI	IDN	8541.4090.00
E3Z-T81A-M1J 0.3M	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, NPN, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	161.70	EC002716	339279	4547648677653			GD	GDI	CHN	8541.4090.00
E3Z-T81C-G0SRD-CN	Photoelectric sensor, rectangular housing, red LED, through-beam, receiver unit, PNP, Dark-ON fixed, with emission stop function, M8 4-pin connector	86.20	EC002716	323111	4547648683081			GD	GDI	CHN	8541.4090.00
E3Z-T81C-G0SRL-CN	Photoelectric sensor, rectangular housing, red LED, through-beam, emitter unit, PNP, Dark-ON fixed, with emission stop function, M8 4-pin connector	50.95	EC002716	323110	4547648683074			GD	GDI	CHN	8541.4090.00
E3Z-T81-D-M1J-1 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	73.20	EC002716	339296	4547648680059			GD	GDI	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-T81-IL3 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	113.50	EC002716	671108	4548583793057			GD	GDI	CHN	8541.4090.00
E3Z-T81-IL3 5M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM3, 5 m cable	123.10	EC002716	671101	4548583793064			GD	GDI	CHN	8541.4090.00
E3Z-T81K 2M	Photoelectric sensor, rectangular housing, oil resistant coating, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 2 m cable	110.70	EC002716	342546	4547648677387			GD	GDI	CHN	8541.4090.00
E3Z-T81-M1J 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	150.40	EC002716	338385	4547648676199			GD	GDI	CHN	8541.4090.00
E3Z-T81-M1J-1 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	111.20	EC002716	338391	4547648677288			GD	GDI	CHN	8541.4090.00
E3Z-T81-M1TJ-IL2 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM2, M12 pigtail Smartclick connector, 0.3 m	128.50	EC002716	671086	4548583793033			GD	GDI	CHN	8541.4090.00
E3Z-T81-M1TJ-IL3 0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	128.50	EC002716	671103	4548583793071			GD	GDI	CHN	8541.4090.00
E3Z-T82 2M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 30 m, PNP, Light-ON/Dark-ON, 2 m cable	116.10	EC002716	685911	4549734446532	40		GD	GDI	IDN	8541.4090.00
E3Z-T86A-D	Photoelectric sensor, rectangular housing, red LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	83.85	EC002716	685900	4549734446839	#		GD	GDI	IDN	8541.4090.00
E3Z-T86A-L	Photoelectric sensor, rectangular housing, red LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	63.70	EC002716	685901	4549734446822			GD	GDI	IDN	8541.4090.00
E3Z-T86A	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	111.20	EC002716	685909	4549734446518			GD	GDI	IDN	8541.4090.00
E3Z-T86-D	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	61.30	EC002716	685928	4549734446754			GD	GDI	IDN	8541.4090.00
E3Z-T86-IL2	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector	113.50	EC002716	671088	4548583793095			GD	GDI	CHN	8541.4090.00
E3Z-T86-IL3	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	113.50	EC002716	671113	4548583793101			GD	GDI	CHN	8541.4090.00
E3Z-T86-L	Photoelectric sensor, rectangular housing, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, M8 4-pin connector	63.40	EC002716	685927	4549734446747			GD	GDI	IDN	8541.4090.00
E3Z-T86	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	115.10	EC002716	685905	4549734446471	#		GD	GDI	IDN	8541.4090.00
E3Z-T87	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 30 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	114.30	EC002716	685913	4549734446556			GD	GDI	IDN	8541.4090.00
E3ZM-B66	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with teach-button, NPN, Light-ON/Dark-ON, M8 4-pin connector	174.70	EC002717	332044	4547648689298			GD	GDI	CHN	8541.4090.00
E3ZM-B66T	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with potentiometer, NPN, Light-ON/Dark-ON, M8 4-pin connector	187.00	EC002717	323655	4547648797306			GD	GDI	JPN	8541.4090.00
E3ZM-B81 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with teach-button, PNP, Light-ON/Dark-ON, 2 m cable	177.30	EC002717	332042	4547648689274			GD	GDI	CHN	8541.4090.00
E3ZM-B81T 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with potentiometer, PNP, Light-ON/Dark-ON, 2 m cable	180.40	EC002717	323656	4547648797313			GD	GDI	JPN	8541.4090.00
E3ZM-B86-1	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, teach-button with the modified sensitivity range, PNP, Light-ON/Dark-ON, M8 4-pin connector	174.70	EC002717	332054	4547648728706			GD	GDI	CHN	8541.4090.00
E3ZM-B86-C	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with teach-button, reflector E39-RP1 included, PNP, Light-ON/Dark-ON, M8 4-pin connector	226.60	EC002717	326598	4547648689427			GD	GDI	CHN	8541.4090.00
E3ZM-B86	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with teach-button, PNP, Light-ON/Dark-ON, M8 4-pin connector	174.70	EC002717	332045	4547648689304			GD	GDI	CHN	8541.4090.00
E3ZM-B86T	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, transparent object, 500 mm, with potentiometer, PNP, Light-ON/Dark-ON, M8 4-pin connector	171.20	EC002717	323657	4547648797320	#		GD	GDI	JPN	8541.4090.00
E3ZM-CT81 2M	Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 2 m cable	235.90	EC002716	232309	4547648315814			GD	GDI	JPN	8541.4090.00
E3ZM-D82 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, 2 m cable	155.80	EC001821	223467	4547648235600			GD	GDI	JPN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3ZM-D87	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, diffuse, 1 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	155.10	EC001821	223468	4547648235617			GD	GDI	JPN	8541.4090.00
E3ZM-LS81H 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 100 mm, PNP, Light-ON/Dark-ON, 2 m cable	156.50	EC002719	223473	4547648235686			GD	GDI	JPN	8541.4090.00
E3ZM-LS82H 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 150 mm, PNP, Light-ON/Dark-ON, 2 m cable	155.80	EC002719	223474	4547648235693			GD	GDI	JPN	8541.4090.00
E3ZM-LS84H 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, 2 m cable	155.80	EC002719	223475	4547648235709			GD	GDI	JPN	8541.4090.00
E3ZM-LS86H	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 100 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	134.30	EC002719	223476	4547648235716			GD	GDI	JPN	8541.4090.00
E3ZM-LS89H	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	133.00	EC002719	223478	4547648235730			GD	GDI	JPN	8541.4090.00
E3ZM-R61 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, 2 m cable	152.50	EC002717	223479	4547648235747			GD	GDI	JPN	8541.4090.00
E3ZM-R66	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, M8 4-pin connector	177.20	EC002717	223480	4547648235754			GD	GDI	JPN	8541.4090.00
E3ZM-R81 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, 2 m cable	152.50	EC002717	223481	4547648235761			GD	GDI	JPN	8541.4090.00
E3ZM-R86	Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	155.80	EC002717	223482	4547648235778			GD	GDI	JPN	8541.4090.00
E3ZM-T61 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 15 m, NPN, Light-ON/Dark-ON, 2 m cable	244.80	EC002716	223483	4547648235785			GD	GDI	JPN	8541.4090.00
E3ZM-T81 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 2 m cable	244.80	EC002716	223485	4547648235808			GD	GDI	JPN	8541.4090.00
E3ZM-T81 5M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, 5 m cable	288.00	EC002716	226037	4547648271790			GD	GDI	JPN	8541.4090.00
E3ZM-T81-D 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, 2 m cable	160.50	EC002716	233775	4547648386616			GD	GDI	JPN	8541.4090.00
E3ZM-T81-L 5M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, 5 m cable	133.50	EC002716	292361	4547648719148			GD	GDI	JPN	8541.4090.00
E3ZM-T83 5M	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 800 mm, PNP, Light-ON/Dark-ON, 5 m cable	246.60	EC002716	227530	4547648289375			GD	GDI	JPN	8541.4090.00
E3ZM-T86	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, switch output with wire, M8 4-pin connector	245.30	EC002716	223486	4547648235815			GD	GDI	JPN	8541.4090.00
E3ZM-T88	Photoelectric sensor, rectangular housing, stainless steel, infrared LED, through-beam, 800 mm, PNP, Light-ON/Dark-ON, M8 4-pin connector	258.00	EC002716	227532	4547648289399			GD	GDI	JPN	8541.4090.00
E3ZM-V61 2M	Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, NPN, Light-ON/Dark-ON, 2 m cable	210.00	EC001820	332046	4547648689311			GD	GDI	CHN	8541.4090.00
E3ZM-V66	Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, NPN, Light-ON/Dark-ON, M8 4-pin connector	207.50	EC001820	332048	4547648689359	#		GD	GDI	CHN	8541.4090.00
E3ZM-V81 2M	Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, PNP, Light-ON/Dark-ON, 2 m cable	209.10	EC001820	326595	4547648689335			GD	GDI	CHN	8541.4090.00
E3ZM-V81 5M	Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, PNP, Light-ON/Dark-ON, 5 m cable	217.50	EC001820	326596	4547648689342			GD	GDI	CHN	8541.4090.00
E3ZM-V86	Registration mark sensor, rectangular housing, stainless steel, white LED, diffuse, 12 ± 2 mm, with teach-button, PNP, Light-ON/Dark-ON, M8 4-pin connector	206.50	EC001820	332049	4547648689366	#		GD	GDI	CHN	8541.4090.00
Photoelectric sensor E3S											
E3S-AD11	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, NPN, horizontal, 2 m cable	107.00	EC001821	130510	4536853282233			GD	GDI	JPN	8541.4090.00
E3S-AD12	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN, horizontal, 2 m cable	106.30	EC001821	143232	4536853282257			GD	GDI	JPN	8541.4090.00
E3S-AD13	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, NPN, horizontal, 2 m cable	112.90	EC001821	142140	4536853283872			GD	GDI	JPN	8541.4090.00
E3S-AD31	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, PNP, horizontal, 2 m cable	108.30	EC001821	155083	4536853282493			GD	GDI	JPN	8541.4090.00
E3S-AD32	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, PNP, horizontal, 2 m cable	106.70	EC001821	149804	4536853282516			GD	GDI	JPN	8541.4090.00
E3S-AD33	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, PNP, horizontal, 2 m cable	124.20	EC001821	147715	4536853283858			GD	GDI	JPN	8541.4090.00
E3S-AD36	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, PNP, horizontal, M12 plug-in	112.90	EC001821	130433	4536853282578	#		GD	GDI	JPN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-AD37	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, PNP, horizontal, M12 plug-in	114.30	EC001821	104096	4536853282585			GD	GDJ	JPN	8541.4090.00
E3S-AD38	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, PNP, horizontal, M12 plug-in	118.90	EC001821	104101	4536853283780			GD	GDJ	JPN	8541.4090.00
E3S-AD61	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, NPN, vertical, 2 m cable	107.00	EC001821	130445	4536853282752			GD	GDJ	JPN	8541.4090.00
E3S-AD63	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, NPN, vertical, 2 m cable	115.30	EC001821	144400	4536853283698			GD	GDJ	JPN	8541.4090.00
E3S-AD68	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, vertical, M12 plug-in	115.30	EC001821	146538	4536853283797			GD	GDJ	JPN	8541.4090.00
E3S-AD81	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, PNP, vertical, 2 m cable	110.00	EC001821	130456	4536853283018			GD	GDJ	JPN	8541.4090.00
E3S-AD82	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, PNP, vertical, 2 m cable	106.70	EC001821	142136	4536853283032			GD	GDJ	JPN	8541.4090.00
E3S-AD83	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, PNP, vertical, 2 m cable	113.20	EC001821	130404	4536853283827			GD	GDJ	JPN	8541.4090.00
E3S-AD86	Photoelectric sensor, diffuse, 200 mm, DC, 3-wire, PNP, vertical, M12 plug-in	112.90	EC001821	130461	4536853283094			GD	GDJ	JPN	8541.4090.00
E3S-AD87	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, PNP, vertical, M12 plug-in	112.10	EC001821	130462	4536853283100	#		GD	GDJ	JPN	8541.4090.00
E3S-AD88	Photoelectric sensor, diffuse, 100 mm, DC, 3-wire, PNP, vertical, M12 plug-in	118.60	EC001821	130402	4536853283773			GD	GDJ	JPN	8541.4090.00
E3S-AR11	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, NPN, horizontal, 2 m cable	119.60	EC002717	142134	4536853282219			GD	GDJ	JPN	8541.4090.00
E3S-AR31	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, PNP, horizontal, 2 m cable	119.60	EC002717	130428	4536853282479			GD	GDJ	JPN	8541.4090.00
E3S-AR36	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, PNP, horizontal, M12 plug-in	123.60	EC002717	130432	4536853282561			GD	GDJ	JPN	8541.4090.00
E3S-AR61	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, NPN, vertical, 2 m cable	119.20	EC002717	152076	4536853282738			GD	GDJ	JPN	8541.4090.00
E3S-AR66	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, NPN, vertical, M12 plug-in	126.00	EC002717	105534	4536853282820			GD	GDJ	JPN	8541.4090.00
E3S-AR81	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, PNP, vertical, 2 m cable	119.60	EC002717	130455	4536853282998			GD	GDJ	JPN	8541.4090.00
E3S-AR86	Photoelectric sensor, retroreflective, 2 m, DC, 3-wire, PNP, vertical, M12 plug-in	123.60	EC002717	130460	4536853283087			GD	GDJ	JPN	8541.4090.00
E3S-AT11	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, NPN, horizontal, 2 m cable	145.10	EC002716	130506	4536853282172			GD	GDJ	JPN	8541.4090.00
E3S-AT31	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, PNP, horizontal, 2 m cable	147.00	EC002716	130521	4536853282431			GD	GDJ	JPN	8541.4090.00
E3S-AT36	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, PNP, horizontal, M12 plug-in	155.80	EC002716	130430	4536853282530	#		GD	GDJ	JPN	8541.4090.00
E3S-AT61	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, NPN, vertical, 2 m cable	145.10	EC002716	154285	4536853282691			GD	GDJ	JPN	8541.4090.00
E3S-AT66	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, NPN, vertical, M12 plug-in	155.60	EC002716	130448	4536853282790			GD	GDJ	JPN	8541.4090.00
E3S-AT81	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, PNP, vertical, 2 m cable	147.00	EC002716	130454	4536853282950			GD	GDJ	JPN	8541.4090.00
E3S-AT86	Photoelectric sensor, through-beam, 7 m, DC, 3-wire, PNP, vertical, M12 plug-in	155.80	EC002716	130458	4536853283056			GD	GDJ	JPN	8541.4090.00
E3S-CD11 2M	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN/PNP, horizontal, 2 m cable	157.20	EC001821	239839	4547648357180			GD	GDJ	CHN	8541.4090.00
E3S-CD11-M1J 0.3M	Photoelectric sensor, Diffuse, 700 mm range, Horizontal, NPN/PNP, M12 connector	179.70	EC001821	239819	4547648357357			GD	GDJ	CHN	8541.4090.00
E3S-CD12 2M	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, horizontal, 2m cable	166.20	EC001821	239840	4547648357197			GD	GDJ	CHN	8541.4090.00
E3S-CD16	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	179.70	EC001821	239827	4547648357593			GD	GDJ	CHN	8541.4090.00
E3S-CD17	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	178.10	EC001821	239828	4547648357609			GD	GDJ	CHN	8541.4090.00
E3S-CD61 2M	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN/PNP, vertical, 2 m cable	152.60	EC001821	239811	4547648357227			GD	GDJ	CHN	8541.4090.00
E3S-CD61-M1J 0.3M	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN/PNP, vertical, 0.3 m cable with M12 connector	161.50	EC001821	239806	4547648357395			GD	GDJ	CHN	8541.4090.00
E3S-CD62 2M	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, 2m cable	168.10	EC001821	239812	4547648357234			GD	GDJ	CHN	8541.4090.00
E3S-CD66	Photoelectric sensor, diffuse, 700 mm, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	186.80	EC001821	239829	4547648357616			GD	GDJ	CHN	8541.4090.00
E3S-CD67	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	186.80	EC001821	239830	4547648357623			GD	GDJ	CHN	8541.4090.00
E3S-CL1 2M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, 2m cable	199.30	EC002719	239843	4547648357418	#		GD	GDJ	CHN	8541.4090.00
E3S-CL1 5M	Photoelectric sensor distance setting BGS, 5-200 mm, NPN/PNP, 5 m cable	188.80	EC002719	239821	4547648357425			GD	GDJ	CHN	8541.4090.00
E3S-CL1-M1J 0.3M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, M12 pigtail	189.80	EC002719	239808	4547648357517			GD	GDJ	CHN	8541.4090.00
E3S-CL2 2M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, 2m cable	182.90	EC002719	239844	4547648357432	#		GD	GDJ	CHN	8541.4090.00
E3S-CL2 5M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, 5m cable	204.70	EC002719	239822	4547648357449			GD	GDJ	CHN	8541.4090.00
E3S-CL2-M1J 0.3M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, M12 pigtail	202.20	EC002719	239809	4547648357524			GD	GDJ	CHN	8541.4090.00
E3S-CR11 2M	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, horizontal, 2m cable	155.80	EC002717	239838	4547648357173			GD	GDJ	CHN	8541.4090.00
E3S-CR11 5M	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, horizontal, 5 m cable	176.20	EC002717	239814	4547648357272			GD	GDJ	CHN	8541.4090.00
E3S-CR16	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	225.80	EC002717	239831	4547648357630			GD	GDJ	CHN	8541.4090.00
E3S-CR61 2M	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, vertical, 2m cable	153.70	EC002717	239842	4547648357210			GD	GDJ	CHN	8541.4090.00
E3S-CR61 5M	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, vertical, 5 m cable	176.20	EC002717	239815	4547648357289			GD	GDJ	CHN	8541.4090.00
E3S-CR61-M1J 0.3M	Photoelectric sensor, retroreflective	182.20	EC002717	239805	4547648357388			GD	GDJ	CHN	8541.4090.00
E3S-CR66	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	162.50	EC002717	239845	4547648357494			GD	GDJ	CHN	8541.4090.00
E3S-CT11 2M	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, horizontal, 2m cable	207.90	EC002716	239837	4547648357166			GD	GDJ	CHN	8541.4090.00
E3S-CT11 5M	Photoelectric sensor, through beam	235.60	EC002716	239816	4547648357296			GD	GDJ	CHN	8541.4090.00
E3S-CT11-D 5M	Photoelectric sensor, through-beam receiver, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 5 m cable	155.60	EC002716	239823	4547648357463			GD	GDJ	CHN	8541.4090.00
E3S-CT11-L 5M	Photoelectric sensor, through-beam emitter, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 5 m cable	121.10	EC002716	239790	4547648357456			GD	GDJ	CHN	8541.4090.00
E3S-CT16	Photoelectric sensor, through-beam, 30 m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	239.10	EC002716	239846	4547648357531			GD	GDJ	CHN	8541.4090.00
E3S-CT61 2M	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, 2m cable	221.50	EC002716	239841	4547648357203			GD	GDJ	CHN	8541.4090.00
E3S-CT61 5M	Photoelectric sensor, through-beam, 30 m, DC, 3-wire, NPN/PNP, vertical, 5 m cable	235.90	EC002716	239817	4547648357302			GD	GDJ	CHN	8541.4090.00
E3S-CT61-D 5M	Photoelectric sensor, through-beam receiver, Sn=12 m, NPN/PNP, zinc diecast, 5 m PVC cable	155.60	EC002716	239825	4547648357487	#		GD	GDJ	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-CT61-L-5 5M	Through-beam, emitter, 5 m range, oil-resistant, DC, 5 m cable output	106.30	EC002716	239835	4547648357739			GD	GDJ	CHN	8541.4090.00
E3S-CT61-L 5M	Photoelectric sensor, through-beam emitter, Sn=12 m, zinc diecast, 5 m PVC cable	108.00	EC002716	239824	4547648357470			GD	GDJ	CHN	8541.4090.00
E3S-CT66-D	Photoelectric sensor, through-beam receiver, 30 m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	179.00	EC002716	239826	4547648357586			GD	GDJ	CHN	8541.4090.00
E3S-CT66-L-5	Photoelectric sensor, through-beam emitter, 5 m, customized emission power, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	113.20	EC002716	409500	4548583535930			GD	GDJ	CHN	8541.4090.00
E3S-CT66-L	Photoelectric sensor, through-beam (emitter only), 30 m, DC, vertical, M12 plug-in	132.60	EC002716	239793	4547648357579			GD	GDJ	CHN	8541.4090.00
E3S-CT66	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	203.10	EC002716	239847	4547648357562			GD	GDJ	CHN	8541.4090.00
E3S-R17	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, NPN, horizontal, M12 plug-in	141.30	EC002717	130422	4536853284244			GD	GDJ	JPN	8541.4090.00
E3S-R32	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, PNP, horizontal, 2 m cable	141.30	EC002717	130354	4536853284701			GD	GDJ	JPN	8541.4090.00
E3S-R36	Photoelectric sensor, retroreflective, 1 m, DC, 3-wire, PNP, horizontal, M12 plug-in	138.40	EC002717	130355	4536853284718			GD	GDJ	JPN	8541.4090.00
E3S-R37	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, PNP, horizontal, M12 plug-in	132.60	EC002717	130356	4536853284725			GD	GDJ	JPN	8541.4090.00
E3S-R61	Photoelectric sensor, retroreflective, 1 m, DC, 3-wire, NPN, vertical, 2 m cable	147.80	EC002717	130401	4536853283728			GD	GDJ	JPN	8541.4090.00
E3S-R67	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, NPN, vertical, M12 plug-in	138.40	EC002717	130423	4536853284251			GD	GDJ	JPN	8541.4090.00
E3S-R86	Photoelectric sensor, retroreflective, 1 m, DC, 3-wire, PNP, vertical, M12 plug-in	134.80	EC002717	130359	4536853284756			GD	GDJ	JPN	8541.4090.00
E3S-R87	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, PNP, vertical, M12 plug-in	136.00	EC002717	130360	4536853284763			GD	GDJ	JPN	8541.4090.00
Fiber optic amplifier E3X											
E3X-HD0	Fiber amplifier for communication unit connection	201.90	EC002651	356808	4548583104280			GD	GDK	JPN	8536.5019.90
E3X-HD11 2M	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, NPN, 2M	159.50	EC002651	691084	4549734551069	#		GD	GDK	CHN	8536.5019.90
E3X-HD41 2M	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, PNP, 2M	159.50	EC002651	691076	4549734551106	#		GD	GDK	CHN	8536.5019.90
E3X-HD44	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, PNP, M8 (4pin) connector	183.60	EC002651	691079	4549734551144			GD	GDK	CHN	8536.5019.90
E3X-HD6	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, NPN, CN-connector	159.50	EC002651	691078	4549734551151			GD	GDK	CHN	8536.5019.90
E3X-HD8	Fiber amplifier, Stable and Easy operation, Giga Ray II LED, PNP, CN-connector	159.50	EC002651	691077	4549734551168			GD	GDK	CHN	8536.5019.90
E3X-NA11 2M	Amplifier with potentiometer, IP50, NPN output, 2m cable	117.10	EC002651	239765	4547648358750	#		GD	GDK	CHN	8536.5019.90
E3X-NA11F 2M	Fiber amplifier with potentiometer, fast response time, NPN output, 2m cable	200.50	EC002651	239772	4547648358828			GD	GDK	CHN	8536.5019.90
E3X-NA11V 2M	Amplifier with potentiometer, IP66, NPN output, 2m cable	176.20	EC002651	239773	4547648358842			GD	GDK	CHN	8536.5019.90
E3X-NA41-1 2M	Fiber amplifier, DC, 3-wire, PNP, 2m cable, with 20 ms ON-delay timer function	143.60	EC002651	239761	4547648358903			GD	GDK	CHN	8536.5019.90
E3X-NA41 2M	Amplifier with potentiometer, IP50, PNP output, 2m cable	117.10	EC002651	239766	4547648358767	#		GD	GDK	CHN	8536.5019.90
E3X-NA41F 2M	Fiber amplifier with potentiometer, fast response time, PNP output, 2m cable	200.50	EC002651	239775	4547648358835			GD	GDK	CHN	8536.5019.90
E3X-NA41V 2M	Amplifier with potentiometer, IP66, PNP output, 2m cable	173.00	EC002651	239760	4547648358859			GD	GDK	CHN	8536.5019.90
E3X-NA44V	Amplifier with potentiometer, IP66, PNP output, M8 plug-in	173.00	EC002651	239771	4547648358811			GD	GDK	CHN	8536.5019.90
E3X-NA51 2M	Photoelectric sensor, optical fibre amplifier, bar LED display, diagnostic output, DC, 3-wire, PNP, 2m cable	191.70	EC002651	239777	4547648358927			GD	GDK	CHN	8536.5019.90
E3X-NA6	Amplifier with potentiometer, IP50, NPN output, connector	100.40	EC002651	239769	4547648358798			GD	GDK	CHN	8536.5019.90
E3X-NA8	Amplifier with potentiometer, IP50, PNP output, connector	100.40	EC002651	239770	4547648358804			GD	GDK	CHN	8536.5019.90
E3X-NAG11 2M	Amplifier, with potentiometer, mark detection, green LED, NPN output, 2m cable	130.00	EC002651	239767	4547648358774			GD	GDK	CHN	8536.5019.90
E3X-NAG41 2M	Amplifier, with potentiometer, mark detection, green LED, PNP output, 2m cable	117.40	EC002651	239768	4547648358781			GD	GDK	CHN	8536.5019.90
E3X-SD21 2M	Fiber amplifier, easy one button teach, one display, Giga ray LED, NPN, 2M	117.10	EC002651	340860	4547648809221			GD	GDK	CHN	8536.5019.90
E3X-SD51 2M	Fiber amplifier, easy one button teach, one display, Giga ray LED, PNP, 2M	117.10	EC002651	340861	4547648809238	#		GD	GDK	CHN	8536.5019.90
E3X-SD9	Fiber amplifier, easy one button teach, one display, Giga ray LED, PNP, connector	124.50	EC002651	340863	4547648809252			GD	GDK	CHN	8536.5019.90
E3X-CN02	Plug, wire-saving, for E3X fiber optic amplifier	14.97	EC003015	336336	4547648647793			GD	GDK	CHN	8541.4090.00
E3X-CN11 5M	Connector, 3-wire, cable for master amplifier, 5 m cable	22.16	EC003015	336334	4547648647755			GD	GDK	CHN	8541.4090.00
E3X-CN11	Connector, 3-wire cable for master amplifier, 2 m cable	15.57	EC003015	336330	4547648647717			GD	GDK	CHN	8541.4090.00
E3X-CN12 5M	Connector, 1-wire cable for slave amplifier, 5 m cable	16.28	EC003015	336335	4547648647762			GD	GDK	CHN	8541.4090.00
E3X-CN12	Connector, 1-wire cable for slave amplifier, 2m cable	14.17	EC003015	336331	4547648647724			GD	GDK	CHN	8541.4090.00
E3X-CN21	Accessory fiber amplifier, system connector for master amplifier, standard, 2M cables	21.78	EC003015	336332	4547648647731			GD	GDK	CHN	8541.4090.00
Photoelectric sensor E3T											
E3T-CD11 2M	Photoelectric sensor, M6 stainless steel housing, diffuse 50 mm, Light-ON, NPN, 2 m cable	129.70	EC001821	351567	4547648838542	#		GD	GDO	JPN	8541.4090.00
E3T-CD13 2M	Photoelectric sensor, M6 stainless steel housing, diffuse 50 mm, Light-ON, PNP, 2 m cable	189.90	EC001821	351568	4547648838559	#		GD	GDO	JPN	8541.4090.00
E3T-CT14 2M	Photoelectric sensor, M6 stainless steel housing, through-beam 1 m, Dark-ON, PNP, 2 m cable	151.00	EC002716	351564	4547648838511			GD	GDO	JPN	8541.4090.00
E3T-CT24S 2M	Photoelectric sensor, M6 stainless steel housing, side view, through-beam 500 mm, Dark-ON, PNP, 2 m cable	151.00	EC002716	351566	4547648838535			GD	GDO	JPN	8541.4090.00
E3T-FD11 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires E39-L119 bracket)	94.75	EC001821	130184	4536853289881			GD	GDO	JPN	8541.4090.00
E3T-FD13 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, flat, 2m cable (requires E39-L119 bracket)	92.35	EC001821	156504	4536854366437			GD	GDO	JPN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3T-FD13M 2M	Photoelectric sensor, flat, diffuse 5-30mm, Light-ON, PNP, 2m cable (requires M3 screw & bracket)	68.40	EC001821	351549	4548583011144			GD	GDO	JPN	8541.4090.00
E3T-FD14 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, dark-on, flat, 2m cable (requires E39-L119 bracket)	95.05	EC001821	142150	4536854366451			GD	GDO	JPN	8541.4090.00
E3T-FL11 2M	Photoelectric sensor, background suppression, 1-15mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)	116.40	EC002719	224243	4547648223607			GD	GDO	JPN	8541.4090.00
E3T-FL13 2M	Photoelectric sensor, background suppression, 1-15mm, DC, 3-wire, PNP, light-on, flat, 2m cable (requires bracket)	155.40	EC002719	224245	4547648223621			GD	GDO	JPN	8541.4090.00
E3T-FL21 2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)	131.20	EC002719	224247	4547648223645			GD	GDO	JPN	8541.4090.00
E3T-FL23 2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, PNP, light-on, flat, 2m cable (requires bracket)	127.20	EC002719	224249	4547648223669			GD	GDO	JPN	8541.4090.00
E3T-FL24 2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, PNP, dark-on, flat, 2m cable (requires bracket)	131.20	EC002719	224250	4547648223676			GD	GDO	JPN	8541.4090.00
E3T-FT11 2M	Photoelectric sensor, through-beam, 500mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires 2x E39-L119 bracket)	126.30	EC002716	149691	4536853289867			GD	GDO	JPN	8541.4090.00
E3T-FT12 2M	Photoelectric sensor, through-beam, 500mm, DC, 3-wire, NPN, dark-on, flat, 2m cable (requires 2 x E39-L119 bracket)	123.40	EC002716	130183	4536853289874			GD	GDO	JPN	8541.4090.00
E3T-FT13 2M	Photo-electric sensor, through-beam, miniature, flat-view, 500mm, L-on, PNP, 2m cable	126.30	EC002716	130100	4536854366345	#		GD	GDO	JPN	8541.4090.00
E3T-FT14 2M	Photoelectric sensor, through-beam, 500mm, DC, 3-wire, PNP, dark-on, flat, 2m cable (requires 2 x E39-L119 bracket)	123.40	EC002716	130101	4536854366352			GD	GDO	JPN	8541.4090.00
E3T-FT23 2M	Photoelectric sensor, through-beam, miniature, flat-shape, 300mm, PNP, light-on, 2m cable, M2 mounting	156.10	EC002716	224644	4536854914102			GD	GDO	JPN	8541.4090.00
E3T-FT24 2M	Photoelectric sensor, through-beam, miniature, 300mm, DC, 3-wire, PNP, dark-on, flat-view, 2m cable	159.40	EC002716	224652	4536854914065			GD	GDO	JPN	8541.4090.00
E3T-SL11 2M	Photoelectric sensor, diffuse, 15mm, DC, 3-wire, NPN, light-on, side view, 2m cable (requires bracket)	96.10	EC002719	156503	4536853289836			GD	GDO	JPN	8541.4090.00
E3T-SL13 2M	Photoelectric sensor, diffuse, 15mm, DC, 3-wire, PNP, light-on, side view, 2m cable (requires bracket)	90.95	EC002719	145481	4536854366383			GD	GDO	JPN	8541.4090.00
E3T-SL13M 2M	Photoelectric sensor, side view, limited 5 to 15 mm, Light-ON, PNP, 2 m cable (requires M3 screw & bracket)	102.00	EC002719	351546	4548583011069			GD	GDO	JPN	8541.4090.00
E3T-SL13-M5J 0.3M	Photo-electric sensor	92.65	EC002719	100408	4547648016551		5	GD	GDO	JPN	8541.4090.00
E3T-SL14 2M	Photo-electric sensor, convergent-reflective, miniature, side view, 5 to 15 mm, D-on, PNP, 2 m cable	84.85	EC002719	149692	4536854366406			GD	GDO	JPN	8541.4090.00
E3T-SL21 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, NPN, light-on, side view, 2m cable (requires bracket)	92.35	EC002719	147720	4536853289904			GD	GDO	JPN	8541.4090.00
E3T-SL23 2M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, side view, 2m cable (requires bracket)	94.05	EC002719	130103	4536854366413	#		GD	GDO	JPN	8541.4090.00
E3T-SL23-M5J 0.3M	Photoelectric sensor, diffuse, 30 mm, DC, 3-wire, PNP, light-on, side-view, M8 connector (requires bracket)	118.50	EC002719	163556	4547648016575			GD	GDO	JPN	8541.4090.00
E3T-SL24 2M	Photoelectric sensor, convergent-reflective, miniature, side view, 5-30mm, D-on, PNP, 2m cable	92.35	EC002719	130104	4536854366420	#		GD	GDO	JPN	8541.4090.00
E3T-SL24 5M	Photoelectric sensor, diffuse, 5 to 30 mm, DC, 3-wire, PNP, dark-on, side-view, 5 m cable, M2 mounting	76.30	EC002719	130110	4536854366598			GD	GDO	JPN	8541.4090.00
E3T-SR23 2M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, light-on, side-view, 2m cable (requires bracket)	100.60	EC002717	224201	4547648222952			GD	GDO	JPN	8541.4090.00
E3T-SR24 2M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, dark-on, side-view, 2m cable (requires bracket)	100.60	EC002717	224204	4547648222983			GD	GDO	JPN	8541.4090.00
E3T-SR41-C 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200mm, NPN, L-on, 2m cable, M2 mounting	128.50	EC002717	249831	4547648590389			GD	GDO	JPN	8541.4090.00
E3T-SR43 2M	Photoelectric sensor, retro-reflective, 200 mm range	109.40	EC002717	249829	4547648590365			GD	GDO	JPN	8541.4090.00
E3T-SR43-C 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200mm, PNP, L-on, 2m cable, M2 mounting	82.80	EC002717	249833	4547648590402			GD	GDO	JPN	8541.4090.00
E3T-SR44 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200 mm, PNP, D-on, 2 m cable, M2 mounting, Small reflector E39-R4 included	109.40	EC002717	249830	4547648590372			GD	GDO	JPN	8541.4090.00
E3T-SR44-C 2M	Photoelectric sensor, retro-reflective, miniature, side view, 200mm, PNP, D-on, 2m cable, M2 mounting	93.25	EC002717	249834	4547648590419			GD	GDO	JPN	8541.4090.00
E3T-ST11 2M	Photoelectric sensor, through-beam, 1m, DC, 3-wire, NPN, light-on, side-view, 2m cable (requires 2 brackets)	126.30	EC002716	156502	4536853289805			GD	GDO	JPN	8541.4090.00
E3T-ST12 2M	Photoelectric sensor, through-beam, 1m, DC, 3-wire, NPN, dark-on, side view, 2m cable (requires 2 brackets)	123.90	EC002716	130180	4536853289812			GD	GDO	JPN	8541.4090.00
E3T-ST13 2M	Photo-electric sensor, through-beam, miniature, side view, 1m, L-on, PNP, 2m cable	123.40	EC002716	130098	4536854366321			GD	GDO	JPN	8541.4090.00
E3T-ST14 2M	Photoelectric sensor, through-beam, 1m, DC, 3-wire, PNP, dark-on, side view, 2m cable (requires 2 brackets)	122.50	EC002716	130099	4536854366338	#		GD	GDO	JPN	8541.4090.00
E3T-ST23 2M	Photoelectric sensor, through-beam, 300mm, PNP, light-on, 2m cable, M2 mounting	140.10	EC002716	224653	4536854914126			GD	GDO	JPN	8541.4090.00
E3T-ST24 2M	Photoelectric sensor, through-beam, miniature, side view, 300mm, PNP, D-on, 2m cable, M2 mounting	128.80	EC002716	224649	4536854914096			GD	GDO	JPN	8541.4090.00

Photoelectric sensor E3C-LDA

E3C-LD11 2M	Laser sensor head, diffuse reflective, "Spot beam" type, 2 m cable	392.00	EC001821	131199	4536854894503			GD	GDO	JPN	8541.4090.00
E3C-LD21 2M	Laser sensor head, diffuse reflective, "Line beam" type	490.90	EC001821	131200	4536854894510			GD	GDO	JPN	8541.4090.00
E3C-LDA41 2M	Photoelectric sensor, Laser amplifier, twin output, DC, PNP, 2m cable	280.20	EC003015	142564	4536854907760			GD	GDO	JPN	8542.3390.00
E3C-LDA51 2M	Photoelectric sensor, Laser amplifier, external input, DC, PNP, 2m cable	293.10	EC003015	131205	4536854907807			GD	GDO	JPN	8542.3390.00
E3C-LR11 2M	Laser sensor head, coaxial retro-reflective, variable spot (requires reflector)	398.70	EC002717	162304	4536854958281			GD	GDO	JPN	8541.4090.00
E3C-LR12 2M	Laser sensor head, coaxial retro-reflective, 2mm fixed spot (requires reflector)	396.90	EC002717	163373	4536854958298			GD	GDO	JPN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3C-LR15	Laser sensor head, coaxial retro-reflective, variable spot, Sensing distance 7 m, semiconductor laser (650nm,3mW max.) (requires reflector), 2 m cable	726.50	EC002717	231171	4547648320351			GD	GDQ	JPN	8541.4090.00
Photo microsensor built-in amp											
EE-SX470	Photo micro sensor, slot type, standard shape, L-ON, NPN, connector	11.24	EC002720	392301	4548583475991		100	GD	GDR	JPN	8536.5019.90
EE-SX472	Photo micro sensor, slot type, T-shaped, L-ON, NPN, connector	7.92	EC002720	392303	4548583476011	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	10.46	EC002720	392306	4548583476042	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670A	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	10.83	EC002720	392307	4548583476059	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670P	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	17.94	EC002720	392308	4548583476080	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670P-WR 1M	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, 1 m robotic cable	22.48	EC002720	237964	4547648354639	#		GD	GDR	CHN	8536.5019.90
EE-SX670R	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	14.51	EC002720	392309	4548583476097	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670-WR 1M	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, 1 m robotic cable	16.45	EC002720	237956	4547648354554	#	20	GD	GDR	CHN	8536.5019.90
EE-SX671	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	9.94	EC002720	392310	4548583476073	#	50	GD	GDR	JPN	8536.5019.90
EE-SX671A	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	10.83	EC002720	392311	4548583476103	#	50	GD	GDR	JPN	8536.5019.90
EE-SX671P	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	17.58	EC002720	392312	4548583476110		50	GD	GDR	JPN	8536.5019.90
EE-SX671P-WR 1M	Photomicro sensor	38.77	EC002720	237965	4547648354660	#	20	GD	GDR	CHN	8536.5019.90
EE-SX671R	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	14.51	EC002720	392313	4548583476127		50	GD	GDR	JPN	8536.5019.90
EE-SX671-WR 1M	Photomicro sensor	37.17	EC002720	237957	4547648354561		20	GD	GDR	CHN	8536.5019.90
EE-SX672	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	10.83	EC002720	392314	4548583476134	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672A	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	10.30	EC002720	392315	4548583476141	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672P	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	14.91	EC002720	392316	4548583476158	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672P-WR 1M	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, 1 m robotic cable	17.83	EC002720	237966	4547648354677			GD	GDR	CHN	8536.5019.90
EE-SX672R	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	15.10	EC002720	392317	4548583476165		50	GD	GDR	JPN	8536.5019.90
EE-SX672-WR 1M	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, 1 m robotic cable	18.77	EC002720	237958	4547648354578		20	GD	GDR	CHN	8536.5019.90
EE-SX673	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	8.43	EC002720	392318	4548583476172		100	GD	GDR	JPN	8536.5019.90
EE-SX673A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	10.70	EC002720	392319	4548583476189		50	GD	GDR	JPN	8536.5019.90
EE-SX673R	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	17.20	EC002720	392320	4548583476202		10	GD	GDR	JPN	8536.5019.90
EE-SX673-WR 1M	Photomicro sensor	32.25	EC002720	237959	4547648354585			GD	GDR	CHN	8536.5019.90
EE-SX674	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	13.33	EC002720	392321	4548583476219	#	50	GD	GDR	JPN	8536.5019.90
EE-SX674A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	14.99	EC002720	392322	4548583476226		50	GD	GDR	JPN	8536.5019.90
EE-SX674P	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	21.76	EC002720	392323	4548583476233		50	GD	GDR	JPN	8536.5019.90
EE-SX674P-WR 1M	Photomicro sensor, close mounting, PNP, Dark ON indicator, pre wired 2 m	19.08	EC002720	237968	4547648354691			GD	GDR	CHN	8536.5019.90
EE-SX674-WR 1M	Photomicro sensor	14.38	EC002720	237960	4547648354592			GD	GDR	CHN	8536.5019.90
EE-SX675	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	11.86	EC002720	392325	4548583476257		50	GD	GDR	JPN	8536.5019.90
EE-SX770 2M	Photomicro sensor, slim, 5 mm slot, indicator incident light on, D-on, NPN, 2 m cable	46.68	EC002720	127668	4536854355509			GD	GDR	JPN	8536.5019.90
EE-SX770A 2M	Photomicro sensor, slim, 5 mm slot, indicator incident light off, D-on, NPN, 2 m cable	31.23	EC002720	127669	4536854355516	#		GD	GDR	JPN	8536.5019.90
EE-SX770P	Photomicro sensor, slim, 5 mm slot, indicator incident light on, D-on, PNP, 2 m cable	30.78	EC002720	127688	4536854402371		10	GD	GDR	JPN	8536.5019.90
EE-SX771 2M	Photomicro sensor, slim, L-shape, indicator incident light on, D-on, NPN, 2 m cable	33.27	EC002720	127672	4536854355547		10	GD	GDR	JPN	8536.5019.90
EE-SX771A 2M	Photomicro sensor, slim, 5 mm slot, L-shaped, indicator incident light off, D-on, NPN, 2 m cable	31.65	EC002720	127673	4536854355554			GD	GDR	JPN	8536.5019.90
EE-SX771P	Photomicro sensor, slim, 5 mm slot, L-shaped, indicator incident light on, D-on, PNP, 2 m cable	30.17	EC002720	127689	4536854402388		10	GD	GDR	JPN	8536.5019.90
EE-SX771R	Photomicro sensor, slim, 5 mm slot, L-shaped, indicator incident light off, D-on, PNP, 2 m cable	30.39	EC002720	127597	4536854402456			GD	GDR	JPN	8536.5019.90
EE-SX772 2M	Photomicro sensor, slot type, slim, T-shaped, indicator incident light on, NPN, 2 m cable	31.23	EC002720	127675	4536854356728			GD	GDR	JPN	8536.5019.90
EE-SX772A 2M	Photomicro sensor, slim, 5mm slot, T-shaped, indicator incident light off, D-ON, NPN, 2 m cable	31.65	EC002720	151458	4536854356735			GD	GDR	JPN	8536.5019.90
EE-SX772P	Photomicro sensor, slim, 5mm slot, T-shaped, indicator incident light on, D-on, PNP, 2 m cable	29.11	EC002720	127594	4536854402395		10	GD	GDR	JPN	8536.5019.90
EE-SX772R	Photomicro sensor, slim, 5mm slot, T-shaped, indicator incident light off, D-on, PNP, 2 m cable	29.99	EC002720	127598	4536854402463		100	GD	GDR	JPN	8536.5019.90
EE-SX870 2M	Photomicro sensor, slim, Standard-shape, indicator incident light on, L-on, NPN, 2 m cable	40.20	EC002720	127670	4536854355523			GD	GDR	JPN	8536.5019.90
EE-SX870P	Photomicro sensor, slim, 5mm slot, indicator incident light on, L-on, PNP, 2 m cable	30.17	EC002720	142714	4536854402401		10	GD	GDR	JPN	8536.5019.90
EE-SX871 2M	Photomicro sensor, L-shaped 5 mm slot width, indicator incident light on, L-ON, 5-24 Vdc, NPN, 2 m cable	31.65	EC002720	127674	4536854355561			GD	GDR	JPN	8536.5019.90
EE-SX871P	Photomicro sensor, L-shaped 5 mm slot width, indicator incident light on, L-ON, 5-24 Vdc, PNP, 2 m cable	27.46	EC002720	127595	4536854402418		10	GD	GDR	JPN	8536.5019.90
EE-SX871R	Photo micro sensor, L-shaped 5 mm slot width, indicator incident light off, L-ON, 5 to 24 VDC, PNP, 2 m cable	31.65	EC002720	127600	4536854402487		10	GD	GDR	JPN	8536.5019.90
EE-SX872 2M	Photomicro sensor, T-shaped 5 mm slot width, indicator incident light on, L-ON, 5-24 Vdc, NPN, 2 m cable	33.27	EC002720	127676	4536854356742			GD	GDR	JPN	8536.5019.90
EE-SX872A 2M	Photo micro sensor, T-shaped 5 mm slot width, indicator incident light off, L-ON, 5 to 24 VDC, NPN, 2 m cable	33.27	EC002720	104676	4536854356759		10	GD	GDR	JPN	8536.5019.90
EE-SX872P	Photomicro sensor, T-shaped 5mm slot width, indicator incident light on, L-ON, 5-24 Vdc, PNP, 2 m cable	30.17	EC002720	103843	4536854402425		10	GD	GDR	JPN	8536.5019.90
EE-SX950P-W 1M	Photo micro sensor, slot type, PNP, 1 m cable	15.68	EC002720	378484	4548583416734		5	GD	GDR	JPN	8536.5019.90
EE-SX951P-R 1M	Photo micro sensor, slot type, PNP, 1 m robotic cable	16.56	EC002720	378495	4548583416796		10	GD	GDR	JPN	8536.5019.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EE-SX951P-W 1M	Photo micro sensor, slot type, PNP, 1 m cable	15.68	EC002720	378485	4548583416741	5		GD	GDR	JPN	8536.5019.90
EE-SX951-R 1M	Photo micro sensor, slot type, NPN, 1 m robotic cable	19.89	EC002720	378492	4548583416697	10		GD	GDR	JPN	8536.5019.90
EE-SX951-W 1M	Photo micro sensor, slot type, NPN, 1 m cable	15.90	EC002720	378480	4548583416642	5		GD	GDR	JPN	8536.5019.90
EE-SX952P-R 1M	Photo micro sensor, slot type, PNP, 1 m robotic cable	20.18	EC002720	378496	4548583416802	10		GD	GDR	JPN	8536.5019.90
EE-SX952P-W 1M	Photo micro sensor, slot type, PNP, 1 m cable	13.70	EC002720	378486	4548583416758	5		GD	GDR	JPN	8536.5019.90
EE-SX952-R 1M	Photo micro sensor, slot type, NPN, 1 m robotic cable	11.40	EC002720	378489	4548583416703	10		GD	GDR	JPN	8536.5019.90
EE-SX952-W 1M	Photo micro sensor, slot type, NPN, 1 m cable	13.70	EC002720	378481	4548583416659	5		GD	GDR	JPN	8536.5019.90
EE-SX953P-R 1M	Photo micro sensor, slot type, PNP, 1 m robotic cable	20.48	EC002720	378497	4548583416819	10		GD	GDR	JPN	8536.5019.90
EE-SX953-R 1M	Photo micro sensor, slot type, NPN, 1 m robotic cable	17.20	EC002720	378490	4548583416710	10		GD	GDR	JPN	8536.5019.90
EE-SX954P-R 1M	Photo micro sensor, slot type, PNP, 1 m robotic cable	20.18	EC002720	378498	4548583416826	10		GD	GDR	JPN	8536.5019.90
EE-SX954P-W 1M	Photo micro sensor, slot type, PNP, 1 m cable	18.68	EC002720	378488	4548583416772	5		GD	GDR	JPN	8536.5019.90
EE-SX954-R 1M	Photo micro sensor, slot type, NPN, 1 m robotic cable	21.66	EC002720	378493	4548583416727	10		GD	GDR	JPN	8536.5019.90
EE-SX970P-C1	Photomicro sensor, slot type, standard shape, 5mm, PNP, connector	24.55	EC002720	335080	4547648822312			GD	GDR	CHN	8536.5019.90
EE-SX972-C1	Photomicro sensor, slot type, T-shape, 5mm, NPN, connector	22.48	EC002720	335087	4547648822275	50		GD	GDR	CHN	8536.5019.90
EE-SX972P-C1	Photomicro sensor, slot type, T-shape, 5 mm, PNP, connector	22.48	EC002720	335082	4547648822336	25		GD	GDR	CHN	8536.5019.90
EE-SX974P-C1	Photomicro sensor, slot type, 5mm, close-mounting, PNP, connector	22.48	EC002720	335083	4547648822343			GD	GDR	CHN	8536.5019.90
EE-SPX302-W2A 1M	Photomicro sensor, slot type, 3.6 mm, D-ON, NPN, 1 m cable	34.15	EC002720	127753	4536854778513	5		GD	GDR	CHN	8536.5019.90
EE-SPX302-W2A 2M	Photo micro sensor	28.64	EC002720	225408	4536854778735			GD	GDR	CHN	8536.5019.90
EE-SPX303N	Photomicro sensor, slot type, 13 mm, D-on, NPN, connector	26.62	EC002720	324057	4547648766548	50		GD	GDR	JPN	8536.5019.90
EE-SPX403N	Photomicro sensor, slot type, 13 mm, NPN, connector	24.14	EC002720	324058	4547648766555			GD	GDR	JPN	8536.5019.90
EE-SPX613 1M	Photomicro sensor, tube type, liquid level detection, L-ON/D-ON selectable, NPN, 1 m cable	70.10	EC002720	127750	4536853234195			GD	GDR	JPN	8536.5019.90
EE-SPX613 3M	Photomicro sensor, tube type, liquid level detection, L-ON/D-ON selectable, NPN, 3 m cable	120.40	EC002720	231172	4536854827402	#		GD	GDR	JPN	8536.5019.90
EE-SPX841	Photomicro sensor	27.30	EC002720	164206	4536854518294			GD	GDR	JPN	8536.5019.90
EE-SPY302	Photomicro sensor, reflective type, vertical (axial), Sn=5 mm, D-ON, NPN, connector	27.46	EC001821	144819	4536854778094	100		GD	GDR	CHN	8536.5019.90
EE-SPY401	Photomicro sensor, reflective type, horizontal (radial), Sn=5 mm, L-ON, NPN, connector	22.48	EC001821	127752	4536854778087	100		GD	GDR	CHN	8536.5019.90
EE-SPY402	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, L-ON, NPN, connector	21.66	EC001821	158099	4536854778100	50		GD	GDR	CHN	8536.5019.90
EE-SPY411	Photomicro sensor, convergent reflective type, horizontal (radial), Sn=2-5 mm, L-ON, NPN, connector	44.65	EC001821	127758	4536854778599	#	20	GD	GDR	CHN	8536.5019.90
EE-SPY412	Photomicro sensor, convergent reflective type, vertical (axial), Sn=2-5 mm, L-ON, NPN, connector	34.76	EC001821	148065	4536854778605	#	20	GD	GDR	CHN	8536.5019.90
EE-SY671	Photomicro sensor, reflective type, horizontal (radial), Sn = 1 to 5 mm (adjustable), L-ON/D-ON selectable, NPN, connector	20.79	EC001821	127546	4536853238780			GD	GDR	JPN	8536.5019.90
EE-SY672	Photomicro sensor, reflective type, vertical (axial), Sn=1-5mm (adjustable), L-ON/D-ON selectable, NPN, connector	21.66	EC001821	127547	4536853238797	20		GD	GDR	JPN	8536.5019.90
EE-1017 3M	Connector with cable for photomicrosensor EE-SX97 series, 3 m	20.18	EC001855	335077	4547648822398			GD	GDR	CHN	8541.4090.00
Photoelectric sensor E3FA / E3RA											
E3FA-BN21	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 500mm, NPN, L-ON/D-ON selectable, M12 connector	49.34	EC002717	378868	4548583440739			GD	GDS	IDN	8536.9095.00
E3FA-BN22	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 0.1-2m, NPN, L-ON/D-ON selectable, M12 connector	49.34	EC002717	378869	4548583440746			GD	GDS	IDN	8536.9095.00
E3FA-BP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 500mm, PNP, L-ON/D-ON selectable, 2m cable	49.34	EC002717	378878	4548583440845			GD	GDS	IDN	8536.9095.00
E3FA-BP12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 0.1-2m, PNP, L-ON/D-ON selectable, 2m cable	49.34	EC002717	378879	4548583440852			GD	GDS	IDN	8536.9095.00
E3FA-BP21	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 500mm, PNP, L-ON/D-ON selectable, M12 connector	49.34	EC002717	378888	4548583440951			GD	GDS	IDN	8536.9095.00
E3FA-BP22	Photoelectric sensor, M18 axial, plastic body, red LED, transparent object detection, 0.1-2m, PNP, L-ON/D-ON selectable, M12 connector	49.34	EC002717	378889	4548583440968	#		GD	GDS	IDN	8536.9095.00
E3FA-DN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, 2m cable	39.02	EC001821	378852	4548583440562	#		GD	GDS	IDN	8536.9095.00
E3FA-DN12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	39.02	EC001821	378853	4548583440579	#		GD	GDS	IDN	8536.9095.00
E3FA-DN13 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 1m, NPN, L-ON/D-ON selectable, 2m cable	41.12	EC001821	378854	4548583440586	#		GD	GDS	IDN	8536.9095.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FA-DN14 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100 mm, NPN, L-ON/D-ON selectable, 2 m cable	37.96	EC001821	381318	4548583468498			GD	GDS	CHN	8541.4090.00
E3FA-DN15 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, NPN, L-ON/D-ON selectable, 2m cable	37.96	EC001821	381322	4548583468535			GD	GDS	CHN	8541.4090.00
E3FA-DN21	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, M12 connector	39.02	EC001821	378862	4548583440678	#		GD	GDS	IDN	8536.9095.00
E3FA-DN22	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	39.02	EC001821	378863	4548583440685	#		GD	GDS	IDN	8536.9095.00
E3FA-DN23	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 1m, NPN, L-ON/D-ON selectable, M12 connector	41.12	EC001821	378864	4548583440692	#		GD	GDS	IDN	8536.9095.00
E3FA-DN25	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, NPN, L-ON/D-ON selectable, M12 connector	37.96	EC001821	381323	4548583468542			GD	GDS	CHN	8541.4090.00
E3FA-DP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	39.02	EC001821	378872	4548583440784	#		GD	GDS	IDN	8536.9095.00
E3FA-DP12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	39.02	EC001821	378873	4548583440791	#		GD	GDS	IDN	8536.9095.00
E3FA-DP13 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 1m, PNP, L-ON/D-ON selectable, 2m cable	41.12	EC001821	378874	4548583440807	#		GD	GDS	IDN	8536.9095.00
E3FA-DP14 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable, 2m cable	37.96	EC001821	381320	4548583468511			GD	GDS	CHN	8541.4090.00
E3FA-DP14-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	37.96	EC001821	382773	4548583499447			GD	GDS	CHN	8541.4090.00
E3FA-DP15 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable, 2m cable	37.96	EC001821	381324	4548583468559			GD	GDS	CHN	8541.4090.00
E3FA-DP16 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, 2m cable	40.35	EC001821	381328	4548583468597			GD	GDS	CHN	8541.4090.00
E3FA-DP21	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	39.02	EC001821	378882	4548583440890	#		GD	GDS	IDN	8536.9095.00
E3FA-DP22	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	39.02	EC001821	378883	4548583440906	#		GD	GDS	IDN	8536.9095.00
E3FA-DP23	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 1m, PNP, L-ON/D-ON selectable, M12 connector	41.12	EC001821	378884	4548583440913	#		GD	GDS	IDN	8536.9095.00
E3FA-DP24-E016	Photoelectric sensor, M18 axial, plastic body, infrared LED, diffuse reflective, 150 mm fixed, PNP, L-ON/D-ON selectable, M12 connector	30.02	EC001821	659020	4548583731110			GD	GDS	CHN	8541.4090.00
E3FA-DP24-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	29.39	EC001821	382777	4548583499485			GD	GDS	CHN	8541.4090.00
E3FA-DP24	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable, M12 connector	37.96	EC001821	381321	4548583468528			GD	GDS	CHN	8541.4090.00
E3FA-DP25-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	29.35	EC001821	382778	4548583499492			GD	GDS	CHN	8541.4090.00
E3FA-DP25	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable, M12 connector	37.96	EC001821	381325	4548583468566	#		GD	GDS	CHN	8541.4090.00
E3FA-DP26-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1 m, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	31.81	EC001821	382779	4548583499508			GD	GDS	CHN	8541.4090.00
E3FA-DP26	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, M12 connector	40.35	EC001821	381329	4548583468603			GD	GDS	CHN	8541.4090.00
E3FA-LN21	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 100 mm, NPN, L-ON/D-ON selectable, M12 connector	45.73	EC002719	378865	4548583440708			GD	GDS	IDN	8536.9095.00
E3FA-LP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, 2m cable	45.99	EC002719	378875	4548583440814			GD	GDS	IDN	8536.9095.00
E3FA-LP12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 200mm, PNP, L-ON/D-ON selectable, 2m cable	45.73	EC002719	378876	4548583440821			GD	GDS	IDN	8536.9095.00
E3FA-LP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 100 mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	45.42	EC002719	382780	4548583499515			GD	GDS	CHN	8541.4090.00
E3FA-LP21	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, M12 connector	45.39	EC002719	378885	4548583440920	#		GD	GDS	IDN	8536.9095.00
E3FA-LP22-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 200 mm, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	45.37	EC002719	659592	4548583731158			GD	GDS	CHN	8536.9095.00
E3FA-LP22	Photoelectric sensor, M18 axial, plastic body, red LED, BGS, 200mm, PNP, L-ON/D-ON selectable, M12 connector	45.23	EC002719	378886	4548583440937	#		GD	GDS	IDN	8536.9095.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FA-RN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	39.02	EC002717	378850	4548583440548	#		GD	GDS	IDN	8536.9095.00
E3FA-RN12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, coaxial retro-reflective, 0-500mm, NPN, L-ON/D-ON selectable, 2m cable	41.12	EC002717	378851	4548583440555			GD	GDS	IDN	8536.9095.00
E3FA-RN21	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	39.02	EC002717	378860	4548583440654			GD	GDS	IDN	8536.9095.00
E3FA-RN22	Photoelectric sensor, M18 axial, plastic body, red LED, coaxial retro-reflective, 0-500 mm, NPN, L-ON/D-ON selectable, M12 connector	41.12	EC002717	378861	4548583440661			GD	GDS	IDN	8536.9095.00
E3FA-RP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	39.02	EC002717	378870	4548583440760	#		GD	GDS	IDN	8536.9095.00
E3FA-RP12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, coaxial retro-reflective, 0-500mm, PNP, L-ON/D-ON selectable, 2m cable	41.12	EC002717	378871	4548583440777			GD	GDS	IDN	8536.9095.00
E3FA-RP21-E019	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 4 m fixed, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	39.02	EC002717	659018	4548583731202			GD	GDS	CHN	8541.4090.00
E3FA-RP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1 to 4 m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	45.62	EC002717	659017	4548583731196			GD	GDS	CHN	8536.9095.00
E3FA-RP21	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	39.02	EC002717	378880	4548583440876	#		GD	GDS	IDN	8536.9095.00
E3FA-RP22	Photoelectric sensor, M18 axial, plastic body, red LED, coaxial retro-reflective, 0-500mm, PNP, L-ON/D-ON selectable, M12 connector	41.12	EC002717	378881	4548583440883			GD	GDS	IDN	8536.9095.00
E3FA-TN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam, 20m, NPN, L-ON/D-ON selectable, 2m cable	53.20	EC002716	386962	4548583440531			GD	GDS	IDN	8536.9095.00
E3FA-TN12 2M	Photoelectric sensor, M18 axial, plastic body, infrared LED, through-beam, 15m, NPN, L-ON/D-ON selectable, 2m cable	54.30	EC002716	381314	4548583468450			GD	GDS	CHN	8541.4090.00
E3FA-TN21	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20m, NPN, L-ON/D-ON selectable, M12 connector	53.20	EC002716	404483	4548583440647	#		GD	GDS	IDN	8541.4090.00
E3FA-TP11 2M	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, 2m PVC cable	53.20	EC002716	404484	4548583440753	#		GD	GDS	IDN	8541.4090.00
E3FA-TP11 5M	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20 m, PNP, L-ON/D-ON selectable, 5 m PVC cable	44.50	EC002716	416701	4548583569201			GD	GDS	CHN	8541.4090.00
E3FA-TP11-D 2M	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam receiver, 20 m, PNP, L-ON/D-ON selectable, 2 m cable	38.98	EC002716	419151	4548583595651			GD	GDS	CHN	8541.4090.00
E3FA-TP11-L 2M	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam emitter, 20 m, PNP, L-ON/D-ON selectable, 2 m cable	19.10	EC002716	419152	4548583595668			GD	GDS	CHN	8541.4090.00
E3FA-TP12 2M	Photoelectric sensor, M18 axial, plastic body, infrared LED, through-beam, 15 m, PNP, L-ON/D-ON selectable, 2 m cable	54.30	EC002716	381316	4548583468474			GD	GDS	CHN	8541.4090.00
E3FA-TP21-D	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam receiver, 20 m, PNP, L-ON/D-ON selectable, M12 connector	35.57	EC002716	415553	4548583547308			GD	GDS	CHN	8541.4090.00
E3FA-TP21-L	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam emitter, 20 m, PNP, L-ON/D-ON selectable, M12 connector	25.09	EC002716	415552	4548583547292			GD	GDS	CHN	8541.4090.00
E3FA-TP21	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, M12 connector	53.20	EC002716	404485	4548583440869	#		GD	GDS	IDN	8541.4090.00
E3FA-TP22	Photoelectric sensor, M18 axial, plastic body, infrared LED, through-beam, 15 m, PNP, L-ON/D-ON selectable, M12 connector	54.30	EC002716	381317	4548583468481			GD	GDS	CHN	8541.4090.00
E3FA-VN21	Photoelectric sensor, M18 axial, plastic body, red LED, limited distance reflective, 10-50mm, NPN, L-ON/D-ON selectable, M12 connector	47.63	EC002719	378867	4548583440722			GD	GDS	IDN	8536.9095.00
E3FA-VP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, limited distance reflective, 10-50mm, PNP, L-ON/D-ON selectable, 2m cable	47.63	EC002719	378877	4548583440838			GD	GDS	IDN	8536.9095.00
E3FA-VP21	Photoelectric sensor, M18 axial, plastic body, red LED, limited distance reflective, 10-50mm, PNP, L-ON/D-ON selectable, M12 connector	47.63	EC002719	378887	4548583440944			GD	GDS	IDN	8536.9095.00
E3FB-BP21	Photoelectric sensor, M18 axial, metal body, red LED, transparent object detection, 500mm, PNP, L-ON/D-ON selectable, M12 connector	54.60	EC002717	378932	4548583441392			GD	GDS	IDN	8536.9095.00
E3FB-BP22	Photoelectric sensor, M18 axial, metal body, red LED, transparent object detection, 0.1 to 2 m, PNP, L-ON/D-ON selectable, M12 connector	54.60	EC002717	378933	4548583441408			GD	GDS	IDN	8536.9095.00
E3FB-DN11 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 100 mm, NPN, L-ON/D-ON selectable, 2 m cable	44.50	EC001821	378893	4548583441002			GD	GDS	IDN	8536.9095.00
E3FB-DN12 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	40.76	EC001821	378894	4548583441019			GD	GDS	IDN	8536.9095.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FB-DN13 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 1 m, NPN, L-ON/D-ON selectable, 2 m cable	46.56	EC001821	378895	4548583441026			GD	GDS	IDN	8536.9095.00
E3FB-DN21	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, M12 connector	44.50	EC001821	378904	4548583441118			GD	GDS	IDN	8536.9095.00
E3FB-DN22	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	44.50	EC001821	378905	4548583441125			GD	GDS	IDN	8536.9095.00
E3FB-DN23	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 1m, NPN, L-ON/D-ON selectable, M12 connector	46.56	EC001821	378906	4548583441132			GD	GDS	IDN	8536.9095.00
E3FB-DP11 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	44.50	EC001821	378915	4548583441224	#		GD	GDS	IDN	8536.9095.00
E3FB-DP12 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	44.50	EC001821	378916	4548583441231	#		GD	GDS	IDN	8536.9095.00
E3FB-DP13 2M	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 1 m, PNP, L-ON/D-ON selectable, 2 m cable	46.56	EC001821	378917	4548583441248	#		GD	GDS	IDN	8536.9095.00
E3FB-DP21	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	44.50	EC001821	378926	4548583441330	#		GD	GDS	IDN	8536.9095.00
E3FB-DP22	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	44.50	EC001821	378927	4548583441347	#		GD	GDS	IDN	8536.9095.00
E3FB-DP23	Photoelectric sensor, M18 axial, metal body, red LED, diffuse, 1m, PNP, L-ON/D-ON selectable, M12 connector	46.56	EC001821	378928	4548583441354	#		GD	GDS	IDN	8536.9095.00
E3FB-DP25-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable, inversed logic, M12 connector	43.17	EC001821	387806	4548583518926			GD	GDS	CHN	8541.4090.00
E3FB-DP26-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 1 m, PNP, L-ON/D-ON selectable inversed logic, M12 connector	45.23	EC001821	659014	4548583731295			GD	GDS	CHN	9031.9000.00
E3FB-LN21	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 100 mm, NPN, L-ON/D-ON selectable, M12 connector	51.50	EC002719	378907	4548583441149			GD	GDS	IDN	8536.9095.00
E3FB-LP11 2M	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 100 mm, PNP, L-ON/D-ON selectable, 2 m cable	50.10	EC002719	378918	4548583441255			GD	GDS	IDN	8536.9095.00
E3FB-LP21	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, M12 connector	51.15	EC002719	378929	4548583441361	#		GD	GDS	IDN	8536.9095.00
E3FB-LP22	Photoelectric sensor, M18 axial, metal body, red LED, BGS, 200mm, PNP, L-ON/D-ON selectable, M12 connector	51.35	EC002719	378930	4548583441378	#		GD	GDS	IDN	8536.9095.00
E3FB-RN11 2M	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1 to 4 m, NPN, L-ON/D-ON selectable, 2 m cable	44.50	EC002717	378891	4548583440982			GD	GDS	IDN	8536.9095.00
E3FB-RN21	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	44.50	EC002717	378902	4548583441095			GD	GDS	IDN	8536.9095.00
E3FB-RP11 2M	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	44.50	EC002717	378913	4548583441200	#		GD	GDS	IDN	8536.9095.00
E3FB-RP21-F2	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1 to 4 m, PNP, L-ON/D-ON selectable, inversed logic, M12 connector	42.09	EC002717	659019	4548583731325			GD	GDS	CHN	8536.9095.00
E3FB-RP21	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1 to 4 m, PNP, L-ON/D-ON selectable, M12 connector	44.50	EC002717	378924	4548583441316	#		GD	GDS	IDN	8536.9095.00
E3FB-RP22	Photoelectric sensor, M18 axial, metal body, red LED, coaxial retro-reflective, 0-500m, PNP, L-ON/D-ON selectable, M12 connector	46.56	EC002717	378925	4548583441323			GD	GDS	IDN	8536.9095.00
E3FB-TN11 2M	Photoelectric sensor, M18 axial, metal body, red LED, through-beam, 20 m, NPN, L-ON/D-ON selectable, 2 m cable	63.60	EC002716	378890	4548583440975			GD	GDS	IDN	8536.9095.00
E3FB-TN21	Photoelectric sensor, M18 axial, metal body, red LED, through-beam, 20m, NPN, L-ON/D-ON selectable, M12 connector	63.60	EC002716	378901	4548583441088			GD	GDS	IDN	8536.9095.00
E3FB-TP11 2M	Photoelectric sensor, M18 axial, metal body, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, 2m cable	63.60	EC002716	378912	4548583441194			GD	GDS	IDN	8536.9095.00
E3FB-TP21-D	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam receiver, 20m, PNP, L-ON/D-ON selectable, M12 connector	41.42	EC002716	415550	4548583593671			GD	GDS	CHN	8541.4090.00
E3FB-TP21-L	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam emitter, 20 m, PNP, L-ON/D-ON selectable, M12 connector	29.02	EC002716	415551	4548583593688			GD	GDS	CHN	8541.4090.00
E3FB-TP21	Photoelectric sensor, M18 axial, metal body, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, M12 connector	63.60	EC002716	378923	4548583441309			GD	GDS	IDN	8536.9095.00
E3FB-VP21	Photoelectric sensor, M18 axial, metal body, red LED, limited distance reflective, 10-50 mm, PNP, L-ON/D-ON selectable, M12 connector	46.23	EC002719	378931	4548583441385			GD	GDS	IDN	8536.9095.00
E3FC-BP11 2M	Photoelectric sensor, M18 axial, SUS body, red LED, transparent object detection, 500mm, PNP, L-ON/D-ON selectable, 2m cable	75.70	EC002717	659444	4548583732667			GD	GDS	CHN	8541.4090.00
E3FC-BP21 2M	Photoelectric sensor, M18 axial, SUS body, red LED, transparent object detection, 0.1 to 2 m, PNP, L-ON/D-ON selectable, 2 m cable	82.10	EC002717	659450	4548583732674			GD	GDS	CHN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FC-DN22	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	63.80	EC001821	659435	4548583732742			GD	GDS	CHN	8541.4090.00
E3FC-DP12 2M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	63.20	EC001821	659430	4548583732780			GD	GDS	CHN	8541.4090.00
E3FC-DP13 2M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 1m, PNP, L-ON/D-ON selectable, 2m cable	64.25	EC001821	659436	4548583732797			GD	GDS	CHN	8541.4090.00
E3FC-DP22	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	63.20	EC001821	659445	4548583732834			GD	GDS	CHN	8541.4090.00
E3FC-DP23	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse, 1m, PNP, L-ON/D-ON selectable, M12 connector	64.25	EC001821	659439	4548583732841			GD	GDS	CHN	8541.4090.00
E3FC-DP25	Photoelectric sensor, M18 axial, SUS body, infrared LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	63.20	EC001821	659448	4548583732858			GD	GDS	CHN	8541.4090.00
E3FC-DP26	Photoelectric sensor, M18 axial, SUS body, infrared LED, diffuse, 1m, PNP, L-ON/D-ON selectable, M12 connector	64.25	EC001821	659462	4548583732872			GD	GDS	CHN	8541.4090.00
E3FC-LP11 2M	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, 2m cable	92.05	EC002719	659428	4548583732926			GD	GDS	CHN	8541.4090.00
E3FC-LP21	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 100mm, PNP, L-ON/D-ON selectable, M12 connector	91.10	EC002719	659426	4548583732964			GD	GDS	CHN	8541.4090.00
E3FC-LP22	Photoelectric sensor, M18 axial, SUS body, red LED, BGS, 200mm, PNP, L-ON/D-ON selectable, M12 connector	92.05	EC002719	659454	4548583732971			GD	GDS	CHN	8541.4090.00
E3FC-RN21	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, M12 connector	63.80	EC002717	659425	4548583732995			GD	GDS	CHN	8541.4090.00
E3FC-RP11 2M	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	64.25	EC002717	659446	4548583733008			GD	GDS	CHN	8541.4090.00
E3FC-RP21	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	63.80	EC002717	659455	4548583733022			GD	GDS	CHN	8541.4090.00
E3FC-TP11 2M	Photoelectric sensor, M18 axial, SUS body, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, 2m cable	103.60	EC002716	659443	4548583733053			GD	GDS	CHN	8541.4090.00
E3FC-TP21	Photoelectric sensor, M18 axial, SUS body, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, M12 connector	107.60	EC002716	659433	4548583733084			GD	GDS	CHN	8541.4090.00
E3RA-DP12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300 mm, PNP, L-ON/D-ON selectable, 2 m cable	44.50	EC001821	378963	4548583441705			GD	GDS	IDN	8536.9095.00
E3RA-DP21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100 mm, PNP, L-ON/D-ON selectable, M12 connector	43.50	EC001821	378967	4548583441743	40		GD	GDS	IDN	8536.9095.00
E3RA-DP22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	44.50	EC001821	378968	4548583441750			GD	GDS	IDN	8536.9095.00
E3RA-DP23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700 mm, PNP, L-ON/D-ON selectable, M12 connector	46.56	EC001821	378969	4548583441767			GD	GDS	IDN	8536.9095.00
E3RA-RN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1 to 4 m, NPN, L-ON/D-ON selectable, 2 m cable	43.50	EC002717	378951	4548583441583			GD	GDS	IDN	8536.9095.00
E3RA-RN21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1 to 4 m, NPN, L-ON/D-ON selectable, M12 connector	43.50	EC002717	378956	4548583441637			GD	GDS	IDN	8536.9095.00
E3RA-RP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	43.50	EC002717	378961	4548583441682			GD	GDS	IDN	8536.9095.00
E3RA-RP21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	43.50	EC002717	378966	4548583441736			GD	GDS	IDN	8536.9095.00
E3RA-TP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15 m, PNP, L-ON/D-ON selectable, 2 m cable	57.70	EC002716	378960	4548583441675			GD	GDS	IDN	8536.9095.00
E3RA-TP21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	57.70	EC002716	378965	4548583441729			GD	GDS	IDN	8536.9095.00
E3RB-DN22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	50.10	EC001821	378978	4548583441859			GD	GDS	IDN	8536.9095.00
E3RB-DP21	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 100 mm, PNP, L-ON/D-ON selectable, M12 connector	49.34	EC001821	378987	4548583441941			GD	GDS	IDN	8536.9095.00
E3RB-DP22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	41.87	EC001821	378988	4548583441958			GD	GDS	IDN	8536.9095.00
E3RB-DP23	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 700 mm, PNP, L-ON/D-ON selectable, M12 connector	51.85	EC001821	378989	4548583441965			GD	GDS	IDN	8536.9095.00
E3RB-RP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	41.12	EC002717	378981	4548583441880			GD	GDS	IDN	8536.9095.00
E3RB-RP21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	49.34	EC002717	378986	4548583441934			GD	GDS	IDN	8536.9095.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3RB-TP21	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	67.35	EC002716	378985	4548583441927			GD	GDS	IDN	8536.9095.00
Photoelectric sensor E3F1											
E3F1-DN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100 mm, NPN, L-ON/D-ON selectable, 2 m cable	27.20	EC001821	378936	4548583441439			GD	GDT	IDN	8536.9095.00
E3F1-DN12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300 mm, NPN, L-ON/D-ON selectable, 2 m cable	28.00	EC001821	378937	4548583441446			GD	GDT	IDN	8536.9095.00
E3F1-DN21	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100 mm, NPN, L-ON/D-ON selectable, M12 connector	27.20	EC001821	378940	4548583441477			GD	GDT	IDN	8536.9095.00
E3F1-DN22	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300 mm, NPN, L-ON/D-ON selectable, M12 connector	28.00	EC001821	378941	4548583441484			GD	GDT	IDN	8536.9095.00
E3F1-DP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	27.20	EC001821	378944	4548583441514			GD	GDT	IDN	8536.9095.00
E3F1-DP12 2M	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	28.00	EC001821	378945	4548583441521	#		GD	GDT	IDN	8536.9095.00
E3F1-DP21	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	27.20	EC001821	378948	4548583441552	#		GD	GDT	IDN	8536.9095.00
E3F1-DP22-10	Photoelectric sensor, LITE, M18 axial, plastic body, red LED, diffuse reflective, 300 mm, PNP, L-ON/D-ON selectable, M12 connector, Multipack 10 pcs	253.20	EC001821	401859	4548583571617			GD	GDT	CHN	8536.9095.00
E3F1-DP22	Photoelectric sensor, M18 axial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	28.00	EC001821	378949	4548583441569	#		GD	GDT	IDN	8536.9095.00
E3F1-RN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-3m, NPN, L-ON/D-ON selectable, 2m cable	27.20	EC002717	378935	4548583441422			GD	GDT	IDN	8536.9095.00
E3F1-RN21	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1 to 3 m, NPN, L-ON/D-ON selectable, M12 connector	27.20	EC002717	378939	4548583441460			GD	GDT	IDN	8536.9095.00
E3F1-RP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-3m, PNP, L-ON/D-ON selectable, 2m cable	27.20	EC002717	378943	4548583441507			GD	GDT	IDN	8536.9095.00
E3F1-RP21-10	Photoelectric sensor, LITE, M18 axial, plastic body, red LED, retro-reflective, 3 m, PNP, L-ON/D-ON selectable, M12 connector, Multipack 10 pcs	245.50	EC002717	401861	4548583571631			GD	GDT	CHN	8536.9095.00
E3F1-RP21	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-3m, PNP, L-ON/D-ON selectable, M12 connector	27.20	EC002717	378947	4548583441545	#		GD	GDT	IDN	8536.9095.00
E3F1-TN11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam, 15 m, NPN, L-ON/D-ON selectable, 2 m cable	38.14	EC002716	378934	4548583441415			GD	GDT	IDN	8536.9095.00
E3F1-TN21	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam, 15 m, NPN, L-ON/D-ON selectable, M12 connector	36.94	EC002716	378938	4548583441453			GD	GDT	IDN	8536.9095.00
E3F1-TP11 2M	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	39.05	EC002716	378942	4548583441491			GD	GDT	IDN	8536.9095.00
E3F1-TP21	Photoelectric sensor, M18 axial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	36.94	EC002716	378946	4548583441538	#		GD	GDT	IDN	8536.9095.00
Photoelectric sensor E3JK-Lite											
E3JK-DP11 2M	Photoelectric sensor, square body, red LED, diffuse, 2.5m, PNP, L-ON/D-ON selectable, 2m cable	61.50	EC001821	668839	4548583746589	#		GD	GDU	IDN	8541.4090.00
E3JK-DP12 2M	Photoelectric sensor, square body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	63.65	EC001821	668840	4548583746602			GD	GDU	IDN	8541.4090.00
E3JK-DP13 2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, PNP, L-ON/D-ON selectable, 2m cable	57.45	EC001821	669198	4548583580862			GD	GDU	CHN	8541.4090.00
E3JK-DR11 2M	Photoelectric sensor, square body, red LED, diffuse, 2.5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	72.10	EC001821	668835	4548583746480	#		GD	GDU	IDN	8541.4090.00
E3JK-DR12 2M	Photoelectric sensor, square body, red LED, diffuse, 300mm, AC/DC, relay, L-ON/D-ON selectable, 2m cable	68.75	EC001821	668843	4548583746510	#		GD	GDU	IDN	8541.4090.00
E3JK-DR13 2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	61.80	EC001821	669192	4548583580763	#		GD	GDU	CHN	8541.4090.00
E3JK-RN12 2M	Photoelectric sensor, square body, red LED, retro-reflective, polarized, 6m, NPN, L-ON/D-ON selectable, 2m cable	61.50	EC002717	668831	4548583746701			GD	GDU	IDN	8541.4090.00
E3JK-RP11 2M	Photoelectric sensor, square body, red LED, retro-reflective, non-polarized, 7m, PNP, L-ON/D-ON selectable, 2m cable	61.50	EC002717	668833	4548583746664			GD	GDU	IDN	8541.4090.00
E3JK-RP12 2M	Photoelectric sensor, square body, red LED, retro-reflective, polarized, 6m, PNP, L-ON/D-ON selectable, 2m cable	61.50	EC002717	668836	4548583746725	#		GD	GDU	IDN	8541.4090.00
E3JK-RR11 2M	Photoelectric sensor, square body, red LED, retro-reflective, non-polarized, 7m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	66.65	EC002717	668844	4548583746626	#		GD	GDU	IDN	8541.4090.00
E3JK-RR12 2M	Photoelectric sensor, square body, red LED, retro-reflective, polarized, 6m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	66.65	EC002717	668829	4548583746688	#		GD	GDU	IDN	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3JK-RR12 5M	Photoelectric sensor, square body, red LED, retro-reflective (polarized), 6m, AC/DC, Relay, 5 m cable	66.30	EC002717	379009	4548583484023			GD	GDU	CHN	8541.4090.00
E3JK-TP11 2M	Photoelectric sensor, square body, red LED, through-beam, 40m, PNP, L-ON/D-ON selectable, 2m cable	91.80	EC002716	668830	4548583746442			GD	GDU	IDN	8541.4090.00
E3JK-TR11 2M	Photoelectric sensor, square body, red LED, through-beam, 40m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	97.85	EC002716	668838	4548583746343	#		GD	GDU	IDN	8541.4090.00
E3JK-TR11 5M	Photoelectric sensor, square body, red LED, through-beam, 40 m, AC/DC, relay, L-ON/D-ON selectable, 5 m cable	100.40	EC002716	668841	4548583746350			GD	GDU	IDN	8541.4090.00
E3JK-TR12 2M	Photoelectric sensor, square body, red LED, through-beam, 5 m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	97.85	EC002716	688662	4548583746374			GD	GDU	IDN	8541.4090.00
Photoelectric sensor E3S-D											
E3S-DBN21	Photoelectric sensor, rectangular shape, red LED, transparent object detection, SmartTeach, 4.5 m, NPN, antivalent output, M12 connector	119.10	EC002717	393258	4548583518339			GD	GDV	CHN	8541.4090.00
E3S-DBP21	Photoelectric sensor, rectangular shape, red LED, transparent object detection, SmartTeach, 4.5m, PNP, antivalent output, M12 conn.	105.40	EC002717	388939	4548583518292	#		GD	GDV	CHN	8541.4090.00
E3S-DBP21T	Photoelectric sensor, rectangular shape, red LED, transparent object detection, multi-turn trimmer, 4.5m, PNP, antivalent output, M12 conn.	93.75	EC002717	388938	4548583518285			GD	GDV	CHN	8541.4090.00
E3S-DBP22	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, SmartTeach, 0.7m, PNP, antivalent output, M12 conn.	107.00	EC002717	388941	4548583518315	#		GD	GDV	CHN	8541.4090.00
E3S-DBP22T	Photoelectric sensor, rectangular shape, red LED, transparent object detection, narrow beam, multi-turn trimmer, 0.7m, PNP, antivalent output, M12 conn.	98.50	EC002717	388940	4548583518308			GD	GDV	CHN	8541.4090.00
E3S-DCN21	Registration mark sensor, diffuse, rectangular shape, IP67, 10 +/- 3mm, 50µs response time, NPN, M12 connector	209.10	EC001820	670883	4548583819047			GD	GDV	CHN	8541.4090.00
E3S-DCP21-IL2	Registration mark sensor, diffuse, rectangular shape, IP67, 10 +/- 3mm, 50µs response time, Push-Pull, IO-Link V1.1 communication COM2 (38.4kbps), M12 connector	248.00	EC001820	670884	4548583819054			GD	GDV	CHN	8541.4090.00
E3S-DCP21-IL3	Registration mark sensor, diffuse, rectangular shape, IP67, 10 +/- 3mm, 50µs response time, Push-Pull, IO-Link V1.1 communication COM3 (230.4kbps), M12 connector	248.00	EC001820	670885	4548583819061	#		GD	GDV	CHN	8541.4090.00
Other photoelectric sensor											
E3S-GS3B4	Photoelectric sensor, slot, 30 mm, DC, 3-wire, PNP, 2 m cable	169.70	EC002720	130258	4536853286194	#		GD	GDX	JPN	8541.4090.00
E3S-GS3B4 5M	Photoelectric sensor, slot, 30 mm, DC, 3-wire, PNP, 5 m cable	190.80	EC002720	130268	4536853286514			GD	GDX	JPN	8541.4090.00
E3S-GS3E4	Photoelectric sensor, slot, 30 mm, DC, 3-wire, NPN, 2 m cable	151.30	EC002720	130246	4536853285937	#		GD	GDX	JPN	8541.4090.00
E3S-LS10XB4	Photoelectric sensor, definite, 30 to 100 mm, DC, 3-wire, PNP, 2 m cable	191.90	EC002719	130256	4536853286132			GD	GDX	JPN	8541.4090.00
E3S-LS10XE4	Photoelectric sensor, definite, 30 to 100 mm, DC, 3-wire, NPN, 2 m cable	191.90	EC002719	130243	4536853285876			GD	GDX	JPN	8541.4090.00
E3S-LS20XB4	Photoelectric sensor, definite, 50 to 250 mm, DC, 3-wire, PNP, 2 m cable	191.90	EC002719	130257	4536853286156			GD	GDX	JPN	8541.4090.00
E3S-LS20XE4	Photoelectric sensor, definite, 50 to 250 mm, DC, 3-wire, NPN, 2 m cable	191.90	EC002719	130244	4536853285890			GD	GDX	JPN	8541.4090.00
E3S-LS3N 2M	Photoelectric sensor, diffuse, 20-35mm, DC, 3-wire, NPN, vertical, 2m cable	65.95	EC002719	150300	4536854586071			GD	GDX	JPN	8541.4090.00
E3S-LS3NW 2M	Photoelectric sensor, diffuse, 10-60mm, DC, 3-wire, NPN, vertical, 2m cable	113.90	EC002719	154808	4536854810060			GD	GDX	JPN	8541.4090.00
E3S-LS3PW 2M	Photoelectric sensor limited-reflective, diffuse, wide beam for structured-shiny-irregularly objects, 10-60mm, PNP, 2m cable	123.10	EC002719	130314	4536854917318			GD	GDX	JPN	8541.4090.00
E3S-LS3PW-M3J 0.3M	Photoelectric sensor, limited reflective, compact square, 10 to 60mm range, PNP, red LED, M8-4pin pig-tail connector	95.85	EC002719	130317	4536854917387			GD	GDX	JPN	8541.4090.00
E3S-LS3PW-M5J 0.3M	Photoelectric sensor limited-reflective, diffuse, wide beam for structured-shiny-irregularly objects, 10-60mm, PNP, pigtail 0,3m with M8 3-pin connector	95.85	EC002719	155478	4536854917424			GD	GDX	JPN	8541.4090.00
E3S-RS30B42-30	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, PNP, vertical, 2 m cable	329.60	EC002717	130213	4536853287924			GD	GDX	JPN	8541.4090.00
E3S-RS30B4-30	Photoelectric sensor, retroreflective, 300 mm, DC, 3-wire, PNP, horizontal, 2 m cable	332.70	EC002717	130211	4536853287900			GD	GDX	JPN	8541.4090.00
E3H2-DS10B4M 2M	Photoelectric sensor M12 brass housing, diffuse, 100mm fixed, PNP, 2m cable	75.90	EC001821	323686	4547648873017			GD	GDX	ITA	8541.4090.00
E3H2-DS10B4M-M1	Photoelectric sensor M12 brass housing, diffuse, 100mm fixed, PNP, Photoelectric sensor M12 4-pin connection	87.05	EC001821	323687	4547648873024			GD	GDX	ITA	8541.4090.00
E3H2-DS30B4M 2M	Photoelectric sensor M12 brass housing, diffuse, 300mm teachable, PNP, 2m cable	134.90	EC001821	323682	4547648872973			GD	GDX	ITA	8541.4090.00
E3H2-DS30B4M-M1	Photoelectric sensor M12 brass housing, diffuse, 300mm teachable, PNP, Photoelectric sensor M12 4-pin connection	88.30	EC001821	323683	4547648872980	#		GD	GDX	ITA	8541.4090.00
E3H2-R2B4M-M1	Photoelectric sensor M12 brass housing, retro-reflective with M.S.R., 2m teachable, PNP, Photoelectric sensor M12 4-pin connection	93.85	EC002717	323679	4547648872942			GD	GDX	ITA	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3H2-T4B4M 2M	Photoelectric sensor M12 brass housing, through-beam, 4m adjustable, PNP, 2m cable	127.70	EC002716	323674	4547648872898			GD	GDX	ITA	8541.4090.00
E3H2-T4B4M-M1	Photoelectric sensor M12 brass housing, through-beam, 4m adjustable, PNP, Photoelectric sensor M12 4-pin connection	170.60	EC002716	323675	4547648872904	#		GD	GDX	ITA	8541.4090.00
F3ET2-005-150	Light curtain, 5mm resolution, 150mm height, NPN/PNP output	1063.00	EC001832	365856	4548583326828			GD	GDX	ITA	8536.5019.90
F3ET2-005-300	Light curtain, 5mm resolution, 300mm height, NPN/PNP output	1598.00	EC001832	365858	4548583326842			GD	GDX	ITA	8536.5019.90
F3ET2-018-150	Light curtain, 18mm resolution, 150mm height, NPN/PNP output	709.50	EC001832	365857	4548583326835			GD	GDX	ITA	8536.5019.90
F3ET2-018-300	Light curtain, 18mm resolution, 300mm height, NPN/PNP output	890.00	EC001832	365859	4548583326859			GD	GDX	ITA	8536.5019.90
F3EM2-005-150-AV	Measuring light curtain, 5mm resolution, 150mm height, analog output	1063.00	EC001832	365873	4548583326996			GD	GDX	ITA	8536.5019.90
F3EM2-005-300-AV	Measuring light curtain, 5mm resolution, 300mm height, analog output	1598.00	EC001832	365875	4548583327016			GD	GDX	ITA	8536.5019.90
F3EM2-005-900-AV	Measuring light curtain, 5mm resolution, 900mm height, analog output	3747.00	EC001832	365881	4548583327078			GD	GDX	ITA	8536.5019.90
F3EM2-018-1200-AV	Measuring light curtain, 18mm resolution, 1200mm height, analog output	1994.00	EC001832	365884	4548583327108			GD	GDX	ITA	8536.5019.90
F3EM2-018-2100-AV	Measuring light curtain, 18mm resolution, 2100mm height, analog output	3128.00	EC001832	365889	4548583327153			GD	GDX	ITA	8536.5019.90
Accessory for photoelectric sensor											
E39-F9	Fine fiber attachment for E3X amplifiers	6.15	EC003015	146998	4536853297251		100	GD	GDZ	JPN	8541.9000.00
E39-L143	Sensor mounting Bracket, for E3X-NA, E3C-LDA, E2C-EDA	8.78	EC003015	130028	4536854537578			GD	GDZ	JPN	8541.9000.00
E39-F1	Long-distance lens unit for E32 through-beam fibers with M2.6 thread	47.76	EC003015	323182	4547648667876	#		GD	GDZ	CHN	8541.4090.00
E39-F18	Focal lens for E32-CC200 / E32-C11N, 50mm range	200.20	EC003015	305601	4547648651134			GD	GDZ	CHN	8541.4090.00
E39-F2	Focal lens, side view unit for E32 through-beam optical fibers	77.25	EC003015	323183	4547648667883			GD	GDZ	CHN	8541.4090.00
E39-F3A	Small spot lens unit for E32-D32 optical fiber	111.70	EC003015	323185	4547648667937			GD	GDZ	CHN	8541.4090.00
E39-F3A-5	Focus lens for E32-EC41 fiber sensor head, 7mm focus length, 0.1mm spot	89.40	EC003015	323188	4547648667968			GD	GDZ	CHN	8541.4090.00
E39-F3B	Focus lens for E32-EC31 fiber sensor head, 17mm focus length, 0.5mm spot	92.45	EC003015	323189	4547648667975			GD	GDZ	CHN	8541.4090.00
E39-F3C	Focus lens for E32-EC31 fibre sensor head, 20mm focus length, 4mm spot	216.30	EC003015	323190	4547648667982			GD	GDZ	CHN	8541.4090.00
E39-F10	Connector for E32 optical fiber cable	11.67	EC003015	155530	4536853297268			GD	GDZ	JPN	8541.9000.00
E39-F32A 1M	Spiral protective tube for E32, M3, diffuse, optical fibers, 1m	42.90	EC003015	131355	4536853297367			GD	GDZ	JPN	8541.9000.00
E39-F32C 1M	Spiral protective tube for E32, M4, through-beam, optical fibers, 1m	58.80	EC003015	106026	4536853297381			GD	GDZ	JPN	8541.9000.00
E39-F32C5 0.5M	Spiral protective tube for E32, M4, through-beam, optical fibers, 0.5m	57.45	EC003015	131359	4536853297442			GD	GDZ	JPN	8541.9000.00
E39-F32D 1M	Spiral protective tube for E32, M6, diffuse, optical fibers, 1m	40.20	EC003015	131357	4536853297398			GD	GDZ	JPN	8541.9000.00
E39-F32D5 0.5M	Spiral protective tube for E32, M6, diffuse, optical fibers, 0.5 m	32.25	EC003015	144836	4536853297459			GD	GDZ	JPN	8541.9000.00
E39-F4	Cutter for all E32 optical fibers	3.73	EC003015	131351	4536853297169			GD	GDZ	JPN	8541.9000.00
EE-1001	Accessory Connector for Photomicrosensors, 4-pin , solder terminals	1.76	EC003015	379735	4548583379572		100	GD	GDZ	CHN	8544.4290.90
EE-1003	Accessory Photomicro sensor connector	3.40	EC001855	154581	4536854886485		50	GD	GDZ	JPN	8541.4090.00
EE-1006 1M	Accessory Photomicro sensor connector with cable 1 m	3.60	EC001855	158029	4536854831942		50	GD	GDZ	CHN	8541.4090.00
EE-1006 2M	Accessory Photomicro sensor connector with cable 2 m	4.97	EC001855	149189	4536854831935	#		GD	GDZ	CHN	8541.4090.00
EE-1006 3M	Accessory Photomicro sensor connector with cable 3m	5.31	EC001855	127851	4536854831959			GD	GDZ	CHN	8544.4290.90
EE-1010 2M	Accessory Photomicro sensor EE-SPX_03, cable connector, PVC, 2m	5.75	EC001855	127848	4536853231057	#		GD	GDZ	CHN	8541.4090.00
EE-1010-R 2M	Accessory photomicro sensor EE-SPX_03, cable connector, robotic PVC, 2 m	16.24	EC001855	127849	4536853231071			GD	GDZ	CHN	8541.4090.00
EE-2002	Accessory Photomicro sensor EE-SPX_03, NPN/PNP converter and cable connector, 0.5 m	19.17	EC003015	127846	4536853230944		20	GD	GDZ	JPN	8541.4090.00
E39-R1	Accessory photosensor, reflector, 40 x 60 x 7.5 mm, ABS & Acrylic	14.17	EC002467	358211	4548583065079		130	GD	GDZ	CHN	8541.9000.00
E39-R10	Accessory photosensor, reflector, 52x62x8 mm, ABS & Acrylic	15.83	EC002467	131424	4536854515217			GD	GDZ	JPN	8541.9000.00
E39-R1K	Accessory photosensor, reflector, 40x60x7.5 mm, ABS & Acrylic, anti-fogging coating	34.15	EC002467	372980	4548583128873		15	GD	GDZ	CHN	8541.9000.00
E39-R1S	Accessory photosensor, reflector, 40x60x7.5 mm, ABS & Acrylic	7.92	EC002467	372803	4548583128910	#	132	GD	GDZ	CHN	8541.9000.00
E39-R2	Accessory photosensor, reflector, 80.8x60x7.5 mm, ABS & Acrylic	19.17	EC002467	372981	4548583128859	#	10	GD	GDZ	CHN	8541.9000.00
E39-R21	Accessory photoelectric sensors, reflector, microtripple 30x35mm	18.11	EC002467	386286	4548583489325	#		GD	GDZ	JPN	8541.9000.00
E39-R3	Accessory photosensor, reflector, 42x22mm	21.66	EC002467	131460	4536853295950			GD	GDZ	JPN	8541.9000.00
E39-R37-CA	Sensor reflector, high precision type, 14mm x 23mm	9.99	EC002467	249845	4547648595193			GD	GDZ	JPN	8541.9000.00
E39-R4	Accessory photosensor, reflector, 23x14mm	22.07	EC002467	131468	4536853296193			GD	GDZ	JPN	8541.9000.00
E39-R40	Accessory photosensor, reflector, 84.5 x 84.5 x 8.7 mm, ABS & Acrylic	18.19	EC002467	356162	4547648923460		100	GD	GDZ	DEU	8541.4090.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E39-R42	Reflector 51x60 mm	2.38	EC002467	699561	4549734893008	#		GD	GDZ	DEU	8541.9000.00
E39-R49	Sensor reflector, snap fitting, 30mm dia	7.41	EC002467	356167	4547648923514			GD	GDZ	DEU	8541.4090.00
E39-R50	Reflector, 40x60mm, IP69K, detergent resistant	34.15	EC002467	699563	4549734893022			GD	GDZ	DEU	8541.9000.00
E39-R51	Reflector, 20x60 mm, IP69K, detergent resistant	20.85	EC002467	699564	4549734893039			GD	GDZ	DEU	8541.9000.00
E39-R6	Reflector, 52x40mm, micro-triple surface	9.68	EC002467	356168	4547648923521			GD	GDZ	DEU	8541.4090.00
E39-R7	Sensor reflector, round, 84mm dia	7.92	EC002467	356169	4547648923538	#		GD	GDZ	DEU	8541.4090.00
E39-R8	Reflector 100x100mm	14.63	EC002467	356170	4547648923545	#		GD	GDZ	DEU	8541.4090.00
E39-R9	Reflector 35x42 mm	14.17	EC002467	154931	4536854515200			GD	GDZ	JPN	8541.9000.00
E39-RP1	Reflector, polarizing, to use with E3ZM-B, 44mm x 64mm	20.92	EC002467	235857	4547648395526			GD	GDZ	JPN	8541.9000.00
E39-RS1	Reflective tape, self adhesive, 35 x 10 mm	8.32	EC002467	131412	4536854386329			GD	GDZ	JPN	8541.9000.00
E39-RS2	Accessory photoelectric sensor, reflective tape, 40 x 35 x 0.6, self adhesive	13.76	EC002467	145484	4536854386336			GD	GDZ	JPN	8541.9000.00
E39-RS25 5M	Accessory photoelectric sensor, reflective tape, 25 mm x 5 m	96.85	EC002467	356172	4547648923569			GD	GDZ	DEU	9001.2000.00
E39-RS3	Reflective tape, self-adhesive, 70x80mm	27.07	EC002467	131413	4536854386343			GD	GDZ	JPN	8541.9000.00
E39-RS50 1M	Accessory photoelectric sensor, reflective tape, 50 mm x 1 m	30.80	EC002467	357623	4547648926843			GD	GDZ	DEU	8541.9000.00
E39-RS50 22.8M	Accessory photoelectric sensor, reflective tape, 50mm x 22.8m	478.20	EC002467	356173	4547648923576			GD	GDZ	USA	9001.2000.00
E39-RS50 5M	Accessory photoelectric sensor, reflective tape, 50 mm x 5 m	198.90	EC002467	356174	4547648923583			GD	GDZ	DEU	9001.2000.00
E39-RSA	Reflector (tape type), 35x10mm	10.46	EC002467	157697	4536853295967			GD	GDZ	JPN	8541.9000.00
E39-L104	Mounting bracket for E3Z sensor, standard, vertical mounting	5.96	EC003015	131393	4536853296643			GD	GDZ	JPN	8541.9000.00
E39-L117	Mounting bracket for E3T-S* sensor, rear mounting	7.50	EC003015	103300	4536853296810			GD	GDZ	JPN	8541.9000.00
E39-L142	Mounting Bracket, protective side wall (for E3Z)	9.59	EC003015	155635	4536854552557			GD	GDZ	JPN	8541.9000.00
E39-L144	Sensor mounting Bracket, Protective bracket for E3Z, pre-wired	12.48	EC003015	354104	4548583009004		50	GD	GDZ	CHN	8541.4090.00
E39-L150	Sensor mounting Bracket for E3Z, 100mm high post	47.86	EC003015	131426	4536854806674			GD	GDZ	JPN	8541.9000.00
E39-L151	Sensor mounting Bracket, for E3Z, 200mm high post	24.55	EC003015	142623	4536854806681			GD	GDZ	JPN	8541.9000.00
E39-L153	Mounting bracket for E3Z sensor, L shape, for prewired	5.51	EC003015	131427	4536854817274			GD	GDZ	JPN	8541.9000.00
E39-L182	E3FA/R flush mounting bracket	6.51	EC003015	370092	4548583328075			GD	GDZ	CHN	8541.9000.00
E39-L183	M18 L-type mounting bracket, stainless steel (SUS304)	6.51	EC003015	370093	4548583328082			GD	GDZ	CHN	8541.9000.00
E39-L201	Mounting bracket for E3AS sensor, L shaped	6.25	EC003015	694038	4549734513111			GD	GDZ	CHN	8541.9000.00
E39-L202	Protective mounting bracket for E3AS, vertical mounting	8.33	EC003015	694039	4549734513128			GD	GDZ	CHN	8541.9000.00
E39-L203	Mounting bracket for E3AS sensor, rear mounting	6.25	EC003015	694040	4549734513135			GD	GDZ	CHN	8541.9000.00
E39-L204	Protective metal cover for E3AS, horizontal surface mounting	9.55	EC003015	694041	4549734513142			GD	GDZ	CHN	8541.9000.00
E39-L211	Mounting bracket for E3AS sensor, L shaped	6.35	EC003015	690767	4549734513159		20	GD	GDZ	CHN	8541.9000.00
E39-L212	Protective mounting bracket for E3AS, vertical mounting	8.46	EC003015	690765	4549734513166		28	GD	GDZ	CHN	8541.9000.00
E39-L214	Protective metal cover for E3AS, horizontal surface mounting	13.75	EC003015	690766	4549734513173		20	GD	GDZ	CHN	8541.4090.00
E39-L221	L-shaped mounting bracket	8.80	EC003015	696039	4549734663410			GD	GDZ	CHN	8541.9000.00
E39-L222	Horizontal protective cover bracket	11.72	EC003015	696051	4549734663427			GD	GDZ	CHN	8541.9000.00
E39-L223	Rear mounting bracket	10.00	EC003015	696050	4549734663434			GD	GDZ	CHN	8541.9000.00
E39-L224	Robust mounting bracket	12.44	EC003015	696049	4549734663441			GD	GDZ	CHN	8541.9000.00
E39-L231	L-shaped mounting bracket	11.19	EC003015	696048	4549734663458			GD	GDZ	CHN	8541.9000.00
E39-L232	Horizontal protective cover bracket	15.56	EC003015	696047	4549734663465			GD	GDZ	CHN	8541.9000.00
E39-L234	Robust mounting bracket	16.08	EC003015	696046	4549734663472			GD	GDZ	CHN	8541.9000.00
E39-L261	Flexible mounting bracket	41.36	EC003015	696045	4549734663489			GD	GDZ	CHN	8541.9000.00
E39-L262	50mm post for flexible mounting bracket E39-L261	18.95	EC003015	696044	4549734663496			GD	GDZ	CHN	8541.9000.00
E39-L263	100mm post for flexible mounting bracket E39-L261	23.42	EC003015	696043	4549734663502			GD	GDZ	CHN	8541.9000.00
E39-L40	Accessory photosensor E3JK, mounting bracket	2.31	EC003015	348111	4547648825344	#		GD	GDZ	CHN	8541.4090.00
E39-L43	Mounting bracket for E3Z sensor, side mounting	6.33	EC003015	131444	4536853295721			GD	GDZ	JPN	8541.9000.00
E39-L44	Mounting bracket for E3Z sensor, rear mounting	5.66	EC003015	150902	4536853295714			GD	GDZ	JPN	8541.9000.00
E39-L93FH	Mounting bracket for E3Z, 3D telescope mounting	29.55	EC003015	131429	4536854907517			GD	GDZ	JPN	8541.9000.00
E39-L93V	Adjustable Pillar bracket for E3Z, E3SA, Vertical mount fixings	29.11	EC003015	131431	4536854907548			GD	GDZ	JPN	8541.9000.00
E39-L93XY	2 positioning rods and horizontal mounting bracket for E3Z, E3S-A, E3S-R1, E39-R1, E39-R3	22.07	EC003015	131432	4536854907555			GD	GDZ	JPN	8541.9000.00
E39-L96	Optional reflector bracket for photoelectric sensor	12.60	EC003015	131397	4536853296681			GD	GDZ	JPN	8541.9000.00
E39-L98	Protective metal cover for E3S-A/E3Z vertical sensor	16.25	EC003015	354103	4548583008991			GD	GDZ	CHN	8541.4090.00
E39-E11	Mutual interference filters for the E3Z-TA models	21.69	EC003015	143880	4536854555923			GD	GDZ	JPN	8541.9000.00
E39-S61	Slit for E3S-CT series	18.77	EC003015	131390	4536853296582			GD	GDZ	JPN	8541.9000.00
E39-S63	Slits for E3T-ST1* types, 0.5mm & 1mm dia pairs supplied	7.49	EC003015	156507	4536853296834			GD	GDZ	JPN	8541.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E39-S64	Slits for E3T-FT1* types, 0.5mm & 1mm dia pairs supplied	7.50	EC003015	131404	4536853296858			GD	GDZ	JPN	8541.9000.00
E39-S65A	Slit for E3Z-T, 0.5mm diameter	7.34	EC003015	145485	4536854499104			GD	GDZ	JPN	8541.9000.00
E39-S65B	Slit for E3Z-T, 1mm diameter	8.08	EC003015	143240	4536854499111			GD	GDZ	JPN	8541.9000.00
E39-S65C	Slit for E3Z-T, 2mm diameter	9.46	EC003015	131420	4536854499128		50	GD	GDZ	JPN	8541.9000.00
E39-S65D	Slit for E3Z-T, 0.5 x 10 mm dia.	8.87	EC003015	131421	4536854499135			GD	GDZ	JPN	8541.9000.00
E39-S65E	Slit for E3Z-T, 1x10mm diameter	9.59	EC003015	131422	4536854499142			GD	GDZ	JPN	8541.9000.00
E39-S65F	Slit for E3Z-T, 2x10mm diameter	10.46	EC003015	131423	4536854499159			GD	GDZ	JPN	8541.9000.00
E39-E16	Air blow unit	35.54	EC003015	696042	4549734663519			GD	GDZ	CHN	8541.9000.00
E39-E19	Front protection cover for E3AS-HL	28.93	EC003015	696041	4549734663526			GD	GDZ	CHN	8541.9000.00
E39-VA	Sensor test unit, hand-held, battery-powered	76.70	EC003015	131364	4536853297497			GD	GDZ	JPN	8541.9000.00
E39-R12	Reflector, E3C-LDA sensor, 23x23mm effective area	36.81	EC002467	163867	4536854958304			GD	GDZ	JPN	8541.9000.00
E39-R15	Reflector, stainless steel housing, 105 x 30 mm	286.90	EC002467	659473	4548583750807			GD	GDZ	NLD	8541.9000.00
E39-R16	Reflector, E3C-LDA, highest detergent resistance, SUS316L, 43x30x5 mm	151.60	EC002467	659474	4548583750814			GD	GDZ	NLD	8541.9000.00
E39-RS4	Reflective tape, high precision microtripel, self adhesive, 195mm x 22mm	121.40	EC002467	165090	4536854958335	#		GD	GDZ	JPN	8541.9000.00
E39-RS5	Reflective tape, high precision microtripel, self adhesive, 108mm x 46mm	137.60	EC002467	165091	4536854958342			GD	GDZ	JPN	8541.9000.00
New E2E											
E2E-X10B1T30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.20	EC002714	698907	4549734480567			GE	GEA	CHN	8536.5080.90
E2E-X10B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.20	EC002714	696110	4549734480741			GE	GEA	CHN	8536.5080.90
E2E-X10B1TL30 2M	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m prewired	54.00	EC002714	700024	4549734481540			GE	GEA	CHN	8536.5080.90
E2E-X10B1TL30-M1	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	EC002714	699975	4549734481632			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.80	EC002714	688012	4549734469838			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.90	EC002714	687517	4549734470018			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	EC002714	699525	4549734475594			GE	GEA	CHN	8536.5080.90
E2E-X10MB1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	EC002714	698861	4549734475778			GE	GEA	CHN	8536.5080.90
E2E-X10MB1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.80	EC002714	688002	4549734470865			GE	GEA	CHN	8536.5080.90
E2E-X10MB1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.80	EC002714	687879	4549734470957			GE	GEA	CHN	8536.5080.90
E2E-X10MB1TL18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	EC002714	700033	4549734476454			GE	GEA	CHN	8536.5080.90
E2E-X10MB1TL18-M1	Proximity sensor, inductive, nickel-brass long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	EC002714	699983	4549734476546			GE	GEA	CHN	8536.5080.90
E2E-X10MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, NPN NO, M12 connector	46.80	EC002714	687893	4549734467599			GE	GEA	CHN	8536.5080.90
E2E-X10MC118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable	37.80	EC002714	699320	4549734473378			GE	GEA	CHN	8536.5080.90
E2E-X10MC118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, M12 connector	37.80	EC002714	699989	4549734473552			GE	GEA	CHN	8536.5080.90
E2E-X10MC118 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable	40.50	EC002714	699322	4549734474238			GE	GEA	CHN	8536.5080.90
E2E-X10MD112 2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire	49.77	EC002714	681829	4549734182393			GE	GEA	CHN	8536.5080.90
E2E-X10MD112 5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable, DC 2-wire	52.05	EC002714	681763	4549734182416			GE	GEA	CHN	8536.5080.90
E2E-X10MD112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	53.55	EC002714	681799	4549734182577			GE	GEA	CHN	8536.5080.90
E2E-X10MD112-T 2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire, no polarity	49.77	EC002714	681863	4549734182492			GE	GEA	CHN	8536.5080.90
E2E-X10MD212-MITGJ 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire	53.55	EC002714	681709	4549734182485			GE	GEA	CHN	8536.5080.90
E2E-X10MD212-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	53.55	EC002714	681801	4549734182584			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X10MD212-T 2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 2 m cable, DC 2-wire, no polarity	49.77	EC002714	681814	4549734182508			GE	GEA	CHN	8536.5080.90
E2E-X11D118 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire	49.77	EC002714	681749	4549734182638			GE	GEA	CHN	8536.5080.90
E2E-X11D118-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire	53.55	EC002714	681827	4549734182713			GE	GEA	CHN	8536.5080.90
E2E-X11D118-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	53.55	EC002714	681715	4549734182812			GE	GEA	CHN	8536.5080.90
E2E-X11D118-T 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire, no polarity	49.77	EC002714	681767	4549734182737			GE	GEA	CHN	8536.5080.90
E2E-X11D118-T 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable, DC 2-wire, no polarity	52.05	EC002714	681786	4549734182751			GE	GEA	CHN	8536.5080.90
E2E-X11D118-TR 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable robotic, DC 2-wire, no polarity	63.70	EC002714	681782	4549734182799			GE	GEA	CHN	8536.5080.90
E2E-X11D218 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire	52.05	EC002714	681718	4549734182669			GE	GEA	CHN	8536.5080.90
E2E-X11D218-T 2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity	49.77	EC002714	681659	4549734182744			GE	GEA	CHN	8536.5080.90
E2E-X11D218-T 5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire, no polarity	52.05	EC002714	681736	4549734182768			GE	GEA	CHN	8536.5080.90
E2E-X12B1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	45.90	EC002714	687511	4549734475242			GE	GEA	CHN	8536.5080.90
E2E-X12B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.90	EC002714	687510	4549734475426			GE	GEA	CHN	8536.5080.90
E2E-X12B1T18-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	60.30	EC002714	687871	4549734475365		20	GE	GEA	CHN	8536.5080.90
E2E-X12B1TL18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.80	EC002714	687868	4549734476256		10	GE	GEA	CHN	8536.5080.90
E2E-X12B1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.80	EC002714	687866	4549734476348		10	GE	GEA	CHN	8536.5080.90
E2E-X12B3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	46.80	EC002714	687858	4549734477451			GE	GEA	CHN	8536.5080.90
E2E-X12B3DL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	46.80	EC002714	687854	4549734478045			GE	GEA	CHN	8536.5080.90
E2E-X12C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, NPN NO, M12 connector	46.80	EC002714	687874	4549734473200			GE	GEA	CHN	8536.5080.90
E2E-X14B1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.30	EC002714	687509	4549734475457			GE	GEA	CHN	8536.5080.90
E2E-X14B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	EC002714	687507	4549734475570			GE	GEA	CHN	8536.5080.90
E2E-X14B1T18-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	EC002714	687508	4549734475532			GE	GEA	CHN	8536.5080.90
E2E-X14B1TL18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.30	EC002714	687865	4549734476379		10	GE	GEA	CHN	8536.5080.90
E2E-X14B1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	EC002714	687863	4549734476430			GE	GEA	CHN	8536.5080.90
E2E-X14B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, M12 connector	51.30	EC002714	689616	4549734475587			GE	GEA	CHN	8536.5080.90
E2E-X14C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NO, M12 connector	51.30	EC002714	687514	4549734473354			GE	GEA	CHN	8536.5080.90
E2E-X14C218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NC, 2 m cable	51.30	EC002714	689615	4549734473248			GE	GEA	CHN	8536.5080.90
E2E-X14C218 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NC, 5 m cable	54.00	EC002714	690489	4549734473262			GE	GEA	CHN	8536.5080.90
E2E-X15B1T30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.20	EC002714	687502	4549734480772			GE	GEA	CHN	8536.5080.90
E2E-X15B1T30 5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	45.90	EC002714	696122	4549734480802			GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.20	EC002714	687501	4549734480956			GE	GEA	CHN	8536.5080.90
E2E-X15B1T30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	56.70	EC002714	687901	4549734480895			GE	GEA	CHN	8536.5080.90
E2E-X15B1TL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.00	EC002714	687977	4549734481663			GE	GEA	CHN	8536.5080.90
E2E-X15B1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	EC002714	687975	4549734481755			GE	GEA	CHN	8536.5080.90
E2E-X15B230 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, 2 m cable	43.20	EC002714	694058	4549734480789			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X15B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, M12 connector	43.20	EC002714	694057	4549734480963			GE	GEA	CHN	8536.5080.90
E2E-X15B3D30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43.20	EC002714	694068	4549734482813			GE	GEA	CHN	8536.5080.90
E2E-X15B3D30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	43.20	EC002714	687849	4549734482936			GE	GEA	CHN	8536.5080.90
E2E-X15B3DL30 5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 5 m cable	54.90	EC002714	696226	4549734483407			GE	GEA	CHN	8536.5080.90
E2E-X15B3DL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	58.50	EC002714	695080	4549734483445			GE	GEA	CHN	8536.5080.90
E2E-X15C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN NO, M12 connector	43.20	EC002714	694852	4549734478854			GE	GEA	CHN	8536.5080.90
E2E-X16MB1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.30	EC002714	688009	4549734470049			GE	GEA	CHN	8536.5080.90
E2E-X16MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	EC002714	687516	4549734470162			GE	GEA	CHN	8536.5080.90
E2E-X16MB1T12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	64.80	EC002714	687887	4549734470124		10	GE	GEA	CHN	8536.5080.90
E2E-X16MB1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	EC002714	687506	4549734475808			GE	GEA	CHN	8536.5080.90
E2E-X16MB1T18 5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	40.50	EC002714	696126	4549734475839			GE	GEA	CHN	8536.5080.90
E2E-X16MB1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	EC002714	687505	4549734475983			GE	GEA	CHN	8536.5080.90
E2E-X16MB1T18-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	EC002714	687869	4549734475921		10	GE	GEA	CHN	8536.5080.90
E2E-X16MB1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	EC002714	687878	4549734471046			GE	GEA	CHN	8536.5080.90
E2E-X16MB1TL18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	EC002714	687991	4549734476577			GE	GEA	CHN	8536.5080.90
E2E-X16MB1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	EC002714	687989	4549734476669			GE	GEA	CHN	8536.5080.90
E2E-X16MB212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	51.30	EC002714	698690	4549734470056			GE	GEA	CHN	8536.5080.90
E2E-X16MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	51.30	EC002714	689613	4549734470179			GE	GEA	CHN	8536.5080.90
E2E-X16MB218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	EC002714	694060	4549734475815			GE	GEA	CHN	8536.5080.90
E2E-X16MB218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	37.80	EC002714	694059	4549734475990			GE	GEA	CHN	8536.5080.90
E2E-X16MB3D18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	37.80	EC002714	694153	4549734477680			GE	GEA	CHN	8536.5080.90
E2E-X16MB3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	37.80	EC002714	687856	4549734477802		10	GE	GEA	CHN	8536.5080.90
E2E-X16MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, NPN NO, M12 connector	51.30	EC002714	687892	4549734467742		5	GE	GEA	CHN	8536.5080.90
E2E-X16MC118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, NPN NO, 2 m cable	37.80	EC002714	694854	4549734473583			GE	GEA	CHN	8536.5080.90
E2E-X16MC118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, NPN NO, M12 connector	37.80	EC002714	687873	4549734473767		15	GE	GEA	CHN	8536.5080.90
E2E-X18MB1T30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.20	EC002714	699440	4549734481335			GE	GEA	CHN	8536.5080.90
E2E-X18MB1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.00	EC002714	696323	4549734481519			GE	GEA	CHN	8536.5080.90
E2E-X18MB230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, M12 connector	52.20	EC002714	699969	4549734481526			GE	GEA	CHN	8536.5080.90
E2E-X18MC130 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, NPN NO, 2 m cable	52.20	EC002714	699506	4549734479233			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8 2M	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	EC002714	696140	4549734462549			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X1R5B1T8-M1	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	34.20	EC002714	692763	4549734462662			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M3	Proximity sensor, inductive, SUS short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	40.50	EC002714	698867	4549734462686			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M5	Proximity sensor, inductive, SUS short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	40.50	EC002714	698869	4549734462709			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1TL8 2M	Proximity sensor, inductive, SUS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	45.00	EC002714	698877	4549734463980			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1TL8-M1	Proximity sensor, inductive, SUS body, long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.00	EC002714	698847	4549734464048			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1TL8-M5	Proximity sensor, inductive, SUS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	45.00	EC002714	698870	4549734464093			GE	GEA	CHN	8536.5080.90
E2E-X1R5B28 2M	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	EC002714	698874	4549734462556			GE	GEA	CHN	8536.5080.90
E2E-X1R5B28-M1	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M12 connector	40.50	EC002714	698845	4549734462679			GE	GEA	CHN	8536.5080.90
E2E-X1R5B28-M3	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	40.50	EC002714	699963	4549734462693			GE	GEA	CHN	8536.5080.90
E2E-X1R5C18 2M	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, 2 m cable	40.50	EC002714	698871	4549734460101			GE	GEA	CHN	8536.5080.90
E2E-X1R5C18-M1	Proximity sensor, inductive, short SUS body M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, M12 connector	40.50	EC002714	699628	4549734460224			GE	GEA	CHN	8536.5080.90
E2E-X1R5D1-N 2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable, DC 2-wire	37.71	EC002714	681795	4549734183918			GE	GEA	CHN	8536.5080.90
E2E-X20D130-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	62.85	EC002714	681732	4549734183215			GE	GEA	CHN	8536.5080.90
E2E-X20D130-R 2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable robotic, DC 2-wire	56.60	EC002714	681750	4549734183079			GE	GEA	CHN	8536.5080.90
E2E-X20D130-T 2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	52.80	EC002714	681768	4549734183130			GE	GEA	CHN	8536.5080.90
E2E-X20D230 2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire	52.80	EC002714	681692	4549734183048			GE	GEA	CHN	8536.5080.90
E2E-X20D230-T 2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	52.80	EC002714	681874	4549734183147			GE	GEA	CHN	8536.5080.90
E2E-X20MB1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.80	EC002714	687985	4549734476874			GE	GEA	CHN	8536.5080.90
E2E-X20MC1L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, 2 m cable	46.80	EC002714	699323	4549734474474			GE	GEA	CHN	8536.5080.90
E2E-X20MD1L18 2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable, DC 2-wire	51.30	EC002714	681879	4549734182836			GE	GEA	CHN	8536.5080.90
E2E-X20MD1L18-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	55.05	EC002714	681677	4549734183017			GE	GEA	CHN	8536.5080.90
E2E-X20MD1L18-T 2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	51.30	EC002714	681784	4549734182935			GE	GEA	CHN	8536.5080.90
E2E-X20MD2L18 2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire	51.30	EC002714	681714	4549734182843			GE	GEA	CHN	8536.5080.90
E2E-X20MD2L18-T 2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	51.30	EC002714	681815	4549734182942			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.20	EC002714	687500	4549734480987			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.20	EC002714	687499	4549734481168			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	72.00	EC002714	687853	4549734481106		10	GE	GEA	CHN	8536.5080.90
E2E-X22B1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.50	EC002714	687851	4549734481878		5	GE	GEA	CHN	8536.5080.90
E2E-X22B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, M12 connector	54.00	EC002714	691085	4549734481175			GE	GEA	CHN	8536.5080.90
E2E-X22B3D30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	54.00	EC002714	687848	4549734483070			GE	GEA	CHN	8536.5080.90
E2E-X22B3DL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	54.00	EC002714	687846	4549734483520			GE	GEA	CHN	8536.5080.90
E2E-X22C130 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, 2 m cable	52.20	EC002714	687504	4549734478885			GE	GEA	CHN	8536.5080.90
E2E-X22C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, M12 connector	52.20	EC002714	687503	4549734479066			GE	GEA	CHN	8536.5080.90
E2E-X22C230 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, 2 m cable	58.50	EC002714	691124	4549734478892			GE	GEA	CHN	8536.5080.90
E2E-X23B1T30 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	58.50	EC002714	687498	4549734481199			GE	GEA	CHN	8536.5080.90
E2E-X23B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.50	EC002714	687497	4549734481311			GE	GEA	CHN	8536.5080.90
E2E-X23B1T30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	76.50	EC002714	687852	4549734481274		15	GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock #	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X23B1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	63.00	EC002714	687850	4549734481960		5	GE	GEA	CHN	8536.5080.90
E2E-X23B1TL30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	76.50	EC002714	687971	4549734481946			GE	GEA	CHN	8536.5080.90
E2E-X23B230 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, 2 m cable	58.50	EC002714	698657	4549734481205			GE	GEA	CHN	8536.5080.90
E2E-X23B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, M12 connector	58.50	EC002714	698656	4549734481328			GE	GEA	CHN	8536.5080.90
E2E-X23C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, NPN NO, M12 connector	58.50	EC002714	689361	4549734479219			GE	GEA	CHN	8536.5080.90
E2E-X2B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	EC002714	698886	4549734468640			GE	GEA	CHN	8536.5080.90
E2E-X2B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	EC002714	698848	4549734468824			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8 2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	EC002714	687537	4549734462723			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8 5M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	EC002714	696139	4549734462747			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M1	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	EC002714	687536	4549734462846			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M3	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	40.50	EC002714	688108	4549734462860			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M5	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	40.50	EC002714	687535	4549734462884		20	GE	GEA	CHN	8536.5080.90
E2E-X2B1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	EC002714	700045	4549734470186			GE	GEA	CHN	8536.5080.90
E2E-X2B1TL12-M1	Proximity sensor, inductive, nickel-brass long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	EC002714	698851	4549734470278			GE	GEA	CHN	8536.5080.90
E2E-X2B1TL8 2M	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	45.00	EC002714	688085	4549734464116			GE	GEA	CHN	8536.5080.90
E2E-X2B1TL8-M1	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.00	EC002714	687897	4549734464178			GE	GEA	CHN	8536.5080.90
E2E-X2B1TL8-M5	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	45.00	EC002714	688083	4549734464222			GE	GEA	CHN	8536.5080.90
E2E-X2B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	37.80	EC002714	698849	4549734468831			GE	GEA	CHN	8536.5080.90
E2E-X2B28 2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	EC002714	693989	4549734462730			GE	GEA	CHN	8536.5080.90
E2E-X2B28 5M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	43.20	EC002714	696138	4549734462754			GE	GEA	CHN	8536.5080.90
E2E-X2B28-M1	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	40.50	EC002714	693951	4549734462853			GE	GEA	CHN	8536.5080.90
E2E-X2B28-M5	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	40.50	EC002714	694114	4549734462891			GE	GEA	CHN	8536.5080.90
E2E-X2B2L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	EC002714	700044	4549734470193			GE	GEA	CHN	8536.5080.90
E2E-X2B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	40.50	EC002714	699993	4549734470285			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8 2M	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	45.00	EC002714	696217	4549734464123			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8-M1	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	45.00	EC002714	694115	4549734464185			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8-M5	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	45.00	EC002714	695866	4549734464239			GE	GEA	CHN	8536.5080.90
E2E-X2C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN NC, 2 m cable	37.80	EC002714	698881	4549734466226			GE	GEA	CHN	8536.5080.90
E2E-X2C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN NO, M12 connector	37.80	EC002714	699998	4549734466400			GE	GEA	CHN	8536.5080.90
E2E-X2C18 2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NO, 2 m cable	40.50	EC002714	694862	4549734460286			GE	GEA	CHN	8536.5080.90
E2E-X2C18-M1	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NO, M12 connector	40.50	EC002714	687496	4549734460408			GE	GEA	CHN	8536.5080.90
E2E-X2C18-M5	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NO, M8 connector 3 pins	40.50	EC002714	696145	4549734460446			GE	GEA	CHN	8536.5080.90
E2E-X2C1L8 2M	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NO, 2 m cable	45.00	EC002714	695086	4549734461672			GE	GEA	CHN	8536.5080.90
E2E-X2C1L8-M5	Proximity sensor, inductive, long SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NO, M8 connector 3 pins	45.00	EC002714	696228	4549734461788			GE	GEA	CHN	8536.5080.90
E2E-X2C28 2M	Proximity sensor, inductive, short SUS body M8, shielded, 2 mm, DC, 3-wire, NPN NC, 2 m cable	40.50	EC002714	696231	4549734460293			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8 2M	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	EC002714	698876	4549734463263			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8-M1	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	EC002714	698846	4549734463386			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	40.50	EC002714	699524	4549734463423			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X2MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	40.50	EC002714	699991	4549734463393			GE	GEA	CHN	8536.5080.90
E2E-X2R5D1-N 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire	36.97	EC002714	681723	4549734182157			GE	GEA	CHN	8536.5080.90
E2E-X2R5D1-T-N 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire, no polarity	36.97	EC002714	681845	4549734184175			GE	GEA	CHN	8536.5080.90
E2E-X2R5D2-N 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable, DC 2-wire	40.73	EC002714	681808	4549734182164			GE	GEA	CHN	8536.5080.90
E2E-X30MB1DL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	52.20	EC002714	690007	4549734483773			GE	GEA	CHN	8536.5080.90
E2E-X30MB1TL18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.30	EC002714	687984	4549734476904			GE	GEA	CHN	8536.5080.90
E2E-X30MB1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	EC002714	687981	4549734477024		5	GE	GEA	CHN	8536.5080.90
E2E-X30MB1TL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.00	EC002714	687970	4549734482103			GE	GEA	CHN	8536.5080.90
E2E-X30MB1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	EC002714	687967	4549734482288			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	51.30	EC002714	698683	4549734476911			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	51.30	EC002714	698658	4549734477031			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	54.00	EC002714	696214	4549734482110			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	52.20	EC002714	696109	4549734482295			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, NPN NO, 2 m cable	51.30	EC002714	699318	4549734474689			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, NPN NO, M12 connector	51.30	EC002714	689098	4549734474801			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, NPN NO, M12 connector	54.00	EC002714	694850	4549734480185			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8 2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49.50	EC002714	688107	4549734462907			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.50	EC002714	687534	4549734463027			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M3	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	49.50	EC002714	688104	4549734463041			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M5	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	49.50	EC002714	687533	4549734463065			GE	GEA	CHN	8536.5080.90
E2E-X3B1TL8 2M	Proximity sensor, inductive, SUS body, long body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49.50	EC002714	688082	4549734464246			GE	GEA	CHN	8536.5080.90
E2E-X3B1TL8-M1	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.50	EC002714	688080	4549734464307			GE	GEA	CHN	8536.5080.90
E2E-X3B28 2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	49.50	EC002714	691090	4549734462914			GE	GEA	CHN	8536.5080.90
E2E-X3B28-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M12 connector	49.50	EC002714	691089	4549734463034			GE	GEA	CHN	8536.5080.90
E2E-X3B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	49.50	EC002714	698682	4549734463058			GE	GEA	CHN	8536.5080.90
E2E-X3B2L8 2M	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	49.50	EC002714	698676	4549734464253			GE	GEA	CHN	8536.5080.90
E2E-X3B2L8-M3	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	49.50	EC002714	698674	4549734464338			GE	GEA	CHN	8536.5080.90
E2E-X3C18 2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NO, 2 m cable	49.50	EC002714	691139	4549734460460			GE	GEA	CHN	8536.5080.90
E2E-X3C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NO, M12 connector	49.50	EC002714	691138	4549734460583			GE	GEA	CHN	8536.5080.90
E2E-X3C28-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NC, M12 connector	49.50	EC002714	691137	4549734460590			GE	GEA	CHN	8536.5080.90
E2E-X3D18 2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire	49.01	EC002714	681665	4549734181754			GE	GEA	CHN	8536.5080.90
E2E-X3D18-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire	52.80	EC002714	681676	4549734181839			GE	GEA	CHN	8536.5080.90
E2E-X3D18-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	52.80	EC002714	681848	4549734181938			GE	GEA	CHN	8536.5080.90
E2E-X3D18-T 2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	49.01	EC002714	681658	4549734181853			GE	GEA	CHN	8536.5080.90
E2E-X3D28-T 2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	49.01	EC002714	681741	4549734181860			GE	GEA	CHN	8536.5080.90
E2E-X3D28-TR 5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable robotic, DC 2-wire, no polarity	55.05	EC002714	681652	4549734181921			GE	GEA	CHN	8536.5080.90
E2E-X40MB1TL30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	58.50	EC002714	687966	4549734482318			GE	GEA	CHN	8536.5080.90
E2E-X40MB1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	58.50	EC002714	687963	4549734482493		10	GE	GEA	CHN	8536.5080.90
E2E-X40MD1L30-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire	64.50	EC002714	681813	4549734183314			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X40MD1L30-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	65.35	EC002714	681853	4549734183413			GE	GEA	CHN	8536.5080.90
E2E-X40MD1L30-R 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable robotic, DC 2-wire	57.35	EC002714	681660	4549734183277			GE	GEA	CHN	8536.5080.90
E2E-X40MD1L30-T 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable, DC 2-wire, no polarity	54.35	EC002714	681841	4549734183338			GE	GEA	CHN	8536.5080.90
E2E-X40MD1L30-TR 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable robotic, DC 2-wire, no polarity	62.85	EC002714	681811	4549734183376			GE	GEA	CHN	8536.5080.90
E2E-X40MD2L30-T 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NC, 2 m cable, DC 2-wire, no polarity	54.35	EC002714	681822	4549734183345			GE	GEA	CHN	8536.5080.90
E2E-X4B1D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	37.80	EC002714	690433	4549734471329			GE	GEA	CHN	8536.5080.90
E2E-X4B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	EC002714	687525	4549734468855			GE	GEA	CHN	8536.5080.90
E2E-X4B1T12 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	40.50	EC002714	695836	4549734468886			GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	EC002714	687524	4549734469036			GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	EC002714	687891	4549734468978		10	GE	GEA	CHN	8536.5080.90
E2E-X4B1T12-M1TJR 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	64.80	EC002714	687890	4549734469005		5	GE	GEA	CHN	8536.5080.90
E2E-X4B1T8 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.00	EC002714	687532	4549734463089			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	EC002714	687530	4549734463201			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M1TJ 0.3M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	54.00	EC002714	687531	4549734463164			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	54.00	EC002714	688102	4549734463225			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M5	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	54.00	EC002714	687529	4549734463249		20	GE	GEA	CHN	8536.5080.90
E2E-X4B1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	EC002714	687886	4549734470308		5	GE	GEA	CHN	8536.5080.90
E2E-X4B1TL12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	EC002714	696131	4549734470339			GE	GEA	CHN	8536.5080.90
E2E-X4B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	EC002714	688007	4549734470391			GE	GEA	CHN	8536.5080.90
E2E-X4B1TL12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	54.00	EC002714	687885	4549734470360			GE	GEA	CHN	8536.5080.90
E2E-X4B1TL8 2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.00	EC002714	687896	4549734464369			GE	GEA	CHN	8536.5080.90
E2E-X4B1TL8-M1	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	EC002714	687895	4549734464420			GE	GEA	CHN	8536.5080.90
E2E-X4B1TL8-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	54.00	EC002714	688076	4549734464444			GE	GEA	CHN	8536.5080.90
E2E-X4B1TL8-M5	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	54.00	EC002714	688075	4549734464468			GE	GEA	CHN	8536.5080.90
E2E-X4B212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	EC002714	694063	4549734468862			GE	GEA	CHN	8536.5080.90
E2E-X4B212 5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 5 m cable	40.50	EC002714	696232	4549734468893			GE	GEA	CHN	8536.5080.90
E2E-X4B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	37.80	EC002714	694062	4549734469043			GE	GEA	CHN	8536.5080.90
E2E-X4B28 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	54.00	EC002714	693106	4549734463096			GE	GEA	CHN	8536.5080.90
E2E-X4B28-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	54.00	EC002714	698681	4549734463218			GE	GEA	CHN	8536.5080.90
E2E-X4B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	54.00	EC002714	698680	4549734463232			GE	GEA	CHN	8536.5080.90
E2E-X4B2L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	EC002714	694117	4549734470315			GE	GEA	CHN	8536.5080.90
E2E-X4B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	40.50	EC002714	690432	4549734470407			GE	GEA	CHN	8536.5080.90
E2E-X4B2L12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	43.20	EC002714	691007	4549734470377			GE	GEA	CHN	8536.5080.90
E2E-X4B2L8 2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	54.00	EC002714	698672	4549734464376			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X4B2L8-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	54.00	EC002714	698670	4549734464451			GE	GEA	CHN	8536.5080.90
E2E-X4B3D12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	37.80	EC002714	687877	4549734471213			GE	GEA	CHN	8536.5080.90
E2E-X4B3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	37.80	EC002714	694160	4549734471336			GE	GEA	CHN	8536.5080.90
E2E-X4B3DL12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	40.50	EC002714	695083	4549734472135			GE	GEA	CHN	8536.5080.90
E2E-X4B3DL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	40.50	EC002714	687875	4549734472197			GE	GEA	CHN	8536.5080.90
E2E-X4C112-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	37.80	EC002714	694859	4549734466431			GE	GEA	CHN	8536.5080.90
E2E-X4C112-5M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 5 m cable	40.50	EC002714	696135	4549734466462			GE	GEA	CHN	8536.5080.90
E2E-X4C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	37.80	EC002714	687527	4549734466615			GE	GEA	CHN	8536.5080.90
E2E-X4C18-2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	45.00	EC002714	690190	4549734460644			GE	GEA	CHN	8536.5080.90
E2E-X4C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	54.00	EC002714	687538	4549734460767			GE	GEA	CHN	8536.5080.90
E2E-X4C1L12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	34.20	EC002714	695801	4549734467889			GE	GEA	CHN	8536.5080.90
E2E-X4C1L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	34.20	EC002714	695803	4549734467971			GE	GEA	CHN	8536.5080.90
E2E-X4C212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NC, 2 m cable	31.50	EC002714	695800	4549734466448			GE	GEA	CHN	8536.5080.90
E2E-X4C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NC, M12 connector	37.80	EC002714	694116	4549734466622			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	EC002714	688101	4549734463447			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-5M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	EC002714	696136	4549734463461			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	EC002714	688098	4549734463560			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M3	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	40.50	EC002714	688097	4549734463584			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	40.50	EC002714	688096	4549734463607			GE	GEA	CHN	8536.5080.90
E2E-X4MB1TL8-2M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	45.00	EC002714	688074	4549734464611			GE	GEA	CHN	8536.5080.90
E2E-X4MB1TL8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.00	EC002714	688072	4549734464673			GE	GEA	CHN	8536.5080.90
E2E-X4MB1TL8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	45.00	EC002714	688070	4549734464727			GE	GEA	CHN	8536.5080.90
E2E-X4MB28-2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	EC002714	694067	4549734463454			GE	GEA	CHN	8536.5080.90
E2E-X4MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	40.50	EC002714	694066	4549734463577			GE	GEA	CHN	8536.5080.90
E2E-X4MB2L8-2M	Proximity sensor, inductive, long SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	45.00	EC002714	696216	4549734464628			GE	GEA	CHN	8536.5080.90
E2E-X4MC18-2M	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	40.50	EC002714	694861	4549734461009			GE	GEA	CHN	8536.5080.90
E2E-X4MC18-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	40.50	EC002714	694860	4549734461122			GE	GEA	CHN	8536.5080.90
E2E-X50MB1TL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	63.00	EC002714	687962	4549734482523			GE	GEA	CHN	8536.5080.90
E2E-X50MB1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	63.00	EC002714	687958	4549734482646		5	GE	GEA	CHN	8536.5080.90
E2E-X50MB2L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, 2 m cable	63.00	EC002714	698653	4549734482530			GE	GEA	CHN	8536.5080.90
E2E-X50MB2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, M12 connector	58.50	EC002714	689619	4549734482653			GE	GEA	CHN	8536.5080.90
E2E-X5B1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	EC002714	698902	4549734474825			GE	GEA	CHN	8536.5080.90
E2E-X5B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	EC002714	698860	4549734475006			GE	GEA	CHN	8536.5080.90
E2E-X5B1TL18-2M	Proximity sensor, inductive, nickel-brass long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	EC002714	700053	4549734476010			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X5B1TL18-M1	Proximity sensor, inductive, nickel-brass long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	EC002714	698862	4549734476102			GE	GEA	CHN	8536.5080.90
E2E-X5B218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	EC002714	700055	4549734474832			GE	GEA	CHN	8536.5080.90
E2E-X5B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	37.80	EC002714	700001	4549734475013			GE	GEA	CHN	8536.5080.90
E2E-X5C118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	37.80	EC002714	699319	4549734472609			GE	GEA	CHN	8536.5080.90
E2E-X5C1L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	40.50	EC002714	699321	4549734473798			GE	GEA	CHN	8536.5080.90
E2E-X5C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, M12 connector	37.80	EC002714	700006	4549734472791			GE	GEA	CHN	8536.5080.90
E2E-X5D1-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	50.30	EC002714	681785	4549734184410			GE	GEA	CHN	8536.5080.90
E2E-X5MB1T12 2M	Proximity sensor, inductive, nickel-brass short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	EC002714	698888	4549734469418			GE	GEA	CHN	8536.5080.90
E2E-X5MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	EC002714	698850	4549734469593			GE	GEA	CHN	8536.5080.90
E2E-X5MB1TL12-M1	Proximity sensor, inductive, nickel-brass long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	EC002714	698852	4549734470711			GE	GEA	CHN	8536.5080.90
E2E-X5MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	37.80	EC002714	700008	4549734469609			GE	GEA	CHN	8536.5080.90
E2E-X5MB3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	37.80	EC002714	698854	4549734471688			GE	GEA	CHN	8536.5080.90
E2E-X5MC112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	37.80	EC002714	699626	4549734466998			GE	GEA	CHN	8536.5080.90
E2E-X6B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	45.90	EC002714	687523	4549734469067			GE	GEA	CHN	8536.5080.90
E2E-X6B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	45.90	EC002714	687522	4549734469241			GE	GEA	CHN	8536.5080.90
E2E-X6B1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.80	EC002714	688006	4549734470421			GE	GEA	CHN	8536.5080.90
E2E-X6B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.80	EC002714	687883	4549734470513			GE	GEA	CHN	8536.5080.90
E2E-X6B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	46.80	EC002714	690781	4549734469258			GE	GEA	CHN	8536.5080.90
E2E-X6B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	46.80	EC002714	698666	4549734470520			GE	GEA	CHN	8536.5080.90
E2E-X6B3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	46.80	EC002714	687876	4549734471473	20		GE	GEA	CHN	8536.5080.90
E2E-X6C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NO, 2 m cable	46.80	EC002714	691133	4549734466646			GE	GEA	CHN	8536.5080.90
E2E-X6C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NO, M12 connector	46.80	EC002714	691131	4549734466820			GE	GEA	CHN	8536.5080.90
E2E-X6C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NC, M12 connector	46.80	EC002714	691130	4549734466837			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.50	EC002714	688092	4549734463744			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-M3	Proximity sensor, inductive, short SUS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	49.50	EC002714	688091	4549734463768			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	49.50	EC002714	688090	4549734463782			GE	GEA	CHN	8536.5080.90
E2E-X6MB1TL8 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49.50	EC002714	688069	4549734464741			GE	GEA	CHN	8536.5080.90
E2E-X6MB1TL8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.50	EC002714	688067	4549734464802			GE	GEA	CHN	8536.5080.90
E2E-X6MB1TL8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	49.50	EC002714	687994	4549734464840			GE	GEA	CHN	8536.5080.90
E2E-X6MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	49.50	EC002714	698701	4549734463751			GE	GEA	CHN	8536.5080.90
E2E-X6MD18 5M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m cable, DC 2-wire	52.80	EC002714	681672	4549734181976			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-M1TGJ 0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC 2-wire	54.35	EC002714	681876	4549734182034			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-M1TGJ-T 0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	54.35	EC002714	681844	4549734182133			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-T 2M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m cable, DC 2-wire, no polarity	50.55	EC002714	681798	4549734182058			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X7D112-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire	52.05	EC002714	681887	4549734182270			GE	GEA	CHN	8536.5080.90
E2E-X7D112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	52.05	EC002714	681693	4549734182379			GE	GEA	CHN	8536.5080.90
E2E-X7D112-T 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	48.29	EC002714	681843	4549734182294			GE	GEA	CHN	8536.5080.90
E2E-X7D212 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire	48.29	EC002714	681640	4549734182201			GE	GEA	CHN	8536.5080.90
E2E-X7D212-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire	52.05	EC002714	681873	4549734182287			GE	GEA	CHN	8536.5080.90
E2E-X7D212-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	52.05	EC002714	681846	4549734182386			GE	GEA	CHN	8536.5080.90
E2E-X7D212-T 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	48.29	EC002714	681780	4549734182300			GE	GEA	CHN	8536.5080.90
E2E-X8B1T18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	EC002714	687513	4549734475037			GE	GEA	CHN	8536.5080.90
E2E-X8B1T18 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	34.20	EC002714	695739	4549734475068			GE	GEA	CHN	8536.5080.90
E2E-X8B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	EC002714	687512	4549734475211			GE	GEA	CHN	8536.5080.90
E2E-X8B1T18-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	EC002714	687872	4549734475150		20	GE	GEA	CHN	8536.5080.90
E2E-X8B1TL18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	EC002714	687959	4549734476133			GE	GEA	CHN	8536.5080.90
E2E-X8B1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	EC002714	687992	4549734476225			GE	GEA	CHN	8536.5080.90
E2E-X8B218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	EC002714	693988	4549734475044			GE	GEA	CHN	8536.5080.90
E2E-X8B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	37.80	EC002714	693987	4549734475228			GE	GEA	CHN	8536.5080.90
E2E-X8B2L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	40.50	EC002714	696125	4549734476140			GE	GEA	CHN	8536.5080.90
E2E-X8B2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	40.50	EC002714	694120	4549734476232			GE	GEA	CHN	8536.5080.90
E2E-X8B3D18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	37.80	EC002714	687862	4549734477192		5	GE	GEA	CHN	8536.5080.90
E2E-X8B3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	37.80	EC002714	687860	4549734477314		10	GE	GEA	CHN	8536.5080.90
E2E-X8B3DL18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	40.50	EC002714	695082	4549734477901			GE	GEA	CHN	8536.5080.90
E2E-X8B3DL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	40.50	EC002714	687855	4549734477963			GE	GEA	CHN	8536.5080.90
E2E-X8C118 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	37.80	EC002714	694855	4549734472814			GE	GEA	CHN	8536.5080.90
E2E-X8C118 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 5 m cable	40.50	EC002714	696129	4549734472845			GE	GEA	CHN	8536.5080.90
E2E-X8C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	37.80	EC002714	687515	4549734472999			GE	GEA	CHN	8536.5080.90
E2E-X8C1L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	40.50	EC002714	696128	4549734473910			GE	GEA	CHN	8536.5080.90
E2E-X8C1L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	40.50	EC002714	696114	4549734474009			GE	GEA	CHN	8536.5080.90
E2E-X8C218 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, 2 m cable	37.80	EC002714	696130	4549734472821			GE	GEA	CHN	8536.5080.90
E2E-X8C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, M12 connector	37.80	EC002714	694118	4549734473002			GE	GEA	CHN	8536.5080.90
E2E-X8C2L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, 2 m cable	40.50	EC002714	698896	4549734473927			GE	GEA	CHN	8536.5080.90
E2E-X8C2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, M12 connector	40.50	EC002714	698857	4549734474016			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	37.80	EC002714	688015	4549734469623			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12 5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	40.50	EC002714	696132	4549734469654			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	37.80	EC002714	687518	4549734469807			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.00	EC002714	688089	4549734463805			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	EC002714	687528	4549734463928			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T8-M1TJ 0.3M	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	67.50	EC002714	687847	4549734463881			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock #	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X8MB1T8-M5	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	54.00	EC002714	688086	4549734463966			GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	40.50	EC002714	688005	4549734470742			GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	43.20	EC002714	696189	4549734470773			GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	40.50	EC002714	688003	4549734470834			GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL8 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	54.00	EC002714	688024	4549734464864			GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	54.00	EC002714	688022	4549734464925			GE	GEA	CHN	8536.5080.90
E2E-X8MB1TL8-M5	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	54.00	EC002714	688020	4549734464963			GE	GEA	CHN	8536.5080.90
E2E-X8MB212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	37.80	EC002714	694061	4549734469630			GE	GEA	CHN	8536.5080.90
E2E-X8MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	37.80	EC002714	690431	4549734469814			GE	GEA	CHN	8536.5080.90
E2E-X8MB28-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	54.00	EC002714	698698	4549734463935			GE	GEA	CHN	8536.5080.90
E2E-X8MB2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	40.50	EC002714	695049	4549734470841			GE	GEA	CHN	8536.5080.90
E2E-X8MB2L8-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	54.00	EC002714	698692	4549734464932			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	37.80	EC002714	694158	4549734471701			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	45.00	EC002714	689263	4549734471824			GE	GEA	CHN	8536.5080.90
E2E-X8MC112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	37.80	EC002714	694858	4549734467209			GE	GEA	CHN	8536.5080.90
E2E-X8MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	37.80	EC002714	694857	4549734467384			GE	GEA	CHN	8536.5080.90
E2E-X8MC1L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	40.50	EC002714	693118	4549734468411			GE	GEA	CHN	8536.5080.90
E2E-X8MC1L8 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	54.00	EC002714	690628	4549734462426			GE	GEA	CHN	8536.5080.90
E2E-X9B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.30	EC002714	687521	4549734469272			GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	EC002714	687519	4549734469395	#		GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	51.30	EC002714	687520	4549734469357			GE	GEA	CHN	8536.5080.90
E2E-X9B1T12-M1TJR 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	78.30	EC002714	687888	4549734469371		10	GE	GEA	CHN	8536.5080.90
E2E-X9B1TL12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.30	EC002714	687882	4549734470544		10	GE	GEA	CHN	8536.5080.90
E2E-X9B1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.30	EC002714	687880	4549734470605		25	GE	GEA	CHN	8536.5080.90
E2E-X9B212 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, 2 m cable	51.30	EC002714	698668	4549734469289			GE	GEA	CHN	8536.5080.90
E2E-X9B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, M12 connector	42.30	EC002714	691054	4549734469401			GE	GEA	CHN	8536.5080.90
E2E-X9C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, 2 m cable	42.30	EC002714	690191	4549734466851			GE	GEA	CHN	8536.5080.90
E2E-X9C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, M12 connector	51.30	EC002714	687526	4549734466974			GE	GEA	CHN	8536.5080.90
E2E-X9C112-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, M12 pigtail Smartclick connector, 0.3 m	64.80	EC002714	687894	4549734466936		5	GE	GEA	CHN	8536.5080.90
E2E-X9C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NC, M12 connector	51.30	EC002714	693664	4549734466981			GE	GEA	CHN	8536.5080.90
E2EQ-X11D118 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire	88.90	EC002714	681636	4549734183673			GE	GEA	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2EQ-X11D118-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	107.20	EC002714	681705	4549734183772			GE	GEA	CHN	8536.5080.90
E2EQ-X11D118-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire, no polarity	89.80	EC002714	681834	4549734183734			GE	GEA	CHN	8536.5080.90
E2EQ-X11D218-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity	89.80	EC002714	681789	4549734183741			GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18 2M	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	88.10	EC002714	688364	4549734486163			GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	88.10	EC002714	688343	4549734486255			GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire	141.80	EC002714	681743	4549734183833			GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	125.20	EC002714	681807	4549734183857			GE	GEA	CHN	8536.5080.90
E2EQ-X20D230-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	125.20	EC002714	681787	4549734183864			GE	GEA	CHN	8536.5080.90
E2EQ-X22B1T30-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	115.90	EC002714	688365	4549734487214			GE	GEA	CHN	8536.5080.90
E2EQ-X2B1T8-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	74.20	EC002714	688361	4549734484381			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire	78.55	EC002714	681648	4549734183437			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	97.55	EC002714	681647	4549734183536			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	79.45	EC002714	681739	4549734183499			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire	78.55	EC002714	681867	4549734183444			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	79.45	EC002714	681818	4549734183505			GE	GEA	CHN	8536.5080.90
E2EQ-X4B1T12-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	64.90	EC002714	688362	4549734485173			GE	GEA	CHN	8536.5080.90
E2EQ-X6B1T12-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	83.45	EC002714	688329	4549734485296			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	91.55	EC002714	681821	4549734183659			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	77.40	EC002714	681881	4549734183611			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	91.55	EC002714	681856	4549734183666			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	77.40	EC002714	681875	4549734183628			GE	GEA	CHN	8536.5080.90
E2EQ-X8B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	69.55	EC002714	688363	4549734486132			GE	GEA	CHN	8536.5080.90

Inductive proximity sensor E2E

E2EF-X12D1 2M	Proximity sensor, Stainless steel, Metal head for long distance detection, M30, Sn=12 mm, 2-wire, NO, 2 m cable	134.60	EC002714	674702	4548583354661			GE	GEC	JPN	8536.5080.90
E2E-X10D1-M1G	Proximity sensor, inductive, M30, shielded, 10 mm, DC, 2-wire, NO, M12 Connector	107.30	EC002714	238543	4547648407861			GE	GEC	CHN	8536.5080.90
E2E-X10D1-N 2M	Proximity sensor, inductive, M30, shielded, 10mm, DC, 2-wire, NO, 2m cable	75.90	EC002714	238467	4547648405942			GE	GEC	CHN	8536.5080.90
E2E-X10MY1 2M	Proximity sensor, inductive, M18, unshielded, 10mm, AC, 2-wire, NO, 2m cable	93.00	EC002714	238407	4547648404723			GE	GEC	CHN	8536.5080.90
E2E-X10MY2 2M	Proximity sensor, inductive, M18, unshielded, 10mm, AC, 2-wire, NC, 2m cable	87.15	EC002714	238408	4547648404730			GE	GEC	CHN	8536.5080.90
E2E-X14MD1 2M	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, 2m cable	61.65	EC002714	238485	4547648406253	#		GE	GEC	CHN	8536.5080.90
E2E-X14MD1-M1GJ 0.3M	Proximity sensor, inductive, M18, unshielded, 14 mm, DC, 2-wire, NO, Pig tail connector, M12	74.20	EC002714	238555	4547648408080			GE	GEC	CHN	8536.5080.90
E2E-X14MD1-M1G	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, M12 Connector	71.30	EC002714	238547	4547648407922	#		GE	GEC	CHN	8536.5080.90
E2E-X18MY1 2M	Proximity sensor, inductive, M30, unshielded, 18mm, AC, 2-wire, NO, 2m cable	96.60	EC002714	238411	4547648404761			GE	GEC	CHN	8536.5080.90
E2E-X20MD1 2M	Proximity sensor, inductive, M30, unshielded, 20mm, DC, 2-wire, NO, 2m cable	62.05	EC002714	238487	4547648406277			GE	GEC	CHN	8536.5080.90
E2E-X20MD1-M1J 0.3M	Proximity sensor, inductive, M30, non-shielded, 20mm, DC, 2-wire, NO, pig-tail connector M12	134.60	EC002714	241131	4547648407106	#		GE	GEC	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X2D1-M1GJ 0.3M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	85.05	EC002714	238581	4547648408523			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1G	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, M12 Connector	77.45	EC002714	238529	4547648407649	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1J 0.3M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	119.10	EC002714	241193	4547648408578			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M3G	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, M8 Connector	55.15	EC002714	238563	4547648408196	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-N 2M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, 2m cable	59.40	EC002714	238455	4547648405829	#		GE	GEC	CHN	8536.5080.90
E2E-X2D1-N 5M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, 5m cable	67.10	EC002714	238456	4547648405836			GE	GEC	CHN	8536.5080.90
E2E-X2D1-R 2M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, 2 m robotic cable	76.65	EC002714	238517	4547648406963			GE	GEC	CHN	8536.5080.90
E2E-X2D2-M3G	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NC, M8 4-pin connector	55.15	EC002714	238564	4547648408202			GE	GEC	CHN	8536.5080.90
E2E-X2D2-N 2M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NC, 2m cable	59.40	EC002714	238457	4547648405843			GE	GEC	CHN	8536.5080.90
E2E-X2Y1 2M	Proximity sensor, inductive, M12, shielded, 2mm, AC, 2-wire, NO, 2m cable	84.40	EC002714	238413	4547648404785			GE	GEC	CHN	8536.5080.90
E2E-X2Y1-M1	Proximity sensor, inductive, M12, shielded, 2mm, AC, 2-wire, NO, M12 connector	82.80	EC002714	238432	4547648405256			GE	GEC	CHN	8536.5080.90
E2E-X2Y2 2M	Proximity sensor, inductive, M12, shielded, 2mm, AC, 2-wire, NC, 2m cable	84.40	EC002714	238414	4547648404792			GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1GJ 0.3M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO, 0.3 m cable with M12 connector	105.60	EC002714	238533	4547648407687	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1GJ-T 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, no polarity, 0.3 m cable with M12 connector	108.30	EC002714	241132	4547648407113			GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1G	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, M12 Connector	77.45	EC002714	238539	4547648407809	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1J 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	125.50	EC002714	257076	4547648407052			GE	GEC	CHN	8536.5080.90
E2E-X3D1-N 2M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO, 2 m cable	52.45	EC002714	238459	4547648405867	#		GE	GEC	CHN	8536.5080.90
E2E-X3D1-N 5M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NO, 5 m cable	60.15	EC002714	238460	4547648405874			GE	GEC	CHN	8536.5080.90
E2E-X3D2-M1G	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NC, M12 connector	79.40	EC002714	238540	4547648407823	#		GE	GEC	CHN	8536.5080.90
E2E-X3D2-N 2M	Proximity sensor, inductive, M12, shielded, 3 mm, DC, 2-wire, NC, pre-wired, 2 m cable	51.70	EC002714	238461	4547648405881	#		GE	GEC	CHN	8536.5080.90
E2E-X4MD1-M1G	Proximity sensor, inductive, M8, unshielded, 4 mm, DC, 2-wire, NO, Pig tail Connector	77.60	EC002714	238531	4547648407663			GE	GEC	CHN	8536.5080.90
E2E-X4MD1-M3G	Proximity sensor, inductive, M8, unshielded, 4 mm, DC, 2-wire, NO, Pig tail Connector	70.55	EC002714	238561	4547648408172			GE	GEC	CHN	8536.5080.90
E2E-X4MD2 2M	Proximity sensor, inductive, M8, non-shielded, 4 mm, DC, 2-wire, NO, cable 2 m	59.40	EC002714	238491	4547648406352			GE	GEC	CHN	8536.5080.90
E2E-X5MY1 2M	Proximity sensor, inductive, M12, unshielded, 5mm, AC, 2-wire, NO, 2m cable	84.40	EC002714	238415	4547648404808			GE	GEC	CHN	8536.5080.90
E2E-X5Y1 2M	Proximity sensor, inductive, M18, shielded, 5mm, AC, 2-wire, NO, 2m cable	78.00	EC002714	238389	4547648404266			GE	GEC	CHN	8536.5080.90
E2E-X5Y1-M1	Proximity sensor, inductive, M18, shielded, 5mm, AC, 2-wire, NO, M12 Connector	77.20	EC002714	238434	4547648405270			GE	GEC	CHN	8536.5080.90
E2E-X5Y2 2M	Proximity sensor, inductive, M18, shielded, 5mm, AC, 2-wire, NC, 2m cable	90.35	EC002714	238390	4547648404273			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1GJ 0.3M	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	68.65	EC002714	238534	4547648407694	#		GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1GJ-T 0.3M	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	98.20	EC002714	241133	4547648407120			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1G	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire, NO, M12 connector	86.65	EC002714	238541	4547648407830	#		GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1J-T 0.3M	Proximity sensor, M18, shielded, 7 mm, DC, 2-wire, NO, No polarity, 0.3 m cable with M12 connector	69.05	EC002714	238524	4547648407151	#		GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, M12 Connector	56.65	EC002714	238475	4547648406123			GE	GEC	CHN	8536.5080.90
E2E-X7D1-N 2M	Proximity sensor, inductive, M18, shielded, 7 mm, DC, 2-wire, NO, 2 m cable	55.85	EC002714	238463	4547648405904	#		GE	GEC	CHN	8536.5080.90
E2E-X7D1-N 5M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, 5m cable	60.95	EC002714	238464	4547648405911			GE	GEC	CHN	8536.5080.90
E2E-X7D2-M1G	Proximity sensor, M18, shielded, 7 mm, DC, 2-wire, NC	63.70	EC002714	238542	4547648407854			GE	GEC	CHN	8536.5080.90
E2E-X7D2-N 2M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NC, 2m cable	61.30	EC002714	238465	4547648405928			GE	GEC	CHN	8536.5080.90
E2E-X7D2-N 5M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NC, 5m cable	60.15	EC002714	238466	4547648405935			GE	GEC	CHN	8536.5080.90
E2E-X7T1 2M	Proximity sensor, inductive, nickel brass, M18, shielded, 7 mm. AC/DC 2-wire-NO	97.40	EC002714	238515	4547648406925	#		GE	GEC	CHN	8536.5080.90
E2E-X8MD1-M1G	Proximity sensor, inductive, M12, unshielded, 8mm, DC, 2-wire, NO, Pig tail Connector	72.05	EC002714	238545	4547648407892	#		GE	GEC	CHN	8536.5080.90
E2E-X8MD2 2M	Proximity sensor, inductive, M12, non-shielded, 8 mm, DC, 2-wire, NC, cable 2 m	46.23	EC002714	238492	4547648406376			GE	GEC	CHN	8536.5080.90
E2E-C03N02-WC-B1 2M	Proximity sensor, inductive, Dia 3mm, Non-Shielded, 2mm, DC, 3-wire, PW, PNP NO	89.55	EC002714	375544	4548583405509			GE	GEC	CHN	8536.5080.90
E2E-C03SR8-CJ-B1 0.3M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, Pig-Tail, PNP NO	68.35	EC002714	375480	4548583405462			GE	GEC	CHN	8536.5080.90
E2E-C03SR8-WC-B1 2M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, PW, PNP NO	57.65	EC002714	375541	4548583405424			GE	GEC	CHN	8536.5080.90
E2E-C03SR8-WC-B2 2M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, PW, PNP NC	57.65	EC002714	375582	4548583405431			GE	GEC	CHN	8536.5080.90
E2E-C03SR8-WC-C1 2M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, PW, NPN NO	57.65	EC002714	375542	4548583405448			GE	GEC	CHN	8536.5080.90
E2E-C04N03-WC-B1 2M	Proximity sensor, inductive, Dia 4mm, Non-Shielded, 3mm, DC, 3-wire, PW, PNP NO	57.65	EC002714	375561	4548583405868			GE	GEC	CHN	8536.5080.90
E2E-C04S12-CJ-B1 0.3M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NO	47.16	EC002714	375557	4548583405783			GE	GEC	CHN	8536.5080.90
E2E-C04S12-WC-B1 2M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, PW, PNP NO	36.81	EC002714	375554	4548583405745	#		GE	GEC	CHN	8536.5080.90
E2E-C04S12-WC-B1 5M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, PW 5m, PNP NO	35.36	EC002714	382448	4548583498037			GE	GEC	CHN	8536.5080.90
E2E-C04S12-WC-B2 2M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, PW, PNP NC	36.81	EC002714	375497	4548583405752			GE	GEC	CHN	8536.5080.90
E2E-C04S12-WC-C1 2M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, PW, NPN NO	36.81	EC002714	375555	4548583405769			GE	GEC	CHN	8536.5080.90
E2E-C05S01-WC-B1 2M	Proximity sensor, inductive, Dia 5.4 mm, Shielded, 1.0 mm, DC, 3-wire, PW 2M, PNP NO	37.79	EC002714	659356	4548583518780			GE	GEC	CHN	8536.5080.90
E2E-C05S01-WC-C1 2M	Proximity sensor, inductive, Dia 5.4 mm, Shielded, 1.0 mm, DC, 3-wire, PW 2M, NPN NO	37.79	EC002714	659355	4548583518742			GE	GEC	CHN	8536.5080.90
E2E-C06N04-MC-B1	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, M8(3P), PNP NO	63.50	EC002714	375537	4548583406421			GE	GEC	CHN	8536.5080.90
E2E-C06N04-WC-B1 2M	Proximity sensor, inductive, Dia 6.5mm, Non-Shielded, 4mm, DC, 3-wire, PW, PNP NO	57.65	EC002714	375580	4548583406346			GE	GEC	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-C06S02-MC-B1	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, M8(3P), PNP NO	41.94	EC002714	375578	4548583406308			GE	GEC	CHN	8536.5080.90
E2E-C06S02-WC-B1 2M	Proximity sensor, inductive, Dia 6.5mm, Shielded, 2mm, DC, 3-wire, PW, PNP NO	36.81	EC002714	375573	4548583406223			GE	GEC	CHN	8536.5080.90
E2E-S04N02-CJ-B1 0.3M	Proximity sensor, inductive, M4, Non-Shielded, 2mm, DC, 3-wire, Pig-Tail, PNP NO	99.90	EC002714	375493	4548583405707			GE	GEC	CHN	8536.5080.90
E2E-S04N02-WC-B1 2M	Proximity sensor, inductive, M4, Non-Shielded, 2mm, DC, 3-wire, PW, PNP NO	89.55	EC002714	375552	4548583405660			GE	GEC	CHN	8536.5080.90
E2E-S04SR8-CJ-B1 0.3M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, Pig-Tail, PNP NO	68.35	EC002714	375550	4548583405622			GE	GEC	CHN	8536.5080.90
E2E-S04SR8-WC-B1 2M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, PW, PNP NO	57.65	EC002714	375546	4548583405585	#		GE	GEC	CHN	8536.5080.90
E2E-S04SR8-WC-C1 2M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, PW, NPN NO	57.65	EC002714	375548	4548583405608			GE	GEC	CHN	8536.5080.90
E2E-S05N03-CJ-B1 0.3M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, Pig-Tail, PNP NO	68.35	EC002714	375518	4548583406148			GE	GEC	CHN	8536.5080.90
E2E-S05N03-MC-B1	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, M8(3P), PNP NO	63.50	EC002714	375522	4548583406186			GE	GEC	CHN	8536.5080.90
E2E-S05N03-WC-B1 2M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, PW, PNP NO	57.65	EC002714	375571	4548583406100			GE	GEC	CHN	8536.5080.90
E2E-S05N03-WC-C1 2M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, PW, NPN NO	57.65	EC002714	375572	4548583406124			GE	GEC	CHN	8536.5080.90
E2E-S05S12-CJ-B1 0.3M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NO	47.16	EC002714	375567	4548583406025			GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-B1	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, M8(3P), PNP NO	41.94	EC002714	375569	4548583406063	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-B2	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, M8(3P), PNP NC	41.94	EC002714	375514	4548583406070			GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-C1	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, M8(3P), NPN NO	41.94	EC002714	375570	4548583406087	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-B1 2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW, PNP NO	36.81	EC002714	375563	4548583405981	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-B1 5M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW 5m, PNP NO	41.83	EC002714	382785	4548583498112			GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-B2 2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW, PNP NC	36.81	EC002714	375564	4548583405998			GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-C1 2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW, NPN NO	36.81	EC002714	375565	4548583406001	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-C2 2M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW, NPN NC	36.81	EC002714	375566	4548583406018			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1TGJ-U 0.3M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, 0.3 m pigtail PUR (increased oil-resistant) with Junction Connector M12	84.50	EC002714	290022	4547648624978			GE	GEC	CHN	8536.5080.90
E2E-X2D1-U 2M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, 2 m cable PUR oil-resistant	75.15	EC002714	290127	4547648408813			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1TGJ-U 0.3M	Proximity sensor, inductive, M18, shielded, 7 mm, DC 2-wire no polarity, NO, M12 pig-tail 0.3 m	107.60	EC002714	323236	4547648625968			GE	GEC	CHN	8536.5080.90
Inductive proximity sensor E2E											
E2FQ-X10F1	Proximity sensor, inductive, PTFE body, short, M30, shielded, 10mm, DC, PNP-NO, 2 m cable	202.40	EC002714	154863	4536853263355			GE	GED	JPN	8536.5080.90
E2FQ-X2F1	Proximity sensor, inductive, PTFE body, short, M12, shielded, 2 mm, 3-wire DC, PNP-NO, 2 m cable	166.50	EC002714	149293	4536853263461			GE	GED	JPN	8536.5080.90
E2FQ-X5F1	Proximity sensor, inductive, PTFE body, short, M18, shielded, 5mm, 3-wire DC, PNP-NO, 2 m cable	153.90	EC002714	131818	4536853263300			GE	GED	JPN	8536.5080.90
E2F-X10F1 2M	Proximity sensor, plastic body, inductive, M30 shielded, 10 mm, DC 3-wire, PNP-NO, 2 m cable	88.65	EC002714	235657	4547648321235			GE	GED	CHN	8536.5080.90
E2F-X2F1 2M	Proximity sensor, plastic body, inductive, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m cable	86.50	EC002714	235694	4547648321198			GE	GED	CHN	8536.5080.90
Capacitive sensor E2K											
E2K-X15ME1	Proximity sensor, capacitive, M30, unshielded, 15 mm, DC, 3-wire, NPN-NO, 2 m cable	129.20	EC002715	131777	4536853264352			GE	GEE	JPN	8536.5080.90
E2K-X15MF1	Proximity sensor, capacitive, M30, unshielded, 15mm, DC, 3-wire, PNP-NO, 2m cable	129.20	EC002715	131788	4536853264635	#		GE	GEE	JPN	8536.5080.90
E2K-X4ME1	Proximity sensor, capacitive, M12, unshielded, 4mm, DC, 3-wire, NPN-NO, 2m cable	110.00	EC002715	131774	4536853264253			GE	GEE	JPN	8536.5080.90
E2K-X4MF1	Proximity sensor, capacitive, M12, unshielded, 4mm, DC, 3-wire, PNP-NO, 2m cable	110.00	EC002715	131783	4536853264550			GE	GEE	JPN	8536.5080.90
E2K-X8ME1	Proximity sensor, capacitive, M18, unshielded, 8mm, DC, 3-wire, NPN-NO, 2m cable	124.60	EC002715	131775	4536853264307			GE	GEE	JPN	8536.5080.90
E2K-X8MF1	Proximity sensor, capacitive, M18, unshielded, 8mm, DC, 3-wire, PNP-NO, 2m cable	124.60	EC002715	151474	4536853264598			GE	GEE	JPN	8536.5080.90
E2K-X8MF2	Proximity sensor	124.60	EC002715	157072	4536853264611			GE	GEE	JPN	8536.5080.90
E2K-C25ME1	Proximity sensor, capacitive, 34 mm dia, unshielded, 25 mm, DC, 3-wire, NPN-NO, 2 m cable	160.60	EC002715	131841	4536853263683			GE	GEE	JPN	8536.5080.90
E2K-C25ME2	Proximity sensor, capacitive, 34 mm dia, unshielded, 25 mm, DC, 3-wire, NPN-NC, 2 m cable	163.80	EC002715	104692	4536853263706			GE	GEE	JPN	8536.5080.90
E2K-C25MF1	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, DC, 3-wire, PNP-NO, 2m cable	160.60	EC002715	147129	4536853263690	#		GE	GEE	JPN	8536.5080.90
E2K-C25MF1 10M	Proximity sensor, capacitive, 34 mm diameter, non-shielded, 3-25 mm, 10-30 VDC, PNP, NO, 10 m cable	166.00	EC002715	131847	4536854532900	#		GE	GEE	JPN	8536.5080.90
E2K-C25MF2	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, DC, 3-wire, PNP-NC, 2m cable	160.60	EC002715	131842	4536853263713	#		GE	GEE	JPN	8536.5080.90
E2K-F10MC1	Proximity sensor, capacitive, flat, unshielded, 10mm, DC, 3-wire, NPN-NO, 2m cable	78.40	EC002715	106106	4536853264048	#		GE	GEE	JPN	8536.5080.90
E2K-F10MC1-A 2M	Proximity sensor, capacitive, flat, unshielded, 10 mm, DC, 3-wire, NPN-NO, 2 m cable	105.10	EC002715	171939	4547648085656			GE	GEE	JPN	8536.5080.90
E2K-F10MC2	Proximity sensor, capacitive, flat, unshielded, 10mm, DC, 3-wire, NPN-NC, 2m cable	78.40	EC002715	131854	4536853264079			GE	GEE	JPN	8536.5080.90
E2K-L13MC1 2M	Capacitive, Liquid level sensing, 8 to 11mm tube, NPN, 2m cable	193.70	EC002715	131855	4536854711954			GE	GEE	JPN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2K-L26MC1 2M	Capacitive, Liquid level sensing, 12 to 26mm tube, NPN	133.50	EC002715	153644	4536854711947	#		GE	GEE	JPN	8536.5080.90
Inductive proximity sensor TL-TAW											
TL-W1R5MB1	Proximity sensor, inductive, non-shielded, 1.5mm, DC, 3-wire, PNP-NO, 2m cable	63.20	EC002714	110296	4536854116407		5	GE	GEG	JPN	8536.5080.90
TL-W1R5MC1	Proximity sensor, inductive, non-shielded, 1.5mm, DC, 3-wire, NPN-NO, 2m cable	56.20	EC002714	110289	4536854116315		5	GE	GEG	JPN	8536.5080.90
TL-W20ME1	Proximity sensor, inductive, unshielded, Rectangular, 20mm, 3 wire, NPN, NO, 2m cable	95.05	EC002714	110302	4536854116612			GE	GEG	JPN	8536.5080.90
TL-W3MB1 2M	Proximity sensor, inductive, non-shielded, 3 mm, DC, 3-wire, PNP-NO, 2 m cable	50.30	EC002714	110294	4536854116384	#	5	GE	GEG	CHN	8536.5080.90
TL-W3MB1 5M	Proximity sensor, inductive, unshielded, 3 mm, DC, 3-wire, PNP-NO, 5 m cable	57.30	EC002714	110307	4536854116735		3	GE	GEG	JPN	8536.5080.90
TL-W3MB1-R 2M	Proximity sensor, inductive, unshielded, 3 mm, DC, 3-wire, PNP-NO, 2 m robotic cable	77.20	EC002714	110312	4536854116995			GE	GEG	JPN	8536.5080.90
TL-W3MB2	Proximity sensor, inductive, non-shielded, 3mm, DC, 3-wire, PNP-NC, 2m cable	94.65	EC002714	110305	4536854116698		5	GE	GEG	JPN	8536.5080.90
TL-W3MC1 2M	Proximity sensor, inductive, non-shielded, 3mm, DC, 3-wire, NPN-NO, 2m cable	50.70	EC002714	110288	4536854116292	#	5	GE	GEG	CHN	8536.5080.90
TL-W3MC2 2M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, NPN-NC, 2m cable	51.50	EC002714	110292	4536854116353		5	GE	GEG	CHN	8536.5080.90
TL-W5E1	Proximity sensor, inductive, shielded, 5 mm, DC, 3-wire, NPN-NO, 2 m cable	87.95	EC002714	110280	4536854116186			GE	GEG	JPN	8536.5080.90
TL-W5F1	Proximity sensor, inductive, shielded, 5mm, DC, 3-wire, PNP-NO, 2m cable	87.95	EC002714	110282	4536854116209	#		GE	GEG	JPN	8536.5080.90
TL-W5F1 5M	Proximity sensor, inductive, shielded, 5 mm, DC, 3-wire, PNP-NO, 5 m cable	87.45	EC002714	110283	4536854116216			GE	GEG	JPN	8536.5080.90
TL-W5F2	Proximity sensor, inductive, shielded, 5 mm, DC, 3-wire, PNP-NC, 2 m cable	91.10	EC002714	103868	4536854116247			GE	GEG	JPN	8536.5080.90
TL-W5MB1 2M	Proximity sensor, inductive, non-shielded, 5mm, DC, 3-wire, PNP-NO, 2m cable	40.82	EC002714	110295	4536854116391			GE	GEG	CHN	8536.5080.90
TL-W5MB2 2M	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, PNP-NC, 2m cable	41.58	EC002714	144995	4536854647376			GE	GEG	CHN	8536.5080.90
TL-W5MC1 2M	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, NPN-NO, 2m cable	40.01	EC002714	110287	4536854116261	#		GE	GEG	CHN	8536.5080.90
TL-W5MC2 2M	Proximity sensor, inductive, non-shielded, 5mm, DC, 3-wire, NPN-NC, 2 m cable	41.22	EC002714	104697	4536854116438			GE	GEG	CHN	8536.5080.90
TL-W5MD1 2M	Proximity sensor, inductive, unshielded, 5mm, DC, 2-wire DC, NO, 2m cable	62.20	EC002714	110298	4536854116537	#		GE	GEG	CHN	8536.5080.90
TL-W5MD2 2M	Proximity sensor, inductive, non-shielded, 5mm, DC, 2-wire DC, NC, 2 m cable	62.20	EC002714	110301	4536854116575			GE	GEG	CHN	8536.5080.90
Inductive proximity sensor E2Q											
E2Q5-N20E1-M1	Long distance square inductive proximity sensor, 20 mm, shielded, NPN, NO	58.25	EC002714	702603	4549734724609			GE	GEH	VNM	8536.5080.90
E2Q5-N20F1-M1	Long distance square inductive proximity sensor, 20 mm, shielded, PNP, NO	58.25	EC002714	702601	4549734724623			GE	GEH	VNM	8536.5080.90
E2Q5-N20F3-M1	Long distance square inductive proximity sensor, 20 mm, shielded, PNP, NO & NC	64.05	EC002714	702600	4549734724630			GE	GEH	VNM	8536.5080.90
E2Q5-N40ME1-M1	Long distance square inductive proximity sensor, 40 mm, unshielded, NPN, NO	59.60	EC002714	702599	4549734724647			GE	GEH	VNM	8536.5080.90
E2Q5-N40ME3-M1	Long distance square inductive proximity sensor, 40 mm, unshielded, NPN, NO & NC	66.05	EC002714	702598	4549734724654			GE	GEH	VNM	8536.5080.90
E2Q5-N40MF1-M1	Long distance square inductive proximity sensor, 40 mm, unshielded, PNP, NO	60.35	EC002714	702597	4549734724661			GE	GEH	VNM	8536.5080.90
E2Q5-N40MF3-M1	Long distance square inductive proximity sensor, 40 mm, unshielded, PNP, NO & NC	66.05	EC002714	702596	4549734724678			GE	GEH	VNM	8536.5080.90
Inductive proximity sensor E2A											
E2A-M12KN05-M1-B1-TP	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, M12 connector, including washer	59.35	EC002714	236982	4547648424615			GE	GEI	CHN	8536.5080.90
E2A-M12KN05-WP-B1-TP 5M	Proximity sensor, inductive, nickel-brass, M12, unshielded, 5 mm, PNP-NO 5 m, including washer	35.61	EC002714	232411	4547648340564			GE	GEI	CHN	8536.5080.90
E2A-M12KN08-WP-B1 10M	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8mm, DC, 3-wire, PNP-NO, 10m prewired	31.52	EC002714	168365	4547648031776			GE	GEI	CHN	8536.5080.90
E2A-M12KN08-WP-D1 2M	Proximity sensor, inductive, brass-nickel, short body, M12, non-shielded, 8 mm, DC, 2-wire, NO, 2 m prewired	43.69	EC002714	411116	4547648096102			GE	GEI	CHN	8536.5080.90
E2A-M12KS04-M1-B1-20	Multi-pack E2A-M12KS04-M1-B1: 1 pcs. = 1 box of 20 pcs.	488.40	EC002714	671541	4548583880726			GE	GEI	CHN	8536.5080.90
E2A-M12KS04-M1-B1-4	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M12 plug-in, gold-plated pins	52.80	EC002714	368983	4548583333871			GE	GEI	CHN	8536.5080.90
E2A-M12KS04-M1-G-D1	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 2-wire, NO, M12 connector	52.50	EC002714	659194	4548583723078			GE	GEI	CHN	8536.5080.90
E2A-M12KS04-WP-D1 2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4 mm, DC, 2 wire, NO, 2 m prewired	36.66	EC002714	232068	4547648096096	#		GE	GEI	CHN	8536.5080.90
E2A-M12KS04-WP-D2 2M	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4 mm, DC, 2 wire, NC, 2 m prewired	41.06	EC002714	411120	4547648096188	#		GE	GEI	CHN	8536.5080.90
E2A-M12LN05-M1-B1-TP	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5 mm, DC, 3-wire, PNP-NO, M12 connector, including washer	46.57	EC002714	656805	4548583722873	#		GE	GEI	CHN	8536.5080.90
E2A-M12LN05-WP-B1-TP 5M	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5 mm, DC, 3-wire, PNP-NO, 5 m prewired, including washer	45.47	EC002714	232412	4547648340571			GE	GEI	CHN	8536.5080.90
E2A-M12LS04-M1-B1-20	Multi-pack E2A-M12LS04-M1-B1: 1 pcs. = 1 box of 20 pcs.	522.00	EC002714	671538	4548583880733			GE	GEI	CHN	8536.5080.90
E2A-M18KN16-WP-D1 2M	Proximity sensor, inductive, brass-nickel, short body, M18, non-shielded, 16 mm, DC, 2-wire, NO, 2 m prewired	47.92	EC002714	411117	4547648096133			GE	GEI	CHN	8536.5080.90
E2A-M18KS08-M1-B1-20	Multi-pack E2A-M18KS08-M1-B1: 1 pcs. = 1 box of 20 pcs.	642.00	EC002714	671534	4548583880757			GE	GEI	CHN	8536.5080.90
E2A-M18KS08-M1-B1-S	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, M12	63.00	EC002714	247421	4547648570251			GE	GEI	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2A-M18KS08-M1-C2	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, NPN-NC, M12 connector	38.35	EC002714	153536	4536854918506			GE	GEI	CHN	8536.5080.90
E2A-M18KS08-M1G-D1	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 2-wire, NO, M12 connector	56.65	EC002714	659161	4548583723061			GE	GEI	CHN	8536.5080.90
E2A-M18KS08-M5-B1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, M8 3 pin plug-in	61.60	EC002714	659164	454858372965			GE	GEI	CHN	8536.5080.90
E2A-M18KS08-WP-B1 10M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 10m prewired	41.98	EC002714	168103	4547648026291			GE	GEI	CHN	8536.5080.90
E2A-M18KS08-WP-D1 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8mm, DC, 2-wire, NO, 2m prewired	43.83	EC002714	232069	4547648096126			GE	GEI	CHN	8536.5080.90
E2A-M18KS08-WP-D2 2M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 8 mm, DC, 2-wire, NC, 2 m prewired	42.04	EC002714	411122	4547648096201			GE	GEI	CHN	8536.5080.90
E2A-M18LS08-WP-D1 2M	Proximity sensor, inductive, brass-nickel, long body, M18, shielded, 8 mm, DC, 2 wire, NO, 2 m prewired	47.92	EC002714	411128	4547648096263	#		GE	GEI	CHN	8536.5080.90
E2A-M18LS08-WS-B1-M01	Prox M18, 8 mm, shield, PNP with circular plug connector for Automotive industry...Replacement for TL-X8MF1-M01	77.55	EC002714	667328	4548583033085			GE	GEI	CHN	8536.5080.90
E2A-M30KN20-M1-B1	Proximity sensor, inductive, brass-nickel, short body, M30, non-shielded, 20mm, DC, 3-wire, PNP-NO, M12 connector	54.30	EC002714	145919	4536854939136			GE	GEI	CHN	8536.5080.90
E2A-M30KN20-M1-C1	Proximity sensor, inductive, brass-nickel, short body, M30, non-shielded, 20mm, DC, 3-wire, NPN-NO, M12 connector	54.30	EC002714	153444	4536854939112			GE	GEI	CHN	8536.5080.90
E2A-M30KN20-WP-B1 2M	Proximity sensor, inductive, brass-nickel, short body, M30, non-shielded, 20mm, DC, 3-wire, PNP-NO, 2m prewired	49.28	EC002714	133397	4536854939051			GE	GEI	CHN	8536.5080.90
E2A-M30KN20-WP-B1 5M	Proximity sensor, inductive, brass-nickel, short body, M30, non-shielded, 20mm, DC, 3-wire, PNP-NO, 5m prewired	52.00	EC002714	145918	4536854939099			GE	GEI	CHN	8536.5080.90
E2A-M30KN20-WP-C1 2M	Proximity sensor, inductive, brass-nickel, short body, M30, non-shielded, 20 mm, DC, 3-wire, NPN-NO, 2 m prewired	49.28	EC002714	133396	4536854939037			GE	GEI	CHN	8536.5080.90
E2A-M30KS10-WP-B3 10M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10mm, DC, 4-wire, PNP-antivalent (NO+NC), 10 m cable	103.00	EC002714	659307	4548583724730			GE	GEI	CHN	8536.5080.90
E2A-M30KS15-WP-B1 10M	Inductive sensor, brass, M30, Sn=15 mm, shielded, short body, NO, 10 m PVC cable	62.05	EC002714	171615	4547648086165			GE	GEI	CHN	8536.5080.90
E2A-M30KS15-WP-D1 2M	Proximity sensor, inductive, brass-nickel, short body, M30, shielded, 15 mm, DC, 2-wire, NO, 2 m prewired	57.05	EC002714	411118	4547648096164			GE	GEI	CHN	8536.5080.90
E2A-M30LS15-WP-D2 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15mm, DC, 2 wire, NC, 2m prewired	59.75	EC002714	411136	4547648096348	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M1-B1	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	44.95	EC002714	183917	4547648162456	#		GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M1-B2	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4 mm, DC, 3-wire, PNP-NC, M12 connector	41.21	EC002714	401325	4547648162463			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M1-C1	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, NPN-NO, M12 connector	44.95	EC002714	239506	4547648149266			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M3-B1	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3-wire, PNP-NO, M8 plug-in	60.25	EC002714	659185	4548583723542			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M5-B1	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M8 connector	53.40	EC002714	183894	4547648149273			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M5-B2	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4 mm, DC, 3-wire, PNP-NC, M8 connector	41.21	EC002714	401326	4547648162487			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M5-C1	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, NPN-NO, M8 connector	53.40	EC002714	183921	4547648162968			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	35.61	EC002714	183895	4547648149280			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4 mm, DC, 3-wire, PNP-NO, 5 m prewired	42.42	EC002714	401327	4547648162500			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B2 2M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4 mm, DC, 3-wire, PNP-NC, 2 m prewired	41.21	EC002714	401328	4547648162517			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-C1 2M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, NPN-NO, 2m prewired	35.61	EC002714	183926	4547648162531			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-D1 2M	Proximity sensor, inductive, stainless steel, M8, unshielded, 4mm, DC, 2 wire, 2m prewired	43.29	EC002714	659196	4548583723580			GE	GEI	CHN	8536.5080.90
E2A-S08KS01-M1-B1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 1mm, DC, 3-wire, PNP-NO, M12 connector	42.71	EC002714	244369	4547648525015			GE	GEI	CHN	8536.5080.90
E2A-S08KS01-M3-B1-TP	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 1 mm, DC, 3-wire, PNP-NO, M8 connector (4 pin), including washer	47.68	EC002714	237659	4547648437226			GE	GEI	CHN	8536.5080.90
E2A-S08KS01-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 1 mm, DC, 3-wire, PNP-NO, 2 m prewired	42.71	EC002714	658909	4548583723009			GE	GEI	CHN	8536.5080.90
E2A-S08KS01-WP-B1-TP 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 1 mm, DC, 3-wire, PNP-NO, 5 m prewired, including washer	43.83	EC002714	232413	4547648340588			GE	GEI	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2A-S08KS02-M1-B1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M12 connector	38.35	EC002714	183896	4547648149297	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-B2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M12 connector	38.35	EC002714	183930	4547648162579			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-C1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M12 connector	38.35	EC002714	183931	4547648162586			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-C2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, M12 connector	38.35	EC002714	406771	4547648162593			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M3-B1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	44.36	EC002714	242079	4547648475044			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M3-B2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M8 connector (4 pin)	45.10	EC002714	244370	4547648525022			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-B1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (3 pin)	44.36	EC002714	183933	4547648162609	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-B2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M8 connector (3 pin)	42.71	EC002714	183934	4547648162616	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-C1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M8 connector (3 pin)	44.36	EC002714	183897	4547648149303			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-C2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, M8 connector (3 pin)	44.36	EC002714	232021	4547648162623			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m prewired	30.13	EC002714	183936	4547648162630	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, 5 m prewired	30.13	EC002714	183937	4547648162647	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B2-1 0.2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NC, 200 mm M8 cable end connector (3 pole)	95.40	EC002714	658912	4548583723030			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B2 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, 2m prewired	30.13	EC002714	183938	4547648162654	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B2 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NC, 5 m prewired	42.42	EC002714	401329	4547648162661			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-C1 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, 2m prewired	30.13	EC002714	183898	4547648149327	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-C2 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, 2m prewired	30.13	EC002714	183941	4547648162685			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-D1 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 2-wire, NO, 2 m prewired	43.29	EC002714	656810	4548583722910	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-D2 2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 2-wire, NC, 2m prewired	49.74	EC002714	658911	4548583722996			GE	GEI	CHN	8536.5080.90
E2A-S08LN04-M1-B1	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	52.50	EC002714	183899	4547648149334	#		GE	GEI	CHN	8536.5080.90
E2A-S08LN04-M5-B1	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, M8 connector(3 pin)	44.95	EC002714	183946	4547648162739			GE	GEI	CHN	8536.5080.90
E2A-S08LN04-M5-C1	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4mm, DC, 3-wire, NPN-NO, M8 connector(3 pin)	44.95	EC002714	183900	4547648149341			GE	GEI	CHN	8536.5080.90
E2A-S08LN04-WP-B1 2M	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	42.71	EC002714	183949	4547648162760			GE	GEI	CHN	8536.5080.90
E2A-S08LN04-WP-C1 2M	Proximity sensor, inductive, stainless steel, long body, M8, non-shielded, 4 mm, DC, 3-wire, NPN-NO, 2 m prewired	42.71	EC002714	401324	4547648149358			GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M1-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M12 connector	42.71	EC002714	183956	4547648162838	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M1-B2	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M12 connector	46.57	EC002714	232023	4547648162845			GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M1-C1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M12 connector	42.71	EC002714	232019	4547648149365	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M3-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	36.83	EC002714	244371	4547648525039			GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M3-B3	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M8 4pin plug-in	101.80	EC002714	659342	4548583724907			GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M5-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (3 pin)	44.36	EC002714	183903	4547648149372	#		GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M5-B2	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M8 connector (3 pin)	43.29	EC002714	183959	4547648162869			GE	GEI	CHN	8536.5080.90
E2A-S08LS02-M5-C1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M8 connector (3 pin)	44.36	EC002714	183960	4547648162876			GE	GEI	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2A-S08LS02-WP-B1 2M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 2m prewired	40.04	EC002714	183904	4547648149389			GE	GEI	CHN	8536.5080.90
E2A-S08LS02-WP-B1 5M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, 5 m prewired	42.42	EC002714	401330	4547648162890			GE	GEI	CHN	8536.5080.90
E2A-S08LS02-WP-B2 2M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, 2m prewired	40.04	EC002714	243967	4547648162906			GE	GEI	CHN	8536.5080.90
E2A-S08LS02-WP-C1 2M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, 2m prewired	40.04	EC002714	183965	4547648162920			GE	GEI	CHN	8536.5080.90
E2A-S12KN08-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, non-shielded, 8 mm, DC, 3-wire, PNP-NO, M12 connector	47.17	EC002714	411139	4548583130456			GE	GEI	CHN	8536.5080.90
E2A-S12KN08-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M12, non-shielded, 8 mm, DC, 3-wire, PNP-NO, 2m prewired	52.50	EC002714	242075	4547648475082			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	40.19	EC002714	351403	4548583020894			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-B2	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, M12 connector	40.19	EC002714	659200	4548583723290			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-C1	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, M12 connector	72.60	EC002714	656802	4548583722835			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M5-B1	Proximity switch, inductive, stainless steel, short body, M12, shielded, 4 mm, DC, PNP-NO, M8 connector (3 pin)	79.45	EC002714	659216	4548583723115			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	38.81	EC002714	341512	4548583004917			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-WP-B1 5M	Proximity sensor, inductive, stainless steel,	46.91	EC002714	659215	4548583723047			GE	GEI	CHN	8536.5080.90
E2A-S12LS04-M1-B1	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M12 connector	52.55	EC002714	658903	4548583722927			GE	GEI	CHN	8536.5080.90
E2A-S12LS04-M1-C1	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, M12 plug-in	52.45	EC002714	659218	4548583723351			GE	GEI	CHN	8536.5080.90
E2A-S18KN16-M1-B1	Proximity sensor, inductive, stainless steel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, M12 connector	73.15	EC002714	168903	4547648048613			GE	GEI	CHN	8536.5080.90
E2A-S18KS08-M1-B1	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, M12 connector	83.95	EC002714	168902	4547648048606			GE	GEI	CHN	8536.5080.90
E2A-S18KS08-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 2 m prewired	60.25	EC002714	658904	4548583722989			GE	GEI	CHN	8536.5080.90
E2A-S18KS08-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 5 m prewired	68.65	EC002714	658906	4548583722934			GE	GEI	CHN	8536.5080.90
E2A-S18LS08-M1-B1	Proximity sensor, inductive, stainless steel, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, M12 connector	72.60	EC002714	658907	4548583722941			GE	GEI	CHN	8536.5080.90
E2A-S30KS15-M1-B1	Proximity sensor, inductive, stainless steel, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, M12 plug-in	79.85	EC002714	168904	4547648048620			GE	GEI	CHN	8536.5080.90

Inductive proximity sensor E2B

E2B-M12KN05-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, M12 plug-in	8.48	EC002714	674364	4548583549517			GE	GEJ	IDN	8536.5080.90
E2B-M12KN05-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, 2 m cable	8.17	EC002714	674338	4548583549432			GE	GEJ	IDN	8536.5080.90
E2B-M12KN05-WP-C1 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN-NO, 2 m cable	8.17	EC002714	674369	4548583549470			GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-B1-20	Multi-pack E2B-M12KN08-M1-B1 OMS: 1 pcs. = 1 box of 20 pcs.	189.50	EC002714	671224	4548583879317			GE	GEJ	CHN	8536.5080.90
E2B-M12KN08-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, M12 plug-in	10.03	EC002714	674557	4548583549999	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NC, M12 plug-in	10.03	EC002714	674640	4548583550018	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NO, M12 plug-in	10.03	EC002714	674637	4548583550001	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-C2	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NC, M12 plug-in	10.03	EC002714	674370	4548583550025	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, 2 m cable	10.03	EC002714	674571	4548583549913	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, 5 m cable	11.88	EC002714	674559	4548583549920			GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-B2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NC, 2 m cable	10.03	EC002714	674322	4548583549937	#		GE	GEJ	IDN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-M12KN08-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NO, 2 m cable	10.03	EC002714	674561	4548583549951	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-C2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NC, 2 m cable	10.03	EC002714	674356	4548583549975	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS02-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, M12 plug-in	8.62	EC002714	674680	4548583549272	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS02-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NC, M12 plug-in	8.17	EC002714	674363	4548583549296		40	GE	GEJ	IDN	8536.5080.90
E2B-M12KS02-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m cable	8.17	EC002714	674327	4548583549197	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS02-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, NPN-NO, 2 m cable	8.17	EC002714	674380	4548583549234	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-M1-B1-20	Multi-pack E2B-M12KS04-M1-B1 OMS: 1 pcs. = 1 box of 20 pcs.	189.50	EC002714	392627	4548583552487	#		GE	GEJ	CHN	8536.5080.90
E2B-M12KS04-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M12 plug-in	10.03	EC002714	674633	4548583549753	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, M12 plug-in	10.03	EC002714	674624	4548583549777	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, M12 plug-in	10.03	EC002714	674524	4548583549760	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-M1-C2	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NC, M12 plug-in	10.03	EC002714	674479	4548583549784	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 2 m cable	10.03	EC002714	674414	4548583549678	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 5 m cable	11.88	EC002714	674429	4548583549685	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-B2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, 2 m cable	10.03	EC002714	674573	4548583549692	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-B2 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, 5 m cable	11.88	EC002714	674528	4548583549708	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, 2 m cable	10.03	EC002714	674459	4548583549715	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KS04-WP-C2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN-NC, 2 m cable	10.03	EC002714	674500	4548583549739	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN05-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, M12 plug-in	8.17	EC002714	674481	4548583549630	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, M12 plug-in	10.03	EC002714	674659	4548583550117	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NC, M12 plug-in	10.03	EC002714	674480	4548583550131	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NO, M12 plug-in	10.03	EC002714	674474	4548583550124	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-M1-C2	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NC, M12 plug-in	10.03	EC002714	674461	4548583550148	#	20	GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, 2 m cable	10.03	EC002714	674533	4548583550032	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NO, 5 m Prewired	11.88	EC002714	674439	4548583550049	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-WP-B2 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP-NC, 2 m Prewired	10.03	EC002714	674523	4548583550056	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NO, 2 m cable	10.03	EC002714	674522	4548583550070	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LN08-WP-C2 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN-NC, 2 m cable	10.03	EC002714	674400	4548583550094	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS02-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, M12 plug-in	8.17	EC002714	674622	4548583549395	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS02-WP-B1 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m cable	8.17	EC002714	674505	4548583549319	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-M1-B1-20	Multi-pack E2B-M12LS04-M1-B1 OMS: 1 pcs. = 1 box of 20 pcs.	189.50	EC002714	392628	4548583552494	#		GE	GEJ	CHN	8536.5080.90
E2B-M12LS04-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, M12 plug-in	10.03	EC002714	674527	4548583549876	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, M12 plug-in	10.03	EC002714	674657	4548583549890	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, M12 plug-in	10.03	EC002714	674329	4548583549883	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-M1-C2	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN-NC, M12 plug-in	10.03	EC002714	674378	4548583549906	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 2 m cable	10.03	EC002714	674517	4548583549791	#		GE	GEJ	IDN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-M12LS04-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NO, 5 m Prewired	11.88	EC002714	674316	4548583549807	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-B2 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP-NC, 2 m cable	10.03	EC002714	674472	4548583549814	#		GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN-NO, 2 m cable	10.03	EC002714	674605	4548583549838	#	50	GE	GEJ	IDN	8536.5080.90
E2B-M12LS04-WP-C2 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN-NC, 2 m cable	10.03	EC002714	674331	4548583549852	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN10-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP-NO, M12 plug-in	12.60	EC002714	674558	4548583551190	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-B1-20	Multi-pack E2B-M18KN16-M1-B1 OMS: 1 pcs. = 1 box of 20 pcs.	262.50	EC002714	671226	4548583879331	#		GE	GEJ	CHN	8536.5080.90
E2B-M18KN16-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NO, M12 plug-in	14.70	EC002714	674469	4548583551671	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NC, M12 plug-in	14.70	EC002714	674359	4548583551695	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, NPN-NO, M12 plug-in	14.70	EC002714	674368	4548583551688	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NO, 2 m cable	14.70	EC002714	674614	4548583551596	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-B2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NC, 2 m cable	14.70	EC002714	674342	4548583551619	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, NPN-NO, 2 m cable	14.70	EC002714	674655	4548583551633	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, M12 plug-in	12.60	EC002714	674612	4548583550957	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-M1-B2	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP-NC, M12 plug-in	12.60	EC002714	674508	4548583550971	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, 2 m cable	12.60	EC002714	674572	4548583550155	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-M1-B1-20	Multi-pack E2B-M18KS08-M1-B1 OMS: 1 pcs. = 1 box of 20 pcs.	262.50	EC002714	392629	4548583552500	#		GE	GEJ	CHN	8536.5080.90
E2B-M18KS08-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, M12 plug-in	14.70	EC002714	674616	4548583551435	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NC, M12 plug-in	14.70	EC002714	674473	4548583551459	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN-NO, M12 plug-in	14.70	EC002714	674656	4548583551442	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-M1-C2	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN-NC, M12 plug-in	14.70	EC002714	674553	4548583551466	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 2 m cable	14.70	EC002714	674516	4548583551350	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 5 m cable	16.78	EC002714	674410	4548583551367	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-B2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP-NC, 2 m cable	14.70	EC002714	674314	4548583551374	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN-NO, 2 m cable	14.70	EC002714	674575	4548583551398	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS08-WP-C2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN-NC, 2 m cable	14.70	EC002714	674406	4548583551411	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN16-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NO, M12 plug-in	14.70	EC002714	674430	4548583551794	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN16-M1-B2	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NC, M12 plug-in	14.70	EC002714	674542	4548583551817	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN16-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP-NO, 2 m cable	14.70	EC002714	674613	4548583551718	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LN16-WP-C1 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, NPN-NO, 2 m cable	14.70	EC002714	674453	4548583551756	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS05-M1-B1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP-NO, M12 plug-in	12.60	EC002714	674458	4548583551077	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, M12 plug-in	14.70	EC002714	674628	4548583551558	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NC, M12 plug-in	14.70	EC002714	674328	4548583551572	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN-NO, M12 plug-in	14.70	EC002714	674445	4548583551565	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-M1-C2	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN-NC, M12 plug-in	14.70	EC002714	674436	4548583551589	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 2 m cable	14.70	EC002714	674562	4548583551473	#		GE	GEJ	IDN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-M18LS08-WP-B1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 5 m Prewired	16.78	EC002714	674585	4548583551480	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-B2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP-NC, 2 m cable	14.70	EC002714	674354	4548583551497	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN-NO, 2 m cable	14.70	EC002714	674567	4548583551510	#		GE	GEJ	IDN	8536.5080.90
E2B-M18LS08-WP-C2 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN-NC, 2 m cable	14.70	EC002714	674584	4548583551534	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KN20-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, PNP-NO, M12 plug-in	17.33	EC002714	674397	4548583550438	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KN20-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, PNP-NO, 2 m cable	17.33	EC002714	674673	4548583550353	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KN20-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 20 mm, DC, 3-wire, NPN-NO, 2 m cable	17.33	EC002714	674493	4548583550391	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS10-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP-NO, M12 plug-in	17.33	EC002714	674341	4548583551916	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS10-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP-NO, 2 m cable	17.33	EC002714	674652	4548583551831	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NO, M12 plug-in	19.65	EC002714	674318	4548583550674	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NC, M12 plug-in	19.65	EC002714	674418	4548583550698	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-C1	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN-NO, M12 plug-in	19.65	EC002714	674394	4548583550681	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NO, 2 m cable	19.65	EC002714	674546	4548583550599	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-B1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NO, 5 m cable	22.03	EC002714	674447	4548583550605	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-B2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP-NC, 2 m cable	19.65	EC002714	674615	4548583550612	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN-NO, 2 m cable	19.65	EC002714	674674	4548583550636	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-C2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, NPN-NC, 2 m cable	19.65	EC002714	674385	4548583550650	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 30 mm, DC, 3-wire, PNP-NO, M12 plug-in	19.65	EC002714	674536	4548583550919	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-M1-B2	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 30 mm, DC, 3-wire, PNP-NC, M12 plug-in	19.65	EC002714	674470	4548583550933	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 30 mm, DC, 3-wire, PNP-NO, 2 m cable	19.65	EC002714	674393	4548583550834	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-WP-B2 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 30 mm, DC, 3-wire, PNP-NC, 2 m Prewired	19.65	EC002714	674521	4548583550858	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-WP-C1 2M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, unshielded, 30 mm, DC, 3-wire, NPN-NO, 2 m cable	19.65	EC002714	674609	4548583550872	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS15-M1-B1	Proximity sensor, LITE, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP-NO, M12 plug-in	19.65	EC002714	674512	4548583550797	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS15-M1-B2	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP-NC, M12 plug-in	19.65	EC002714	674332	4548583550810	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS15-M1-C1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, NPN-NO, M12 plug-in	19.65	EC002714	674541	4548583550803	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS15-WP-B1 2M	Proximity sensor, LITE, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP-NO, 2 m cable	19.65	EC002714	674537	4548583550711	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS15-WP-B2 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP-NC, 2 m cable	19.65	EC002714	674574	4548583550735	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS15-WP-C1 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, NPN-NO, 2 m cable	19.65	EC002714	674555	4548583550759	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LS15-WP-C2 2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, NPN-NC, 2 m cable	19.65	EC002714	674465	4548583550773	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN02-MC-B1	Proximity sensor, inductive, stainless steel, short body, M8, unshielded, 2 mm, DC, 3-wire, PNP-NO, M8 plug-in	10.03	EC002714	674678	4548583548558	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN02-WP-B1 2M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 2 mm, DC, 3-wire, PNP-NO, 2 m cable	10.03	EC002714	674518	4548583548473	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-B1	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4 mm, DC, 3-wire, PNP-NO, M8 plug-in (3 pin)	11.88	EC002714	674629	4548583549036	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-B2	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4 mm, DC, 3-wire, PNP-NC, M8 plug-in (3 pin)	11.88	EC002714	674494	4548583549050	#		GE	GEJ	IDN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-S08KN04-MC-C1	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4 mm, DC, 3-wire, NPN-NO, M8 plug-in (3 pin)	11.88	EC002714	674672	4548583549043	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-B1 2M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4 mm, DC, 3-wire, PNP-NO, 2 m cable	11.88	EC002714	674604	4548583548954	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-B1 5M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4 mm, DC, 3-wire, PNP-NO, 5 m cable	13.76	EC002714	674388	4548583548961			GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-B2 2M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4 mm, DC, 3-wire, PNP-NC, 2 m cable	11.88	EC002714	674323	4548583548978	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-C1 2M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4 mm, DC, 3-wire, NPN-NO, 2 m cable	11.88	EC002714	674592	4548583548992	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS01-MC-B1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 1 mm, DC, 3-wire, PNP-NO, M8 plug-in	10.03	EC002714	674421	4548583548312			GE	GEJ	IDN	8536.5080.90
E2B-S08KS01-WP-B1 2M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 1 mm, DC, 3-wire, PNP-NO, 2 m cable	10.03	EC002714	674365	4548583548237			GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-B1-20	Multi-pack E2B-S08KS02-MC-B1 OMS: 1 pcs. = 1 box of 20 pcs.	236.50	EC002714	392626	4548583552470			GE	GEJ	CHN	8536.5080.90
E2B-S08KS02-MC-B1	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, M8 plug-in (3 pin)	11.88	EC002714	674396	4548583548794	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-B2	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NC, M8 plug-in (3 pin)	11.88	EC002714	674625	4548583548817	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-C1	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, NPN-NO, M8 plug-in (3 pin)	11.88	EC002714	674606	4548583548800	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-C2	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, NPN-NC, M8 plug-in (3 pin)	11.88	EC002714	674317	4548583548824		36	GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-B1 2M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m cable	11.88	EC002714	674576	4548583548718	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-B1 5M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, 5 m cable	13.76	EC002714	674438	4548583548725	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-B2 2M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, PNP-NC, 2 m cable	11.88	EC002714	674677	4548583548732	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-C1 2M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, NPN-NO, 2 m cable	11.88	EC002714	674454	4548583548756	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-C1 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, NPN-NO, 5 m Prewired	13.76	EC002714	674432	4548583548763			GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-C2 2M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2 mm, DC, 3-wire, NPN-NC, 2 m cable	11.88	EC002714	674611	4548583548770	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-MC-B1	Proximity sensor, LITE, inductive, stainless steel, long body, M8, unshielded, 4 mm, DC, 3-wire, PNP-NO, M8 plug-in	11.88	EC002714	674487	4548583549159	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-MC-B2	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4 mm, DC, 3-wire, PNP-NC, M8 plug-in	11.88	EC002714	674373	4548583549173	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-MC-C1	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4 mm, DC, 3-wire, NPN-NO, M8 plug-in	11.88	EC002714	674642	4548583549166	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-WP-B1 2M	Proximity sensor, LITE, inductive, stainless steel, long body, M8, unshielded, 4 mm, DC, 3-wire, PNP-NO, 2 m cable	11.88	EC002714	674367	4548583549074	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-WP-B2 2M	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4 mm, DC, 3-wire, PNP-NC, 2 m Prewired	11.88	EC002714	674600	4548583549098			GE	GEJ	IDN	8536.5080.90
E2B-S08LN04-WP-C1 2M	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4 mm, DC, 3-wire, NPN-NO, 2 m Prewired	11.88	EC002714	674501	4548583549111	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS01-MC-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 1 mm, DC, 3-wire, PNP-NO, M8 plug-in	10.03	EC002714	674552	4548583548435			GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-MC-B1	Proximity sensor, LITE, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, M8 plug-in (3 pin)	11.88	EC002714	674636	4548583548916	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-MC-B2	Proximity sensor, LITE, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 3-wire, PNP-NC, M8 plug-in (3 pin)	11.88	EC002714	674478	4548583548930	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-MC-C1	Proximity sensor, LITE, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 3-wire, NPN-NO, M8 plug-in (3 pin)	11.88	EC002714	674608	4548583548923	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-MC-C2	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 3-wire, NPN-NC, M8 plug-in	11.88	EC002714	674371	4548583548947	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-WP-B1 2M	Proximity sensor, LITE, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 3-wire, PNP-NO, 2 m cable	11.88	EC002714	674525	4548583548831	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-WP-B2 2M	Proximity sensor, LITE, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 3-wire, PNP-NC, 2 m cable	11.88	EC002714	674630	4548583548855	#		GE	GEJ	IDN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-S08LS02-WP-C1 2M	Proximity sensor, LITE, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 3-wire, NPN-NO, 2 m cable	11.88	EC002714	674590	4548583548879	#		GE	GEJ	IDN	8536.5080.90
E2B-S08LS02-WP-C2 2M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2 mm, DC, 3-wire, NPN-NC, 2 m cable	11.88	EC002714	674390	4548583548893	#		GE	GEJ	IDN	8536.5080.90
Other proximity sensor											
E2E2-X10MY1 2M	Proximity sensor, long body, M18, unshielded, 10 mm, NO, AC, 2-wire, 2 m cable	79.50	EC002714	233069	4547648310109			GE	GEX	CHN	8536.5080.90
E2E2-X5Y1 2M	Proximity sensor, long body, M18, shielded, 5 mm, NO, AC, 2-wire, 2 m cable	79.50	EC002714	233072	4547648310130			GE	GEX	CHN	8536.5080.90
E2EC-C3D1	Proximity sensor, 8 mm diameter, 3 mm range, 2 wire DC, 2 m cable	178.70	EC002714	147698	4536853257590			GE	GEX	JPN	8536.5080.90
E2EC-C3D1-M1J-1	Proximity sensor, 8 mm diameter, 3 mm range, 2 wire DC, 2 m cable	255.00	EC002714	177225	4536854887864			GE	GEX	JPN	8536.5080.90
E2EC-QC2D1-M1GJ-T 0.3M	Proximity sensor, inductive, dia. 8 mm, Shielded, 2 mm, DC, 2-wire, PW, NC, DC 2-wire (no polarity) (3)-(4) pin arrangement	380.10	EC002714	231154	4547648313100			GE	GEX	JPN	8536.5080.90
E2EM-X15X1-M1J 0.3M	Proximity sensor, inductive, Long-distance (Base material: brass), M30, shielded, 15 mm, DC, 2-wire, NPN NO, M12 Smartclick	80.75	EC002714	290154	4547648630207			GE	GEX	CHN	8536.5080.90
E2EM-X4X1 2M	Proximity sensor M12, DC 2-Wire Model , Shielded, Sensing Distance 4 mm , Operation Mode NO, cable 2 m	70.10	EC002714	290144	4547648629706			GE	GEX	CHN	8536.5080.90
E2EC-C1R5D1	Proximity sensor, inductive, Dia 5.4mm, Shielded, 1.5mm, DC, 2-wire, NO, 2m cable	174.90	EC002714	144377	4536853257514	#		GE	GEX	JPN	8536.5080.90
E2EC-CR8D1	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 2-wire, NO, 2m cable	183.60	EC002714	132394	4536853257439			GE	GEX	JPN	8536.5080.90
E2S-Q11 1M	Miniature rectangular Inductive, end face sensing, unshielded, 1.6mm, 2 wire DC, NO, 1M cable	39.87	EC002714	233106	4536854841552			GE	GEX	CHN	8536.5080.90
E2S-Q15 1M	Miniature rectangular Inductive, end face sensing, unshielded, 1.6mm, PNP, NO, 1M cable	42.42	EC002714	233113	4536854841651			GE	GEX	CHN	8536.5080.90
E2S-Q21 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, 2 wire DC, NO, 1M cable	42.42	EC002714	231595	4536854841682		10	GE	GEX	CHN	8536.5080.90
E2S-Q23 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, NPN, NO, 1m cable	46.10	EC002714	231599	4536854841767			GE	GEX	CHN	8536.5080.90
E2S-Q25 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5mm, PNP, NO, 1M cable	46.10	EC002714	231602	4536854841798		10	GE	GEX	CHN	8536.5080.90
E2S-Q25 2M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5 mm, PNP, NO, 2 m cable	50.55	EC002714	231592	4547648285933			GE	GEX	CHN	8536.5080.90
E2S-Q25B 1M	Miniature rectangular Inductive, end face sensing, unshielded, 2.5 mm, PNP, NO, alternative frequency, 1 m cable	46.61	EC002714	231603	4536854841804			GE	GEX	CHN	8536.5080.90
E2S-W11 1M	Miniature rectangular Inductive, front face sensing, unshielded, 1.6 mm, 2 wire DC, NO, 1 m cable	42.42	EC002714	233116	4536854841835			GE	GEX	CHN	8536.5080.90
E2S-W13 1M	Miniature rectangular Inductive, front face sensing, unshielded, 1.6mm, NPN, NO, 1M cable	42.42	EC002714	233119	4536854841873			GE	GEX	CHN	8536.5080.90
E2S-W15 1M	Miniature rectangular Inductive, front face sensing, unshielded, 1.6mm, PNP, NO, 1M cable	60.25	EC002714	233123	4536854841927		10	GE	GEX	CHN	8536.5080.90
E2S-W21 1M	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, 2 wire DC, NO, 1M cable	39.87	EC002714	231604	4536854841958	#	10	GE	GEX	CHN	8536.5080.90
E2S-W22 1M	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, 2 wire DC, NC, 1M cable	42.42	EC002714	231606	4536854842009		10	GE	GEX	CHN	8536.5080.90
E2S-W23 1M	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, NPN, NO, 1M cable	46.10	EC002714	231608	4536854842054		10	GE	GEX	CHN	8536.5080.90
E2S-W25 1M	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, PNP, NO, 1m cable	46.10	EC002714	231610	4536854842122	#	10	GE	GEX	CHN	8536.5080.90
E2S-W26 1M	Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, PNP, NC, 1M cable	39.51	EC002714	231591	4536854842146			GE	GEX	CHN	8536.5080.90
TL-N10MD1	Proximity sensor, inductive, unshielded, Rectangular, 10mm, 2 wire DC, NO, 2m cable	111.90	EC002714	110588	4536854113482			GE	GEX	JPN	8536.5080.90
TL-N10ME1 2M	Inductive proximity sensor, 10 mm, unshielded, NPN/NO 2 m cable	88.60	EC002714	110591	4536854478543	#		GE	GEX	CHN	8536.5080.90
TL-N5ME15	Inductive proximity sensor, 5 mm, unshielded, NPN/NO, different frequency, 2 m cable	113.90	EC002714	151478	4536854112539			GE	GEX	JPN	8536.5080.90
TL-N7MD1 2M	Inductive proximity sensor, cuboid 25 x 25 mm, 7 mm, unshielded, DC-wire, NO, 2 m cable	130.80	EC002714	151479	4536854478581			GE	GEX	CHN	8536.5080.90
TL-Q2MC1	Proximity sensor, inductive, unshielded, 2 mm, 3 wire, NPN, NO, 2 m cable	97.05	EC002714	153723	4536854115035			GE	GEX	JPN	8536.5080.90
TL-Q5MB1 2M	Inductive proximity sensor, 5 mm, PNP, NO, 2 m cable	67.95	EC002714	110528	4536854115127	#		GE	GEX	JPN	8536.5080.90
TL-Q5MC1 2M	Inductive proximity sensor, 5 mm, NPN, NO	58.75	EC002714	110518	4536854114854	#		GE	GEX	CHN	8536.5080.90
TL-Q5MC1-2 2M	Inductive proximity sensor, 5 mm, NPN, NO	58.35	EC002714	110522	4536854114915			GE	GEX	JPN	8536.5080.90
TL-Q5MC2 2M	Inductive proximity sensor, 5 mm, NPN, NC	27.79	EC002714	110520	4536854114885			GE	GEX	CHN	8536.5080.90
TL-Q5MD1 2M	Inductive proximity sensor, 5 mm, DC2-wire, NO	59.40	EC002714	110526	4536854114991			GE	GEX	CHN	8536.5080.90
E2FM-X10B1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 10mm, DC, 3-wire, PNP-NO, 2 m cable	144.50	EC002714	232116	4547648325851			GE	GEX	JPN	8536.5015.90
E2FM-X10B1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 10mm, DC, 3-wire, PNP-NO, M12 plug-in	162.50	EC002714	224092	4547648228428			GE	GEX	JPN	8536.5015.90
E2FM-X1R5B1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5mm, DC, 3-wire, PNP-NO, 2 m cable	128.00	EC002714	233312	4547648348669			GE	GEX	JPN	8536.5015.90
E2FM-X1R5B1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5mm, DC, 3-wire, PNP-NO, M12 plug-in	120.10	EC002714	224089	4547648228398			GE	GEX	JPN	8536.5015.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2FM-X1R5C1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5mm, DC, 3-wire, NPN-NO, M12 plug-in	151.40	EC002714	233317	4547648348713			GE	GEX	JPN	8536.5015.90
E2FM-X1R5D1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5 mm, DC, 2-wire, NO, cable 2 m	137.90	EC002714	232110	4547648325790			GE	GEX	JPN	8536.5015.90
E2FM-X1R5D1-M1TGJ 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5 mm, DC, 2-wire, NO, M12 with 0.3 m pigtail	157.20	EC002714	355196	4547648525176			GE	GEX	JPN	8536.5015.90
E2FM-X2B1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2mm, DC, 3-wire, PNP-NO, M12 plug-in	90.40	EC002714	224090	4547648228404			GE	GEX	JPN	8536.5015.90
E2FM-X2D1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2 mm, DC, 2-wire, NO, 2 m prewired	123.60	EC002714	232111	4547648325806			GE	GEX	JPN	8536.5015.90
E2FM-X2D1-M1TGJ 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2 mm, DC, 2-wire, NO, M12 with 0.3 m pigtail	164.20	EC002714	355192	4547648490818			GE	GEX	JPN	8536.5015.90
E2FM-X2D1-M1TGJ-T 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2 mm, DC, 2-wire, NO, M12 with 0.3 m pigtail (no polarity)	151.20	EC002714	355193	4547648490825			GE	GEX	JPN	8536.5015.90
E2FM-X5B1-M1	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5mm, DC, 3-wire, PNP-NO, M12 plug-in	102.00	EC002714	224091	4547648228411			GE	GEX	JPN	8536.5015.90
E2FM-X5D1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5mm, DC, 2-wire, NO, 2m prewired	139.00	EC002714	232112	4547648325813			GE	GEX	JPN	8536.5015.90
E2EH-X12B1 2M	Proximity sensor M30, high temperature (120°C) stainless steel, 12mm sensing range, DC PNP, NO, prewired, 2m	122.60	EC002714	290046	4547648628662			GE	GEX	CHN	8536.5080.90
E2EH-X12B1-M1	Proximity sensor M30, high temperature (120°C) stainless steel, 12mm sensing range, DC PNP, NO, M12 plug-in	179.90	EC002714	290047	4547648628679			GE	GEX	CHN	8536.5080.90
E2EH-X3B1 2M	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC PNP, NO, prewired, 2m	63.90	EC002714	290031	4547648628495			GE	GEX	CHN	8536.5080.90
E2EH-X3B1-M1	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC PNP, NO, prewired, M12 plug in	110.00	EC002714	290032	4547648628501			GE	GEX	CHN	8536.5080.90
E2EH-X3C1 2M	Proximity sensor M12, high temperature (120°C) stainless steel, 3mm sensing range, DC NPN, NO, 2m cable	75.65	EC002714	290036	4547648628549			GE	GEX	CHN	8536.5080.90
E2EH-X7B1 2M	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC PNP, NO, prewired, 2m	122.20	EC002714	290059	4547648628815			GE	GEX	CHN	8536.5080.90
E2EH-X7B1-M1	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC PNP, NO, M12 plug-in	124.20	EC002714	290061	4547648628839			GE	GEX	CHN	8536.5080.90
E2EH-X7D1 2M	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC 2 wire, NO, prewired, 2m	63.90	EC002714	290135	4547648628938	#		GE	GEX	CHN	8536.5080.90
E2EH-X7D1-M1G	Proximity sensor M18, high temperature (120°C) stainless steel, 7mm sensing range, DC 2 wire, NO, prewired, M12 plug in	104.10	EC002714	290071	4547648628945			GE	GEX	CHN	8536.5080.90
E2F-X10Y1 2M	Proximity sensor, plastic body, inductive, M30, shielded, 10mm, AC, 2-wire, NO, 2m cable	134.60	EC002714	235710	4547648321556			GE	GEX	CHN	8536.5080.90
E2F-X2Y1 2M	Proximity sensor, plastic body, inductive, M12, shielded, 2 mm, AC, 2-wire, NO, 2 m cable	142.10	EC002714	235698	4547648321358			GE	GEX	CHN	8536.5080.90
E2EQ-X10D1G-M1GJ-T 0.3M	Proximity sensor, inductive, Spatter resistant coating, M12, shielded, 10 mm, DC, 2-wire DC, NO, M12 pigtail cable	116.10	EC002714	324434	4547648631464	#		GE	GEX	CHN	8536.5080.90
E2EQ-X3D1G-M1GJ-T 0.3M	Proximity sensor, inductive, Spatter resistant coating, M12, shielded, 3 mm, DC, 2-wire DC, NO, M12 pigtail cable	97.40	EC002714	324436	4547648631501	#		GE	GEX	CHN	8536.5080.90
E2EQ-X7D1G-M1GJ-T 0.3M	Proximity sensor, inductive, Spatter resistant coating, M12, shielded, 7 mm, DC, 2-wire DC, NO, M12 pigtail cable	93.40	EC002714	324437	4547648631525	#		GE	GEX	CHN	8536.5080.90
E2EW-QX12B1T18-M1	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	149.40	EC002714	702325	4549734529969			GE	GEX	CHN	8536.5080.90
E2EW-QX22B1T30-M1	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	159.70	EC002714	702335	4549734531245			GE	GEX	CHN	8536.5080.90
E2EW-QX7B1T12-M1	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M12, shielded, 7 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	128.80	EC002714	702353	4549734528689			GE	GEX	CHN	8536.5080.90
E2EW-X10B130-M1TJ 0.3M	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	114.50	EC002714	695145	4549734526760			GE	GEX	CHN	8536.5080.90
E2EW-X10B1T18-M1TJ 0.3M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	135.30	EC002714	695115	4549734525879			GE	GEX	CHN	8536.5080.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2EW-X12B1T18-M1	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	133.90	EC002714	702370	4549734526128			GE	GEX	CHN	8536.5080.90
E2EW-X12B1T18-M1TJ.0.3M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	140.50	EC002714	695135	4549734526074			GE	GEX	CHN	8536.5080.90
E2EW-X20B1T30-M1TJ.0.3M	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	145.70	EC002714	695151	4549734527156			GE	GEX	CHN	8536.5080.90
E2EW-X22B1T30-M1	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	144.20	EC002714	702380	4549734527408			GE	GEX	CHN	8536.5080.90
E2EW-X22B1T30-M1TJ.0.3M	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	150.90	EC002714	695157	4549734527354			GE	GEX	CHN	8536.5080.90
E2EW-X2B112-M1TJ.0.3M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	98.85	EC002714	695120	4549734524209			GE	GEX	CHN	8536.5080.90
E2EW-X5B118-M1TJ.0.3M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	104.10	EC002714	695124	4549734525480			GE	GEX	CHN	8536.5080.90
E2EW-X6B1T12-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	108.20	EC002714	702386	4549734524643			GE	GEX	CHN	8536.5080.90
E2EW-X7B1T12-M1	Proximity sensor, inductive, full metal stainless steel 303, M12, shielded, 7 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	113.30	EC002714	702397	4549734524841			GE	GEX	CHN	8536.5080.90
E2V-X15B1-M1TJ.0.3M	Proximity sensor, inductive, nickel-brass, M30, shielded, 15 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	144.10	EC002714	249441	4547648456739			GE	GEX	JPN	8536.5080.90
E2K-X8MY1	Proximity sensor, capacitive, M18, unshielded, 8 mm, AC, 2-wire, NO, 2 m cable	59.85	EC002715	131781	4536853264451			GE	GEX	JPN	8536.5080.90
E2K-C25MY1	Proximity sensor, capacitive, 34mm dia, unshielded, 25mm, AC, 2-wire, NO, 2m cable	139.00	EC002715	131840	4536853263669			GE	GEX	JPN	8536.5080.90
GLS-1	Magnetic Proximity Sensor, reed switch, sensor and magnet set	19.59	EC002544	693661	4549734511469	10		GE	GEX	JPN	9031.9000.00
GLS-M1	Magnet only for magnetic proximity switch set GLS-1	8.69	EC003015	693660	4549734511452	#	20	GE	GEX	JPN	8536.5015.90
GLS-S1	Sensor only for magnetic proximity switch set GLS-1	13.92	EC002544	693659	4549734511445	#	20	GE	GEX	JPN	9031.9000.00
Accessory for proximity sensor											
XS2F-D421-D80-F	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	18.96	EC001855	107677	4536854224805	#	5	GE	GEZ	JPN	8544.4290.90
XS2F-D421-G80-F	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	31.10	EC001855	107678	4536854224812	#	5	GE	GEZ	JPN	8544.4290.90
XS2F-D421-GD0	Sensor cable, M12 straight socket (female), 4-poles, 2-wires (3 - 4), A coded, PVC fire-retardant robot cable, IP67, 5 m	19.76	EC001855	107675	4536854224690	#		GE	GEZ	JPN	8544.4290.90
XS2F-D421-J80-F	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	49.58	EC001855	107680	4536854224881	#		GE	GEZ	JPN	8544.4290.90
XS2F-D422-D80-F	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	21.85	EC001855	355664	4547648698047		5	GE	GEZ	JPN	8544.4290.90
XS2F-D422-G80-F	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	35.04	EC001855	355663	4547648622073		2	GE	GEZ	JPN	8544.4290.90
XS2F-D422-J80-F	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	44.74	EC001855	359239	4547648623322			GE	GEZ	JPN	8544.4290.90
XS2F-D521-GG0-A	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC standard cable, IP67, 5 m	27.73	EC001855	107769	4536854224522		5	GE	GEZ	JPN	8544.4290.90
XS2F-E421-D80-E	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC heat-resistant cable, IP67, 2 m	36.10	EC001855	237191	4547648395120		5	GE	GEZ	JPN	8544.4290.90
XS2F-E422-G80-E	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC heat-resistant cable, IP67, 5 m	46.23	EC001855	237194	4547648395168		5	GE	GEZ	JPN	8544.4290.90
XS2F-LM12PVC3A10M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC standard cable, IP67, 10 m	12.21	EC001855	361130	4548583135260			GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3A2M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC standard cable, IP67, 2 m	6.84	EC001855	358068	4548583127135			GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3A5M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC standard cable, IP67, 5 m	8.68	EC001855	358069	4548583127159			GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3S10M	Sensor cable, M12 straight socket (female), 3-poles, A coded, PVC standard cable, IP67, 10 m	12.21	EC001855	361131	4548583135277			GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3S5M	Sensor cable, M12 straight socket (female), 3-poles, A coded, PVC standard cable, IP67, 5 m	8.68	EC001855	358071	4548583127210	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A10M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC standard cable, IP67, 10 m	12.21	EC001855	361128	4548583127258	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A2M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC standard cable, IP67, 2 m	6.84	EC001855	358072	4548583127227	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A5M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC standard cable, IP67, 5 m	8.68	EC001855	358073	4548583127234	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S10M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC standard cable, IP67, 10 m	12.21	EC001855	361129	4548583127302	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S2M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC standard cable, IP67, 2 m	6.84	EC001855	358074	4548583127272	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S5M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC standard cable, IP67, 5 m	8.68	EC001855	358075	4548583127289	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3A2M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC fire-retardant cable, IP67, 2 m	11.55	EC001855	419178	4548583435216			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3A5M	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC fire-retardant cable, IP67, 5 m	15.04	EC001855	419179	4548583435223			GE	GEZ	CHN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XS2F-M12PVC3A5MPLED	Sensor cable, M12 right-angle socket (female), 3-poles, A coded, PVC fire-retardant cable, with LED indicator (PNP), IP67, 5 m	23.96	EC001855	378101	4548583440395			GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC3S5M	Sensor cable, M12 straight socket (female), 3-poles, A coded, PVC fire-retardant cable, IP67, 2 m	11.89	EC001855	419181	4548583435247			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3S5M	Sensor cable, M12 straight socket (female), 3-poles, A coded, PVC fire-retardant cable, IP67, 5 m	14.75	EC001855	419182	4548583435254			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A10M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 10 m	20.34	EC001855	419183	4548583435261	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A10MPLED	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, with LED indicator (PNP), IP67, 10 m	30.44	EC001855	378105	4548583440319			GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4A15M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 15 m	25.14	EC001855	419184	4548583435278			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A20M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 20 m	22.74	EC001855	419185	4548583435285			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A2M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 2 m	9.54	EC001855	419186	4548583435292			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A2MPLED	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, with LED indicator (PNP), IP67, 2 m	26.88	EC001855	378103	4548583440296			GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4A5M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 5 m	13.72	EC001855	419187	4548583435308	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A5MPLED	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant cable, with LED indicator (PNP), IP67, 5 m	28.99	EC001855	378104	4548583440302	#		GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4S10M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 10 m	18.64	EC001855	419188	4548583435315			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S15M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 15 m	22.28	EC001855	419189	4548583435322			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S20M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 20 m	31.01	EC001855	419190	4548583435339			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S2M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 2 m	10.19	EC001855	419191	4548583435346			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S5M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PVC fire-retardant cable, IP67, 5 m	13.72	EC001855	419193	4548583435360	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5A10M	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 10 m	16.28	EC001855	419194	4548583435377			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5A2M	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 2 m	10.13	EC001855	419195	4548583435384			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5A5M	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 5 m	14.62	EC001855	419196	4548583435391	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5S10M	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 10 m	21.57	EC001855	419197	4548583435407			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5S2M	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 2 m	11.90	EC001855	419199	4548583435421			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5S5M	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC fire-retardant cable, IP67, 5 m	14.38	EC001855	419200	4548583435438	#		GE	GEZ	CHN	8544.4290.90
XS2W-D421-C81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 1 m	27.33	EC001855	149606	4536854228056		8	GE	GEZ	JPN	8544.4290.90
XS2W-D421-D81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	31.95	EC001855	107608	4536854465024			GE	GEZ	JPN	8544.4290.90
XS2W-D421-G81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	49.90	EC001855	107609	4536854465031			GE	GEZ	JPN	8544.4290.90
XS2W-D421-J81-F	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	75.25	EC001855	146350	4536854228063			GE	GEZ	JPN	8544.4290.90
XS3F-E421-405-A	Sensor cable, M8 straight socket (female), SUS connector, 4-poles, PVC standard cable, IP67, 5 m	28.14	EC001855	250788	4547648386463			GE	GEZ	JPN	8544.4290.90
XS3F-LM8PVC3A2M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC standard cable, IP67, 2 m	6.02	EC001855	358076	4548583127005	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC3A5M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC standard cable, IP67, 5 m	7.85	EC001855	358077	4548583127012	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC3S2M	Sensor cable, M8 straight socket (female), 3-poles, PVC standard cable, IP67, 2 m	6.02	EC001855	358078	4548583127036	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC3S5M	Sensor cable, M8 straight socket (female), 3-poles, PVC standard cable, IP67, 5 m	7.85	EC001855	358079	4548583127043	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4A2M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC standard cable, IP67, 2 m	6.02	EC001855	358080	4548583127050	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4A5M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC standard cable, IP67, 5 m	7.85	EC001855	358081	4548583127067	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4S2M	Sensor cable, M8 straight socket (female), 4-poles, PVC standard cable, IP67, 2 m	6.02	EC001855	358082	4548583127081	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4S5M	Sensor cable, M8 straight socket (female), 4-poles, PVC standard cable, IP67, 5 m	7.85	EC001855	358083	4548583127098	#		GE	GEZ	CHN	8544.4290.90
XS3F-M321-305-R	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 5 m	9.69	EC001855	372023	4548583359499		5	GE	GEZ	JPN	8544.4290.90
XS3F-M322-302-R	Sensor cable, M8 right-angle socket (female), 3-poles, PVC robot cable, IP67, 2 m	7.47	EC001855	372024	4548583359505		5	GE	GEZ	JPN	8544.4290.90
XS3F-M322-305-R	Sensor cable, M8 right-angle socket (female), 3-poles, PVC robot cable, IP67, 5 m	9.69	EC001855	372025	4548583359512		5	GE	GEZ	JPN	8544.4290.90
XS3F-M421-402-A	Sensor cable, M8 straight socket (female), 4-poles, PVC standard cable, IP67, 2 m	13.46	EC001855	107537	4536854505812		5	GE	GEZ	JPN	8544.4290.90
XS3F-M421-402-R	Sensor cable, M8 straight socket (female), 4-poles, PVC robot cable, IP67, 2 m	14.76	EC001855	156301	4536854228599		5	GE	GEZ	JPN	8544.4290.90
XS3F-M421-405-A	Sensor cable, M8 straight socket (female), 4-poles, PVC standard cable, IP67, 5 m	16.80	EC001855	105016	4536854505829		5	GE	GEZ	JPN	8544.4290.90
XS3F-M421-405-R	Sensor cable, M8 straight socket (female), 4-poles, PVC robot cable, IP67, 5 m	14.01	EC001855	107621	4536854228605		5	GE	GEZ	JPN	8544.4290.90
XS3F-M421-410-A	Sensor cable, M8 straight socket (female), 4-poles, PVC standard cable, IP67, 10 m	17.91	EC001855	107539	4536854537776		5	GE	GEZ	JPN	8544.4290.90
XS3F-M422-402-A	Sensor cable, M8 right-angle socket (female), 4-poles, PVC standard cable, IP67, 2 m	13.46	EC001855	107538	4536854505843		5	GE	GEZ	JPN	8544.4290.90
XS3F-M422-405-A	Sensor cable, M8 right-angle socket (female), 4-poles, PVC standard cable, IP67, 5 m	16.80	EC001855	141967	4536854505850	#	5	GE	GEZ	JPN	8544.4290.90
XS3F-M422-410-A	Sensor cable, M8 right-angle socket (female), 4-poles, PVC standard cable, IP67, 10 m	25.29	EC001855	107540	4536854537790		5	GE	GEZ	JPN	8544.4290.90
XS3F-M8PVC3A10M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC fire-retardant cable, IP67, 10 m	12.47	EC001855	419237	4548583436800			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC3A20M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC fire-retardant cable, IP67, 20 m	29.97	EC001855	419239	4548583436824	#		GE	GEZ	CHN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XS3F-M8PVC3A2M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC fire-retardant cable, IP67, 2 m	7.60	EC001855	419240	4548583436831			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC3A5M	Sensor cable, M8 right-angle socket (female), 3-poles, PVC fire-retardant cable, IP67, 5 m	12.85	EC001855	419241	4548583436848	#		GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC3S10M	Sensor cable, M8 straight socket (female), 3-poles, PVC fire-retardant cable, IP67, 10 m	19.45	EC001855	419242	4548583436855			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC3S2M	Sensor cable, M8 straight socket (female), 3-poles, PVC fire-retardant cable, IP67, 2 m	7.13	EC001855	419245	4548583436886			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC3S5M	Sensor cable, M8 straight socket (female), 3-poles, PVC fire-retardant cable, IP67, 5 m	12.37	EC001855	419246	4548583436893	#		GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC4A10M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC fire-retardant cable, IP67, 10 m	59.15	EC001855	419247	4548583436923			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC4A2M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC fire-retardant cable, IP67, 2 m	10.45	EC001855	419250	4548583436954			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC4A5M	Sensor cable, M8 right-angle socket (female), 4-poles, PVC fire-retardant cable, IP67, 5 m	11.10	EC001855	419251	4548583436961			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC4S10M	Sensor cable, M8 straight socket (female), 4-poles, PVC fire-retardant cable, IP67, 10 m	19.45	EC001855	419252	4548583436978			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC4S20M	Sensor cable, M8 straight socket (female), 4-poles, PVC fire-retardant cable, IP67, 20 m	27.60	EC001855	419254	4548583436992			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC4S2M	Sensor cable, M8 straight socket (female), 4-poles, PVC fire-retardant cable, IP67, 2 m	6.07	EC001855	419255	4548583437005			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC4S5M	Sensor cable, M8 straight socket (female), 4-poles, PVC fire-retardant cable, IP67, 5 m	12.70	EC001855	419256	4548583437012	#		GE	GEZ	CHN	8544.4290.90
XS3W-M321-302-R	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 3-poles, PVC robot cable, IP67, 2 m	27.76	EC001855	387059	4548583432284		5	GE	GEZ	JPN	8544.4290.90
XS3W-M42C-4C2-A	Cable with connectors on both cable ends, M8 straight socket (female), Smartclick M12 straight plug (male), 4-poles, PVC standard cable, IP67, 0.2 m	58.10	EC001855	674688	4548583521858			GE	GEZ	JPN	8544.4290.90
XS5F-D421-D80-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	19.35	EC001855	237228	4547648305099	#	5	GE	GEZ	JPN	8536.9010.00
XS5F-D421-D80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	14.80	EC001855	690507	4549734197946			GE	GEZ	JPN	8544.4290.90
XS5F-D421-D80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	21.13	EC001855	690513	4549734488280			GE	GEZ	JPN	8544.4290.90
XS5F-D421-G80-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	27.33	EC001855	237229	4547648305112	#	5	GE	GEZ	JPN	8536.9010.00
XS5F-D421-G80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 5 m	17.97	EC001855	690508	4549734197960			GE	GEZ	JPN	8544.4290.90
XS5F-D421-G80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	33.80	EC001855	690515	4549734488303			GE	GEZ	JPN	8544.4290.90
XS5F-D421-J80-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	40.23	EC001855	237230	4547648305129	#		GE	GEZ	JPN	8536.9010.00
XS5F-D421-J80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 10 m	23.24	EC001855	690505	4549734197977			GE	GEZ	JPN	8544.4290.90
XS5F-D421-J80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 10 m	68.75	EC001855	690516	4549734488310			GE	GEZ	JPN	8544.4290.90
XS5F-D421-L80-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 20 m	73.90	EC001855	669139	4548583081857			GE	GEZ	JPN	8536.9010.00
XS5W-D421-C81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 1 m	26.41	EC001855	690511	4549734197984			GE	GEZ	JPN	8544.4290.90
XS5W-D421-C81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 1 m	29.58	EC001855	690517	4549734488327			GE	GEZ	JPN	8544.4290.90
XS5W-D421-D81-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 2 m	26.70	EC001855	237236	4547648305198			GE	GEZ	JPN	8536.9010.00
XS5W-D421-D81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	27.46	EC001855	690502	4549734197991			GE	GEZ	JPN	8544.4290.90
XS5W-D421-D81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	33.80	EC001855	690518	4549734488334			GE	GEZ	JPN	8544.4290.90
XS5W-D421-G81-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 5 m	39.53	EC001855	237237	4547648305211	#	5	GE	GEZ	JPN	8536.9010.00
XS5W-D421-G81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 5 m	30.64	EC001855	690506	4549734198011			GE	GEZ	JPN	8544.4290.90
XS5W-D421-G81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	46.47	EC001855	690520	4549734488358			GE	GEZ	JPN	8544.4290.90
XS5W-D421-J81-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	50.30	EC001855	237238	4547648305228	#		GE	GEZ	JPN	8536.9010.00
Y92E-S08PVC4S5M-L	Sensor cable, M8 straight socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 5 m	23.98	EC001855	224787	4536853903602			GE	GEZ	CZE	8544.4290.90
Y92E-S12PVC4A10M-L	Sensor cable, M12 right-angle socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 10 m	35.32	EC001855	244005	4547648852944			GE	GEZ	CZE	8544.4290.90
Y92E-S12PVC4A15M-L	Sensor cable, M12 right-angle socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 15 m	44.66	EC001855	285222	4547648866187			GE	GEZ	CZE	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Y92E-S12PVC4A5M-L	Sensor cable, M12 right-angle socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 5 m	18.34	EC001855	224784	4536853903572			GE	GEZ	CZE	8544.4290.90
Y92E-S12PVC4S10M-L	Sensor cable, M12 straight socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 10 m	29.23	EC001855	242626	4547648852524			GE	GEZ	CZE	8544.4290.90
Y92E-S12PVC4S2M-L	Sensor cable, M12 straight socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 2 m	16.82	EC001855	224781	4536853903541			GE	GEZ	CZE	8544.4290.90
Y92E-S12PVC4S5M-L	Sensor cable, M12 straight socket (female), 4-poles, PVC washdown resistant cable, IP67/IP69K, 5 m	18.22	EC001855	224783	4536853903565			GE	GEZ	CZE	8544.4290.90
XS2F-M12PUR4A10M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halogen free cable, IP67, 10 m	23.17	EC001855	419161	4548583435049			GE	GEZ	CHN	8544.4290.90
XS2F-M12PUR4A10MPLED	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halogen free cable, with LED indicator (PNP), IP67, 10 m	45.41	EC001855	378111	4548583440371			GE	GEZ	JPN	8544.4290.90
XS2F-M12PUR4A15M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halogen free cable, IP67, 15 m	22.47	EC001855	419162	4548583435056			GE	GEZ	CHN	8544.4290.90
XS2F-M12PUR4A2M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halogen free cable, IP67, 2 m	11.41	EC001855	419164	4548583435070			GE	GEZ	CHN	8544.4290.90
XS2F-M12PUR4A5M	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halogen free cable, IP67, 5 m	14.59	EC001855	419165	4548583435087	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PUR4A5MPLED	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PUR fire-retardant halogen free cable, with LED indicator (PNP), IP67, 5 m	31.05	EC001855	378110	4548583440364			GE	GEZ	JPN	8544.4290.90
XS2F-M12PUR4S10M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PUR fire-retardant halogen free cable, IP67, 10 m	23.36	EC001855	419166	4548583435094			GE	GEZ	CHN	8544.4290.90
XS2F-M12PUR4S2M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PUR fire-retardant halogen free cable, IP67, 2 m	11.43	EC001855	419169	4548583435124			GE	GEZ	CHN	8544.4290.90
XS2F-M12PUR4S5M	Sensor cable, M12 straight socket (female), 4-poles, A coded, PUR fire-retardant halogen free cable, IP67, 5 m	15.23	EC001855	419170	4548583435131	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PUR5A5M	Sensor cable, M12 right-angle socket (female), 5-poles, A coded, PUR fire-retardant halogen free cable, IP67, 5 m	18.53	EC001855	419172	4548583435155			GE	GEZ	CHN	8544.4290.90
XS2F-M12PUR5S10M	Sensor cable, M12 straight socket (female), 5-poles, A coded, PUR fire-retardant halogen free cable, IP67, 10 m	15.67	EC001855	419173	4548583435162			GE	GEZ	CHN	8544.4290.90
XS2F-M12PUR5S5M	Sensor cable, M12 straight socket (female), 5-poles, A coded, PUR fire-retardant halogen free cable, IP67, 5 m	18.53	EC001855	419176	4548583435193			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR3A10M	Sensor cable, M8 right-angle socket (female), 3-poles, PUR fire-retardant halogen free cable, IP67, 10 m	22.46	EC001855	419217	4548583436589			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR3A2M	Sensor cable, M8 right-angle socket (female), 3-poles, PUR fire-retardant halogen free cable, IP67, 2 m	9.74	EC001855	419220	4548583436619			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR3A5M	Sensor cable, M8 right-angle socket (female), 3-poles, PUR fire-retardant halogen free cable, IP67, 5 m	14.44	EC001855	419221	4548583436626			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR3S10M	Sensor cable, M8 straight socket (female), 3-poles, PUR fire-retardant halogen free cable, IP67, 10 m	18.93	EC001855	419222	4548583436633			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR3S15M	Sensor cable, M8 straight socket (female), 3-poles, PUR fire-retardant halogen free cable, IP67, 15 m	28.69	EC001855	419223	4548583436640			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR3S2M	Sensor cable, M8 straight socket (female), 3-poles, PUR fire-retardant halogen free cable, IP67, 2 m	6.91	EC001855	419225	4548583436664	#		GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR3S5M	Sensor cable, M8 straight socket (female), 3-poles, PUR fire-retardant halogen free cable, IP67, 5 m	14.44	EC001855	419226	4548583436671			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR4A10M	Sensor cable, M8 right-angle socket (female), 4-poles, PUR fire-retardant halogen free cable, IP67, 10 m	22.46	EC001855	419227	4548583436701			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR4A2M	Sensor cable, M8 right-angle socket (female), 4-poles, PUR fire-retardant halogen free cable, IP67, 2 m	6.91	EC001855	419230	4548583436732			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR4A5M	Sensor cable, M8 right-angle socket (female), 4-poles, PUR fire-retardant halogen free cable, IP67, 5 m	15.04	EC001855	419231	4548583436749			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR4S10M	Sensor cable, M8 straight socket (female), 4-poles, PUR fire-retardant halogen free cable, IP67, 10 m	22.46	EC001855	419232	4548583436756			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR4S2M	Sensor cable, M8 straight socket (female), 4-poles, PUR fire-retardant halogen free cable, IP67, 2 m	10.60	EC001855	419235	4548583436787			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR4S5M	Sensor cable, M8 straight socket (female), 4-poles, PUR fire-retardant halogen free cable, IP67, 5 m	14.33	EC001855	419236	4548583436794			GE	GEZ	CHN	8544.4290.90
XS3W-M421-402-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	43.49	EC001855	693800	4548583585751		5	GE	GEZ	JPN	8544.4290.90
XS3W-M422-402-PR	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 right-angle plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	43.49	EC001855	693809	4549734113021		5	GE	GEZ	JPN	8544.4290.90
XS3W-M424-402-PR	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	43.49	EC001855	693807	4549734113083		5	GE	GEZ	JPN	8544.4290.90
XS5F-D421-C80-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 1 m	16.80	EC001855	237197	4547648305082		10	GE	GEZ	JPN	8536.9010.00
XS5F-D421-E80-F	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 3 m	23.96	EC001855	237198	4547648305105		5	GE	GEZ	JPN	8536.9010.00
XS5W-D421-C81-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 1 m	25.32	EC001855	237220	4547648305181			GE	GEZ	JPN	8536.9010.00
XS5W-D421-E81-F	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 3 m	29.84	EC001855	237221	4547648305204		5	GE	GEZ	JPN	8536.9010.00
Y92E-M08PUR4S5M-L	Sensor cable, M8 straight socket (female), 4-poles, PUR robotic cable, IP67, 5 m	18.22	EC001855	206551	4536853901103			GE	GEZ	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH806M-L	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 8-poles, A coded, PUR shielded cable, IP67, 0.3 m	38.76	EC001855	341554	4547648887007			GE	GEZ	CZE	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Y92E-M12FSM12MSPURSH810M-L	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 8-poles, A coded, PUR shielded cable, IP67, 10 m	78.65	EC001855	341557	4547648887038			GE	GEZ	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH82M-L	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 8-poles, A coded, PUR shielded cable, IP67, 2 m	42.51	EC001855	341555	4547648887014			GE	GEZ	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH85M-L	Cable with connectors on both cable ends, M12 straight socket (female), M12 straight plug (male), 8-poles, A coded, PUR shielded cable, IP67, 5 m	57.20	EC001855	341556	4547648887021			GE	GEZ	CZE	8544.4290.90
Y92E-M12PUR4A5M-R	Sensor cable, M12 right-angle socket (female), 4-poles, PUR robot cable, 5 m	29.23	EC001855	362690	4547648932189			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S10M-L	Sensor cable, M12 straight socket (female), 3-poles, PUR shielded cable, 10 m	56.55	EC001855	341552	4547648886987	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S25M-L	Sensor cable, M12 straight socket (female), 4-poles, PUR shielded cable, 25 m	109.60	EC001855	341553	4547648886994			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S2M-L	Sensor cable, M12 straight socket (female), 4-poles, PUR shielded cable, 2 m	29.23	EC001855	341550	4547648886963			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S5M-L	Sensor cable, M12 straight socket (female), 4-poles, PUR shielded cable, 5 m	30.09	EC001855	341551	4547648886970	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S10M-L	Sensor cable, M12 straight socket (female), 8-poles, PUR shielded cable, 10 m	50.55	EC001855	341548	4547648886949	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S25M-L	Sensor cable, M12 straight socket (female), 8-poles, PUR shielded cable, 25 m	135.40	EC001855	341549	4547648886956			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S2M-L	Sensor cable, M12 straight socket (female), 8-poles, PUR shielded cable, 2 m	33.16	EC001855	341546	4547648886925			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S5M-L	Sensor cable, M12 straight socket (female), 8-poles, PUR shielded cable, 5 m	39.19	EC001855	341547	4547648886932	#		GE	GEZ	CZE	8544.4290.90
Y92E-S08PP3A 5M	Sensor cable, M8 right-angle socket (female), 3-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K, 5 m	23.19	EC001855	393693	4547648986335			GE	GEZ	CZE	8544.4290.90
Y92E-S08PP4A 5M	Sensor cable, M8 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K, 5 m	28.61	EC001855	393705	4547648986458			GE	GEZ	CZE	8544.4290.90
Y92E-S08PP4S 10M	Sensor cable, M8 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K, 10 m	37.65	EC001855	393706	4547648986465			GE	GEZ	CZE	8544.4290.90
Y92E-S08PP4S 5M	Sensor cable, M8 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K, 5 m	28.77	EC001855	393711	4547648986519			GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4A 10M	Sensor cable, M12 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K, 10 m	27.11	EC001855	393712	4547648986526			GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4A 2M	Sensor cable, M12 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K, 2 m	16.59	EC001855	393716	4547648986564			GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4A 5M	Sensor cable, M12 right-angle socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K, 5 m	22.56	EC001855	393717	4547648986571			GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4S 10M	Sensor cable, M12 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K, 10 m	27.11	EC001855	393718	4547648986588			GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4S 5M	Sensor cable, M12 straight socket (female), 4-poles, PP detergent and washdown resistant cable, IP67/IP68/IP69K, 5 m	22.56	EC001855	393723	4547648986632			GE	GEZ	CZE	8544.4290.90
Y92E-M08PVC3Sconf-L	Field assembly connector, M8 straight plug (male), 3-poles, screw connection, for cable diameters 3.5-5 mm	23.23	EC002635	206327	4536853900519			GE	GEZ	DEU	8544.4290.90
Y92E-M08PVC4Sconf-L	Field assembly connector, M8 straight socket (female), 4-poles, screw connection, for cable diameters 3.5-5 mm	25.19	EC002635	206580	4536853901219			GE	GEZ	HUN	8544.4290.90
Y92E-M12PVC4Aconf-L	Field assembly connector, M12 right-angle socket (female), 4-poles, screw connection	11.04	EC002635	206333	4536853900588			GE	GEZ	HUN	8544.4290.90
Y92E-M12PVC4Sconf-L	Field assembly connector, M12 straight socket (female), 4-poles	11.67	EC002635	206334	4536853900618			GE	GEZ	HUN	8544.4290.90
Y92E-MM08PVC4Sconf-L	Field assembly connector, M8 straight plug (male), 4-poles, screw connection	25.74	EC002635	206582	4536853900939			GE	GEZ	HUN	8544.4290.90
Y92E-MM12PVC4Sconf-L	Field assembly connector, M12 straight plug (male), 4-poles, screw connection	13.34	EC002635	206558	4536853900953			GE	GEZ	HUN	8544.4290.90
XS2C-D421	Field assembly connector, M12 straight socket (female), 4-poles, A coded, solder connection, for cable diameters 5-6 mm	9.27	EC002635	107733	4536854222320	#	50	GE	GEZ	JPN	8544.4290.90
XS2C-D4S1	Field assembly connector, M12 straight socket (female), 4-poles, A coded, screw connection, for cable diameters 5-6 mm	7.03	EC002635	155975	4536854455919		30	GE	GEZ	JPN	8544.4290.90
XS2C-D4S2	Field assembly connector, M12 right-angle socket (female), 4-poles, A coded, screw connection, for cable diameters 5-6 mm	6.98	EC002635	147522	4536854455926			GE	GEZ	JPN	8544.4290.90
XS2C-D5S1	Field assembly connector, M12 straight socket (female), 5-poles, A coded, screw connection, for cable diameters 5-6 mm	10.23	EC002635	374557	4536854735523			GE	GEZ	JPN	8544.4290.90
XS2C-D5S7	Field assembly connector, M12 straight socket (female), 5-poles, A coded, screw connection, for cable diameters 7-8 mm	10.76	EC002635	107743	4536854735530			GE	GEZ	JPN	8544.4290.90
XS2G-D421	Field assembly connector, M12 straight plug (male), 4-poles, A coded, solder connection, for cable diameters 5-6 mm	10.55	EC002635	107630	4536854225642		50	GE	GEZ	JPN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XS2G-D451	Field assembly connector, M12 straight plug (male), 4-poles, A coded, screw connection, for cable diameters 5-6 mm	8.51	EC002635	107634	4536854455971		30	GE	GEZ	JPN	8544.4290.90
XS2G-D551	Field assembly connector, M12 straight plug (male), 5-poles, A coded, screw connection, for cable diameters 5-6 mm	10.23	EC002635	374560	4536854735516			GE	GEZ	JPN	8544.4290.90
XS2R-D426-1	Y-Joint plug/socket M12 without cable (3 pole 1:2)	43.96	EC002925	107661	4536854226793		10	GE	GEZ	JPN	8544.4290.90
XS5C-D418	Field assembly connector, Smartclick M12 straight socket (female), 4-poles, A coded, IDC connection, for cable diameters 3-8 mm	7.87	EC002635	377248	4548583407824		50	GE	GEZ	JPN	8536.9010.00
XS5G-D418	Field assembly connector, Smartclick M12 straight plug (male), 4-poles, A coded, IDC connection, for cable diameters 3-8 mm	7.87	EC002635	377249	4548583407831		50	GE	GEZ	JPN	8536.9010.00
XS5G-D451	Field assembly connector, Smartclick M12 straight plug (male), 4-poles, A coded, screw connection, for cable diameters 5-6 mm	9.54	EC002635	269095	4547648622387		20	GE	GEZ	JPN	8536.9010.00
XS5R-D426-1	Y-Joint plug/socket M12 SmartClick without cable (4-4, 4-2)	43.69	EC002925	237217	4547648386449		10	GE	GEZ	JPN	8536.9010.00
XS2Z-22	Water-resistive Covers for M12-male connector	6.90	EC003015	143740	4536854557408		20	GE	GEZ	JPN	8538.9099.99
Y92E-A34	Mounting Bracket for E2K sensor	5.88	EC003015	107409	4536854247293		10	GE	GEZ	JPN	9031.9000.00
Y92E-B12	Sensor mounting bracket, M12 size	3.84	EC003015	681044	4549734156547		50	GE	GEZ	THA	9031.9000.00
Y92E-B18	Sensor mounting bracket, M18 size	3.84	EC003015	681043	4549734156554		50	GE	GEZ	THA	9031.9000.00
Y92E-B30	Sensor mounting bracket, M30 size	3.83	EC003015	144997	4536854247286			GE	GEZ	JPN	9031.9000.00
Y92E-J12S18	Mounting Sleeves e-jig for M12 Prox	11.24	EC003015	681733	4549734190770			GE	GEZ	CHN	9031.9000.00
Y92E-J18S30	Mounting Sleeves e-jig for M18 Prox	16.99	EC003015	681880	4549734190787			GE	GEZ	CHN	9031.9000.00
Vision sensor FQ											
FQ2-S35050F-08	FQ2 vision sensor, high resolution, color, PNP, standard view(50 mm)	4272.00	EC003015	372121	4548583322479			GF	GFL	JPN	9031.9000.00
FQ2-S35050F-08M	FQ2 vision sensor, high resolution, mono, PNP, standard view(50mm)	4272.00	EC003015	372129	4548583107687			GF	GFL	JPN	9031.9000.00
FQ2-S35100F-08M	FQ2 vision sensor, high resolution, mono, PNP, wide view(240mm), long distance(970mm)	4723.00	EC003015	372130	4548583107694			GF	GFL	JPN	9031.9000.00
FQ2-S35100N-08	FQ2 vision sensor, high resolution, color, PNP, wide view(300 mm), short distance(380 mm)	4098.00	EC003015	372123	4548583322493			GF	GFL	JPN	9031.9000.00
FQ2-S35-13	FQ2 vision sensor, c-mount type, color, PNP	3153.00	EC003015	372133	4548583107724			GF	GFL	JPN	9031.9000.00
FQ2-S35-13M	FQ2 vision sensor, c-mount type, mono, PNP	4134.00	EC003015	372135	4548583107748			GF	GFL	JPN	9031.9000.00
FQ2-S45050F	FQ2 vision sensor, ID + Inspection, color, PNP, standard view(50 mm)	3817.00	EC003015	373120	4548583361980			GF	GFL	JPN	9031.9000.00
FQ2-S45100F-08	FQ2 vision sensor, high resolution, ID + Inspection, color, PNP, wide view(240mm), long distance(970mm)	4688.00	EC003015	373137	4548583362154			GF	GFL	JPN	9031.9000.00
FQ2-S45100F-08M	FQ2 vision sensor, high resolution, ID + Inspection, mono, PNP, wide view(240mm), long distance(970mm)	4688.00	EC003015	373145	4548583362239			GF	GFL	JPN	9031.9000.00
FQ2-S45100F-M	FQ2 vision sensor, ID + Inspection, mono, PNP, wide view(240mm), long distance(970mm)	3720.00	EC003015	373129	4548583362079			GF	GFL	JPN	9031.9000.00
FQ2-S45100N	FQ2 vision sensor, ID + Inspection, color, PNP, wide view(300 mm), short distance(380 mm)	3026.00	EC003015	373122	4548583362000	#		GF	GFL	JPN	9031.9000.00
FQ2-S45100N-08	FQ2 vision sensor, high resolution, ID + Inspection, color, PNP, wide view(300 mm), short distance(380 mm)	4790.00	EC003015	373138	4548583362161			GF	GFL	JPN	9031.9000.00
FQ2-S45100N-08M	FQ2 vision sensor, high resolution, ID + Inspection, mono, PNP, wide view(300mm), short distance(380mm)	4688.00	EC003015	373146	4548583362246			GF	GFL	JPN	9031.9000.00
FQ2-S45100N-M	FQ2 vision sensor, ID + Inspection, mono, PNP, wide view(300mm), short distance(380mm)	3208.00	EC003015	373130	4548583362086			GF	GFL	JPN	9031.9000.00
FQ2-S15010F	FQ2 vision sensor, single function, PNP, narrow view(13mm)	1187.00	EC003015	372150	4548583322387			GF	GFL	JPN	9031.9000.00
FQ2-S15050F	FQ2 vision sensor, single function, PNP, standard view(50 mm)	1169.00	EC003015	372151	4548583322394			GF	GFL	JPN	9031.9000.00
FQ2-S15100F	FQ2 vision sensor, single function, PNP, wide view(240 mm), long distance(970 mm)	1224.00	EC003015	372152	4548583322400	#		GF	GFL	JPN	9031.9000.00
FQ2-S15100N	FQ2 vision sensor, single function, PNP, wide view(300 mm), short distance(380 mm)	1715.00	EC003015	372153	4548583322417			GF	GFL	JPN	9031.9000.00
FQ2-S25050F	FQ2 vision sensor, standard function, PNP, standard view(50 mm)	1907.00	EC003015	372143	4548583107601			GF	GFL	JPN	9031.9000.00
FQ2-S25100F	FQ2 vision sensor, standard function, PNP, wide view(240 mm), long distance(970 mm)	1945.00	EC003015	372144	4548583107618	#		GF	GFL	JPN	9031.9000.00
FQ2-S25100N	FQ2 vision sensor, standard function, PNP, wide view(300 mm), short distance(380 mm)	2687.00	EC003015	372145	4548583107625	#		GF	GFL	JPN	9031.9000.00
FQ-WD002-E	FQ I/O cable, 2 m	175.30	EC003015	678182	4549734922951			GF	GFL	CZE	8544.4290.90
FQ-WD003-E	FQ I/O cable, 3 m	116.40	EC003015	678183	4549734922968	#		GF	GFL	CZE	8544.4290.90
FQ-WD005	FQ I/O cable, 5 m	105.60	EC003015	409003	4548583107465			GF	GFL	CHN	9031.9000.00
FQ-WD005-E	FQ I/O cable, 5 m	142.70	EC003015	678184	4549734922975	#		GF	GFL	CZE	8544.4290.90
FQ-WD010-E	FQ I/O cable, 10 m	235.60	EC003015	678185	4549734922982	#		GF	GFL	CZE	8544.4290.90
FQ-WD020	FQ I/O cable, 20 m	677.00	EC003015	337796	4547648830119			GF	GFL	CHN	8544.4290.90
FQ-WN002	FQ Ethernet cable, 2 m	175.00	EC002599	337805	4547648830065			GF	GFL	JPN	8544.4290.90
FQ-WN002-E	FQ Ethernet cable, 2 m	75.70	EC002599	360744	4548583129269			GF	GFL	JPN	8544.4290.90
FQ-WN003-E	FQ Ethernet cable, 3 m	84.65	EC002599	360745	4548583129276	#		GF	GFL	JPN	8544.4290.90
FQ-WN005	FQ Ethernet cable, bend resistant, 5 m	216.50	EC002599	679127	4548583056312			GF	GFL	JPN	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FQ-WN005-E	FQ Ethernet cable, 5 m	101.30	EC002599	360746	4548583129283	#		GF	GFL	JPN	8544.4290.90
FQ-WN010	FQ Ethernet cable, bend resistant, 10 m	270.50	EC002599	337806	4547648830072			GF	GFL	JPN	8544.4290.90
FQ-WN010-E	FQ Ethernet cable, 10 m	141.50	EC002599	360741	4548583129290	#		GF	GFL	JPN	8544.4290.90
FQ-WN020	FQ Ethernet cable, 20 m	635.50	EC002599	337807	4547648830089			GF	GFL	JPN	8544.4290.90
FQ-WU002	FQ sensor data unit cable for FQ-SDU*, 2 m	232.60	EC003015	372157	4548583107472			GF	GFL	JPN	9031.9000.00
FQ-WU010	FQ sensor data unit cable for FQ-SDU*, 10 m	491.40	EC003015	372154	4548583107496			GF	GFL	JPN	9031.9000.00
FQ-WU020	FQ sensor data unit cable for FQ-SDU*, 20 m	814.50	EC003015	372159	4548583107502			GF	GFL	JPN	9031.9000.00
FQ-XF1	FQ Polarizing Filter, (enclosed with sensor)	320.80	EC003015	337800	4547648830157			GF	GFL	JPN	9031.9000.00
FQ-XL	Accessory FQ/FQ2 Mounting Bracket, (enclosed with sensor)	97.20	EC003015	337797	4547648830126			GF	GFL	CHN	9031.9000.00
FQ-XPM	Accessory FQ/FQ2 Panel Mounting Adapter, for Touch Finder	283.20	EC003015	337799	4547648830140			GF	GFL	CHN	9031.9000.00
FQ2-D30	FQ2 touch finder, 3.5" TFT color LCD screen, SD card, 24VDC	1422.00	EC003015	372137	4548583107755	#		GF	GFL	JPN	9031.9000.00
FQ2-D31	FQ2 touch finder, 3.5" TFT color LCD screen, SD card, 24VDC, AC adaptor, battery	1537.00	EC003015	372136	4548583107762			GF	GFL	JPN	9031.9000.00
FQ-CR15010F-M	Code reader, multi code, distance 38-60mm, view 7-13mm, PNP	1759.00	EC002999	371411	4548583343337			GF	GFL	JPN	9031.8080.00
FQ-CR15100F-M	Code reader, multi code, long distance 220-970mm, view 53-240mm, PNP	1840.00	EC002999	371415	4548583343382			GF	GFL	JPN	9031.8080.00
Xpectia vision system FZ OEM											
FH-2050	FH high-speed / high performance controller 2-core, NPN/PNP, 2 cameras	10380.00	EC003015	684330	4549734133944	#		GF	GFR	JPN	9031.9000.00
FH-2050-10	FH high-speed / high performance controller 2-core, NPN/PNP, 4 cameras	13260.00	EC003015	684331	4549734133951			GF	GFR	JPN	9031.9000.00
FH-2050-20	FH high-speed / high performance controller 2-core, NPN/PNP, 8 cameras	14780.00	EC003015	684332	4549734133968	#		GF	GFR	JPN	9031.9000.00
FH-5050	FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras	15660.00	EC003015	684333	4549734133975			GF	GFR	JPN	9031.9000.00
FH-5050-10	FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras	19290.00	EC003015	684334	4549734133982			GF	GFR	JPN	9031.9000.00
FH-5050-20	FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras	21260.00	EC003015	684335	4549734133999			GF	GFR	JPN	9031.9000.00
FH-5550	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 2 cameras	16200.00	EC003015	695758	4549734145725			GF	GFR	JPN	9031.9000.00
FH-L550	FH-Lite controller, standard grade, box type, 2 camera	6640.00	EC003015	670063	4548583785779	#		GF	GFR	JPN	9031.9000.00
FH-L550-10	FH-Lite controller, standard grade, box type, 4 camera	7805.00	EC003015	670064	4548583785786			GF	GFR	JPN	9031.9000.00
FZ5-805	FZ5 vision controller, standard grade, integrated LCD touchscreen, 2 camera, PNP	11010.00	EC003015	679699	4548583859265			GF	GFR	JPN	9031.9000.00
FH-SC02	FH camera, high resolution 2M pixel, color	4297.00	EC003015	377455	4548583385474	#		GF	GFR	JPN	9031.9000.00
FH-SC04	FH camera, high resolution 4M pixel, color	8565.00	EC003015	377453	4548583385450			GF	GFR	JPN	9031.9000.00
FH-SC05R	FH camera, high resolution 5 m pixel, color, rolling shutter	2503.00	EC003015	670066	4548583785809	#		GF	GFR	JPN	9031.9000.00
FH-SC21R	FH Camera, high speed, 20.4 MPixel, c-Mount, rolling shutter, color	8905.00	EC003015	684318	4549734145671			GF	GFR	JPN	9031.9000.00
FH-SCX	FH Camera, high speed, 0.4 MPixel, c-Mount, global shutter, color	1697.00	EC003015	684314	4549734145695	#		GF	GFR	JPN	9031.9000.00
FH-SCX05	FH Camera, high speed, 5 MPixel, c-Mount, global shutter, color	5520.00	EC003015	684313	4549734145657	#		GF	GFR	JPN	9031.9000.00
FH-SM02	FH camera, high resolution 2M pixel, monochrome	4297.00	EC003015	377456	4548583385481			GF	GFR	JPN	9031.9000.00
FH-SM04	FH camera, high resolution 4M pixel, monochrome	8565.00	EC003015	377454	4548583385467			GF	GFR	JPN	9031.9000.00
FH-SM05R	FH camera, high resolution 5 m pixel, monochrome, rolling shutter	2503.00	EC003015	670065	4548583785793			GF	GFR	JPN	9031.9000.00
FH-SMX	FH Camera, high speed, 0.4 MPixel, c-Mount, global shutter, monochrome	1697.00	EC003015	684317	4549734145688	#		GF	GFR	JPN	9031.9000.00
FH-SMX05	FH Camera, high speed, 5 MPixel, c-Mount, global shutter, monochrome	5520.00	EC003015	684316	4549734145640	#		GF	GFR	JPN	9031.9000.00
FH-SMX12	FH Camera, high speed, 12 MPixel, C-Mount, global shutter, monochrome	9505.00	EC003015	684445	4549734145701			GF	GFR	JPN	9031.9000.00
FZ-S	FZ camera, standard resolution, monochrome	1824.00	EC003015	372096	4548583329508			GF	GFR	CHN	9031.9000.00
FZ-S2M	FZ/FJ Camera, high resolution 2M pixel, greyscale	5750.00	EC003015	375355	4548583368057			GF	GFR	CHN	9031.9000.00
FZ-SC	FZ camera, standard resolution, color	1824.00	EC003015	372097	4548583329522	#		GF	GFR	CHN	9031.9000.00
FZ-SC2M	FZ camera, high resolution 2M pixel, color	5750.00	EC003015	374930	4548583368064			GF	GFR	CHN	9031.9000.00
FZ-SPC	FZ Micro camera, cylinder type, standard resolution, color	4948.00	EC003015	254743	4547648597937			GF	GFR	JPN	9031.9000.00
FZ-SQ050F	FZ-SQ intelligent compact color camera, high-power lighting, distance 56-215mm, standard view 13-53mm	1462.00	EC003015	351978	4548583008809			GF	GFR	JPN	9031.9000.00
FZ-SQ100F	FZ-SQ intelligent compact color camera, high-power lighting, long-distance 220-970mm, wide view 53-240mm	1520.00	EC003015	351979	4548583008816	#		GF	GFR	JPN	9031.9000.00
FZ-SQ100N	FZ-SQ intelligent compact color camera, high-power lighting, short-distance 32-380mm, wide view 29-300mm	2058.00	EC003015	351980	4548583008823	#		GF	GFR	JPN	9031.9000.00
FH-VR 1.5M	Encoder cable for line-driver, 1.5m, for FH series only	206.20	EC003015	377547	4548583413160			GF	GFR	JPN	9031.9000.00
FJ-VSG 10M	FJ Gig-E camera interface cable, 10m	413.60	EC003015	355508	4548583060937			GF	GFR	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FJ-VSG 3M	FJ Gig-E camera interface cable, 3m	311.10	EC003015	355494	4548583060913			GF	GFR	JPN	9031.9000.00
FJ-VSG 5M	FJ Gig-E camera interface cable, 5m	285.60	EC003015	355507	4548583060920			GF	GFR	JPN	9031.9000.00
FJ-VSP2 10M	FJ Gig-E power and I/O cable, 10 m	330.00	EC003015	694956	4549734597784			GF	GFR	JPN	8544.4290.90
FJ-VSP2 3M	FJ Gig-E power and I/O cable, 3 m	204.10	EC003015	694954	4549734597760			GF	GFR	JPN	8544.4290.90
FJ-VSP2 5M	FJ Gig-E power and I/O cable, 5 m	237.70	EC003015	694955	4549734597777			GF	GFR	JPN	8544.4290.90
FZ-VP 2M	Parallel I/O cable, 2m	187.10	EC003015	348112	4548583002883			GF	GFR	CHN	9031.9000.00
FZ-VS3 10M	Accessory vision, FH and FZ, standard camera cable, 10m	646.50	EC003015	393354	4548583533721	#		GF	GFR	CHN	8544.4290.90
FZ-VS3 2M	Accessory vision, FH and FZ, standard camera cable, 2m	371.50	EC003015	393351	4548583533691	#		GF	GFR	CHN	8544.4290.90
FZ-VS3 3M	Accessory vision, FH and FZ, standard camera cable, 3m	420.00	EC003015	393352	4548583533707			GF	GFR	CHN	8544.4290.90
FZ-VS3 5M	Accessory vision, FH and FZ, standard camera cable, 5m	526.00	EC003015	393353	4548583533714	#		GF	GFR	CHN	8544.4290.90
FZ-VS4 15M	Accessory vision, FH and FZ, camera cable, long distance, 15m	1646.00	EC003015	393355	4548583533738	#		GF	GFR	JPN	8544.4290.90
FZ-VSB3 10M	Accessory vision, FH and FZ, camera cable, bend resistant, 10 m	776.50	EC003015	682708	4549734126922	#	3	GF	GFR	CHN	8544.4290.90
FZ-VSB3 5M	Accessory vision, FH and FZ, camera cable, bend resistant, 5 m	657.00	EC003015	684803	4549734126915			GF	GFR	CHN	8544.4290.90
FZ-VSJ	FZ Camera cable extension hub (max 3 cables 45m)	1507.00	EC003015	241486	4547648445849	#		GF	GFR	JPN	9031.9000.00
FZ-VSL3 10M	Accessory vision, FH and FZ, camera cable, standard, right angled connector, 10 m	851.50	EC003015	393359	4548583533776			GF	GFR	JPN	8544.4290.90
FZ-VSL3 5M	Accessory vision, FH and FZ, camera cable, standard, right angled connector, 5m	657.50	EC003015	393358	4548583533769			GF	GFR	JPN	8544.4290.90
FZ-VSLB3 5M	Accessory vision, FH and FZ, camera cable, bend resistant, right angled connector, 5m	402.40	EC003015	393367	4548583533851			GF	GFR	JPN	8544.4290.90
FH-XDM-L	FH-L DIN rail mounting bracket	90.10	EC003015	670241	4548583763722	#		GF	GFR	JPN	9031.9000.00
Accessory for vision system											
3Z4S-LE SV-03514V	Vision lens, standard, low distortion 3.5 mm	331.00	EC003015	381493	4548583496880			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-04514V	Vision lens, standard, low distortion 4.5 mm	277.90	EC003015	381494	4548583496897			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0614H	Accessory vision, lens 6 mm, high resolution, low distortion	724.50	EC003015	373706	4548583335479	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-0614V	Accessory vision, lens 6 mm	458.60	EC003015	373699	4548583335387	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0813V	Accessory vision, lens 8 mm	378.30	EC003015	373700	4548583335394	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0814H	Accessory vision, lens 8 mm, high resolution, low distortion	648.50	EC003015	373707	4548583335486	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-1214H	Accessory vision, lens 12 mm, high resolution, low distortion	630.00	EC003015	373708	4548583335493	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-1214V	Accessory vision, lens 12 mm	267.40	EC003015	373701	4548583335400			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-1614H	Accessory vision, lens 16 mm, high resolution, low distortion	606.00	EC003015	373709	4548583335509	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-1614V	Accessory vision, lens 16 mm	348.10	EC003015	373702	4548583335417	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-2514H	Accessory vision, lens 25 mm, high resolution, low distortion	382.00	EC003015	373710	4548583335516	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-2514V	Accessory vision, lens 25 mm	331.00	EC003015	373703	4548583335424			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-3514H	Accessory vision, lens 35 mm, high resolution, low distortion	537.00	EC003015	373711	4548583335523			GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-3518V	Accessory vision, lens 35 mm	378.30	EC003015	373704	4548583335431			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-5014H	Accessory vision, lens 50 mm, high resolution, low distortion	547.00	EC003015	373712	4548583335530	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-5018V	Accessory vision, lens 50 mm	331.00	EC003015	373705	4548583335448			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-7525H	Accessory vision, lens 75 mm, high resolution, low distortion	497.30	EC003015	687750	4549734509497			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-EXR	Extension tube set, 7 piece (40, 20, 10, 5, 2, 1, 0.5 mm)	152.80	EC003015	373713	4548583335547	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR05	Extension tube 0.5 mm	17.51	EC003015	373714	4548583335554			GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR1	Extension tube 1 mm	16.87	EC003015	373718	4548583335561			GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR10	Extension tube 10 mm	38.61	EC003015	373717	4548583335592			GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR2	Extension tube 2 mm	19.04	EC003015	373715	4548583335578			GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR5	Extension tube 5 mm	33.10	EC003015	373716	4548583335585			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-PL270-SS	Polarizing filter for lens, M27.0 P0.5, with Anti-rotation mechanism	90.80	EC003015	670696	4548583722545			GF	GFZ	JPN	9031.9000.00
3Z4S-LE VS-0814H1	Vision lens, high resolution, low distortion, 8 mm for 1-inch sensor size	642.00	EC003015	386974	4548583417854			GF	GFZ	JPN	9031.9000.00
3Z4S-LE VS-1214H1	Vision lens, high resolution, low distortion, 12 mm for 1-inch sensor size	586.00	EC003015	682707	4549734181426	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE VS-1614H1N	Vision lens, high resolution, low distortion, 16 mm for 1-inch sensor size	586.00	EC003015	682633	4549734181433			GF	GFZ	CHN	9031.9000.00
3Z4S-LE VS-2514H1	Vision lens, high resolution, low distortion, 25 mm for 1-inch sensor size	585.50	EC003015	683380	4549734181440			GF	GFZ	CHN	9031.9000.00
FH-VM DA 2M	Vision system accessory FH conversion cable monitor DVI-RGB 2 m	111.50	EC003015	410312	4548583564480			GF	GFZ	JPN	9031.9000.00
FH-VM DA 5M	Vision system accessory FH conversion cable monitor DVI-RGB 5 m	191.10	EC003015	410313	4548583564497	#		GF	GFZ	JPN	9031.9000.00
FH-VU AB 2M	Vision system accessory FH USB cable touch panel 2 m	55.80	EC001681	410315	4548583564534			GF	GFZ	JPN	9031.9000.00
FH-VU AB 5M	Vision system accessory FH USB cable touch panel 5 m	71.80	EC001681	410316	4548583564541	#		GF	GFZ	JPN	9031.9000.00
FL-BR13120DF	Bar light Diffusion plate, 131x18x4mm	64.65	EC003015	354152	4548583032880			GF	GFZ	JPN	9032.9000.90
FL-BR13120V	Bar ODR-light, 131x20mm, wide area model, white LED, IP20, cable 0,3m	1066.00	EC000348	354125	4548583032965			GF	GFZ	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FL-BR13120W-H	Bar ODR-light, 131x20mm, high-brightness model, white LED, IP20, cable 0,3m	1341.00	EC000348	354126	4548583032972			GF	GFZ	JPN	9031.9000.00
FL-BR5020W	Bar ODR-light, 50x20mm, wide area model, white LED, IP20, cable 0,3m	465.80	EC000348	354121	4548583032927			GF	GFZ	JPN	9031.9000.00
FL-BR5020W-H	Bar ODR-light, 50x20mm, high-brightness model, white LED, IP20, cable 0,3m	575.50	EC000348	354122	4548583032934			GF	GFZ	JPN	9031.9000.00
FL-BR9120DF	Bar light Diffusion plate, 91x18x4mm	50.40	EC003015	354151	4548583032873			GF	GFZ	JPN	9032.9000.90
FL-BR9120W	Bar ODR-light, 91x20mm, wide area model, white LED, IP20, cable 0,3m	760.50	EC000348	354123	4548583032941			GF	GFZ	JPN	9031.9000.00
FL-DR32W	Ring ODR-light, 32/10mm, wide area model, white LED, IP20, cable 0,3m	873.00	EC000348	354127	4548583035690			GF	GFZ	JPN	9031.9000.00
FL-DR32W-H	Ring ODR-light, 32/10mm, high-brightness model, white LED, IP20, cable 0,3m	1115.00	EC000348	354128	4548583035706			GF	GFZ	JPN	9031.9000.00
FL-DR50W	Ring ODR-light, 50/28mm, wide area model, white LED, IP20, cable 0,3m	971.00	EC000348	354129	4548583035713			GF	GFZ	JPN	9031.9000.00
FL-DR50W-H	Ring ODR-light, 50/28mm, high-brightness model, white LED, IP20, cable 0,3m	1215.00	EC000348	354130	4548583035720			GF	GFZ	JPN	9031.9000.00
FL-DR90DF	Ring light Diffusion plate, 90/50x4mm	75.40	EC003015	354156	4548583035775			GF	GFZ	JPN	9032.9000.90
FL-DR90W	Ring ODR-light, 90/50mm, wide area model, white LED, IP20, cable 0,3m	1824.00	EC000348	354131	4548583035737			GF	GFZ	JPN	9031.9000.00
FL-DR90W-H	Ring ODR-light, 90/50mm, high-brightness model, white LED, IP20, cable 0,3m	2313.00	EC000348	354132	4548583035744			GF	GFZ	JPN	9031.9000.00
FL-STC15	Lighting controller, 1-channel, light adjustment 400 levels, continuous light or triggered light or strobe light, 24 VDC, I/O interface D-SUB, PNP	558.00	EC003015	354134	4548583032996			GF	GFZ	JPN	9032.9000.90
FL-STC25	Lighting controller, 2-channel, light adjustment 400 levels, continuous light or triggered light or strobe light, 24 VDC, I/O interface D-SUB, PNP	711.00	EC003015	354136	4548583033016			GF	GFZ	JPN	9032.9000.90
FL-TCC1	Strobe controller for vision lighting, 1-channel, separate holder to be mounted on the FZ camera	558.00	EC003015	355849	4548583067011			GF	GFZ	JPN	9032.9000.90
FLV-ATC41024-C	Analog lighting controller dimming 4ch 24	492.20	EC003015	378518	4548583426016			GF	GFZ	CHN	9032.9000.90
FLV-BR11222W	Bar Light 112 x 22mm, white	1440.00	EC000348	378535	4548583427297	#		GF	GFZ	CHN	9031.9000.00
FLV-BR21230W	Bar Light 212 x 30 mm, white	1439.00	EC000348	378532	4548583427266			GF	GFZ	CHN	9031.9000.00
FLV-BR38037W	Bar Light 380 x 37mm, white	2772.00	EC000348	378530	4548583427242			GF	GFZ	CHN	9031.9000.00
FLV-BR6022W	Bar Light 60 x 22mm, white	607.00	EC000348	378537	4548583427310			GF	GFZ	CHN	9031.9000.00
FLV-BR8532W	Bar Light 85 x 32mm, white	862.00	EC000348	378536	4548583427303			GF	GFZ	CHN	9031.9000.00
FLV-CL100W	Coaxial light, 100mm, white	2658.00	EC000348	378544	4548583427662			GF	GFZ	CHN	9031.9000.00
FLV-DB10181R	Accessory vision, back light, direct, 101 x 81mm, red	1247.00	EC000348	392802	4548583503106			GF	GFZ	JPN	9031.9000.00
FLV-DB10181W	Accessory vision, back light, direct, 101 x 81mm, white	1599.00	EC000348	392798	4548583503069			GF	GFZ	JPN	9031.9000.00
FLV-DB130130R	Accessory vision, back light, direct, 130 x 130, red	2065.00	EC000348	392801	4548583503090			GF	GFZ	JPN	9031.9000.00
FLV-DB130130W	Accessory vision, back light, direct, 130 x 130, white	2065.00	EC000348	392797	4548583503052			GF	GFZ	JPN	9031.9000.00
FLV-DB212152W	Accessory vision, back light, direct, 212 x 152, white	2858.00	EC000348	392796	4548583503045			GF	GFZ	JPN	9031.9000.00
FLV-DB3729W	Accessory vision, back light, direct, 37 x 29 mm, white	859.50	EC000348	392799	4548583503076			GF	GFZ	JPN	9031.9000.00
FLV-DL15060W	Accessory vision, ring light, low angle, 150 dia., 60 deg, white	1670.00	EC000348	392827	4548583503557			GF	GFZ	JPN	9031.9000.00
FLV-DR12030W	Ring light, direct, 120 dia., 30 deg, white	1505.00	EC000348	378521	4548583426962			GF	GFZ	CHN	9031.9000.00
FLV-DR9000W	Ring light, direct, 90mm dia, white	1154.00	EC000348	378524	4548583426993	#		GF	GFZ	CHN	9031.9000.00
FLV-DR9030W	Ring light, direct, 90 dia., 30 deg, white	1154.00	EC000348	378523	4548583426986	#		GF	GFZ	CHN	9031.9000.00
FLV-FX143W	Coaxial light, edge type, 143mm, white	1848.00	EC000348	378548	4548583427860			GF	GFZ	CHN	9031.9000.00
FLV-TCC1	standard camera-mount lighting controller 1ch for FLV	288.40	EC003015	378512	4548583425774	#		GF	GFZ	CHN	9032.9000.90
FLV-TCC4	standard camera-mount lighting controller 4ch for FLV	578.50	EC003015	378516	4548583425781	#		GF	GFZ	CHN	9032.9000.90
FLV-XC5	Extension cable 5 m for standard lighting	51.85	EC003015	378515	4548583429178	#		GF	GFZ	CHN	8544.4290.90
FL-XC10	Extension standard cable, 10m	264.50	EC003015	354141	4548583032767			GF	GFZ	JPN	8544.4290.90
FL-XC2	Extension standard cable, 2m	81.90	EC003015	354138	4548583032729			GF	GFZ	JPN	8544.4290.90
FL-XC3	Extension standard cable, 3m	101.30	EC003015	354139	4548583032736			GF	GFZ	JPN	8544.4290.90
FL-XC5	Extension standard cable, 5m	142.30	EC003015	354140	4548583032750			GF	GFZ	JPN	8544.4290.90
XW2Z-050EE	Parallel I/O cable for terminal block XW2R-34G-T, 0,5 m	178.50	EC000237	385122	4548583484962			GF	GFZ	JPN	9031.9000.00
XW2Z-100EE	Parallel I/O cable for terminal block XW2R-34G-T, 1 m	117.00	EC000237	385123	4548583484979			GF	GFZ	JPN	9031.9000.00
XW2Z-200EE	Parallel I/O cable for terminal block XW2R-34G-T, 2 m	104.10	EC000237	385125	4548583484993			GF	GFZ	JPN	9031.9000.00
XW2Z-S013-2	Parallel I/O cable, 2m, for FH series only	159.00	EC003015	377508	4548583434455	#		GF	GFZ	JPN	9031.9000.00
XW2Z-S013-5	Parallel I/O cable, 5m, for FH series only	264.80	EC003015	377509	4548583434462			GF	GFZ	JPN	9031.9000.00
FH-MT12	Vision system FH touch panel monitor 12-inch	1337.00	EC003015	410318	4548583564473	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE VS-0618H1	Vision lens, high resolution, low distortion, 6 mm for 1-inch sensor size	789.00	EC003015	693930	4549734552172			GF	GFZ	CHN	9031.9000.00
3Z4S-LE VS-3514H1	Vision lens, high resolution, low distortion, 35 mm for 1-inch sensor size	586.00	EC003015	682441	4549734181457			GF	GFZ	CHN	9031.9000.00
3Z4S-LE VS-5018H1	Vision lens, high resolution, low distortion, 50 mm for 1-inch sensor size	571.50	EC003015	682440	4549734181464			GF	GFZ	CHN	9031.9000.00
3Z4S-LE VS-LLD18	Vision lens, ultra high resolution, low distortion 18 mm for 4/3-inch sensor size, C-Mount	1068.00	EC003015	684299	4549734193191			GF	GFZ	JPN	9031.9000.00
3Z4S-LE VS-LLD25	Vision lens, ultra high resolution, low distortion 25 mm for 4/3-inch sensor size, C-Mount	1036.00	EC003015	684298	4549734193207			GF	GFZ	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FL-PS140W	Photometric Stereo Light, inner Diameter 100 mm, outer Diameter 140 mm, white	2331.00	EC000348	684311	4549734168922			GF	GFZ	JPN	9031.9000.00
FL-PS90W	Photometric Stereo Light, inner Diameter 50 mm, outer Diameter 90 mm, white	1697.00	EC000348	684312	4549734168915			GF	GFZ	JPN	9031.9000.00
FL-TCC1PS	Lighting Controller for Photometric Stereo Lights	689.50	EC003015	684309	4549734168946			GF	GFZ	JPN	9032.9000.90
Machine Controllers NJ Series											
NJ501-R300	Robotic Integrated Controller NJ5: 8 robots and 16 servo axes	6760.00	EC000236	695880	4549734665704			HA	HAA	JPN	8471.5000.00
NJ501-R320	Robotic Integrated Controller NJ5: 8 robots and 16 servo axes, SQL client	7280.00	EC000236	699956	4549734665735			HA	HAA	JPN	8471.5000.00
NJ501-R400	Robotic Integrated Controller NJ5: 8 robots and 32 servo axes	7800.00	EC000236	695879	4549734665711			HA	HAA	JPN	8471.5000.00
NJ501-R420	Robotic Integrated Controller NJ5: 8 robots and 32 servo axes, SQL client	8320.00	EC000236	699957	4549734665742			HA	HAA	JPN	8471.5000.00
NJ501-R500	Robotic Integrated Controller NJ5: 8 robots and 64 servo axes	8840.00	EC000236	695878	4549734665728			HA	HAA	JPN	8471.5000.00
NJ501-R520	Robotic Integrated Controller NJ5: 8 robots and 64 servo axes, SQL client	9360.00	EC000236	699958	4549734665759			HA	HAA	JPN	8471.5000.00
NJ501-1300	Sysmac NJ5 CPU, 20 mB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	3509.00	EC000236	355309	4548583020450	#		HA	HAA	JPN	8471.4100.00
NJ501-1320	Sysmac NJ5 CPU with Database Connectivity, 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	4196.00	EC000236	375708	4548583418028	#		HA	HAA	JPN	8471.4100.00
NJ501-1400	Sysmac NJ5 CPU, 20 mB memory, built-in EtherCAT (32 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	3814.00	EC000236	355310	4548583020467	#		HA	HAA	JPN	8471.4100.00
NJ501-1420	Sysmac NJ5 CPU with Database Connectivity, 20MB memory, built-in EtherCAT (32 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	4579.00	EC000236	375709	4548583418035	#		HA	HAA	JPN	8471.4100.00
NJ501-1500	Sysmac NJ5 CPU, 20 mB memory, built-in EtherCAT (64 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	4579.00	EC000236	355311	4548583020474	#		HA	HAA	JPN	8471.4100.00
NJ501-1520	Sysmac NJ5 CPU with Database Connectivity, 20MB memory, built-in EtherCAT (64 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	5165.00	EC000236	375710	4548583418042	#		HA	HAA	JPN	8471.4100.00
NJ501-4300	Sysmac NJ5 CPU with Robot kinematics (max 4 robots), 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	4579.00	EC000236	368567	4548583137745			HA	HAA	JPN	8471.4100.00
NJ301-1100	Sysmac NJ3 CPU, 5 MB memory, built-in EtherCAT (4 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	2447.00	EC000236	363842	4548583113121	#		HA	HAA	JPN	8471.4100.00
NJ301-1200	Sysmac NJ3 CPU, 5 MB memory, built-in EtherCAT (8 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	2940.00	EC000236	363924	4548583113138	#		HA	HAA	JPN	8471.4100.00
NJ101-1000	Sysmac NJ1 CPU, 3MB memory, built-in EtherCAT (2 servo axes, in total 64 EtherCAT nodes) and EtherNet/IP	2064.00	EC000236	413717	4548583593749	#		HA	HAA	JPN	8471.4100.00
NJ101-1020	Sysmac NJ1 CPU with with Database Connectivity, 3MB memory, built-in EtherCAT (2 servo axes, in total 64 EtherCAT nodes) and EtherNet/IP	2586.00	EC000236	668370	4548583758803	#		HA	HAA	JPN	8471.4100.00
NJ101-9000	Sysmac NJ1 CPU, 3MB memory, built-in EtherCAT (0 servo axes, in total 64 EtherCAT nodes) and EtherNet/IP	1810.00	EC000236	413718	4548583593756	#		HA	HAA	JPN	8471.4100.00
NJ101-9020	Sysmac NJ1 CPU with Database Connectivity, 3MB memory, built-in EtherCAT (0 servo axes, in total 64 EtherCAT nodes) and EtherNet/IP	2264.00	EC000236	668371	4548583758810	#		HA	HAA	JPN	8471.4100.00
NJ501-5300	Sysmac NJ5 CNC CPU, 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP	6555.00	EC000236	679768	4549734145435	#		HA	HAA	JPN	8471.5000.00
NJ501-5300-1	Sysmac NJ5 CNC CPU, 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP. USB license not included.	5825.00	EC000236	702310	4549734711524			HA	HAA	JPN	8471.5000.00
Machine Controllers NX1											
NX102-1000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2139.00	EC000236	682580	4549734205313	#		HA	HAB	CHN	8471.4100.00
NX102-1020	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2520.00	EC000236	683383	4549734205351	#		HA	HAB	CHN	8471.4100.00
NX102-1100	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2672.00	EC000236	682581	4549734205320	#		HA	HAB	CHN	8471.4100.00
NX102-1120	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3005.00	EC000236	683381	4549734205368	#		HA	HAB	CHN	8471.4100.00
NX102-1200	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3631.00	EC000236	682578	4549734205337	#		HA	HAB	CHN	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX102-1220	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3876.00	EC000236	683384	4549734205375	#		HA	HAB	CHN	8471.4100.00
NX102-9000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory , built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	1605.00	EC000236	682579	4549734205306	#		HA	HAB	CHN	8471.4100.00
NX102-9020	Sysmac NX1 Modular CPU with with Database Connectivity, 5MB program and 33.5MB data memory , built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2038.00	EC000236	683382	4549734205344	#		HA	HAB	CHN	8471.4100.00
NX-END02	Spare part - End plate for NX1P controller	16.51	EC002584	680107	4548583866553			HA	HAB	CHN	8471.6070.00
Multi-axis Controller CK3E											
CK3E-1210	Programmable Multi-Axis Controller µPower PMAC, 8 axes	3341.00	EC000236	700996	4549734695275	#		HA	HAC	JPN	8471.4100.00
CK3E-1310	Programmable Multi-Axis Controller µPower PMAC, 16 axes	4849.00	EC000236	700995	4549734695282			HA	HAC	JPN	8471.4100.00
CK3E-1410	Programmable Multi-Axis Controller µPower PMAC, 32 axes	7675.00	EC000236	700994	4549734695299			HA	HAC	JPN	8471.4100.00
Multi-axis Controller CK3M											
CK3W-AD3100	CK3W Analog IN, 8 points, +/-10 V, 16 bit (full scale)	1500.00	EC001420	689321	4549734537896			HA	HAD	CHN	8471.6070.00
CK3W-MD7120	CK3W Digital IO, IN/OUT:16/16, PNP	937.00	EC001419	689320	4549734537889			HA	HAD	CHN	8471.6070.00
Machine Controllers NX1P2											
NX1P2-1040DT	Sysmac NX1P CPU with 40 Digital Transistor I/O (NPN), 1.5 MB memory, EtherCAT (2 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 2 serial option ports	1139.00	EC000236	672500	4548583866454			HA	HAE	CHN	8471.4100.00
NX1P2-1040DT1	Sysmac NX1P CPU with 40 Digital Transistor I/O (PNP), 1.5 MB memory, EtherCAT (2 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 2 serial option ports	1139.00	EC000236	672504	4548583866461	#		HA	HAE	CHN	8471.4100.00
NX1P2-1140DT	Sysmac NX1P CPU with 40 Digital Transistor I/O (NPN), 1.5 MB memory, EtherCAT (4 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 2 serial option ports	1658.00	EC000236	672510	4548583866478	#		HA	HAE	CHN	8471.4100.00
NX1P2-1140DT1	Sysmac NX1P CPU with 40 Digital Transistor I/O (PNP), 1.5 MB memory, EtherCAT (4 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 2 serial option ports	1658.00	EC000236	672501	4548583866485	#		HA	HAE	CHN	8471.4100.00
NX1P2-9024DT	Sysmac NX1P CPU with 24 Digital Transistor I/O (NPN), 1.5 MB memory, EtherCAT (0 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 1 serial option port	846.00	EC000236	672509	4548583866430			HA	HAE	CHN	8471.4100.00
NX1P2-9024DT1	Sysmac NX1P CPU with 24 Digital Transistor I/O (PNP), 1.5 MB memory, EtherCAT (0 servo axes, 4 PTP axes, 16 EtherCAT nodes), EtherNet/IP and 1 serial option port	853.50	EC000236	672498	4548583866447	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B24DT	Sysmac NX1P CPU with 24 Digital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	600.50	EC000236	689915	4549734556712			HA	HAE	CHN	8471.4100.00
NX1P2-9B24DT1	Sysmac NX1P CPU with 24 Digital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	600.50	EC000236	689914	4549734556729	#		HA	HAE	CHN	8471.4100.00
NX1P2-9B40DT	Sysmac NX1P CPU with 40 Digital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port	759.00	EC000236	689913	4549734556736			HA	HAE	CHN	8471.4100.00
NX1P2-9B40DT1	Sysmac NX1P CPU with 40 Digital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port	759.00	EC000236	689912	4549734556743	#		HA	HAE	CHN	8471.4100.00
NX1P option boards											
NX1W-ADB21	Sysmac NX1P Analog I/O screwless option board, 2 x analog inputs 0 to 10 V, resolution 1/4000 or 0 to 20 mA, resolution 1:2000	104.30	EC001596	672499	4548583866522	#		HA	HAF	CHN	8471.6070.00
NX1W-CIF01	Sysmac NX1P RS-232C screwless (15 m max.) serial communication option board	51.65	EC001604	672505	4548583866492	#		HA	HAF	CHN	8471.8000.00
NX1W-CIF11	Sysmac NX1P RS422/485 screwless (50 m max.) serial communication option board	51.65	EC001604	672502	4548583866508	#		HA	HAF	CHN	8471.8000.00
NX1W-CIF12	Sysmac NX1P RS422/485 screwless (isolated 500 m max.) serial communication option board	103.40	EC001604	672503	4548583866515	#		HA	HAF	CHN	8471.8000.00
NX1W-DAB21V	Sysmac NX1P Analog I/O screwless option board, 2 x analog outputs 0 to 10 V, resolution 1:4000	114.20	EC001596	672506	4548583866539	#		HA	HAF	CHN	8471.6070.00
NX1W-MAB221	Sysmac NX1P Analog I/O screwless option board, 2 x analog inputs 0 to 10 V, resolution 1:4000 or 0 to 20 mA, resolution 1:2000, 2 x analog outputs 0 to 10 V, resolution 1:4000	217.50	EC001596	672507	4548583866546	#		HA	HAF	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Machine Controllers NX701											
NX701-1600	Sysmac NX7 CPU, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	5405.00	EC000236	418668	4548583593695			HA	HAG	JPN	8471.4100.00
NX701-1620	Sysmac NX7 CPU with Database Connectivity, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP port	8140.00	EC000236	680732	45497344193863			HA	HAG	JPN	8471.4100.00
NX701-Z600	Sysmac NX7 AI Controller, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP ports	11040.00	EC000236	685577	4549734450201			HA	HAG	JPN	8471.5000.00
Accessories NJs and NX1											
NJ-PA3001	Sysmac NJ power supply unit, 100-240 VAC, 30 W, "RUN" output relay	262.00	EC000599	355312	4548583020665	#		HA	HAZ	CHN	8504.4030.00
NJ-PD3001	Sysmac NJ power supply unit, 24 VDC, 30 W, "RUN" output relay	268.50	EC000599	355313	4548583020672	#		HA	HAZ	CHN	8504.4030.00
NX-PA9001	Sysmac NX power supply unit, 100 to 240 VAC, 90 W, "RUN" output relay	625.50	EC000599	418671	4548583593725	#		HA	HAZ	JPN	8504.4030.00
NX-PD7001	Sysmac NX power supply unit, 24 VDC, 70 W, "RUN" output relay	511.50	EC000599	418672	4548583593732	#		HA	HAZ	JPN	8504.4030.00
HMC-SD291	2 GB SD memory card	213.00	EC000192	355818	4548583020689			HA	HAZ	JPN	8471.9000.00
HMC-SD491	4 GB SD memory card	320.00	EC000192	400806	4548583438101			HA	HAZ	JPN	8471.9000.00
NX-series											
NX-IA3117	4 Digital Inputs, 240 VAC, individually isolated, screwless push-in connector, 12 mm wide	70.05	EC001599	380132	4548583353107			HB	HBA	CHN	8471.6070.00
NX-ID3317	4 Digital Inputs, Standard speed, NPN 24 VDC, screwless push-in connector, 12 mm wide	53.25	EC001599	375601	4548583353008			HB	HBA	CHN	8471.6070.00
NX-ID3343	4 Digital Inputs, High speed, NPN 24 VDC, screwless push-in connector, 12 mm wide	103.90	EC001599	375607	4548583353060			HB	HBA	CHN	8471.6070.00
NX-ID3344	4 Digital Inputs, High speed Timestamp, NPN 24 VDC, screwless push-in connector, 12 mm wide	183.30	EC001599	377554	4548583353084			HB	HBA	CHN	8471.6070.00
NX-ID3417	4 Digital Inputs, Standard speed, PNP 24 VDC, screwless push-in connector, 12 mm wide	53.25	EC001599	686025	4549734450478			HB	HBA	NLD	8471.6070.00
NX-ID3443	4 Digital Inputs, High speed, PNP 24 VDC, screwless push-in connector, 12 mm wide	103.90	EC001599	375661	4548583368378	#		HB	HBA	CHN	8471.6070.00
NX-ID3444	4 Digital Inputs, High speed Timestamp, PNP 24 VDC, screwless push-in connector, 12 mm wide	183.30	EC001599	377555	4548583353091	#		HB	HBA	CHN	8471.6070.00
NX-ID4342	8 Digital Inputs, Standard speed, NPN 24 VDC, screwless push-in connector, 12 mm wide	70.70	EC001599	686026	4549734450485	#		HB	HBA	NLD	8471.6070.00
NX-ID4442	8 Digital Inputs, Standard speed, PNP 24 VDC, screwless push-in connector, 12 mm wide	70.70	EC001599	686027	4549734450492	#		HB	HBA	NLD	8471.6070.00
NX-ID5142-1	16 Digital Inputs, Standard speed, NPN/PNP 24 VDC, screw connector, 30 mm wide	119.90	EC001599	645477	4548583572881	#		HB	HBA	CHN	8471.6070.00
NX-ID5142-5	16 Digital Inputs, Standard speed, NPN/PNP 24 VDC, MIL20 connector (not included), 30 mm wide	131.30	EC001599	393625	4548583552029			HB	HBA	CHN	8471.6070.00
NX-ID5342	16 Digital Inputs, Standard speed, NPN 24 VDC, screwless push-in connector, 12 mm wide	121.90	EC001599	686028	4549734450508	#		HB	HBA	NLD	8471.6070.00
NX-ID5442	16 Digital Inputs, Standard speed, PNP 24 VDC, screwless push-in connector, 12 mm wide	121.90	EC001599	686029	4549734450515	#		HB	HBA	NLD	8471.6070.00
NX-ID6142-5	32 Digital Inputs, Standard speed, NPN/PNP 24 VDC, MIL40 connector (not included), 30 mm wide	222.10	EC001599	393626	4548583552036	#		HB	HBA	CHN	8471.6070.00
NX-ID6142-6	32 Digital Inputs, Standard speed, NPN/PNP 24 VDC, FCN40 connector (not included), 30 mm wide	222.10	EC001599	646854	4548583572898	#		HB	HBA	CHN	8471.6070.00
NX-OC2633	2 Digital Outputs, Normally-open Relays, 2 A, 250 VAC, screwless push-in connector, 12 mm wide	66.70	EC001599	686030	4549734450522			HB	HBA	NLD	8471.6070.00
NX-OC2733	2 Digital Outputs, NO+NC (SPDT) Relays, 2 A, 250 VAC, screwless push-in connector, 12 mm wide	69.95	EC001599	686031	4549734450539			HB	HBA	NLD	8471.6070.00
NX-OC4633	8 Digital Outputs, normally-open relays, 2 A, 250 VAC, screwless push-in connector, 24 mm wide	174.50	EC001599	672508	4548583863569	#		HB	HBA	CHN	8471.6070.00
NX-OD2154	2 Digital Outputs, High speed Timestamp, NPN 24 VDC, 0.5 A/point, 1 A/NX Unit, screwless push-in connector, 12 mm wide	134.90	EC001599	377556	4548583407596	#		HB	HBA	CHN	8471.6070.00
NX-OD2258	2 Digital Outputs, High speed Timestamp, PNP 24 VDC, 0.5 A/point, 1 A/NX Unit, screwless push-in connector, 12 mm wide	134.90	EC001599	377557	4548583407602	#		HB	HBA	CHN	8471.6070.00
NX-OD3121	4 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 2 A/NX Unit, screwless push-in connector, 12 mm wide	60.55	EC001599	375608	4548583353114			HB	HBA	CHN	8471.6070.00
NX-OD3153	4 Digital Outputs, High speed, NPN 24 VDC, 0.5 A/point, 2 A/NX Unit, screwless push-in connector, 12 mm wide	115.60	EC001599	375614	4548583353176			HB	HBA	CHN	8471.6070.00
NX-OD3256	4 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 2 A/NX Unit, screwless push-in connector, 12 mm wide	57.30	EC001599	686032	4549734450546			HB	HBA	NLD	8471.6070.00
NX-OD3257	4 Digital Outputs, High speed, PNP 24 VDC, 0.5 A/point, 2 A/NX Unit, screwless push-in connector, 12 mm wide	110.40	EC001599	375615	4548583353183			HB	HBA	CHN	8471.6070.00
NX-OD3268	4 Digital Outputs, Standard speed, PNP 24 VDC, 2 A/point, 8 A/NX Unit, screwless push-in connector, 12 mm wide	78.20	EC001599	646461	4548583572928	#		HB	HBA	CHN	8471.6070.00
NX-OD4121	8 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, screwless push-in connector, 12 mm wide	79.50	EC001599	375610	4548583353138	#		HB	HBA	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-OD4256	8 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 4 A/NX Unit, screwless push-in connector, 12 mm wide	83.85	EC001599	686033	4549734450553	#		HB	HBA	NLD	8471.6070.00
NX-OD5121	16 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, screwless push-in connector, 12 mm wide	131.00	EC001599	686034	4549734450560	#		HB	HBA	NLD	8471.6070.00
NX-OD5121-5	16 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, MIL20 connector (not included), 30 mm wide	140.50	EC001599	393627	4548583552043			HB	HBA	CHN	8471.6070.00
NX-OD5256	16 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 4 A/NX Unit, screwless push-in connector, 12 mm wide	131.00	EC001599	686035	4549734450577	#		HB	HBA	NLD	8471.6070.00
NX-OD5256-1	16 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 5 A/NX Unit, screw connector, 30 mm wide	170.00	EC001599	645603	4548583572935			HB	HBA	CHN	8471.6070.00
NX-OD5256-5	16 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 4 A/NX Unit, MIL20 connector (not included), 30 mm wide	144.40	EC001599	393629	4548583552067			HB	HBA	CHN	8471.6070.00
NX-OD6121-5	32 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, MIL40 connector (not included), 30 mm wide	238.50	EC001599	393628	4548583552050			HB	HBA	CHN	8471.6070.00
NX-OD6121-6	32 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, FCN40 connector (not included), 30 mm wide	238.50	EC001599	645602	4548583572911	#		HB	HBA	CHN	8471.6070.00
NX-OD6256-5	32 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 4 A/NX Unit, MIL40 connector (not included), 30 mm wide	238.50	EC001599	393630	4548583552074	#		HB	HBA	CHN	8471.6070.00
NX-MD6121-5	16 Digital Inputs + 16 Digital NPN Outputs, Standard speed, 24 VDC, 2 x MIL20 connectors (not included), 30 mm wide	230.60	EC001599	393631	4548583552081			HB	HBA	CHN	8471.6070.00
NX-MD6121-6	16 Digital Inputs + 16 Digital NPN Outputs, Standard speed, 24 VDC, 2 x FCN24 connectors (not included), 30 mm wide	230.60	EC001599	646462	4548583572942			HB	HBA	CHN	8471.6070.00
NX-MD6256-5	16 Digital Inputs + 16 Digital PNP Outputs, Standard speed, 24 VDC, 2 x MIL20 connectors (not included), 30 mm wide	230.60	EC001599	393632	4548583552098			HB	HBA	CHN	8471.6070.00
NX-AD2203	2 Analog Inputs, 4 to 20 mA single ended, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	209.70	EC001596	686016	4549734450386	#		HB	HBA	NLD	8471.6070.00
NX-AD2204	2 Analog Inputs, 4 to 20 mA differential, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	209.70	EC001596	375627	4548583353336			HB	HBA	CHN	8471.6070.00
NX-AD2208	2 Analog Inputs, 4 to 20 mA differential, resolution 1:30000, 10 µs/ch, screwless push-in connector, 12 mm wide	269.50	EC001596	375628	4548583353343	#		HB	HBA	CHN	8471.6070.00
NX-AD2603	2 Analog Inputs, -10 to 10 V single ended, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	209.70	EC001596	686017	4549734450393	#		HB	HBA	NLD	8471.6070.00
NX-AD2604	2 Analog Inputs, -10 to 10 V differential, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	209.70	EC001596	375618	4548583353244	#		HB	HBA	CHN	8471.6070.00
NX-AD2608	2 Analog Inputs, -10 to 10 V differential, resolution 1:30000, 10 µs/ch, screwless push-in connector, 12 mm wide	269.50	EC001596	375619	4548583353251	#		HB	HBA	CHN	8471.6070.00
NX-AD3203	4 Analog Inputs, 4 to 20 mA single ended, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	239.10	EC001596	686018	4549734450409	#		HB	HBA	NLD	8471.6070.00
NX-AD3204	4 Analog Inputs, 4 to 20 mA differential, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	239.10	EC001596	686019	4549734450416	#		HB	HBA	NLD	8471.6070.00
NX-AD3208	4 Analog Inputs, 4 to 20 mA differential, resolution 1:30000, 10 µs/ch, screwless push-in connector, 12 mm wide	372.10	EC001596	375631	4548583353374	#		HB	HBA	CHN	8471.6070.00
NX-AD3603	4 Analog Inputs, -10 to 10 V single ended, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	239.10	EC001596	375620	4548583353268	#		HB	HBA	CHN	8471.6070.00
NX-AD3604	4 Analog Inputs, -10 to 10 V differential, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	239.10	EC001596	375621	4548583353275	#		HB	HBA	CHN	8471.6070.00
NX-AD3608	4 Analog Inputs, -10 to 10 V differential, resolution 1:30000, 10 µs/ch, screwless push-in connector, 12 mm wide	372.10	EC001596	375622	4548583353282	#		HB	HBA	CHN	8471.6070.00
NX-AD4203	8 Analog Inputs, 4 to 20 mA single ended, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	328.90	EC001596	686020	4549734450423	#		HB	HBA	NLD	8471.6070.00
NX-AD4204	8 Analog Inputs, 4 to 20 mA differential, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	328.90	EC001596	686021	4549734450430	#		HB	HBA	NLD	8471.6070.00
NX-AD4208	8 Analog Inputs, 4 to 20 mA differential, resolution 1:30000, 10 µs/ch, screwless push-in connector, 12 mm wide	477.20	EC001596	375634	4548583353404	#		HB	HBA	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-AD4603	8 Analog Inputs, -10 to +10 V single ended, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	328.90	EC001596	375623	4548583353299	#		HB	HBA	CHN	8471.6070.00
NX-AD4604	8 Analog Inputs, -10 to +10 V differential, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	328.90	EC001596	375624	4548583353305	#		HB	HBA	CHN	8471.6070.00
NX-AD4608	8 Analog Inputs, -10 to +10 V differential, resolution 1:30000, 10 µs/ch, screwless push-in connector, 12 mm wide	477.20	EC001596	375625	4548583353312	#		HB	HBA	CHN	8471.6070.00
NX-HAD402	4 High Speed Analog Inputs, -10 to 10 V, -5 to 5 V, 0 to 10 V, 0 to 5 V, 1 to 5V, 0 to 20 mA, 4 to 20 mA, differential, resolution 1:64000, 5 µs/ch, screwless push-in connector, 24 mm wide, PNP	1088.00	EC001596	682695	4549734209663			HB	HBA	CHN	8471.6070.00
NX-HB3101	Heater Burnout Detection Unit, 4 CT inputs, 4 NPN Outputs, screwless push-in connector, 12 mm wide	410.70	EC001597	670521	4548583801981			HB	HBA	CHN	8471.6070.00
NX-HB3201	Heater Burnout Detection Unit, 4 CT inputs, 4 PNP Outputs, screwless push-in connector, 12 mm wide	410.70	EC001597	670522	4548583801998	#		HB	HBA	CHN	8471.6070.00
NX-RS1201	1 x Load Cell input, -5.0 to 5.0 mV/V, 24 bit, 125 µs, screwless push-in connector, 12 mm wide	496.90	EC001596	670275	4548583799158	#		HB	HBA	JPN	8471.6070.00
NX-RS1201-K	1 x Load Cell input with certification, -5.0 to 5.0 mV/V, 24 bit, 125 µs, screwless push-in connector, 12 mm wide	714.00	EC001596	674186	4549734110235			HB	HBA	JPN	8471.6070.00
NX-TS2101	2 Thermocouple Inputs, type K, J, T, E, L, U, N, R, S, B, C(W/Re5-26), P(PLII), resolution 0.1°C, 250 ms/Unit, screwless push-in connector, 12 mm wide	244.70	EC001596	377373	4548583353497	#		HB	HBA	CHN	8471.6070.00
NX-TS2102	2 Thermocouple Inputs, type K, J, T, E, L, U, N, R, S, B, C(W/Re5-26), P(PLII), resolution 0.01°C, 10 ms/Unit, screwless push-in connector, 12 mm wide	394.10	EC001596	380149	4548583353503			HB	HBA	CHN	8471.6070.00
NX-TS2201	2 Temperature Sensor Inputs, Pt100 (3-wire), Pt1000, resolution 0.1 °C, 250 ms/Unit, screwless push-in connector, 12 mm wide	244.70	EC001596	375643	4548583353558	#		HB	HBA	CHN	8471.6070.00
NX-TS2202	2 Temperature Sensor Inputs, Pt100 (3-wire), resolution 0.01°C, 10 ms/Unit, screwless push-in connector, 12 mm wide	394.10	EC001596	380136	4548583353565			HB	HBA	CHN	8471.6070.00
NX-TS2204	2 Temperature Sensor Inputs, Pt100 (3-wire), Pt1000 (3-wire) resolution 0.001°C, 60 ms/Unit, screwless push-in connector, 12 mm wide	394.10	EC001596	380137	4548583353572			HB	HBA	CHN	8471.6070.00
NX-TS3101	4 Thermocouple Inputs, type K, J, T, E, L, U, N, R, S, B, C (W/Re5-26), P (PLII), resolution 0.1°C, 250 ms/Unit, screwless push-in connectors, 24 mm wide	312.00	EC001596	377374	4548583353527	#		HB	HBA	CHN	8471.6070.00
NX-TS3102	4 Thermocouple Inputs, type K, J, T, E, L, U, N, R, S, B, C (W/Re5-26), P (PLII), resolution 0.01°C, 10 ms/Unit, screwless push-in connectors, 24 mm wide	503.00	EC001596	380135	4548583353534			HB	HBA	CHN	8471.6070.00
NX-TS3201	4 Temperature Sensor Inputs, Pt100 (3-wire), Pt1000, resolution 0.1 °C, 250 ms/Unit, screwless push-in connectors, 24 mm wide	312.00	EC001596	375644	4548583353589	#		HB	HBA	CHN	8471.6070.00
NX-TS3202	4 Temperature Sensor Inputs, Pt100 (3-wire), resolution 0.01°C, 10 ms/Unit, screwless push-in connectors, 24 mm wide	503.00	EC001596	380138	4548583353596			HB	HBA	CHN	8471.6070.00
NX-DA2203	2 Analog Outputs, 4 - 20 mA, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	229.40	EC001596	375639	4548583353459	#		HB	HBA	CHN	8471.6070.00
NX-DA2205	2 Analog Outputs, 4 - 20 mA, resolution 1:30000, 10 µs/ch, screwless push-in connector, 12 mm wide	288.70	EC001596	375640	4548583353466			HB	HBA	CHN	8471.6070.00
NX-DA2603	2 Analog Outputs, -10 to 10 V, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	229.40	EC001596	686022	4549734450447	#		HB	HBA	NLD	8471.6070.00
NX-DA2605	2 Analog Outputs, -10 to 10 V, resolution 1:30000, 10 µs/ch, screwless push-in connector, 12 mm wide	288.70	EC001596	375636	4548583353428			HB	HBA	CHN	8471.6070.00
NX-DA3203	4 Analog Outputs, 4 - 20 mA, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	262.90	EC001596	686023	4549734450454	#		HB	HBA	NLD	8471.6070.00
NX-DA3205	4 Analog Outputs, 4 - 20 mA, resolution 1:30000, 10 µs/ch, screwless push-in connector, 12 mm wide	390.00	EC001596	375642	4548583353480			HB	HBA	CHN	8471.6070.00
NX-DA3603	4 Analog Outputs, -10 to 10 V, resolution 1:8000, 250 µs/ch, screwless push-in connector, 12 mm wide	262.90	EC001596	686024	4549734450461	#		HB	HBA	NLD	8471.6070.00
NX-DA3605	4 Analog Outputs, -10 to 10 V, resolution 1:30000, 10 µs/ch, screwless push-in connector, 12 mm wide	390.00	EC001596	375638	4548583353442	#		HB	HBA	CHN	8471.6070.00
NX-EC0112	1 x Incremental Encoder NPN Input, Phases A and B: Single-phase 500 kHz (phase difference pulse Input x4: 125 kHz), Phase Z: 125 kHz, screwless push-in connector, 12 mm wide	250.00	EC001601	393633	4548583552104			HB	HBA	CHN	8471.6070.00
NX-EC0122	1 x Incremental Encoder PNP Input, Phases A and B: Single-phase 500 kHz (phase difference pulse Input x4: 125 kHz), Phase Z: 125 kHz, screwless push-in connector, 12 mm wide	233.60	EC001601	375645	4548583353619	#		HB	HBA	CHN	8471.6070.00
NX-EC0132	1 x Incremental Encoder Line driver Input, Phases A and B: Single-phase 4 MHz (phase difference pulse Input x4: 1 MHz), Phase Z: 1 MHz, NPN, screwless push-in connectors, 24 mm wide	390.00	EC001601	393635	4548583552128			HB	HBA	CHN	8471.6070.00
NX-EC0142	1 x Incremental Encoder Line driver Input, phases A and B: single-phase 4 MHz (phase difference pulse Input x4: 1 MHz), Phase Z: 1 MHz, PNP, screwless push-in connectors, 24 mm wide	361.90	EC001601	375647	4548583353633	#		HB	HBA	CHN	8471.6070.00
NX-EC0212	2 x Incremental Encoder NPN Inputs, Phases A and B: Single-phase 500 kHz (phase difference pulse Input x4: 125 kHz), Phase Z: 125 kHz, screwless push-in connector, 12 mm wide	279.20	EC001601	393634	4548583552111	#		HB	HBA	CHN	8471.6070.00
NX-EC0222	2 x Incremental Encoder PNP Inputs, Phases A and B: Single-phase 500 kHz (phase difference pulse Input x4: 125 kHz), Phase Z: 125 kHz, screwless push-in connector, 12 mm wide	260.20	EC001601	375646	4548583353626	#		HB	HBA	CHN	8471.6070.00
NX-ECS112	1 x SSI encoder Input, EIA standard RS-422-A, 32 bits max data length, screwless push-in connector, 12 mm wide	328.90	EC001601	375648	4548583353640			HB	HBA	CHN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-ECS212	2 x SSI encoder Inputs, EIA standard RS-422-A, 32 bits max data length, screwless push-in connector, 12mm wide	390.00	EC001601	375649	4548583353657			HB	HBA	CHN	8471.6070.00
NX-PG0112	1 x Pulse Output, Forward/reverse direction pulses or Pulse + direction signal, NPN, screwless push-in connector, 12 mm wide	295.20	EC001601	393636	4548583552135			HB	HBA	CHN	8471.6070.00
NX-PG0122	1 x Pulse Output, Forward/reverse direction pulses or Pulse + direction signal, PNP, screwless push-in connector, 12 mm wide	275.30	EC001601	375650	4548583353664	#		HB	HBA	CHN	8471.6070.00
NX-PG0232-5	2 x Line Driver Pulse Output, NPN, 4 Mpps, 1 x MIL connector, 12 mm wide	656.50	EC001601	670274	4548583783461			HB	HBA	JPN	8471.6070.00
NX-PG0242-5	2 x Line Driver Pulse Output, PNP, 4 Mpps, 1 x MIL connector, 12 mm wide	656.50	EC001601	670276	4548583783478			HB	HBA	JPN	8471.6070.00
NX-PG0332-5	4 x Line Driver Pulse Output, NPN, 4 Mpps, 2 x MIL connectors, 24 mm wide	937.00	EC001601	670273	4548583783447			HB	HBA	JPN	8471.6070.00
NX-PG0342-5	4 x Line Driver Pulse Output, PNP, 4 Mpps, 2 x MIL connectors, 24 mm wide	937.00	EC001601	670272	4548583783454			HB	HBA	JPN	8471.6070.00
NX-CIF101	Serial Communication Interface Unit, 1 x RS-232C, screwless push-in connector, 12 mm wide	383.00	EC001604	656498	4548583588653	#		HB	HBA	JPN	8471.8000.00
NX-CIF105	Serial Communication Interface Unit, 1 x RS-422/485C, screwless push-in connector, 12 mm wide	383.00	EC001604	656497	4548583588660	#		HB	HBA	JPN	8471.8000.00
NX-CIF210	Serial Communication Interface Unit, 2 x RS-232C, 9-pin D-sub, 30 mm wide	450.50	EC001604	656499	4548583588677			HB	HBA	JPN	8471.8000.00
NX-TC2405	2 loops, Thermocouple/Pt100 input, PNP 2 Digital Outputs 24 VDC, 21mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals	392.20	EC001597	680545	4549734191388	#		HB	HBA	CHN	8471.6070.00
NX-TC2406	2 loops, Thermocouple/Pt100 input, PNP 2 Digital Outputs 24 VDC, 21 mA/point, Heat or Cool control, Push-in Plus terminals	359.40	EC001597	680937	4549734191395	#		HB	HBA	CHN	8471.6070.00
NX-TC2407	2 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21mA/point, Heat and Cool control, Push-in Plus terminals	369.40	EC001597	680542	4549734191401			HB	HBA	CHN	8471.6070.00
NX-TC2408	2 loops, Thermocouple/Pt100 input, 2 Analog Outputs, 4 - 20 mA, resolution 1:10000, Heat or Cool control, Push-in Plus terminals	419.90	EC001597	680541	4549734191418			HB	HBA	CHN	8471.6070.00
NX-TC3405	4 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals	498.70	EC001597	680543	4549734191425	#		HB	HBA	CHN	8471.6070.00
NX-TC3406	4 loops, Thermocouple/Pt100 input, PNP 4 Digital Outputs 24 VDC, 21 mA/point, Heat or Cool control, Push-in Plus terminals	449.00	EC001597	680544	4549734191432	#		HB	HBA	CHN	8471.6070.00
NX-TC3407	4 loops, Thermocouple/Pt100 input, PNP 8 Digital Outputs 24 VDC, 21 mA/point, Heat and Cool control, Push-in Plus terminals	458.90	EC001597	680935	4549734191449			HB	HBA	CHN	8471.6070.00
NX-ECC203	NX-series EtherCAT Coupler, 2 ports, 125 µs cycle time, 63 I/O units, max I/O current 10 A, screwless push-in connector, delivered with end cover	219.40	EC001603	419154	4548583561939	#		HB	HBA	CHN	8471.6070.00
NX-EIC202	NX-series EtherNet/IP Coupler, 2 ports, supports local safety, 63 I/O units, max I/O current 10 A, screwless push-in connector, delivered with end cover	349.40	EC001603	399449	4548583523333	#		HB	HBA	CHN	8471.6070.00
NX-ILM400	NX series IO-Link master IP20, 4 channels	236.30	EC001599	671127	4548583819139	#		HB	HBA	JPN	8471.6070.00
NX-PC0010	NX I/O power connection unit, IOG, 5-24 V DC input, 16 terminals, screwless push-in connector, 12mm wide	45.86	EC001600	686036	4549734450584			HB	HBA	NLD	8471.8000.00
NX-PC0020	NX I/O power connection unit, IOV, 5-24 V DC input, 16 terminals, screwless push-in connector, 12mm wide	45.86	EC001600	686037	4549734450591			HB	HBA	NLD	8471.8000.00
NX-PC0030	NX I/O power connection unit, IOV+IOG, 5-24 V DC input, 8 + 8 terminals, screwless push-in connector, 12mm wide	45.86	EC001600	686038	4549734450607			HB	HBA	NLD	8471.8000.00
NX-PD1000	NX bus power supply unit, 24 V DC input, non-isolated, screwless push-in connector, 12 mm wide	83.10	EC001600	686039	4549734450614	#		HB	HBA	NLD	8471.8000.00
NX-PF0630	NX I/O power feed unit, 5-24 V DC input, 8 terminals, 4A, screwless push-in connector, 12mm wide	51.25	EC001600	686040	4549734450621	#		HB	HBA	NLD	8471.8000.00
NX-PF0730	NX I/O power feed unit, 5-24 V DC input, 8 terminals, 10A, screwless push-in connector, 12mm wide	51.25	EC001600	686041	4549734450638	#		HB	HBA	NLD	8471.8000.00
NX-PNC202	NX-series PROFINET Coupler, 2 ports, 63 I/O units, max I/O current 10 A, screwless push-in connector, delivered with end cover	480.70	EC001603	701999	4549734710978	#		HB	HBA	CHN	8471.8000.00
NX-TBX01	NX FG shield connection unit, 16 terminals, screwless push-in connector, 12mm wide	43.93	EC001600	375656	4548583353725			HB	HBA	CHN	8471.6070.00
NX-AUX01	NX-series accessory, DIN rail insulation spacers, set of 3 pcs	21.08	EC002584	375659	4548583364561			HB	HBA	JPN	8471.6070.00
NX-AUX02	Terminal block coding pins for 10x NX I/O units (terminal block: 30 pins, unit: 30 pins)	10.60	EC002584	375660	4548583365148			HB	HBA	CHN	8471.6070.00
NX-END01	Replacement end cover for NX I/O series	10.37	EC002584	375657	4548583353732			HB	HBA	CHN	8471.6070.00
NX-TBA082	Replacement screwless push-in connector with 8 wiring terminals (marked A+B)	11.61	EC002584	380141	4548583476516			HB	HBA	CHN	8536.9010.00
NX-TBA162	Replacement screwless push-in connector with 16 wiring terminals (marked A+B)	10.38	EC002584	380143	4548583476530			HB	HBA	CHN	8536.9010.00
NX-TBB162	Replacement screwless push-in connector with 16 wiring terminals (marked C+D)	9.92	EC002584	380145	4548583476554			HB	HBA	CHN	8536.9010.00
NXR-series											
NXR-ILM08C-EIT	NXR Series IO-Link Master Unit IP67, 8 ports, EtherNet/IP	669.00	EC001599	695390	4549734605632			HB	HBB	JPN	8471.6070.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NXR-ID166C-IL2	NXR Series IO-Hub IP67, 16 input, 8x M12 connectors	327.20	EC001599	695388	4549734605656			HB	HBB	JPN	8471.6070.00
NXR-CD166C-IL2	NXR Series IO-Hub IP67, 16 input/output, 8x M12 connectors	403.80	EC001599	695389	4549734605649			HB	HBB	JPN	8471.6070.00
NX-safety											
NX-SL3300	Safety controller, 32 safety master connections, up to 256 safety I/O	312.70	EC000236	393736	4548583556058	#		HC	HCA	CHN	8471.6070.00
NX-SL3500	Safety controller, 128 safety master connections, up to 1024 safety I/O, 2MB memory capacity	703.00	EC000236	393737	4548583556065	#		HC	HCA	CHN	8471.6070.00
NX-SL5500	Safety controller, CIP-S and EtherCAT, 128 safety master connections, up to 1024 safety I/O, 2 MB memory capacity, SD Backup/Restore supported	859.00	EC000236	684733	4549734205702			HC	HCA	CHN	8471.6070.00
NX-SL5700	Safety controller, CIP-S and EtherCAT, 254 safety master connections, up to 2032 safety I/O, 4 MB memory capacity, SD Backup/Restore supported	1172.00	EC000236	684734	4549734205696			HC	HCA	CHN	8471.6070.00
NX-SID800	8 Digital Safety Inputs, PNP 24 VDC, screwless push-in connector, 12 mm wide	388.20	EC001599	701996	4549734450027	#		HC	HCA	NLD	8471.6070.00
NX-SIH400	4 Digital Safety Inputs, PNP 24 VDC, high connectivity unit, screwless push-in connector, 12 mm wide	300.90	EC001599	702008	4549734450058	#		HC	HCA	NLD	8471.6070.00
NX-SOD400	4 Digital Safety Outputs, PNP 24 VDC, 0.5 A/point, 2.0 A/NX Unit, screwless push-in connector, 12 mm wide	332.90	EC001599	701995	4549734450010	#		HC	HCA	NLD	8471.6070.00
NX-SOH200	2 Digital Safety Outputs, PNP 24 VDC, 2.0 A/point, 4.0 A/NX Unit, screwless push-in connector, 12 mm wide	289.70	EC001599	701997	4549734450034			HC	HCA	NLD	8471.6070.00
NX-CSG320	Safety Gateway for CIP-Safety, SD-Card slot, iBus connection up to 10 A, Interface 1: Ethernet/IP port, Interface 2: CIP-Safety switching ports	1112.00	EC001604	684732	4549734205719			HC	HCA	CHN	8471.8000.00
Robot OAT Scara											
17010-16000	eCobra 600 Lite, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20	15920.00	EC003245	684692	4549734445207			IB	IBA	JPN	8479.5000.00
17201-14500	Cobra 450, 5 kg payload, 450mm reach, 4 axis, 200mm Zaxis, IP20	18930.00	EC003245	684809	4549734444293	#		IB	IBA	CHN	8479.5000.00
17203-14500	Cobra 450, Add-On, 5 kg payload, 450mm reach, 4 axis, 200mm Zaxis, IP20	18930.00	EC003245	684810	4549734444309			IB	IBA	CHN	8479.5000.00
17211-16000	eCobra 600 Pro, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20, ePLC	20700.00	EC003245	684694	4549734445221	#		IB	IBA	JPN	8479.5000.00
17211-18000	eCobra 800 Pro, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC	24220.00	EC003245	684910	4549734445252			IB	IBA	JPN	8479.5000.00
17211-18400	eCobra 800 Pro Inverted, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20, ePLC	26780.00	EC003245	698769	4549734676441			IB	IBA	USA	8479.5000.00
17213-16000	eCobra 600 Pro, Add-On, 5.5 kg payload, 600mm reach, 4 axis, 210mm Zaxis, IP20	20700.00	EC003245	684689	4549734445276			IB	IBA	JPN	8479.5000.00
17213-18000	eCobra 800 Pro, Add-On, 5.5 kg payload, 800mm reach, 4 axis, 210mm Zaxis, IP20	24220.00	EC003245	684912	4549734445290			IB	IBA	JPN	8479.5000.00
RL4-1166000	eCobra 600 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	17810.00	EC003245	695944	4549734671156			IB	IBA	JPN	8479.5000.00
RL4-1166010	eCobra 600 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	20210.00	EC003245	695943	4549734671163			IB	IBA	JPN	8479.5000.00
RL4-1168000	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	22050.00	EC003245	695940	4549734671194			IB	IBA	JPN	8479.5000.00
RL4-1168010	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	24490.00	EC003245	695939	4549734671200			IB	IBA	JPN	8479.5000.00
RL4-1168030	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	26720.00	EC003245	695938	4549734671217			IB	IBA	JPN	8479.5000.00
RL4-2166000	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	22000.00	EC003245	695942	4549734671170			IB	IBA	JPN	8479.5000.00
RL4-2166010	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	24440.00	EC003245	695941	4549734671187			IB	IBA	JPN	8479.5000.00
RL4-2168000	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	25740.00	EC003245	695937	4549734671224			IB	IBA	JPN	8479.5000.00
RL4-2168010	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	28240.00	EC003245	695936	4549734671231			IB	IBA	JPN	8479.5000.00
RL4-2168030	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	30460.00	EC003245	695935	4549734671248			IB	IBA	JPN	8479.5000.00
RS4-2053002	i4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS-ENET	9365.00	EC003245	699544	4549734693011			IB	IBA	CHN	8479.5000.00
RS4-2054002	i4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS-ENET	10410.00	EC003245	699543	4549734693028			IB	IBA	CHN	8479.5000.00
RS4-2055002	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, iCS-ENET	11450.00	EC003245	699538	4549734693035			IB	IBA	CHN	8479.5000.00
RS4-2055004	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, iCS-ENET	12490.00	EC003245	699537	4549734693042			IB	IBA	CHN	8479.5000.00
RS4-2055102	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, iCS-ENET	11450.00	EC003245	699536	4549734693073			IB	IBA	CHN	8479.5000.00
RS4-2055104	i4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20, iCS-ENET	12360.00	EC003245	699535	4549734693080			IB	IBA	CHN	8479.5000.00
RS4-2066502	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, iCS-ECAT	23590.00	EC003245	700387	4549734704359			IB	IBA	NLD	8479.5000.00
RS4-2066504	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, iCS-ECAT	24620.00	EC003245	700386	4549734704366			IB	IBA	NLD	8479.5000.00
RS4-2066702	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, iCS-ECAT	23590.00	EC003245	700385	4549734704373			IB	IBA	NLD	8479.5000.00
RS4-2066704	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, iCS-ECAT	24620.00	EC003245	700384	4549734704380			IB	IBA	NLD	8479.5000.00
RS4-2067502	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, iCS-ECAT	24620.00	EC003245	700383	4549734704397			IB	IBA	NLD	8479.5000.00
RS4-2067504	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, iCS-ECAT	25650.00	EC003245	700382	4549734704403			IB	IBA	NLD	8479.5000.00
RS4-2067702	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, iCS-ECAT	24620.00	EC003245	700381	4549734704410			IB	IBA	NLD	8479.5000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RS4-2067704	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, iCS-ECAT	25650.00	EC003245	700380	4549734704427			IB	IBA	NLD	8479.5000.00
RS4-2068502	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, iCS-ECAT	25650.00	EC003245	700379	4549734704434			IB	IBA	NLD	8479.5000.00
RS4-2068504	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, iCS-ECAT	26680.00	EC003245	700378	4549734704441			IB	IBA	NLD	8479.5000.00
RS4-2068702	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, iCS-ECAT	25650.00	EC003245	700377	4549734704458			IB	IBA	NLD	8479.5000.00
RS4-2068704	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, iCS-ECAT	26680.00	EC003245	700376	4549734704465			IB	IBA	NLD	8479.5000.00

Robot QAT Delta

17201-45604	Hornet 565, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP20, ePLC	22120.00	EC003245	683024	4549734263726			IB	IBB	NLD	8479.5000.00
17214-26001	Quattro 650H, 6 kg payload, 1300mm diameter reach, P31, 46.25° rotation, 4 axis, 500mm Zaxis, IP20 Base, IP67 Tooling, ePLC	40420.00	EC003245	683109	4549734263771			IB	IBB	NLD	8479.5000.00
RX3-2065600	iX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP20, iCS-ECAT	26130.00	EC003245	700740	4549734704472			IB	IBB	NLD	8479.5000.00
RX3-2065604	iX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP20, iCS-ECAT	30470.00	EC003245	700742	4549734704496			IB	IBB	NLD	8479.5000.00
RX3-2065610	iX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP65, iCS-ECAT	27210.00	EC003245	700741	4549734704489			IB	IBB	NLD	8479.5000.00
RX3-2065614	iX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP65, iCS-ECAT	31550.00	EC003245	700743	4549734704502			IB	IBB	NLD	8479.5000.00
RX4-2166000	iX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-ECAT	40260.00	EC003245	700744	4549734704519			IB	IBB	NLD	8479.5000.00
RX4-2166001	iX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-ECAT	40260.00	EC003245	700747	4549734704540			IB	IBB	NLD	8479.5000.00
RX4-2166002	iX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-ECAT	40260.00	EC003245	700750	4549734704571			IB	IBB	NLD	8479.5000.00
RX4-2166004	iX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-ECAT	40260.00	EC003245	700753	4549734704601			IB	IBB	NLD	8479.5000.00
RX4-2166010	iX4-650HS, 8 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-ECAT	46780.00	EC003245	700745	4549734704526			IB	IBB	NLD	8479.5000.00
RX4-2166011	iX4-650HS, 3 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-ECAT	46780.00	EC003245	700748	4549734704557			IB	IBB	NLD	8479.5000.00
RX4-2166012	iX4-650HS, 3 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-ECAT	46780.00	EC003245	700751	4549734704588			IB	IBB	NLD	8479.5000.00
RX4-2166014	iX4-650HS, 3 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-ECAT	46780.00	EC003245	700754	4549734704618			IB	IBB	NLD	8479.5000.00
RX4-2166020	iX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-ECAT	41340.00	EC003245	700746	4549734704533			IB	IBB	NLD	8479.5000.00
RX4-2166021	iX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-ECAT	41340.00	EC003245	700749	4549734704564			IB	IBB	NLD	8479.5000.00
RX4-2166022	iX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-ECAT	41340.00	EC003245	700752	4549734704595			IB	IBB	NLD	8479.5000.00
RX4-2166024	iX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-ECAT	41340.00	EC003245	700755	4549734704625			IB	IBB	NLD	8479.5000.00
RX4-2166300	iX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-ECAT	45700.00	EC003245	700756	4549734704632			IB	IBB	NLD	8479.5000.00
RX4-2166301	iX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-ECAT	45700.00	EC003245	700759	4549734704663			IB	IBB	NLD	8479.5000.00
RX4-2166302	iX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-ECAT	45700.00	EC003245	700762	4549734704694			IB	IBB	NLD	8479.5000.00
RX4-2166304	iX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-ECAT	45700.00	EC003245	700765	4549734704724			IB	IBB	NLD	8479.5000.00
RX4-2166310	iX4-800HS, 7 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-ECAT	52300.00	EC003245	700757	4549734704649			IB	IBB	NLD	8479.5000.00
RX4-2166311	iX4-800HS, 1 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-ECAT	52300.00	EC003245	700760	4549734704670			IB	IBB	NLD	8479.5000.00
RX4-2166312	iX4-800HS, 1 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-ECAT	52300.00	EC003245	700763	4549734704700			IB	IBB	NLD	8479.5000.00
RX4-2166314	iX4-800HS, 1 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-ECAT	52300.00	EC003245	700766	4549734704731			IB	IBB	NLD	8479.5000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RX4-2166320	iX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-ECAT	46780.00	EC003245	700758	4549734704656			IB	IBB	NLD	8479.5000.00
RX4-2166321	iX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-ECAT	46780.00	EC003245	700761	4549734704687			IB	IBB	NLD	8479.5000.00
RX4-2166322	iX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-ECAT	46780.00	EC003245	700764	4549734704717			IB	IBB	NLD	8479.5000.00
RX4-2166324	iX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-ECAT	46780.00	EC003245	700767	4549734704748			IB	IBB	NLD	8479.5000.00
Robot OAT Articulated											
17201-36000	Viper 650, 5 kg payload, 653mm reach, 6 axis, IP40, ePLC	27880.00	EC003245	687015	4548583805330			IB	IBC	JPN	8479.5000.00
17201-38000	Viper 850, 5 kg payload, 855mm reach, 6 axis, IP40, ePLC	33910.00	EC003245	687014	4548583805347	#		IB	IBC	JPN	8479.5000.00
17203-36000	Viper 650, Add-On, 5 kg payload, 653mm reach, 6 axis, IP40, ePLC	27940.00	EC003245	687016	4548583805354			IB	IBC	JPN	8479.5000.00
17203-38000	Viper 850, Add-On, 5 kg payload, 855mm reach, 6 axis, IP40, ePLC	33850.00	EC003245	687017	4548583805361			IB	IBC	JPN	8479.5000.00
RL6-2066000	Viper 650, 5 kg payload, 653 mm reach, 6 axis, IP40, EtherCAT	31650.00	EC003245	699099	4549734685795			IB	IBC	JPN	8479.5000.00
RL6-2066010	Viper 650, 5 kg payload, 653 mm reach, 6 axis, IP65, EtherCAT	47880.00	EC003245	699098	4549734685801			IB	IBC	JPN	8479.5000.00
RL6-2066020	Viper 650, 5 kg payload, 653 mm reach, 6 axis, Cleanroom, EtherCAT	48370.00	EC003245	699097	4549734685818			IB	IBC	JPN	8479.5000.00
RL6-2068000	Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP40, EtherCAT	32920.00	EC003245	699096	4549734685825			IB	IBC	JPN	8479.5000.00
RL6-2068010	Viper 850, 5 kg payload, 855 mm reach, 6 axis, IP65, EtherCAT	51000.00	EC003245	699095	4549734685832			IB	IBC	JPN	8479.5000.00
RL6-2068020	Viper 850, 5 kg payload, 855 mm reach, 6 axis, Cleanroom, EtherCAT	50100.00	EC003245	699094	4549734685849			IB	IBC	JPN	8479.5000.00
Robot OAT Mobile Light Duty											
37032-10004	Mobile Robot Starter Kit, LD-60, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	32520.00	EC000000	687560	4549734491327	#		IB	IBD	JPN	8479.5000.00
37042-00002	Mobile Robot Docking Station Kit, LD-90, Charger, without Battery, with OS32C LIDAR	31010.00	EC000000	687600	4549734491341	#		IB	IBD	JPN	8479.5000.00
37042-10004	Mobile Robot Starter Kit, LD-90, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	32520.00	EC000000	687558	4549734491358			IB	IBD	JPN	8479.5000.00
37222-00002	Mobile Robot Docking Station Kit, LD-250, Charger, without Battery, with OS32C LIDAR	41410.00	EC000000	690744	4549734578653			IB	IBD	JPN	8479.5000.00
37222-10004	Mobile Robot Starter Kit, LD-250, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	42930.00	EC000000	690745	4549734578660			IB	IBD	JPN	8479.5000.00
20452-000	Mobile Robot Battery for all LD	4308.00	EC000000	690742	4549734580120	#		IB	IBD	USA	8507.6000.90
Robot OAT Collaborative											
RT6-0007001	Bundle, Cobot, TM5-700, HW3.2	24970.00	EC003245	701888	4549734596527			IB	IBE	TWN	8479.5000.00
RT6-0007002	Bundle, Cobot, TM5-700, 12 m cable, HW3.2	26010.00	EC003245	701889	4549734596534			IB	IBE	TWN	8479.5000.00
RT6-0007021	Bundle, Cobot, TM5-700, HW3.2, PROFINET & EtherNet/IP	26020.00	EC003245	701923	4549734671354			IB	IBE	TWN	8479.5000.00
RT6-0007022	Bundle, Cobot, TM5-700, 12 m cable, HW3.2, PROFINET & EtherNet/IP	27060.00	EC003245	701924	4549734671361			IB	IBE	TWN	8479.5000.00
RT6-0009001	Bundle, Cobot, TM5-900, HW3.2	24970.00	EC003245	701895	4549734596596			IB	IBE	TWN	8479.5000.00
RT6-0009002	Bundle, Cobot, TM5-900, 12 m cable, HW3.2	26010.00	EC003245	701896	4549734596602			IB	IBE	TWN	8479.5000.00
RT6-0009021	Bundle, Cobot, TM5-900, HW3.2, PROFINET & EtherNet/IP	26020.00	EC003245	701929	4549734671415			IB	IBE	TWN	8479.5000.00
RT6-0009022	Bundle, Cobot, TM5-900, 12 m cable, HW3.2, PROFINET & EtherNet/IP	27060.00	EC003245	701930	4549734671422			IB	IBE	TWN	8479.5000.00
RT6-0017001	Bundle, Cobot, TM5X-700 (model without camera), HW3.2	23930.00	EC003245	701890	4549734596541			IB	IBE	TWN	8479.5000.00
RT6-0017002	Bundle, Cobot, TM5X-700 (model without camera), 12 m cable, HW3.2	24970.00	EC003245	701891	4549734596558			IB	IBE	TWN	8479.5000.00
RT6-0017021	Bundle, Cobot, TM5X-700 (model without camera), HW3.2, PROFINET & EtherNet/IP	24980.00	EC003245	701925	4549734671378			IB	IBE	TWN	8479.5000.00
RT6-0017022	Bundle, Cobot, TM5X-700 (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	26020.00	EC003245	701926	4549734671385			IB	IBE	TWN	8479.5000.00
RT6-0019001	Bundle, Cobot, TM5X-900 (model without camera), HW3.2	23930.00	EC003245	701898	4549734596626			IB	IBE	TWN	8479.5000.00
RT6-0019002	Bundle, Cobot, TM5X-900 (model without camera), 12 m cable, HW3.2	24970.00	EC003245	701899	4549734596633			IB	IBE	TWN	8479.5000.00
RT6-0019021	Bundle, Cobot, TM5X-900 (model without camera), HW3.2, PROFINET & EtherNet/IP	24980.00	EC003245	701932	4549734671446			IB	IBE	TWN	8479.5000.00
RT6-0019022	Bundle, Cobot, TM5X-900 (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	26020.00	EC003245	701933	4549734671453			IB	IBE	TWN	8479.5000.00
RT6-0107001	Bundle, Cobot, TM5M-700, HW3.2	28090.00	EC003245	701892	4549734596565			IB	IBE	TWN	8479.5000.00
RT6-0107011	Bundle, Cobot, TM5M-700, Semi, HW3.2	31210.00	EC003245	701893	4549734596572			IB	IBE	TWN	8479.5000.00
RT6-0107021	Bundle, Cobot, TM5M-700, HW3.2, PROFINET & EtherNet/IP	29140.00	EC003245	701927	4549734671392			IB	IBE	TWN	8479.5000.00
RT6-0109001	Bundle, Cobot, TM5M-900, HW3.2	28090.00	EC003245	701897	4549734596619			IB	IBE	TWN	8479.5000.00
RT6-0109011	Bundle, Cobot, TM5M-900, Semi, HW3.2	31210.00	EC003245	701900	4549734596640			IB	IBE	TWN	8479.5000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RT6-0109021	Bundle, Cobot, TM5M-900, HW3.2, PROFINET & EtherNet/IP	29140.00	EC003245	701931	4549734671439			IB	IBE	TWN	8479.5000.00
RT6-0117001	Bundle, Cobot, TM5MX-700 (model without camera), HW3.2	27050.00	EC003245	701894	4549734596589			IB	IBE	TWN	8479.5000.00
RT6-0117021	Bundle, Cobot, TM5MX-700 (model without camera), HW3.2, PROFINET & EtherNet/IP	28100.00	EC003245	701928	4549734671408			IB	IBE	TWN	8479.5000.00
RT6-0119001	Bundle, Cobot, TM5MX-900 (model without camera), HW3.2	27050.00	EC003245	701901	4549734596657			IB	IBE	TWN	8479.5000.00
RT6-0119021	Bundle, Cobot, TM5MX-900 (model without camera), HW3.2, PROFINET & EtherNet/IP	28100.00	EC003245	701934	4549734671460			IB	IBE	TWN	8479.5000.00
RT6-1001301	Bundle, Cobot, TM12, HW3.2	34330.00	EC003245	701902	4549734596664			IB	IBE	TWN	8479.5000.00
RT6-1001302	Bundle, Cobot, TM12, 12 m cable, HW3.2	35380.00	EC003245	701903	4549734596671			IB	IBE	TWN	8479.5000.00
RT6-1001321	Bundle, Cobot, TM12, HW3.2, PROFINET & EtherNet/IP	35390.00	EC003245	701935	4549734671477			IB	IBE	TWN	8479.5000.00
RT6-1001322	Bundle, Cobot, TM12, 12 m cable, HW3.2, PROFINET & EtherNet/IP	36430.00	EC003245	701936	4549734671484			IB	IBE	TWN	8479.5000.00
RT6-1011301	Bundle, Cobot, TM12X (model without camera), HW3.2	33290.00	EC003245	701904	4549734596688			IB	IBE	TWN	8479.5000.00
RT6-1011302	Bundle, Cobot, TM12X (model without camera), 12 m cable, HW3.2	34330.00	EC003245	701905	4549734596695			IB	IBE	TWN	8479.5000.00
RT6-1011321	Bundle, Cobot, TM12X (model without camera), HW3.2, PROFINET & EtherNet/IP	34350.00	EC003245	701937	4549734671491			IB	IBE	TWN	8479.5000.00
RT6-1011322	Bundle, Cobot, TM12X (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	35390.00	EC003245	701938	4549734671507			IB	IBE	TWN	8479.5000.00
RT6-1101301	Bundle, Cobot, TM12M, HW3.2	37460.00	EC003245	701906	4549734596701			IB	IBE	TWN	8479.5000.00
RT6-1101311	Bundle, Cobot, TM12M, Semi, HW3.2	41620.00	EC003245	701907	4549734596718			IB	IBE	TWN	8479.5000.00
RT6-1101321	Bundle, Cobot, TM12M, HW3.2, PROFINET & EtherNet/IP	38510.00	EC003245	701939	4549734671514			IB	IBE	TWN	8479.5000.00
RT6-1111301	Bundle, Cobot, TM12MX (model without camera), HW3.2	36420.00	EC003245	701908	4549734596725			IB	IBE	TWN	8479.5000.00
RT6-1111321	Bundle, Cobot, TM12MX (model without camera), HW3.2, PROFINET & EtherNet/IP	37470.00	EC003245	701940	4549734671521			IB	IBE	TWN	8479.5000.00
RT6-2001101	Bundle, Cobot, TM14, HW3.2	36420.00	EC003245	701909	4549734596732			IB	IBE	TWN	8479.5000.00
RT6-2001102	Bundle, Cobot, TM14, 12 m cable, HW3.2	37460.00	EC003245	701910	4549734596749			IB	IBE	TWN	8479.5000.00
RT6-2001121	Bundle, Cobot, TM14, HW3.2, PROFINET & EtherNet/IP	37470.00	EC003245	701941	4549734671538			IB	IBE	TWN	8479.5000.00
RT6-2001122	Bundle, Cobot, TM14, 12 m cable, HW3.2, PROFINET & EtherNet/IP	38510.00	EC003245	701942	4549734671545			IB	IBE	TWN	8479.5000.00
RT6-2011101	Bundle, Cobot, TM14X (model without camera), HW3.2	35380.00	EC003245	701911	4549734596756			IB	IBE	TWN	8479.5000.00
RT6-2011102	Bundle, Cobot, TM14X (model without camera), 12 m cable, HW3.2	36420.00	EC003245	701912	4549734596763			IB	IBE	TWN	8479.5000.00
RT6-2011121	Bundle, Cobot, TM14X (model without camera), HW3.2, PROFINET & EtherNet/IP	36430.00	EC003245	701943	4549734671552			IB	IBE	TWN	8479.5000.00
RT6-2011122	Bundle, Cobot, TM14X (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	37470.00	EC003245	701944	4549734671569			IB	IBE	TWN	8479.5000.00
RT6-2101101	Bundle, Cobot, TM14M, HW3.2	39540.00	EC003245	701913	4549734596770			IB	IBE	TWN	8479.5000.00
RT6-2101111	Bundle, Cobot, TM14M, Semi, HW3.2	43700.00	EC003245	701914	4549734596787			IB	IBE	TWN	8479.5000.00
RT6-2101121	Bundle, Cobot, TM14M, HW3.2, PROFINET & EtherNet/IP	40590.00	EC003245	701945	4549734671576			IB	IBE	TWN	8479.5000.00
RT6-2111101	Bundle, Cobot, TM14MX (model without camera), HW3.2	38500.00	EC003245	701915	4549734596794			IB	IBE	TWN	8479.5000.00
RT6-2111121	Bundle, Cobot, TM14MX (model without camera), HW3.2, PROFINET & EtherNet/IP	39550.00	EC003245	701887	4549734671583			IB	IBE	TWN	8479.5000.00

Robot Mobile Heavy Duty

68330-000	Mobile Robot Battery for HD-1500	17400.00	EC000000	695899	4549734670609			IB	IBH	USA	8507.6000.90
-----------	----------------------------------	----------	----------	--------	---------------	--	--	----	-----	-----	--------------

Robot OAT Other

2FG7-GRIPPER	2FG7 Gripper OnRobot	3621.00	EC003554	699513	4549734892759			IB	IBS	DNK	8479.9070.99
3FG15-3-FINGER-GRIPPER	3FG15-3-FINGER-GRIPPER OnRobot	4173.00	EC003554	699475	4549734892506			IB	IBS	DNK	8479.9070.99
ACC-SPLIT-M12-2:1	Robotiq Gripper - Kit Dual - Cable Splitter	164.50	EC003554	688232	4549734970679			IB	IBS	CAN	8479.9070.99
AGC-APL-159-002	Robotiq Gripper - Kit Dual - Adapteur plate with a "Y" shape to install 2 grippers at the wrist	450.80	EC003554	688233	4549734970686			IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-140	Gripper Robotiq 2F-140 kit	4084.00	EC003554	687100	4549734967860			IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85	Gripper Robotiq 2F-85 kit	3952.00	EC003554	687101	4549734967877			IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85-W	Gripper Robotiq 2F-85 kit with Wrist Connect Kit	3952.00	EC003554	691034	4549734985215			IB	IBS	CAN	8479.9070.99
DUAL-QUICK-CHANGER	Dual Quick Changer OnRobot	2311.00	EC003554	696375	4549734889704			IB	IBS	DNK	8479.9070.99
DUAL-QUICK-CHANGER-DEMO	Dual Quick Changer OnRobot Demo	1822.00	EC003554	696420	4549734889971			IB	IBS	DNK	8479.9070.99
FTS-300-S-OMRON-KIT	Force Sensor Robotiq FT-300 kit	4174.00	EC003554	702920	4549734796330			IB	IBS	CAN	8479.9070.99
GECKO-SP1-GRIPPER	GECKO-SP1-Gripper OnRobot	765.00	EC003554	696381	4549734889766			IB	IBS	DNK	8479.9070.99
GECKO-SP3-GRIPPER	GECKO-SP3-Gripper OnRobot	765.00	EC003554	696380	4549734889759			IB	IBS	DNK	8479.9070.99
GECKO-SP5-GRIPPER	GECKO-SP5-Gripper OnRobot	765.00	EC003554	696379	4549734889742			IB	IBS	DNK	8479.9070.99
HEX-E-ETHERCAT-FLANGE-A	OnRobot HEX-E w/ EtherCAT Converter & Flange A	4630.00	EC003554	699516	4549734892780			IB	IBS	HUN	8479.9070.99
HND-OMRON-KIT	Gripper Robotiq Hand-E kit	3288.00	EC003554	687099	4549734967853			IB	IBS	CAN	8479.9070.99
HND-OMRON-KIT-W	Gripper Robotiq Hand-E kit with Wrist Connect Kit	3288.00	EC003554	691033	4549734985208			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT	I/O Coupling Kit	689.50	EC003554	691042	4549734985291			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT-DEMO	I/O Coupling Kit DEMO	334.20	EC003554	691043	4549734985307			IB	IBS	CAN	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MG10	MG10-Gripper OnRobot	2184.00	EC003554	702226	4549734792417			IB	IBS	DNK	8479.9070.99
OMRON-TM-ROBOT-KIT	OnRobot Omron TM Robot Kit	780.50	EC003554	699469	4549734892445			IB	IBS	DNK	9031.8080.00
ONROBOTSANDER	OnRobot Sander	2717.00	EC003554	699527	4549734892865			IB	IBS	DNK	8479.9070.99
ONROBOT-SANDER-ACCESSORY-KIT	OnRobot Sander Accessory Kit	1052.00	EC003554	699528	4549734892872			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT	Quick Changer Kit OnRobot	1083.00	EC003554	696376	4549734889711			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT-DEMO	Quick Changer Kit OnRobot Demo	780.50	EC003554	696419	4549734889964			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE	Quick Changer Robot Side OnRobot	489.00	EC003554	696378	4549734889735			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-4.5A	Quick Changer Robot Side 4.5A OnRobot	510.00	EC003554	699470	4549734892452			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-DEMO	Quick Changer Robot Side OnRobot Demo	390.20	EC003554	696417	4549734889940			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE	Quick Changer Tool Side OnRobot	489.00	EC003554	696377	4549734889728			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE-DEMO	Quick Changer Tool Side OnRobot Demo	390.20	EC003554	696418	4549734889957			IB	IBS	DNK	8479.9070.99
RAIL-M4	OnRobot Rail M4	260.10	EC003554	699514	4549734892766			IB	IBS	JPN	8479.9070.99
RG2-FT	RG2-FT Gripper OnRobot	8890.00	EC003554	699477	4549734892520			IB	IBS	DNK	8479.9070.99
RG2-GRIPPER	RG2-Gripper OnRobot	4422.00	EC003554	696374	4549734889698			IB	IBS	DNK	8479.9070.99
RG2-GRIPPER-DEMO	RG2-Gripper OnRobot Demo	3445.00	EC003554	696414	4549734889919			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER	RG6-Gripper OnRobot	5300.00	EC003554	696383	4549734889780			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER-DEMO	RG6-Gripper OnRobot Demo	4131.00	EC003554	696415	4549734889926			IB	IBS	DNK	8479.9070.99
SCREWDRIVER	Screwdriver OnRobot	7050.00	EC003554	699495	4549734892629			IB	IBS	DNK	8479.9070.99
SCREWDRIVER-ACCESSORY-KIT	Screwdriver Accessory Kit OnRobot	1197.00	EC003554	699512	4549734892742			IB	IBS	DNK	8479.9070.99
SCREW-FEEDER-M2-M6	OnRobot Screw Feeder M2-M6	2030.00	EC003554	699515	4549734892773			IB	IBS	DNK	8479.9070.99
SG-A-H	Soft Gripper SG-A-H OnRobot	926.00	EC003554	699473	4549734892483			IB	IBS	DNK	8479.9070.99
SG-A-S	Soft Gripper SG-A-S OnRobot	926.00	EC003554	699472	4549734892476			IB	IBS	DNK	8479.9070.99
SG-BASE-PART	Soft Gripper Base Part OnRobot	3746.00	EC003554	699474	4549734892490			IB	IBS	DNK	8479.9070.99
SG-B-H	Soft Gripper SG-B-H OnRobot	926.00	EC003554	699471	4549734892469			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER	VG10-Gripper OnRobot	4973.00	EC003554	696382	4549734889773			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER-DEMO	VG10-Gripper OnRobot Demo	3590.00	EC003554	696416	4549734889933			IB	IBS	DNK	8479.9070.99
VGC10	VGC10-Gripper OnRobot	2956.00	EC003554	699476	4549734892513			IB	IBS	DNK	8479.9070.99
VGP20-EXTENDER	VGP20-Extender. Only for Cobots with camera - OnRobot	123.60	EC003554	702227	4549734792424			IB	IBS	DNK	8479.9070.99
VGP20-GRIPPER	VGP20-Gripper OnRobot	5010.00	EC003554	702228	4549734792431			IB	IBS	DNK	8479.9070.99

Robot OAT Collaborative Accessories

RT6-A000002	Accessory, TM, Kit, Calibration Set with Additional Pin	364.20	EC003554	701917	4549734488877			IB	IBV	TWN	8479.5000.00
RT6-A000004	Accessory, TM, USB DONGLE	149.20	EC003554	685101	4549734488884	#		IB	IBV	TWN	8479.5000.00
RT6-A000008	Accessory, TM, TM LAND MARK	7.29	EC003554	701918	4549734488891			IB	IBV	TWN	8479.5000.00
RT6-A000009	Accessory, TM, ROBOT STAND	3111.00	EC003554	701919	4549734488907			IB	IBV	TWN	8479.5000.00
RT6-A000012	Accessory, TM, Kit, SSD with Cable	270.50	EC003554	701921	4549734488921			IB	IBV	CHN	8479.5000.00
RT6-A000020	Omron TM Cobot Teach Pendant	2462.00	EC003554	701368	4549734717885			IB	IBV	TWN	8479.9070.99
RT6-A000021	Accessory, OMRON LAND MARK	7.21	EC003554	702012	4549734715713			IB	IBV	TWN	8479.5000.00
RT6-S100000	License, Software, TM Identify & Measure	2258.00	EC003554	685094	4549734488969			IB	IBV	TWN	8479.5000.00
RT6-S100003	License, Software, TM OCR	635.00	EC003554	685092	4549734488983			IB	IBV	TWN	8479.5000.00
RT6-S100005	License, Software, TMFlow Editor - Offline AOI	552.00	EC003554	685091	4549734488990			IB	IBV	TWN	8479.5000.00
RT6-S100006	License, Software, Omron TM Operator Suite	1638.00	EC003554	701372	4549734711449			IB	IBV	TWN	8479.9070.99
RT6-S100009	License, Software, Omron TM Runtime & Palletizing Wizard	370.80	EC003554	701369	4549734711470			IB	IBV	TWN	8479.9070.99
RT6-S200001	License, TMFlow Editor	552.00	EC003554	685095	4549734488945			IB	IBV	TWN	8479.5000.00

Robot OAT Mobile Accessories

20271-900	Primary Fleet Manager, EM2100 Base package, 120 Day Temporary FLOW Core License	8845.00	EC000000	701985	4549734511315			IB	IBW	USA	8479.9070.99
20271-901	Secondary Fleet Manager, EM2100 Base package, 120 Day Temporary FLOW Core License	8845.00	EC000000	701986	4549734511322			IB	IBW	USA	8479.9070.99
12477-000	Mobile Robot Charging Station (For LD-60/90/250)	6235.00	EC000000	680095	4549734189873			IB	IBW	JPN	8479.9070.99
13029-802	Mobile Robot Call/Door Box, Wifi	2327.00	EC000000	679614	4549734133876			IB	IBW	USA	8536.6990.99
13456-000	Side Lasers Bundle (2 lasers, one cable and 2 brackets) - For LD-60/90/250	5415.00	EC000000	679594	4549734123013			IB	IBW	MYS	8479.9070.99
13456-100	Side Lasers Kit (2 lasers, 2 painted metal covers, one cable and 2 brackets) - For LD-60/90/250	5890.00	EC000000	679597	4549734133852			IB	IBW	MYS	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
13558-000	Joystick (for all LD)	1083.00	EC000000	679605	4549734123655			IB	IBW	USA	8537.1098.99
13605-000	HMI (7" touchscreen, cables, power supply, mounting gasket)	3691.00	EC000000	679611	4549734123211	#		IB	IBW	GBR	8479.9070.99
13660-000	Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Double Sensor, Magnetic tape, 50 m roll	4450.00	EC000000	679613	4549734133807	#		IB	IBW	CHN	8479.9070.99
13660-100	Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Single Sensor, Magnetic tape, 50 m roll	3940.00	EC000000	679601	4549734123037			IB	IBW	CHN	8479.9070.99
13700-000	Mobile Robot Acuity Option with leveling kit	7560.00	EC000000	679598	4549734133821			IB	IBW	DEU	8479.9070.99
14165-000	DB44HD Breakout cable	426.00	EC000000	679615	4549734133845	#		IB	IBW	USA	8544.4290.90
21374-100	Mobile Robot HAPS (High Accuracy Positioning System) option LD-250 - Single Sensor, Magnetic tape, 50 m roll	3943.00	EC000000	691155	4549734596121			IB	IBW	CHN	8479.9070.99
Robot OAT Accessories											
02853-000	ADEPT Cobra 600/800 All Spare_Part Valve Kit, 24VDC	846.50	EC003554	698719	4549734680714			IB	IBZ	USA	8479.9070.99
10051-003	ADEPT Cobra 600/800 All Spare_Part T20 Pendant Adapter Cable	472.30	EC003554	698722	4549734680370			IB	IBZ	CHN	8544.4290.90
21636-000	i4H Adapter Plate (available to mount the robot to a mounting surface designed for an eCobra 600/800 robot type).	231.80	EC003554	702734	4549734723008			IB	IBZ	USA	8479.9070.99
14161-200	Kit, Intelligent Force Sensing, Viper 650/850	11530.00	EC003554	698735	4549734677295			IB	IBZ	USA	8479.9070.99
14161-300	Kit, Intelligent Force Sensing, Hornet and Quattro	11530.00	EC003554	673729	4548583989931			IB	IBZ	USA	8479.9070.99
14161-300	Kit, Intelligent Force Sensing, Hornet and Quattro	11530.00	EC003554	698734	4549734677301			IB	IBZ	USA	8479.9070.99
05284-101	Anyfeeder Surface, POM, Flat, White, SX240	279.70	EC000000	682872	4549734264648			IB	IBZ	CHE	8479.9070.99
05284-208	Anyfeeder Backlight - IR 875 nm, SX240	2811.00		682875	4549734264716			IB	IBZ	CHE	8479.9070.99
09725-301	Anyfeeder Surface, POM, Flat, White, SXM140	228.40	EC000000	682842	4549734264785			IB	IBZ	CHE	8479.9070.99
12480-501	Anyfeeder SX240, No Feed Surface, integrated Backlight (IR)	22040.00		687078	4549734491525			IB	IBZ	CHE	8479.9070.99
14269-003	Anyfeeder Surface, POM, Flat, White, SX340	520.50	EC000000	682882	4549734264860			IB	IBZ	CHE	8479.9070.99
14269-500	Anyfeeder SX-340 without Feed Surface	26700.00		682851	4549734264907			IB	IBZ	CHE	8479.9070.99
14269-501	Anyfeeder SX340, No Feed Surface, integrated Backlight (IR)	27770.00		687076	4549734491549			IB	IBZ	CHE	8479.9070.99
01056-030	ACE Adept Sight 3.0 Vision Software	4653.00	EC003554	698752	4549734676960			IB	IBZ	USA	8479.9070.99
04677-030	IO Blox extension cable, 3.0 m (connects IO Blox to robot)	196.90	EC003554	698748	4549734677028			IB	IBZ	USA	8544.4290.90
04679-003	IO Blox extension cable, 0.3 m (connects IO Blox to IO Blox)	196.90	EC003554	698750	4549734677004			IB	IBZ	USA	8544.4290.90
09187-000	ACE PackXpert License	2764.00	EC003554	698753	4549734676946			IB	IBZ	USA	8479.9070.99
09187-010	ACE PackXpert with ACE adeptSight Vision	6725.00	EC003554	698751	4549734676991			IB	IBZ	USA	8479.9070.99
09438-000	Breakout Terminal Block, DB50 Male, DIN Rail Mount	361.90	EC003554	698747	4549734677035			IB	IBZ	USA	8536.9010.00
09443-000	Cable, Belt Encoder to M12 Female, Y-Adapter, 2-Encoder Support, 3 m	191.40	EC003554	698745	4549734677172			IB	IBZ	USA	8544.4290.90
09446-050	Encoder Extension Cable, M12 Male to M12 Female, 8-pin, 5 m	284.60	EC003554	698744	4549734677189			IB	IBZ	USA	8544.4290.90
09742-000	Adept TR-1 Conveyor Encoder Kit IP65	1429.00	EC003554	698717	4549734680783			IB	IBZ	USA	8479.9070.99
09742-001	Adept TR-1 Conveyor Encoder Kit IP65 (add-on)	947.00	EC003554	698718	4549734680738			IB	IBZ	USA	8479.9070.99
10046-010	T20 Pendant with 10 m Cable (jumper plug included)	2268.00	EC003554	698737	4549734677271			IB	IBZ	USA	8537.1098.99
10048-000	T20 Pendant-Jumper Plug	98.30	EC003554	698728	4549734678261			IB	IBZ	USA	8536.9010.00
11585-000	Cable, eAIB XSYS Cable, 14 ft	149.40	EC003554	687054	4549734492089			IB	IBZ	USA	8479.9070.99
12061-012	Lens, Pentax M Series, 12 mm Focal Length, C Mount	683.00	EC003554	687070	4549734491921			IB	IBZ	VNM	8479.9070.99
12061-050	Lens, Pentax M Series, 50 mm Focal Length, C Mount	683.00	EC003554	687069	4549734491938			IB	IBZ	VNM	8479.9070.99
12061-075	Lens, Pentax M Series, 75 mm Focal Length, C Mount	683.00	EC003554	687068	4549734491945			IB	IBZ	VNM	8479.9070.99
13323-000	Cable assembly XSYSTEM Adapter with jumper	149.40	EC003554	687053	4549734492096			IB	IBZ	USA	8479.9070.99
13463-000	XBELTIO Cable	304.10	EC003554	687052	4549734492102	#		IB	IBZ	USA	8479.9070.99
14161-100	Kit, Intelligent Force Sensing, eCobra 600/800 (Std/Pro)	11530.00	EC003554	698736	4549734677288			IB	IBZ	USA	8479.9070.99
19300-000	SmartController EX with Front Panel	4126.00	EC003554	698746	4549734677066			IB	IBZ	USA	8479.9070.99
20410-000	ACE Sight Software License (4x)	5005.00	EC003554	688613	4549734524070	#		IB	IBZ	USA	8479.9070.99
20433-000	PackXpert + ACE Sight Software License (4x)	7245.00	EC003554	688614	4549734524087	#		IB	IBZ	USA	8479.9070.99
21857-100	Kit, Small Scanner + 3D Pick Manager License	20600.00	EC003554	702136	4549734605465			IB	IBZ	SVK	8479.9070.99
21857-200	Kit, Medium Scanner + 3D Pick Manager License	25750.00	EC003554	702135	4549734605472			IB	IBZ	SVK	8479.9070.99
21857-300	Kit, Large Scanner + 3D Pick Manager License	30900.00	EC003554	702134	4549734605489			IB	IBZ	SVK	8479.9070.99

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
24114-250	Kit, Camera, GigE PoE, 1600 x 1200, 60 fps, B/W, ACE, 1/1.8" CMOS	1216.00	EC003554	687063	4549734491990	#		IB	IBZ	DEU	8479.9070.99
24114-251	Kit, Camera, GigE PoE, 1600 x 1200, 60 fps, Color, ACE, 1/1.8" CMOS	1216.00	EC003554	687062	4549734492003			IB	IBZ	DEU	8479.9070.99
24114-300	Kit, Camera, GigE PoE, 2048 x 2048, 25 fps, B/W, ACE, 1" CMOS	3403.00	EC003554	687061	4549734492010	#		IB	IBZ	DEU	8479.9070.99
90565-010	AC Power Cable Kit	683.00	EC003554	698742	4549734677202			IB	IBZ	USA	8544.4290.99
27400-29006	Lamp, Filmnt, W2x4.6D,6V,1,2	12.28	EC003554	698732	4549734677585			IB	IBZ	USA	8539.2998.99
90330-01080	Digital I/O Cable, 5 m	683.00	EC003554	698721	4549734680417			IB	IBZ	USA	8544.4290.99
90356-30100	IO Blox 8/P-8/OP (expansion - connects to previous IO Blox)	486.00	EC003554	698724	4549734679800			IB	IBZ	USA	8536.9010.00
90356-30200	IO Blox 8/P-8/OP (1st IO Blox - connects to robot)	486.00	EC003554	698723	4549734679930			IB	IBZ	USA	8536.9010.00
90356-40100	XIO Termination Block, 12/P-8/OP	486.00	EC003554	698725	4549734679572			IB	IBZ	USA	8536.9010.00
AC1-152000	IPC Robots, Application Controller	4128.00	EC003554	688611	4549734524056	#		IB	IBZ	NLD	8471.5000.00
1S-Series Drives											
R88D-1SN01H-ECT	1S servo drive, EtherCAT type, 100 W, 1~ 230 VAC	785.50	EC002572	670725	4548583789166	#		MB	MBA	JPN	8501.4020.80
R88D-1SN02H-ECT	1S servo drive, EtherCAT type, 200 W, 1~ 230 VAC	967.50	EC002572	670719	4548583789173	#		MB	MBA	JPN	8501.4020.80
R88D-1SN04H-ECT	1S servo drive, EtherCAT type, 400 W, 1~ 230 VAC	1030.00	EC002572	670727	4548583789180	#		MB	MBA	JPN	8501.4020.80
R88D-1SN06F-ECT	1S servo drive, EtherCAT type, 600 W, 3~ 400 VAC	1057.00	EC002572	670720	4548583789241	#		MB	MBA	JPN	8501.4020.80
R88D-1SN08H-ECT	1S servo drive, EtherCAT type, 800 W, 1~ 230 VAC	1050.00	EC002572	670726	4548583789197	#		MB	MBA	JPN	8501.4020.80
R88D-1SN10F-ECT	1S servo drive, EtherCAT type, 1 kW, 3~ 400 VAC	1130.00	EC002572	670723	4548583789258	#		MB	MBA	JPN	8501.4020.80
R88D-1SN150F-ECT	1S servo drive, EtherCAT type, 15 kW, 3~ 400 VAC	6500.00	EC002572	689222	4549734210041			MB	MBA	JPN	9032.8900.99
R88D-1SN15F-ECT	1S servo drive, EtherCAT type, 1.5 kW, 3~ 400 VAC	1175.00	EC002572	670721	4548583789265	#		MB	MBA	JPN	8501.4020.80
R88D-1SN15H-ECT	1S servo drive, EtherCAT type, 1.5 kW, 1~ 230 VAC	1530.00	EC002572	670724	4548583789210	#		MB	MBA	JPN	8501.4020.80
R88D-1SN20F-ECT	1S servo drive, EtherCAT type, 2 kW, 3~ 400 VAC	1426.00	EC002572	670728	4548583789272	#		MB	MBA	JPN	8501.4020.80
R88D-1SN30F-ECT	1S servo drive, EtherCAT type, 3 kW, 3~ 400 VAC	1557.00	EC002572	670722	4548583789289	#		MB	MBA	JPN	8501.4020.80
R88D-1SN55F-ECT	1S servo drive, EtherCAT type, 5.5 kW, 3~ 400 VAC	2369.00	EC002572	689220	4549734210027	#		MB	MBA	PHL	9032.8900.99
R88D-1SN75F-ECT	1S servo drive, EtherCAT type, 7.5 kW, 3~ 400 VAC	4224.00	EC002572	689221	4549734210034	#		MB	MBA	PHL	9032.8900.99
R88D-1SAN02H-ECT	1SA servo drive with safety, EtherCAT type, 200 W, 1~ 230 VAC	1181.00	EC002572	693630	4549734219419			MB	MBA	CHN	8501.4020.80
R88D-1SAN04H-ECT	1SA servo drive with safety, EtherCAT type, 400 W, 1~ 230 VAC	1257.00	EC002572	693631	4549734219426	#		MB	MBA	CHN	8501.4020.80
R88D-1SAN08H-ECT	1SA servo drive with safety, EtherCAT type, 800 W, 1~ 230 VAC	1282.00	EC002572	693632	4549734219433			MB	MBA	CHN	8501.4020.80
R88D-1SAN10F-ECT	1SA servo drive with safety, EtherCAT type, 1 kW, 3~ 400 VAC	1380.00	EC002572	695499	4549734219488			MB	MBA	CHN	9032.8900.99
R88D-1SAN15F-ECT	1SA servo drive with safety, EtherCAT type, 1.5 kW, 3~ 400 VAC	1433.00	EC002572	695498	4549734219495			MB	MBA	CHN	9032.8900.99
R88D-1SAN15H-ECT	1SA servo drive with safety, EtherCAT type, 1.5 kW, 1~ 230 VAC	1866.00	EC002572	695500	4549734219457			MB	MBA	CHN	9032.8900.99
R88D-1SAN20F-ECT	1SA servo drive with safety, EtherCAT type, 2 kW, 3~ 400 VAC	1740.00	EC002572	695497	4549734219501	#		MB	MBA	CHN	9032.8900.99
R88D-1SAN30F-ECT	1SA servo drive with safety, EtherCAT type, 3 kW, 3~ 400 VAC	1901.00	EC002572	695496	4549734219518			MB	MBA	CHN	9032.8900.99
1S-Series Motors											
R88M-1L1K030C-B52	1S AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	1832.00	EC001851	672247	4548583789890	#		MB	MBB	JPN	8501.4020.80
R88M-1L1K030C-S2	1S AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1562.00	EC001851	672248	4548583789739	#		MB	MBB	JPN	8501.4020.80
R88M-1L1K030H-B52	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder, with brake	2096.00	EC001851	681567	4549734172479	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030H-S2	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder	1736.00	EC001851	681573	4549734172462	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030T-B52	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	1839.00	EC001851	672245	4548583789845	#		MB	MBB	JPN	8501.4020.80
R88M-1L1K030T-S2	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1522.00	EC001851	672254	4548583789685	#		MB	MBB	JPN	8501.4020.80
R88M-1L1K530C-B52	1S AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	1992.00	EC001851	672249	4548583789906	#		MB	MBB	JPN	8501.4020.80
R88M-1L1K530C-S2	1S AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder	1599.00	EC001851	672250	4548583789746	#		MB	MBB	JPN	8501.4020.80
R88M-1L1K530H-B52	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder, with brake	2415.00	EC001851	681574	4549734172493	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530H-S2	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder	1968.00	EC001851	681568	4549734172486	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530T-B52	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	2120.00	EC001851	672246	4548583789852	#		MB	MBB	JPN	8501.4020.80
R88M-1L1K530T-S2	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder	1726.00	EC001851	672255	4548583789692	#		MB	MBB	JPN	8501.4020.80
R88M-1L2K030C-B52	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, with brake	2371.00	EC001851	672244	4548583789913	#		MB	MBB	JPN	8501.4020.80
R88M-1L2K030C-S2	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder	1970.00	EC001851	672257	4548583789753	#		MB	MBB	JPN	8501.4020.80
R88M-1L3K030C-B52	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, with brake	2655.00	EC001851	672251	4548583789920	#		MB	MBB	JPN	8501.4020.80
R88M-1L3K030C-S2	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder	2257.00	EC001851	672252	4548583789760	#		MB	MBB	JPN	8501.4020.80
R88M-1L4K030C-B52	1S AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder, with brake	3338.00	EC001851	689224	4549734210669	#		MB	MBB	JPN	8501.5220.89
R88M-1L4K030C-S2	1S AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder	2779.00	EC001851	689223	4549734210645	#		MB	MBB	JPN	8501.5220.89

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-1L5K030C-B52	1S AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder, with brake	4112.00	EC001851	689226	4549734210744	#		MB	MBB	JPN	8501.5220.89
R88M-1L5K030C-S2	1S AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder	3546.00	EC001851	689225	4549734210720	#		MB	MBB	JPN	8501.5220.89
R88M-1L75030C-B52	1S AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	1816.00	EC001851	672253	4548583789883	#		MB	MBB	JPN	8501.4020.80
R88M-1L75030C-S2	1S AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1487.00	EC001851	672256	4548583789722	#		MB	MBB	JPN	8501.4020.80
R88M-1M10030H-B52	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder, with brake	871.00	EC001851	681576	4549734172394	#		MB	MBB	PHL	8501.5100.90
R88M-1M10030H-S2	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder	633.00	EC001851	681572	4549734172387	#		MB	MBB	PHL	8501.5100.90
R88M-1M10030T-B52	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder, with brake	1089.00	EC001851	670732	4548583789807	#		MB	MBB	PHL	8501.4020.80
R88M-1M10030T-S2	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder	790.50	EC001851	670742	4548583789647	#		MB	MBB	PHL	8501.4020.80
R88M-1M20030H-B52	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder, with brake	927.00	EC001851	681570	4549734172417	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030H-S2	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder	679.00	EC001851	681565	4549734172400	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030T-B52	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, with brake	1161.00	EC001851	670746	4548583789814	#		MB	MBB	PHL	8501.4020.80
R88M-1M20030T-S2	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder	848.50	EC001851	670733	4548583789654	#		MB	MBB	PHL	8501.4020.80
R88M-1M40030H-B52	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder, with brake	1068.00	EC001851	681566	4549734172431	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030H-S2	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder	795.00	EC001851	681571	4549734172424	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030T-B52	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with brake	1334.00	EC001851	670749	4548583789821	#		MB	MBB	PHL	8501.4020.80
R88M-1M40030T-S2	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder	992.00	EC001851	670755	4548583789661	#		MB	MBB	PHL	8501.4020.80
R88M-1M75030H-B52	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder, with brake	1232.00	EC001851	681563	4549734172455	#		MB	MBB	PHL	8501.5100.90
R88M-1M75030H-S2	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder	926.50	EC001851	681561	4549734172448	#		MB	MBB	PHL	8501.5100.90
R88M-1M75030T-B52	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	1537.00	EC001851	670759	4548583789838	#		MB	MBB	PHL	8501.4020.80
R88M-1M75030T-S2	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1159.00	EC001851	670744	4548583789678	#		MB	MBB	PHL	8501.4020.80
R88M-1M11K015C-B52	1S AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder, with brake	5885.00	EC001851	689234	4549734211062	#		MB	MBB	JPN	8501.5230.90
R88M-1M11K015C-S2	1S AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder	4864.00	EC001851	689233	4549734211048	#		MB	MBB	JPN	8501.5230.90
R88M-1M15K015C-B52	1S AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder, with brake	7165.00	EC001851	689236	4549734211147	#		MB	MBB	JPN	8501.5230.90
R88M-1M15K015C-S2	1S AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder	6150.00	EC001851	689235	4549734211123	#		MB	MBB	JPN	8501.5230.90
R88M-1M1K020C-B52	1S AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute encoder, with brake	1529.00	EC001851	679973	4549734165204	#		MB	MBB	PHL	8501.4020.80
R88M-1M1K020C-S2	1S AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute encoder	1087.00	EC001851	679958	4549734165105	#		MB	MBB	PHL	8501.4020.80
R88M-1M1K020H-B52	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder, with brake	1801.00	EC001851	681569	4549734172516	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020H-S2	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder	1428.00	EC001851	681575	4549734172509	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020T-B52	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute encoder, with brake	1580.00	EC001851	680427	4549734165143	#		MB	MBB	PHL	8501.4020.80
R88M-1M1K020T-S2	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute encoder	1253.00	EC001851	679974	4549734165044	#		MB	MBB	PHL	8501.4020.80
R88M-1M1K520C-B52	1S AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute encoder, with brake	1627.00	EC001851	679985	4549734165211	#		MB	MBB	PHL	8501.4020.80
R88M-1M1K520C-S2	1S AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute encoder	1376.00	EC001851	679978	4549734165112	#		MB	MBB	PHL	8501.4020.80
R88M-1M1K520H-B52	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder, with brake	1867.00	EC001851	681564	4549734172530	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520H-S2	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder	1547.00	EC001851	681577	4549734172523	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520T-B52	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute encoder, with brake	1641.00	EC001851	679957	4549734165150	#		MB	MBB	PHL	8501.4020.80
R88M-1M1K520T-S2	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute encoder	1358.00	EC001851	679979	4549734165051	#		MB	MBB	PHL	8501.4020.80
R88M-1M2K020C-B52	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute encoder, with brake	1807.00	EC001851	679953	4549734165228	#		MB	MBB	PHL	8501.4020.80
R88M-1M2K020C-S2	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute encoder	1480.00	EC001851	679952	4549734165129	#		MB	MBB	PHL	8501.4020.80
R88M-1M3K020C-B52	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute encoder, with brake	2233.00	EC001851	679972	4549734165235	#		MB	MBB	PHL	8501.4020.80
R88M-1M3K020C-S2	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute encoder	1754.00	EC001851	679984	4549734165136	#		MB	MBB	PHL	8501.4020.80
R88M-1M40020C-B52	1S AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder, with brake	1410.00	EC001851	681595	4549734165181	#		MB	MBB	PHL	8501.5100.90
R88M-1M40020C-S2	1S AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder	1009.00	EC001851	681597	4549734165082	#		MB	MBB	PHL	8501.5100.90
R88M-1M4K015C-B52	1S AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder, with brake	2623.00	EC001851	689228	4549734210829	#		MB	MBB	PHL	8501.5220.89
R88M-1M4K015C-S2	1S AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder	2059.00	EC001851	689227	4549734210805	#		MB	MBB	PHL	8501.5220.89
R88M-1M5K515C-B52	1S AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder, with brake	2880.00	EC001851	689230	4549734210904	#		MB	MBB	PHL	8501.5220.89
R88M-1M5K515C-S2	1S AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder	2316.00	EC001851	689229	4549734210881	#		MB	MBB	PHL	8501.5220.89
R88M-1M60020C-B52	1S AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder, with brake	1466.00	EC001851	681596	4549734165198	#		MB	MBB	PHL	8501.5100.90
R88M-1M60020C-S2	1S AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder	1056.00	EC001851	681594	4549734165099	#		MB	MBB	PHL	8501.5100.90
R88M-1M7K515C-B52	1S AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder, with brake	4736.00	EC001851	689232	4549734210980	#		MB	MBB	PHL	8501.5220.89
R88M-1M7K515C-S2	1S AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder	4170.00	EC001851	689231	4549734210966	#		MB	MBB	PHL	8501.5220.89
R88M-1M2K010C-B52	1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute encoder, with brake	2660.00	EC001851	680412	4549734165860	#		MB	MBB	PHL	8501.4020.80
R88M-1M2K010C-S2	1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute encoder	2166.00	EC001851	680268	4549734165808	#		MB	MBB	PHL	8501.4020.80
R88M-1M3K010C-B52	1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute encoder, with brake	3169.00	EC001851	679950	4549734165877	#		MB	MBB	PHL	8501.4020.80
R88M-1M3K010C-S2	1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute encoder	2715.00	EC001851	679975	4549734165815	#		MB	MBB	PHL	8501.4020.80

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-1M90010C-BS2	1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute encoder, with brake	1726.00	EC001851	679976	4549734165853	#		MB	MBB	PHL	8501.4020.80
R88M-1M90010C-S2	1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute encoder	1426.00	EC001851	679980	4549734165792	#		MB	MBB	PHL	8501.4020.80
R88M-1M90010T-BS2	1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute encoder, with brake	1801.00	EC001851	679951	4549734165822	#		MB	MBB	PHL	8501.4020.80
R88M-1M90010T-S2	1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute encoder	1419.00	EC001851	679967	4549734165761	#		MB	MBB	PHL	8501.4020.80
R88M-1AL1K030C-BS2	1SA AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2234.00	EC001851	695577	4549734220378			MB	MBB	JPN	8501.5220.89
R88M-1AL1K030C-S2	1SA AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1906.00	EC001851	695578	4549734220354			MB	MBB	JPN	8501.5220.89
R88M-1AL1K030T-BS2	1SA AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2244.00	EC001851	695579	4549734219815			MB	MBB	JPN	8501.5220.89
R88M-1AL1K030T-S2	1SA AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1857.00	EC001851	695580	4549734219792			MB	MBB	JPN	8501.5220.89
R88M-1AL1K530C-BS2	1SA AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	2431.00	EC001851	695581	4549734220453			MB	MBB	JPN	8501.5220.89
R88M-1AL1K530C-S2	1SA AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder	1950.00	EC001851	695582	4549734220439			MB	MBB	JPN	8501.5220.89
R88M-1AL1K530T-BS2	1SA AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	2586.00	EC001851	695583	4549734219891			MB	MBB	JPN	8501.5220.89
R88M-1AL1K530T-S2	1SA AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2105.00	EC001851	695584	4549734219877			MB	MBB	JPN	8501.5220.89
R88M-1AL2K030C-BS2	1SA AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, with brake	2892.00	EC001851	695585	4549734220538	#		MB	MBB	JPN	8501.5220.89
R88M-1AL2K030C-S2	1SA AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder	2404.00	EC001851	695586	4549734220514			MB	MBB	JPN	8501.5220.89
R88M-1AL3K030C-BS2	1SA AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, with brake	3238.00	EC001851	695587	4549734220613			MB	MBB	JPN	8501.5220.89
R88M-1AL3K030C-S2	1SA AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder	2754.00	EC001851	695588	4549734220590			MB	MBB	JPN	8501.5220.89
R88M-1AL75030C-BS2	1SA AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	2216.00	EC001851	695589	4549734220293			MB	MBB	JPN	8501.5100.90
R88M-1AL75030C-S2	1SA AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1813.00	EC001851	695590	4549734220279			MB	MBB	JPN	8501.5100.90
R88M-1AM20030T-BS2	1SA AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, with brake	1416.00	EC001851	695595	4549734219570			MB	MBB	PHL	8501.5100.90
R88M-1AM20030T-S2	1SA AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder	1035.00	EC001851	695596	4549734219556			MB	MBB	PHL	8501.5100.90
R88M-1AM40030T-BS2	1SA AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with brake	1627.00	EC001851	695599	4549734219655	#		MB	MBB	PHL	8501.5100.90
R88M-1AM40030T-S2	1SA AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder	1211.00	EC001851	695600	4549734219631	#		MB	MBB	PHL	8501.5100.90
R88M-1AM75030T-BS2	1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	1875.00	EC001851	695601	4549734219730			MB	MBB	PHL	8501.5100.90
R88M-1AM75030T-S2	1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1413.00	EC001851	695602	4549734219716	#		MB	MBB	PHL	8501.5100.90
R88M-1AM1K515C-BS2	1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	1985.00	EC001851	695591	4549734220699			MB	MBB	PHL	8501.5220.89
R88M-1AM1K515C-S2	1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder	1678.00	EC001851	695592	4549734220675			MB	MBB	PHL	8501.5220.89
R88M-1AM1K515T-BS2	1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	2001.00	EC001851	695593	4549734220132			MB	MBB	PHL	8501.5220.89
R88M-1AM1K515T-S2	1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder	1656.00	EC001851	695594	4549734220118			MB	MBB	PHL	8501.5220.89
R88M-1AM3K015C-BS2	1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder, with brake	2724.00	EC001851	695597	4549734220774			MB	MBB	PHL	8501.5220.89
R88M-1AM3K015C-S2	1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder	2140.00	EC001851	695598	4549734220750			MB	MBB	PHL	8501.5220.89
Accessories Servo-2											
R88A-CR1A001-5CF-E	1S series servo encoder cable, 1.5m, 230V: 50-750W	103.20	EC002615	670619	4548583972438	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A003CF-E	1S series servo encoder cable, 3m, 230V: 50-750W	108.40	EC002615	670612	4548583972360	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A005CF-E	1S series servo encoder cable, 5m, 230V: 50-750W	115.90	EC002615	670623	4548583972476	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A010CF-E	1S series servo encoder cable, 10m, 230V: 50-750W	134.60	EC002615	670620	4548583972445	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A015CF-E	1S series servo encoder cable, 15m, 230V: 50-750W	157.40	EC002615	670624	4548583972483	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A020CF-E	1S series servo encoder cable, 20m, 230V: 50-750W	192.90	EC002615	670613	4548583972377	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A030CF-E	1S series servo encoder cable, 30m, 230V: 50-750W	257.10	EC002615	670615	4548583972391	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B001-5NF-E	1S series servo encoder cable, 1.5m, 230V: 900W-1.5kW, 400V: 400W-15kW	125.40	EC002615	670621	4548583972452	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B003NF-E	1S series servo encoder cable, 3m, 230V: 900W-1.5kW, 400V: 400W-15kW	128.60	EC002615	670616	4548583972407	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B005NF-E	1S series servo encoder cable, 5m, 230V: 900W-1.5kW, 400V: 400W-15kW	134.80	EC002615	670618	4548583972421	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B010NF-E	1S series servo encoder cable, 10m, 230V: 900W-1.5kW, 400V: 400W-15kW	160.70	EC002615	670622	4548583972469	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B015NF-E	1S series servo encoder cable, 15m, 230V: 900W-1.5kW, 400V: 400W-15kW	183.20	EC002615	670625	4548583972490	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B020NF-E	1S series servo encoder cable, 20m, 230V: 900W-1.5kW, 400V: 400W-15kW	224.80	EC002615	670626	4548583972506	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B030NF-E	1S series servo encoder cable, 30m, 230V: 900W-1.5kW, 400V: 400W-15kW	298.60	EC002615	670629	4548583972537	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B040NF-E	1S series servo encoder cable, 40m, 230V: 900W-1.5kW, 400V: 400W-15kW	375.80	EC002615	670628	4548583972520	#		MB	MBZ	ITA	8544.4290.90
R88A-CA1A001-5BF-E	1S series servo brake cable, 1.5 m, 230 V: 100 to 750 W	96.35	EC002615	670638	4548583972629	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A001-5SF-E	1S series servo motor power cable, 1.5 m, 230 V: 100 to 750 W	147.70	EC002615	670658	4548583972827	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A003BF-E	1S series servo brake cable, 3 m, 230 V: 100 to 750 W	102.80	EC002615	670632	4548583972568	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A003BFR	1S series servo flexible brake cable, 3 m, 230 V: 50 to 750 W, reverse/non-load mounting	57.00	EC002615	685019	4549734196208	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A003SF-E	1S series servo motor power cable, 3 m, 230 V: 100 to 750 W	151.20	EC002615	670671	4548583972957	#		MB	MBZ	ITA	8544.4999.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CA1A0035FR	1S series servo motor flexible power cable, 3 m, 230 V: 50 to 750 W, reverse/non-load mounting	96.20	EC002615	685015	4549734196154	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A005BF-E	1S series servo brake cable, 5 m, 230 V: 100 to 750 W	106.10	EC002615	670637	4548583972612	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A005SF-E	1S series servo motor power cable, 5 m, 230 V: 100 to 750 W	157.40	EC002615	670672	4548583972964	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A010BF-E	1S series servo brake cable, 10 m, 230 V: 100 to 750 W	122.10	EC002615	670634	4548583972582	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A010BFR	1S series servo flexible brake cable, 10 m, 230 V: 50 to 750 W, reverse/non-load mounting	129.70	EC002615	685020	4549734196222	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A010SF-E	1S series servo motor power cable, 10 m, 230 V: 100 to 750 W	180.10	EC002615	670676	4548583973008	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A0105FR	1S series servo motor flexible power cable, 10 m, 230 V: 50 to 750 W, reverse/non-load mounting	195.30	EC002615	685016	4549734196178	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A015BF-E	1S series servo brake cable, 15 m, 230 V: 100 to 750 W	139.80	EC002615	670633	4548583972575	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A015BFR	1S series servo flexible brake cable, 15 m, 230 V: 50 to 750 W, reverse/non-load mounting	439.50	EC002615	685021	4549734196239	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A015SF-E	1S series servo motor power cable, 15 m, 230 V: 100 to 750 W	224.80	EC002615	670643	4548583972674	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A0155FR	1S series servo motor flexible power cable, 15 m, 230 V: 50 to 750 W, reverse/non-load mounting	283.20	EC002615	685017	4549734196185	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A020BF-E	1S series servo brake cable, 20 m, 230 V: 100 to 750 W	154.10	EC002615	670635	4548583972599	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A020BFR	1S series servo flexible brake cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting	644.50	EC002615	685022	4549734196246	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A0205F-E	1S series servo motor power cable, 20 m, 230 V: 100 to 750 W	253.80	EC002615	670653	4548583972773	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A0205FR	1S series servo motor flexible power cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting	750.00	EC002615	685018	4549734196192	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A030BF-E	1S series servo brake cable, 30 m, 230 V: 100 to 750 W	186.50	EC002615	670631	4548583972551	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A0305F-E	1S series servo motor power cable, 30 m, 230 V: 100 to 750 W	308.10	EC002615	670655	4548583972797	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C001-55F-E	1S series servo motor power cable, 1.5 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 kW & 2 kW (2000 & 3000 rpm)	147.70	EC002615	670664	4548583972889	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C003BF-E	1S series servo motor power cable, 3 m, with brake, 230 V: 900 W to 1.5 kW	215.20	EC002615	670650	4548583972742	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C0035F-E	1S series servo motor power cable, 3 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 kW & 2 kW (2000 & 3000 rpm)	154.10	EC002615	670683	4548583973077	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C005BF-E	1S series servo motor power cable, 5 m, with brake, 230 V: 900 W to 1.5 kW	237.90	EC002615	670645	4548583972698	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C0055F-E	1S series servo motor power cable, 5 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 kW & 2 kW (2000 & 3000 rpm)	170.30	EC002615	670640	4548583972643	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C0075F-E	1S series servo motor power cable, 7 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 kW & 2 kW (2000 & 3000 rpm)	219.60	EC002615	680413	4549734938822	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C010BF-E	1S series servo motor power cable, 10 m, with brake, 230 V: 900 W to 1.5 kW	289.10	EC002615	670668	4548583972926	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C0105F-E	1S series servo motor power cable, 10 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 kW & 2 kW (2000 & 3000 rpm)	202.40	EC002615	670659	4548583972834	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C015BF-E	1S series servo motor power cable, 15 m, with brake, 230 V: 900 W to 1.5 kW	347.00	EC002615	670663	4548583972872	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C0155F-E	1S series servo motor power cable, 15 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 kW & 2 kW (2000 & 3000 rpm)	240.90	EC002615	670679	4548583973039	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C0205F-E	1S series servo motor power cable, 20 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 kW & 2 kW (2000 & 3000 rpm)	366.10	EC002615	670641	4548583972650	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C0305F-E	1S series servo motor power cable, 30 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 kW & 2 kW (2000 & 3000 rpm)	470.10	EC002615	670669	4548583972933	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E003BF-E	1S series servo motor power cable, 3 m, with brake, 400 V: 400 W to 3 kW	250.80	EC002615	670639	4548583972636	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E0035F-E	1S series servo motor power cable, 3 m, non braked, 400 V: 2 kW (1000 rpm) & 3 kW	186.50	EC002615	670648	4548583972728	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E005BF-E	1S series servo motor power cable, 5 m, with brake, 400 V: 400 W to 3 kW	279.40	EC002615	670660	4548583972841	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E0055F-E	1S series servo motor power cable, 5 m, non braked, 400 V: 2 kW (1000 rpm) & 3 kW	202.40	EC002615	670674	4548583972988	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E010BF-E	1S series servo motor power cable, 10 m, with brake, 400 V: 400 W to 3 kW	347.00	EC002615	670678	4548583973022	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E0105F-E	1S series servo motor power cable, 10 m, non braked, 400 V: 2 kW (1000 rpm) & 3 kW	260.30	EC002615	670642	4548583972667	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E015BF-E	1S series servo motor power cable, 15 m, with brake, 400 V: 400 W to 3 kW	430.10	EC002615	670666	4548583972902	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E0155F-E	1S series servo motor power cable, 15 m, non braked, 400 V: 2 kW (1000 rpm) & 3 kW	321.20	EC002615	670644	4548583972681	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E020BF-E	1S series servo motor power cable, 20 m, with brake, 400 V: 400 W to 3 kW	501.00	EC002615	670662	4548583972865	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E0205F-E	1S series servo motor power cable, 20 m, non braked, 400 V: 2 kW (1000 rpm) & 3 kW	407.40	EC002615	670680	4548583973046	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E030BF-E	1S series servo motor power cable, 30 m, with brake, 400 V: 400 W to 3 kW	671.00	EC002615	670682	4548583973060	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E040BF-E	1S series servo motor power cable, 40 m, with brake, 400 V: 400 W to 3 kW	864.00	EC002615	670649	4548583972735	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1G003BF	1S series servo motor power cable, 3 m, with brake, 400 V: 4 kW to 5.5 kW	263.60	EC002615	689535	4549734209755	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G0035F	1S series servo motor power cable, 3 m, non braked, 400 V: 4 kW to 5.5 kW	228.30	EC002615	689536	4549734209670	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G005BF	1S series servo motor power cable, 5 m, with brake, 400 V: 4 kW to 5.5 kW	292.30	EC002615	689537	4549734209762	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G0055F	1S series servo motor power cable, 5 m, non braked, 400 V: 4 kW to 5.5 kW	253.90	EC002615	689538	4549734209687	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G010BF	1S series servo motor power cable, 10 m, with brake, 400 V: 4 kW to 5.5 kW	383.90	EC002615	689539	4549734209779	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G0105F	1S series servo motor power cable, 10 m, non braked, 400 V: 4 kW to 5.5 kW	327.50	EC002615	689540	4549734209694	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G015BF	1S series servo motor power cable, 15 m, with brake, 400 V: 4 kW to 5.5 kW	484.30	EC002615	689541	4549734209786	#		MB	MBZ	POL	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CA1G015SF	1S series servo motor power cable, 15 m, non braked, 400 V: 4 kW to 5.5 kW	396.70	EC002615	689542	4549734209700	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G020BF	1S series servo motor power cable, 20 m, with brake, 400 V: 4 kW to 5.5 kW	579.00	EC002615	689543	4549734209793	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G020SF	1S series servo motor power cable, 20 m, non braked, 400 V: 4 kW to 5.5 kW	471.40	EC002615	689544	4549734209717	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H003BF	1S series servo motor power cable, 3 m, with brake, 400 V: 7.5 kW	327.50	EC002615	689547	4549734451338	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H003SF	1S series servo motor power cable, 3 m, non braked, 400 V: 7.5 kW	301.90	EC002615	689548	4549734451284	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H005BF	1S series servo motor power cable, 5 m, with brake, 400 V: 7.5 kW	417.00	EC002615	689549	4549734451345	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H005SF	1S series servo motor power cable, 5 m, non braked, 400 V: 7.5 kW	369.00	EC002615	689550	4549734451291	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H010BF	1S series servo motor power cable, 10 m, with brake, 400 V: 7.5 kW	549.00	EC002615	689551	4549734451352	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H010SF	1S series servo motor power cable, 10 m, non braked, 400 V: 7.5 kW	525.00	EC002615	689552	4549734451307	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H015BF	1S series servo motor power cable, 15 m, with brake, 400 V: 7.5 kW	694.00	EC002615	689553	4549734451369	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H015SF	1S series servo motor power cable, 15 m, non braked, 400 V: 7.5 kW	690.00	EC002615	689554	4549734451314	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H020BF	1S series servo motor power cable, 20 m, with brake, 400 V: 7.5 kW	856.00	EC002615	689555	4549734451376	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H020SF	1S series servo motor power cable, 20 m, non braked, 400 V: 7.5 kW	847.50	EC002615	689556	4549734451321	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J003BF	1S series servo motor power cable, 3 m, with brake, 400 V: 11 kW & 15 kW	417.00	EC002615	689863	4549734209915	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J003SF	1S series servo motor power cable, 3 m, non braked, 400 V: 11 kW & 15 kW	417.00	EC002615	689864	4549734209830	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J005BF	1S series servo motor power cable, 5 m, with brake, 400 V: 11 kW & 15 kW	499.10	EC002615	689865	4549734209922	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J005SF	1S series servo motor power cable, 5 m, non braked, 400 V: 11 kW & 15 kW	473.60	EC002615	689866	4549734209847	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J010BF	1S series servo motor power cable, 10 m, with brake, 400 V: 11 kW & 15 kW	704.50	EC002615	689867	4549734209939	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J010SF	1S series servo motor power cable, 10 m, non braked, 400 V: 11 kW & 15 kW	704.50	EC002615	689868	4549734209854	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J015BF	1S series servo motor power cable, 15 m, with brake, 400 V: 11 kW & 15 kW	911.50	EC002615	689869	4549734209946	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J015SF	1S series servo motor power cable, 15 m, non braked, 400 V: 11 kW & 15 kW	911.50	EC002615	689870	4549734209861	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J020BF	1S series servo motor power cable, 20 m, with brake, 400 V: 11 kW & 15 kW	1120.00	EC002615	689871	4549734209953	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J020SF	1S series servo motor power cable, 20 m, non braked, 400 V: 11 kW & 15 kW	1116.00	EC002615	689872	4549734209878	#		MB	MBZ	POL	8544.4290.90
R88A-FI1S103-SE	1S Servo RFI filter; 230 VAC single-phase, for 100 and 200 W drives	68.70	EC002564	670528	4548583971677	#		MB	MBZ	THA	8529.9097.90
R88A-FI1S105-SE	1S Servo RFI filter; 230 VAC single-phase, for 400 W drives	73.65	EC002564	670529	4548583971684	#		MB	MBZ	THA	8529.9097.90
R88A-FI1S108-SE	1S Servo RFI filter; 230 VAC single-phase, for 800 W drives	78.50	EC002564	670527	4548583971660	#		MB	MBZ	THA	8529.9097.90
R88A-FI1S116-SE	1S Servo RFI filter; 230 VAC single-phase, for 1.5 kW drives	99.80	EC002564	670531	4548583971707	#		MB	MBZ	THA	8529.9097.90
R88A-FI1S309-SE	1S Servo RFI filter; 400 VAC , for 600 W to 3 kW drives	104.80	EC002564	670530	4548583971691	#		MB	MBZ	THA	8529.9097.90
R88A-FI1S330-SE	1S Servo RFI filter; 400 VAC , for 5.5 kW to 7.5 kW drives	203.40	EC002564	689239	4549734976558	#		MB	MBZ	THA	8529.9097.90
R88A-FI1S350-SE	1S Servo RFI filter; 400 VAC , for 15 kW drives	307.70	EC002564	689240	4549734976565	#		MB	MBZ	THA	8529.9097.90
R88A-FI1SA108-SE	1SA Servo RFI filter; 230 VAC single-phase, for 200 W to 800 W drives	95.30	EC002564	690847	4549734984287	#		MB	MBZ	THA	8529.9097.90
R88A-FI1SA116-SE	1SA Servo RFI filter; 230 VAC single-phase, for 1.5 kW drives	124.30	EC002564	690848	4549734984294	#		MB	MBZ	THA	8529.9097.90
R88A-FI1SA309-SE	1SA Servo RFI filter; 400 VAC , for 1 kW to 3 kW drives	126.40	EC002564	690849	4549734984300	#		MB	MBZ	THA	8529.9097.90
R88A-CX1A003BF	1SA series servo hybrid cable, 3 m, with brake, 230V: 200-750W	390.90	EC002615	693618	4549734218931	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A003SF	1SA series servo hybrid cable, 3 m, non braked, 230V: 200-750W	302.60	EC002615	693623	4549734219013	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A005BF	1SA series servo hybrid cable, 5 m, with brake, 230V: 200-750W	441.20	EC002615	693619	4549734218948	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A005SF	1SA series servo hybrid cable, 5 m, non braked, 230V: 200-750W	353.00	EC002615	693624	4549734219020	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A010BF	1SA series servo hybrid cable, 10 m, with brake, 230V: 200-750W	517.00	EC002615	693620	4549734218955	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A010SF	1SA series servo hybrid cable, 10 m, non braked, 230V: 200-750W	428.60	EC002615	693625	4549734219037	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A015BF	1SA series servo hybrid cable, 15 m, with brake, 230V: 200-750W	618.00	EC002615	693621	4549734218962	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A015SF	1SA series servo hybrid cable, 15 m, non braked, 230V: 200-750W	530.00	EC002615	693626	4549734219044	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A020BF	1SA series servo hybrid cable, 20 m, with brake, 230V: 200-750W	744.50	EC002615	693622	4549734218979	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A020SF	1SA series servo hybrid cable, 20 m, non braked, 230V: 200-750W	656.00	EC002615	693627	4549734219051	#		MB	MBZ	POL	8544.4290.90
R88A-CX1BE10BF	1SA series servo EXTENSION hybrid cable, 10 m, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	567.50	EC002615	695502	4549734451840	#		MB	MBZ	POL	8544.4290.90
R88A-CX1BE20BF	1SA series servo EXTENSION hybrid cable, 20 m, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	807.50	EC002615	695501	4549734451857	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C003BF	1SA series servo hybrid cable, 3 m, with brake, 230V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	428.60	EC002615	695507	4549734451659	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C003SF	1SA series servo hybrid cable, 3 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	340.40	EC002615	695512	4549734451604	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C005BF	1SA series servo hybrid cable, 5 m, with brake, 230V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	479.10	EC002615	695506	4549734451666	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C005SF	1SA series servo hybrid cable, 5 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	390.90	EC002615	695511	4549734451611	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C010BF	1SA series servo hybrid cable, 10 m, with brake, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	555.00	EC002615	695505	4549734451673	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C010SF	1SA series servo hybrid cable, 10 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	466.50	EC002615	695510	4549734451628	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C015BF	1SA series servo hybrid cable, 15 m, with brake, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	656.00	EC002615	695504	4549734451680	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C015SF	1SA series servo hybrid cable, 15 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	567.50	EC002615	695509	4549734451635	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C020BF	1SA series servo hybrid cable, 20 m, with brake, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	782.00	EC002615	695503	4549734451697	#		MB	MBZ	POL	8544.4290.90

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CX1C0205F	1SA series servo hybrid cable, 20 m, non braked, 230 V: 1 kW to 1.5 kW, 400 V: 750 W to 3 kW	694.00	EC002615	695508	4549734451642			MB	MBZ	POL	8544.4290.90
R88A-CN101A	1S motor connector (CNC) for 230 V, 0.1 to 1 kW	94.10	EC002584	674155	4548583859623	#		MB	MBZ	JPN	8536.9010.00
R88A-CN101R	1S connector for encoder cable (drive side)	56.15	EC002584	673346	4548583789098	#	50	MB	MBZ	CHN	8536.9010.00
R88A-CN102P	1S main circuit connector (CNA) for 230 V, 0.1 to 1 kW	132.30	EC002584	674151	4548583859593	#		MB	MBZ	JPN	8536.9010.00
R88A-CN104R	1S connector for encoder cable (motor side); for 400 V and from 900 W, 230 V motors	70.55	EC002584	673345	4548583789104	#	60	MB	MBZ	CHN	8536.9010.00
R88A-CN111A	1S connector for power cable (motor side); for 100-750 W, 230 V motors	63.85	EC002584	673344	4548583789111	#		MB	MBZ	CHN	8536.9010.00
R88A-CN111B	1S connector for brake cable (motor side)	54.70	EC002584	673343	4548583789128	#		MB	MBZ	CHN	8536.9010.00
R88A-RR12025	External regeneration resistor, capacity: 24 W, 25 Ohm	81.50	EC002615	673209	4548583786905	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30020	External regeneration resistor 60 W, 20 Ohm	238.60	EC002615	672007	4548583786950	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30025	External regeneration resistor, capacity: 60 W, 25 Ohm	238.60	EC002615	673204	4548583786967	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30033	External regeneration resistor, capacity: 60 W, 33 Ohm	238.60	EC002615	673207	4548583786974	#		MB	MBZ	JPN	8533.4090.00
R88A-SC011S-E	1S series cable clamp A. Used in 230 V drives up to 750 W	9.51	EC002584	675088	4548583996397			MB	MBZ	ITA	8504.5000.90
R88A-SC021S-E	1S series cable clamp B. Used in 400 V drives and 230 V (from 1.5 kW to 3 kW)	10.56	EC002584	675089	4548583996403			MB	MBZ	ITA	8504.5000.90
R88A-SC10CA	1S series cable clamp L. Used in 400 V drives (from 5.5 kW to 15 kW)	45.17	EC002584	693647	4549734540001			MB	MBZ	JPN	8504.5000.90
R88A-SC10CA-PE	1S series cable shield clamp L. Used in 400 V drives (from 5.5 kW to 15 kW)	53.05	EC002584	701014	4549734896696			MB	MBZ	POL	7326.9098.90
R88A-SC10CX-PE	1SA series cable shield clamp S. Used in 230V and 400 V drives	41.60	EC002584	701015	4549734896702			MB	MBZ	POL	7326.9098.90

NY IPC

NYB1C-312K1	Industrial Box PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), 128 GB SSD-iMLC, WES 7 (64-bit), PCIe slot, RS-232	3544.00	EC001413	686482	4548583871304			NA	NAA	NLD	8471.4100.00
NYB2A-20460	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	1949.00	EC001413	688962	4549734532785			NA	NAA	NLD	8471.4100.00
NYB2A-30470	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2253.00	EC001413	688972	4549734532884			NA	NAA	NLD	8471.4100.00
NYB2C-20356	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, NYML port	1990.00	EC001413	683619	4549734262361			NA	NAA	NLD	8471.4100.00
NYB2C-20360	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	1846.00	EC001413	683620	4549734262378			NA	NAA	NLD	8471.4100.00
NYB35-30370	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port	3018.00	EC001413	683638	4549734262552			NA	NAA	NLD	8471.4100.00
NYB35-30376	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, NYML port	3685.00	EC001413	683639	4549734262569			NA	NAA	NLD	8471.4100.00
NYB35-313C1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 320 GB HDD, WIN 10 IoT Ent. (64-bit), PCIe slot, RS-232	3989.00	EC001413	683252	4549734206617			NA	NAA	NLD	8471.4100.00
NYP27-30000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5150.00	EC001414	700263	4549734688000			NA	NAA	NLD	8471.4100.00
NYP27-30006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5405.00	EC001414	700264	4549734688017			NA	NAA	NLD	8471.4100.00
NYP27-30460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5855.00	EC001414	700269	4549734688062			NA	NAA	NLD	8471.4100.00
NYP27-30466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6110.00	EC001414	700270	4549734688079			NA	NAA	NLD	8471.4100.00
NYP27-30470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6135.00	EC001414	700275	4549734688123			NA	NAA	NLD	8471.4100.00
NYP27-30476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6385.00	EC001414	700276	4549734688130			NA	NAA	NLD	8471.4100.00
NYP27-40000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5260.00	EC001414	700265	4549734688024			NA	NAA	NLD	8471.4100.00
NYP27-40006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5510.00	EC001414	700266	4549734688031			NA	NAA	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-40460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5960.00	EC001414	700271	4549734688086			NA	NAA	NLD	8471.4100.00
NYP27-40466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6215.00	EC001414	700272	4549734688093			NA	NAA	NLD	8471.4100.00
NYP27-40470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6240.00	EC001414	700277	4549734688147			NA	NAA	NLD	8471.4100.00
NYP27-40476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6490.00	EC001414	700278	4549734688154			NA	NAA	NLD	8471.4100.00
NYP27-50000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5495.00	EC001414	700267	4549734688048			NA	NAA	NLD	8471.4100.00
NYP27-50006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5685.00	EC001414	700268	4549734688055			NA	NAA	NLD	8471.4100.00
NYP27-50460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6195.00	EC001414	700273	4549734688109			NA	NAA	NLD	8471.4100.00
NYP27-50466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6455.00	EC001414	700274	4549734688116			NA	NAA	NLD	8471.4100.00
NYP27-50470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6475.00	EC001414	700279	4549734688161			NA	NAA	NLD	8471.4100.00
NYP27-50476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6735.00	EC001414	700280	4549734688178			NA	NAA	NLD	8471.4100.00
NYP2A-20450-12WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	3050.00	EC001414	688976	4549734532921			NA	NAA	NLD	8471.4100.00
NYP2A-20460-12WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	3152.00	EC001414	688977	4549734532938			NA	NAA	NLD	8471.4100.00
NYP2C-20360-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen	2800.00	EC001414	683653	4549734262712			NA	NAA	NLD	8471.4100.00
NYP27-30000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5350.00	EC001414	700281	4549734688185			NA	NAA	NLD	8471.4100.00
NYP27-30006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5610.00	EC001414	700282	4549734688192			NA	NAA	NLD	8471.4100.00
NYP27-30460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6055.00	EC001414	700287	4549734688246			NA	NAA	NLD	8471.4100.00
NYP27-30466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6315.00	EC001414	700288	4549734688253			NA	NAA	NLD	8471.4100.00
NYP27-30470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6335.00	EC001414	700293	4549734688307			NA	NAA	NLD	8471.4100.00
NYP27-30476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6590.00	EC001414	700294	4549734688314			NA	NAA	NLD	8471.4100.00
NYP27-40000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5455.00	EC001414	700283	4549734688208			NA	NAA	NLD	8471.4100.00
NYP27-40006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5710.00	EC001414	700284	4549734688215			NA	NAA	NLD	8471.4100.00
NYP27-40460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6160.00	EC001414	700289	4549734688260			NA	NAA	NLD	8471.4100.00
NYP27-40466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6415.00	EC001414	700290	4549734688277			NA	NAA	NLD	8471.4100.00
NYP27-40470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6440.00	EC001414	700295	4549734688321			NA	NAA	NLD	8471.4100.00
NYP27-40476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6690.00	EC001414	700296	4549734688338			NA	NAA	NLD	8471.4100.00
NYP27-50000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5700.00	EC001414	700285	4549734688222			NA	NAA	NLD	8471.4100.00
NYP27-50006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5950.00	EC001414	700286	4549734688239			NA	NAA	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-50460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6400.00	EC001414	700291	4549734688284			NA	NAA	NLD	8471.4100.00
NYP27-50466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6655.00	EC001414	700292	4549734688291			NA	NAA	NLD	8471.4100.00
NYP27-50470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6680.00	EC001414	700297	4549734688345			NA	NAA	NLD	8471.4100.00
NYP27-50476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6930.00	EC001414	700298	4549734688352			NA	NAA	NLD	8471.4100.00
NYP2A-20450-15WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	3233.00	EC001414	688985	4549734533010			NA	NAA	NLD	8471.4100.00
NYP2A-20460-15WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	3334.00	EC001414	688986	4549734533027			NA	NAA	NLD	8471.4100.00
NYP2C-20350-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	2912.00	EC001414	683650	4549734262682			NA	NAA	NLD	8471.4100.00
NYP2C-30350-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	3030.00	EC001414	683657	4549734262750			NA	NAA	NLD	8471.4100.00
NYP2C-30360-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	3125.00	EC001414	683658	4549734262767	#		NA	NAA	NLD	8471.4100.00
NYP35-313K2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 128 GB SSD-iMLC, WIN 10 IoT Ent. (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	5765.00	EC001414	683296	4549734207232			NA	NAA	NLD	8471.4100.00
NYP27-30000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5935.00	EC001414	700299	4549734688369			NA	NAA	NLD	8471.4100.00
NYP27-30000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6155.00	EC001414	700335	4549734688543			NA	NAA	NLD	8471.4100.00
NYP27-30006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6185.00	EC001414	700300	4549734688376			NA	NAA	NLD	8471.4100.00
NYP27-30006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6405.00	EC001414	700334	4549734688550			NA	NAA	NLD	8471.4100.00
NYP27-30460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6640.00	EC001414	700347	4549734688420			NA	NAA	NLD	8471.4100.00
NYP27-30460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6860.00	EC001414	700329	4549734688604			NA	NAA	NLD	8471.4100.00
NYP27-30466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6890.00	EC001414	700346	4549734688437			NA	NAA	NLD	8471.4100.00
NYP27-30466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7110.00	EC001414	700328	4549734688611			NA	NAA	NLD	8471.4100.00
NYP27-30470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6915.00	EC001414	700341	4549734688482			NA	NAA	NLD	8471.4100.00
NYP27-30470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7135.00	EC001414	700323	4549734688666			NA	NAA	NLD	8471.4100.00
NYP27-30476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7170.00	EC001414	700340	4549734688499			NA	NAA	NLD	8471.4100.00
NYP27-30476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7390.00	EC001414	700305	4549734688673			NA	NAA	NLD	8471.4100.00
NYP27-40000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6035.00	EC001414	700301	4549734688383			NA	NAA	NLD	8471.4100.00
NYP27-40000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6255.00	EC001414	700333	4549734688567			NA	NAA	NLD	8471.4100.00
NYP27-40006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6290.00	EC001414	700302	4549734688390			NA	NAA	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-40006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6510.00	EC001414	700332	4549734688574			NA	NAA	NLD	8471.4100.00
NYP27-40460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6740.00	EC001414	700345	4549734688444			NA	NAA	NLD	8471.4100.00
NYP27-40460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6960.00	EC001414	700327	4549734688628			NA	NAA	NLD	8471.4100.00
NYP27-40466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6995.00	EC001414	700344	4549734688451			NA	NAA	NLD	8471.4100.00
NYP27-40466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7215.00	EC001414	700326	4549734688635			NA	NAA	NLD	8471.4100.00
NYP27-40470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7015.00	EC001414	700339	4549734688505			NA	NAA	NLD	8471.4100.00
NYP27-40470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7235.00	EC001414	700306	4549734688680			NA	NAA	NLD	8471.4100.00
NYP27-40476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7275.00	EC001414	700338	4549734688512			NA	NAA	NLD	8471.4100.00
NYP27-40476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7495.00	EC001414	700307	4549734688697			NA	NAA	NLD	8471.4100.00
NYP27-50000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6275.00	EC001414	700303	4549734688406			NA	NAA	NLD	8471.4100.00
NYP27-50000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6495.00	EC001414	700331	4549734688581			NA	NAA	NLD	8471.4100.00
NYP27-50006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6535.00	EC001414	700304	4549734688413			NA	NAA	NLD	8471.4100.00
NYP27-50006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6755.00	EC001414	700330	4549734688598			NA	NAA	NLD	8471.4100.00
NYP27-50460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6980.00	EC001414	700343	4549734688468			NA	NAA	NLD	8471.4100.00
NYP27-50460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7200.00	EC001414	700325	4549734688642			NA	NAA	NLD	8471.4100.00
NYP27-50466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7235.00	EC001414	700342	4549734688475			NA	NAA	NLD	8471.4100.00
NYP27-50466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7455.00	EC001414	700324	4549734688659			NA	NAA	NLD	8471.4100.00
NYP27-50470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7260.00	EC001414	700337	4549734688529			NA	NAA	NLD	8471.4100.00
NYP27-50470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7480.00	EC001414	700308	4549734688703			NA	NAA	NLD	8471.4100.00
NYP27-50476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7515.00	EC001414	700336	4549734688536			NA	NAA	NLD	8471.4100.00
NYP27-50476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7735.00	EC001414	700309	4549734688710			NA	NAA	NLD	8471.4100.00
NYP2A-20460-19WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	3842.00	EC001414	689015	4549734539555			NA	NAA	NLD	8471.4100.00
NYP2C-30370-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	4689.00	EC001414	688869	4549734538886			NA	NAA	NLD	8471.4100.00
NYP35-30370-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5790.00	EC001414	688876	4549734539036			NA	NAA	NLD	8471.4100.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP35-30370-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6025.00	EC001414	695744	4549734539111			NA	NAA	NLD	8471.4100.00
NY512-1300-1XX213K1X	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 128 GB SSD-iMLC, WES 7 (64-bit), PCIe slot, RS-232	6220.00	EC001413	686350	4548583873636			NA	NAA	NLD	8471.4100.00
NY532-1300-112213C20	Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 320 GB HDD, WES 7 (64-bit), PCIe slot, extra DVI-D, 15.4" display with capacitive touchscreen	7460.00	EC001414	686363	4548583816473			NA	NAA	NLD	8471.4100.00
NY532-5400-111213910	CNC Controller for 32 axes, Industrial Panel PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 64 GB SSD-SLC, WES 7 (64-bit), PCIe slot, RS-232, 12.1" display with capacitive touchscreen	9025.00	EC001414	679847	4549734145442			NA	NAA	NLD	8471.4100.00
NY532-5400-111213K10	CNC Controller for 32 axes, Industrial Panel PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 128 GB SSD-iMLC, WES 7 (64-bit), PCIe slot, RS-232, 12.1" display with capacitive touchscreen	7740.00	EC001414	679848	4549734145459			NA	NAA	NLD	8471.4100.00
NY532-5400-112213910	CNC Controller for 32 axes, Industrial Panel PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 64 GB SSD-SLC, WES 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	8770.00	EC001414	679849	4549734145466			NA	NAA	NLD	8471.4100.00
NY532-5400-112213K10	CNC Controller for 32 axes, Industrial Panel PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 128 GB SSD-iMLC, WES 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	8380.00	EC001414	679846	4549734145473			NA	NAA	NLD	8471.4100.00
NY512-Z300-1XX214T1X	AI Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 128 GB SSD-iMLC, WES 7 (64-bit), PCIe slot, RS-232	13520.00	EC001413	685597	4549734450218			NA	NAA	NLD	8471.4100.00
NY512-Z400-1XX214T1X	AI Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 128 GB SSD-iMLC, WES 7 (64-bit), PCIe slot, RS-232	13980.00	EC001413	685598	4549734451116			NA	NAA	NLD	8471.4100.00
NY512-Z500-1XX214T1X	AI Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 128 GB SSD-iMLC, WES 7 (64-bit), PCIe slot, RS-232	14670.00	EC001413	685599	4549734451123			NA	NAA	NLD	8471.4100.00
NY532-Z300-112214T10	AI Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 128 GB SSD-iMLC, WES 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	14450.00	EC001414	685603	4549734451161			NA	NAA	NLD	8471.4100.00
NY532-Z400-112214T10	AI Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 128 GB SSD-iMLC, WES 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	14910.00	EC001414	685604	4549734451178			NA	NAA	NLD	8471.4100.00
NY532-Z500-112214T10	AI Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i7-4700EQ, 8 GB DRAM (non-ECC), 128 GB SSD-iMLC, WES 7 (64-bit), PCIe slot, RS-232, 15.4" display with capacitive touchscreen	15580.00	EC001414	685605	4549734451185			NA	NAA	NLD	8471.4100.00
NYM12W-C1000	Industrial Monitor, 12.1" display with capacitive touchscreen, Build-in mounting, DVI-D port	1651.00	EC001428	686607	4548583813021			NA	NAA	NLD	8528.5291.00
NYM15W-C1000	Industrial Monitor, 15.4" display with capacitive touchscreen, Build-in mounting, DVI-D port	1753.00	EC001428	686606	4548583813038			NA	NAA	NLD	8528.5291.00
NYM15W-C1060	Industrial Monitor, 15.4" display with capacitive touchscreen, Build-in mounting, NYML port	2061.00	EC001428	686604	4549734158275			NA	NAA	NLD	8528.5291.00
NYM19W-C1000	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, DVI-D port	2281.00	EC001428	688734	4549734279239			NA	NAA	NLD	8528.5291.00
NYM19W-C1060	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, NYML port	2482.00	EC001428	688732	4549734279253			NA	NAA	NLD	8528.5291.00
NY000-AC00 5M	DVI cable 5 m	97.30	EC002584	686291	4548583873407			NA	NAA	NLD	8544.4290.90
NY000-AB00	Book mount bracket for following PC Models: NYB1E*, NYB17*, NYB27*, NYB25*, NYB1C*, NY51*	59.25	EC002584	686299	4548583873308			NA	NAA	NLD	8471.8000.00
NY000-AB01	Wall mount bracket for Box PC	53.65	EC002584	686298	4548583873315			NA	NAA	NLD	8471.8000.00
Software HMI											
NA-RTLD01	Soft-NA, for Windows 10 Pro 64 bit, 1 x USB Dongle License	1509.00	EC001435	694867	4549734592536	#		OA	OAB	NLD	8523.5190.00
Scada software											
RTC4	MOVICON NEXT V4 Run Time Client	1586.00	EC001435	696452	4549734890243			OB	OBA	ITA	8523.5190.00
RTCS4-F-20K	Movicon Pro Runtime Scada 20,000 Tags	6340.00	EC001435	696456	4549734890281			OB	OBA	ITA	8523.5190.00
RTCS4-F-20K-1W	Movicon Next Pro RunTime Client Server 20,000 tags 1x Web Client Option	7185.00	EC001435	696444	4549734890175			OB	OBA	ITA	8523.5190.00
RTCS4-F-40K	Movicon Pro Runtime Scada 40,000 Tags	7295.00	EC001435	696455	4549734890274			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K	Movicon Pro Runtime Scada 5,000 Tags	4647.00	EC001435	696454	4549734890267			OB	OBA	ITA	8523.5190.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RTCS4-F-5K-1W	Movicon Pro SCADA Client/Server 5000 tag + 1 Web client	5395.00	EC001435	696453	4549734890250			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-1W-O	Movicon Pro Runtime Scada 5,000 Tags + 1 x Movicon Web Client+ OPC-UA Server Option	6235.00	EC001435	700418	4549734894593			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-5W-A	Movicon Next Pro RunTime Client Server 5000 tags 5x Web Client Option +Alarm Dispatcher	9190.00	EC001435	696443	4549734890168			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-5W-O-AS-3D	Movicon Pro SCADA Client/Server 5000 tag + 5 Web client + OPC-UA Server + Alarm Dispatcher + Alarm Statistics + 3D Visualization	10790.00	EC001435	696438	4549734890113			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-A	Movicon Next Pro RunTime Client Server 5000 tags +Alarm Dispatcher	5415.00	EC001435	696457	4549734890298			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-M	Movicon Next Pro RunTime Client Server 5000 tags +Multidriver (32) option	5415.00	EC001435	696458	4549734890304			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-O	Movicon Pro Runtime Scada 5,000 Tags + OPC-UA Server Option	5500.00	EC001435	700707	4549734895019			OB	OBA	ITA	8523.5190.00
Scada software (OEM and accessories)											
DEV4	Movicon Next V4 SCADA Editor, 1 License	2008.00	EC001435	696211	4549734999595			OB	OBZ	ITA	8523.5190.00
DEV403L	Movicon 4 SCADA Editor 3 Licenses package	2809.00	EC001435	696292	4549734889230			OB	OBZ	ITA	8523.5190.00
DEV410L	Movicon 4 SCADA Editor 10 Licenses package	5620.00	EC001435	696291	4549734889223			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM	1586.00	EC001435	696262	4549734999922			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-0-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+3D Option	1765.00	EC001435	696263	4549734999939			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option	2113.00	EC001435	696264	4549734999946			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+Historian and Data loqer+3D Option	2293.00	EC001435	696265	4549734999953			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM with 1 webclient option	1849.00	EC001435	696266	4549734999960			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option with 1 webclient option	2377.00	EC001435	696267	4549734999977			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+1xWeb Client Option+Historian and Data loqer+3D Option	2556.00	EC001435	696268	4549734999984			OB	OBZ	ITA	8523.5190.00
RTH4-2K-5W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM+ 5x Web Clients Option+Historian and Data loqer	3431.00	EC001435	696269	4549734889001			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM	2074.00	EC001435	696270	4549734889018			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-0-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+3D Option	2253.00	EC001435	696271	4549734889025			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger option	2601.00	EC001435	696272	4549734889032			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-H-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+Historian and Data loqer+3D Option	2781.00	EC001435	696274	4549734889056			OB	OBZ	ITA	8523.5190.00
RTH4-4K-1W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM with 1 webclient option	2339.00	EC001435	696276	4549734889070			OB	OBZ	ITA	8523.5190.00
RTH4-4K-1W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger option with 1 webclients option	2866.00	EC001435	696277	4549734889087			OB	OBZ	ITA	8523.5190.00
RTH4-4K-2W-H	Movicon OEM Runtime Client-Server 4.000 tags + Movicon SCADA OEM Historian+Data Logger+ Reports Option+ 2 Web Clients Option	3132.00	EC001435	700822	4549734895620			OB	OBZ	ITA	8523.5190.00
RTH4-4K-2W-H-1DRV	Movicon OEM Runtime Client-Server 4.000 tags + 2 Web Clients + Historian+Data Logger + Reports Option + 1 Additional Automation Driver	3309.00	EC001435	699036	4549734891479			OB	OBZ	ITA	8523.5190.00
RTH4-4K-5W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM+5xWeb Client Option	3344.00	EC001435	696278	4549734889094			OB	OBZ	ITA	8523.5190.00
Mobile Flow license											
20271-800	License, 1 Yr, Fleet Operations Workspace Core, Primary	1000.00	EC000000	690680	4549734511254			OC	OCA	USA	8479.5000.00
20271-806	License, 5 Yr, Fleet Operations Workspace Core, Primary	6250.00	EC000000	690670	4549734547475			OC	OCA	USA	8479.5000.00
Mobile Other licenses											
20271-804	License, Fleet Simulator, Perpetual Fleet Simulator License for existing EM2100 devices	8120.00	EC000000	694788	4549734511292			OC	OCB	USA	8479.5000.00
20271-805	License, One-Shot, Cell Alignment Positioning System (CAPS)	2185.00	EC000000	690669	4549734511308			OC	OCB	USA	8479.5000.00
13495-200	Mobile Planner 4 License Dongle (per computer)	3169.00	EC000000	679604	4549734123457			OC	OCB	USA	8479.9070.99
K6											
K6CM-CI2MA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modus, applicable in environment with inverters	1350.00	EC002613	695077	4549734605182			RA	RAA	JPN	9030.3370.00
K6CM-CI2MD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters	1350.00	EC002613	695076	4549734605199			RA	RAA	JPN	9030.3370.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K6CM-ISMA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	1010.00	EC002613	680571	4549734178716			RA	RAA	JPN	9030.3370.00
K6CM-ISMD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	1010.00	EC002613	680572	4549734178723			RA	RAA	JPN	9030.3370.00
K6CM-VBMA-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & temperature model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	999.50	EC002613	680567	4549734178679			RA	RAA	JPN	9030.8900.00
K6CM-VBMD-EIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & Temperature model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	999.50	EC002613	680562	4549734178686			RA	RAA	JPN	9030.8900.00
K6PM-THMD-EIP	Thermal condition monitoring device for control cabinets and panels, 24 VDC, transistor control output, Push-in Plus, LCD display, EtherNet/IP and Modbus TCP	1123.00	EC000601	690911	4549734500920			RA	RAA	JPN	9031.8080.00
K7GE-MGMA	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1082.00	EC002498	700665	4549734673921			RA	RAA	JPN	9030.3370.00
K7GE-MGMD	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1082.00	EC002498	700664	4549734673938			RA	RAA	JPN	9030.3370.00

K6 Accessories

K6CM-CICB005	CT sensor for Current analysis model K6CM-CIM, 5A rated primary-side current	113.30	EC002048	680570	4549734178747			RA	RAZ	JPN	9030.3370.00
K6CM-CICB025	CT sensor for Current analysis model K6CM-CIM, 25A rated primary-side current	123.60	EC002048	680563	4549734178754			RA	RAZ	JPN	9030.3370.00
K6CM-CICB100	CT sensor for Current analysis model K6CM-CIM, 100A rated primary-side current	133.90	EC002048	680568	4549734178761			RA	RAZ	JPN	9030.3370.00
K6CM-CICB200	CT sensor for Current analysis model K6CM-CIM, 200A rated primary-side current	154.50	EC002048	680564	4549734178778			RA	RAZ	JPN	9030.3370.00
K6CM-CICB400	CT sensor for Current analysis model K6CM-CIM, 400A rated primary-side current	185.40	EC002048	680561	4549734178785			RA	RAZ	JPN	9030.3370.00
K6CM-CICB600	CT sensor for Current analysis model K6CM-CIM, 600A rated primary-side current	206.00	EC002048	680566	4549734178792			RA	RAZ	JPN	9030.3370.00
K6CM-ISZBI52	ZCT sensor for Insulation Resistance model K6CM-ISM, 200 to 480 VAC, 52mm dia. Through hole	772.50	EC002615	680569	4549734178808			RA	RAZ	JPN	9030.3370.00
K6CM-VBS1	Sensor head & Pre-amplifier for Vibration & temperature model K6CM-VBS1, M6 screw attachment part also included	659.50	EC002615	680565	4549734178730			RA	RAZ	JPN	9030.8900.00
K6CM-VBSAT1	Adhesive attachment for the vibration and temperature sensor K6CM-VBS1	43.26	EC002615	700456	4549734489058			RA	RAZ	JPN	9030.8900.00
K6PM-THS3232	Infrared thermal sensor for K6PM-THMD-EIP, 24 VDC, 0°C - 200°C, 1,024 pixels, FOV 90° × 90°	783.00	EC001195	690912	4549734500937			RA	RAZ	JPN	9031.8080.00
K7GE-MG1	Probe unit for Insulation Resistance Monitoring Device K7GE-MGM	257.50	EC002498	700663	4549734673945			RA	RAZ	JPN	9030.3370.00

Industrial Cameras

STC-HD213DV	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, cased	547.00	EC003015	696468	4549734667029			SA	SAA	JPN	9031.9000.00
STC-HD213DV-CS	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, cased	547.00	EC003015	696466	4549734667043			SA	SAA	JPN	9031.9000.00
STC-HD213SDI	HD SDI, Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, Cased	635.50	EC003015	696467	4549734667036			SA	SAA	JPN	9031.9000.00
STC-HD213SDI-CS	HD SDI, Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, Cased	635.50	EC003015	696465	4549734667050			SA	SAA	JPN	9031.9000.00
31940-010-E	Kit, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	916.00	EC003015	699014	4549734891349			SA	SAA	JPN	9031.9000.00
31940-011-E	Kit, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	916.00	EC003015	699012	4549734891332			SA	SAA	JPN	9031.9000.00
31940-100-E	Kit, camera, GigE, POE, 3856 x 2764, 1/2.3", 10.3 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	953.50	EC003015	698990	4549734891226			SA	SAA	JPN	9031.9000.00
31940-120-E	Kit, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1014.00	EC003015	698988	4549734891219			SA	SAA	JPN	9031.9000.00
31940-121-E	Kit, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fps, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1014.00	EC003015	698986	4549734891202			SA	SAA	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
31940-130-E	Kit, camera, GigE, POE, 1280 x 1024, 1/1,8", 61 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	936.00	EC003015	699010	4549734891325			SA	SAA	JPN	9031.9000.00
31940-131-E	Kit, camera, GigE, POE, 1280 x 1024, 1/1,8", 61 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	936.00	EC003015	699008	4549734891318			SA	SAA	JPN	9031.9000.00
31940-160-E	Kit, camera, GigE, POE, 1440 x 1088, 1/2,9", 70.7 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	948.50	EC003015	699006	4549734891301			SA	SAA	JPN	9031.9000.00
31940-161-E	Kit, camera, GigE, POE, 1440 x 1088, 1/2,9", 70.7 fps, color, M Series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	948.50	EC003015	699004	4549734891295			SA	SAA	JPN	9031.9000.00
31940-200-E	Kit, camera, GigE, POE, 1624 x 1240, 1/1,7", 54.6 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1027.00	EC003015	699002	4549734891288			SA	SAA	JPN	9031.9000.00
31940-201-E	Kit, camera, GigE, POE, 1624 x 1240, 1/1,7", 54.6 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1027.00	EC003015	699000	4549734891271			SA	SAA	JPN	9031.9000.00
31940-240-E	Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1066.00	EC003015	698984	4549734891196			SA	SAA	JPN	9031.9000.00
31940-241-E	Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1066.00	EC003015	698982	4549734891189			SA	SAA	JPN	9031.9000.00
31940-320-E	Kit, camera, GigE, POE, 2048 x 1536, 2/3", 34.9 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1079.00	EC003015	698998	4549734891264			SA	SAA	JPN	9031.9000.00
31940-321-E	Kit, camera, GigE, POE, 2048 x 1536, 2/3", 34.9 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1079.00	EC003015	698996	4549734891257			SA	SAA	JPN	9031.9000.00
31940-500-E	Kit, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1196.00	EC003015	698980	4549734891172			SA	SAA	JPN	9031.9000.00
31940-501-E	Kit, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1196.00	EC003015	698978	4549734891165			SA	SAA	JPN	9031.9000.00
31940-530-E	Kit, camera, GigE, POE, 2592 x 1944, 1/2,5", 14 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	901.50	EC003015	698994	4549734891240			SA	SAA	JPN	9031.9000.00
31940-531-E	Kit, camera, GigE, POE, 2592 x 1944, 1/2,5", 14 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	901.50	EC003015	698992	4549734891233			SA	SAA	JPN	9031.9000.00
STC-MBA1002POE	GigE Vision Area Scan Camera, 10.0 MP, Monochrome, CMOS MT9J003, 1/2.3", 1.67 µm, 10.3 fps, Rolling Shutter, C Mount, Cased, POE	573.00	EC003015	695958	4549734594929			SA	SAA	JPN	9031.9000.00
STC-MBA503POE	GigE Vision Area Scan Camera, 5.0 MP, Monochrome, CMOS MT9P031, 1/2.5", 2.2 µm, 14 fps, Rolling Shutter, C Mount, Cased, POE	477.30	EC003015	695913	4549734594882			SA	SAA	JPN	9031.9000.00
STC-MBE132POE	GigE Vision Area Scan Camera, 1.3 MP, Monochrome, CMOS EV76C560, 1/1.8", 5.3 µm, 61 fps, Global Shutter, C Mount, Cased, POE	445.50	EC003015	695960	4549734594844			SA	SAA	JPN	9031.9000.00
STC-MBS1242POE	GigE Vision Area Scan Camera, 12.0 MP, Monochrome, CMOS Sony IMX226, 1/1.7", 1.85 µm, 8.7 fps, Rolling Shutter, C Mount, Cased, POE	969.50	EC003015	690610	4549734548496			SA	SAA	JPN	9031.9000.00
STC-MBS163POE	GigE Vision Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 69 fps, Global Shutter, C Mount, Cased, POE	469.50	EC003015	690602	4549734548410			SA	SAA	JPN	9031.9000.00
STC-MBS202POE	GigE Vision Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 54.4 fps, Global Shutter, C Mount, Cased, POE	652.50	EC003015	690604	4549734548434			SA	SAA	JPN	9031.9000.00
STC-MBS2041POE	GigE Vision Area Scan Camera, 20.0 MP, Monochrome, CMOS Sony IMX183, 1", 2.4 µm, 5.6 fps, Rolling Shutter, C Mount, Cased, POE	991.00	EC003015	690612	4549734548519			SA	SAA	JPN	9031.9000.00
STC-MBS231POE	GigE Vision Area Scan Camera, 2.3 MP, Monochrome, CMOS Sony IMX249, 1/1.2", 5.86 µm, 41.6 fps, Global Shutter, C Mount, Cased, POE	658.00	EC003015	695907	4549734664325			SA	SAA	JPN	9031.9000.00
STC-MBS312POE	GigE Vision Area Scan Camera, 3.2 MP, Monochrome, CMOS Sony IMX265, 1/1.8", 3.45 µm, 33.4 fps, Global Shutter, C Mount, Cased, POE	867.50	EC003015	690606	4549734548458			SA	SAA	JPN	9031.9000.00
STC-MBS43POE	GigE Vision Area Scan Camera, 0.4 MP, Monochrome, CMOS Sony IMX287, 1/2.9", 6.9 µm, 265 fps, Global Shutter, C Mount, Cased, POE	429.60	EC003015	690600	4549734548397			SA	SAA	JPN	9031.9000.00
STC-MBS500POE	GigE Vision Area Scan Camera, 5.0 MP, Monochrome, CMOS Sony IMX264, 2/3", 3.45 µm, 21 fps, Global Shutter, C Mount, Cased, POE	977.50	EC003015	690608	4549734548472			SA	SAA	JPN	9031.9000.00
STC-MBS52POE	GigE Vision Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POE	445.50	EC003015	695915	4549734594868			SA	SAA	JPN	9031.9000.00
STC-MBS642POE	GigE Vision Area Scan Camera, 6.4 MP, Monochrome, CMOS Sony IMX178, 1/1.8", 2.4 µm, 17.4 fps, Rolling Shutter, C Mount, Cased, POE	509.50	EC003015	695911	4549734594905			SA	SAA	JPN	9031.9000.00
STC-MBS881POE	GigE Vision Area Scan Camera, 8.9 MP, Monochrome, CMOS Sony IMX267, 1", 3.45 µm, 12.4 fps, Global Shutter, C Mount, Cased, POE	1909.00	EC003015	695909	4549734594936			SA	SAA	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
STC-MCA503POE	GigE Vision Area Scan Camera, 5.0 MP, Color, CMOS MT9P031, 1/2.5", 2.2 µm, 14 fps, Rolling Shutter, C Mount, Cased, POE	477.30	EC003015	695912	4549734594899			SA	SAA	JPN	9031.9000.00
STC-MCE132POE	GigE Vision Area Scan Camera, 1.3 MP, Color, CMOS EV76C560, 1/1.8", 5.3 µm, 61 fps, Global Shutter, C Mount, Cased, POE	445.50	EC003015	695959	4549734594851			SA	SAA	JPN	9031.9000.00
STC-MCS122BPOE	GigE Vision Area Scan Camera, 12.0 MP, Color, CMOS Sony IMX304, 1.1", 3.45 µm, 8.9 fps, Global Shutter, C Mount, Cased, POE	2547.00	EC003015	694006	4549734594967			SA	SAA	JPN	9031.9000.00
STC-MCS1242POE	GigE Vision Area Scan Camera, 12.0 MP, Color, CMOS Sony IMX226, 1/1.7", 1.85 µm, 8.7 fps, Rolling Shutter, C Mount, Cased, POE	969.50	EC003015	690611	4549734548502			SA	SAA	JPN	9031.9000.00
STC-MCS163POE	GigE Vision Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µm, 69 fps, Global Shutter, C Mount, Cased, POE	469.50	EC003015	690603	4549734548427			SA	SAA	JPN	9031.9000.00
STC-MCS202POE	GigE Vision Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 54.4 fps, Global Shutter, C Mount, Cased, POE	652.50	EC003015	690605	4549734548441			SA	SAA	JPN	9031.9000.00
STC-MCS2041POE	GigE Vision Area Scan Camera, 20.0 MP, Color, CMOS Sony IMX183, 1", 2.4 µm, 5.6 fps, Rolling Shutter, C Mount, Cased, POE	991.00	EC003015	690613	4549734548526			SA	SAA	JPN	9031.9000.00
STC-MCS231POE	GigE Vision Area Scan Camera, 2.3 MP, Color, CMOS Sony IMX249, 1/1.2", 5.86 µm, 41.6 fps, Global Shutter, C Mount, Cased, POE	658.00	EC003015	695906	4549734664332			SA	SAA	JPN	9031.9000.00
STC-MCS312POE	GigE Vision Area Scan Camera, 3.2 MP, Color, CMOS Sony IMX265, 1/1.8", 3.45 µm, 33.4 fps, Global Shutter, C Mount, Cased, POE	867.50	EC003015	690607	4549734548465			SA	SAA	JPN	9031.9000.00
STC-MCS43POE	GigE Vision Area Scan Camera, 0.4 MP, Color, CMOS Sony IMX287, 1/2.9", 6.9 µm, 265 fps, Global Shutter, C Mount, Cased, POE	429.60	EC003015	690601	4549734548403			SA	SAA	JPN	9031.9000.00
STC-MCS500POE	GigE Vision Area Scan Camera, 5.0 MP, Color, CMOS Sony IMX264, 2/3", 3.45 µm, 21 fps, Global Shutter, C Mount, Cased, POE	977.50	EC003015	690609	4549734548489			SA	SAA	JPN	9031.9000.00
STC-MCS52POE	GigE Vision Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POE	445.50	EC003015	695914	4549734594875			SA	SAA	JPN	9031.9000.00
STC-MCS642POE	GigE Vision Area Scan Camera, 6.4 MP, Color, CMOS Sony IMX178, 1/1.8", 2.4 µm, 17.4 fps, Rolling Shutter, C Mount, Cased, POE	509.50	EC003015	695910	4549734594912			SA	SAA	JPN	9031.9000.00
STC-MCS881POE	GigE Vision Area Scan Camera, 8.9 MP, Color, CMOS Sony IMX267, 1", 3.45 µm, 12.4 fps, Global Shutter, C Mount, Cased, POE	1909.00	EC003015	695908	4549734594943			SA	SAA	JPN	9031.9000.00
STC-MB133USB	USB 2.0 Area Scan Camera, 1.3 MP, Monochrome, CCD Sony ICX445AL, 1/3", 3.75 µm, 22 fps, Global Shutter, CS Mount, Cased	326.10	EC003015	681165	4549734202800			SA	SAA	JPN	9031.9000.00
STC-MBS70BU3V	USB 3.0 Area Scan Camera, 7.1 MP, Monochrome, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C Mount, Cased	2068.00	EC003015	696370	4549734609814			SA	SAA	JPN	9031.9000.00
STC-MCS70BU3V	USB 3.0 Area Scan Camera, 7.1 MP, Color, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C Mount, Cased	2068.00	EC003015	696369	4549734609920			SA	SAA	JPN	9031.9000.00
STC-CMB120AOPQ	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x QSFP + Optical connector, 40Gbps	5485.00	EC003015	698800	4549734609937			SA	SAA	JPN	9031.9000.00
STC-CMB120AOPQ-F	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x QSFP + Optical connector, 40Gbps	5485.00	EC003015	698799	4549734609944			SA	SAA	JPN	9031.9000.00
STC-CMB120AOPT-F	Opt-C Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount,	5485.00	EC003015	698807	4549734199544			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPQ	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x QSFP + Optical connector, 40Gbps	5485.00	EC003015	698798	4549734609951			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPQ-F	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount, 1x QSFP + Optical connector, 40Gbps	5485.00	EC003015	698797	4549734609968			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPT-F	Opt-C Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F Mount,	5485.00	EC003015	698808	4549734199551			SA	SAA	JPN	9031.9000.00
STC-OSB250CL	Camera Link Area Scan Camera, 25 MP, Monochrome, Python 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, M42 Mount, Cased	5220.00	EC003015	698579	4549734609890			SA	SAA	JPN	9031.9000.00
STC-OSB250CL-F	Camera Link Area Scan Camera, 25 MP, Monochrome, Python 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, F Mount, Cased	5220.00	EC003015	698578	4549734609906			SA	SAA	JPN	9031.9000.00
STC-SPB202PCL	Camera Link Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C Mount, Cased, POCL	711.00	EC003015	698325	4549734609999			SA	SAA	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
STC-SPB52PCL	Camera Link Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POCL	487.90	EC003015	698327	4549734609975			SA	SAA	JPN	9031.9000.00
STC-SPC202PCL	Camera Link Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89,1 fps, Global Shutter, C Mount, Cased, POCL	711.00	EC003015	698324	4549734610001			SA	SAA	JPN	9031.9000.00
STC-SPC52PCL	Camera Link Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POCL	489.00	EC003015	698326	4549734609982			SA	SAA	JPN	9031.9000.00
STC-625PWC	Analog Area Scan Camera, 0.4 MP, PAL, CCD Sony ICX419AKL, 1/2", 8.3 x 8.6 µm, 2:1 Interlace, C Mount, Cased, 12 Pin Hirose Connector for Power, Video and External Synch	436.10	EC003015	681318	4549734202565			SA	SAA	JPN	9031.9000.00
STC-MB33SS	Analog Progressive Camera Area Scan Camera, VGA, Monochrome, RJ33B4AA0DT, 1/3", 7.4 µm, 90 fps, Global Shutter, C Mount, Cased	314.00	EC003015	698580	4549734509954			SA	SAA	JPN	9031.9000.00
STC-P64FL	Analog Area Scan Camera, 0.4 MP, Color, CCD Sony ICX649BKA, 1/4", 4.85 x 4.65 µm, 15 fps, Global Shutter, Fixed Lens, Board Level	95.20	EC003015	681348	4549734202664			SA	SAA	JPN	9031.9000.00
FS-B2KU7DGES-C	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, C-Mount, POE	1512.00	EC003015	699136	4549734667142			SA	SAA	JPN	9031.9000.00
FS-B2KU7DGES-F	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, F-Mount, POE	1552.00	EC003015	699135	4549734667159			SA	SAA	JPN	9031.9000.00
FS-B2KU7DGES-M42	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, M42-Mount, POE	1533.00	EC003015	699134	4549734667166			SA	SAA	JPN	9031.9000.00
FS-B4KU7DGES-F	GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inver, 7.0 µm, 13 kHz, F-Mount, POE	1871.00	EC003015	699138	4549734667128			SA	SAA	JPN	9031.9000.00
FS-B4KU7DGES-M42	GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inver, 7.0 µm, 13 kHz, M42-Mount, POE	1840.00	EC003015	699137	4549734667135			SA	SAA	JPN	9031.9000.00
FS-C2KU7DGES-C	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, C-Mount, POE	1512.00	EC003015	699131	4549734669900			SA	SAA	JPN	9031.9000.00
FS-C2KU7DGES-F	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, F-Mount, POE	1552.00	EC003015	699130	4549734669917			SA	SAA	JPN	9031.9000.00
FS-C2KU7DGES-M42	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, M42-Mount, POE	1533.00	EC003015	699129	4549734669924			SA	SAA	JPN	9031.9000.00
FS-C4KU7DGES-F	GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, F-Mount, POE	1871.00	EC003015	699133	4549734669887			SA	SAA	JPN	9031.9000.00
FS-C4KU7DGES-M42	GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, M42-Mount, POE	1871.00	EC003015	699132	4549734669894			SA	SAA	JPN	9031.9000.00
JIG-HD133-R	Controlling Unit for STC-HD133 and STC-HD203 Camera	129.20	EC003015	683771	4549734953283			SA	SAA	USA	9026.9000.00
Accessories for Industrial Cameras											
CAB-USB3-02	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 2 m	37.12	EC003015	698597	4549734667180			SA	SAB	PHL	8544.4290.90
CAB-USB3-02-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 2 m	87.00	EC003015	698601	4549734667234			SA	SAB	PHL	8544.4290.90
CAB-USB3-03	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 3 m	44.55	EC003015	698596	4549734667197			SA	SAB	PHL	8544.4290.90
CAB-USB3-03-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 3 m	108.30	EC003015	698600	4549734667241			SA	SAB	PHL	8544.4290.90
CAB-USB3-05	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 5 m	52.00	EC003015	698595	4549734667203			SA	SAB	PHL	8544.4290.90
CAB-USB3-05-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 5 m	159.10	EC003015	698599	4549734667258			SA	SAB	PHL	8544.4290.90
CAB-USB3-07	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 7 m	111.50	EC003015	698594	4549734667210			SA	SAB	PHL	8544.4290.90
CAB-USB3-07-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 7 m	265.20	EC003015	698598	4549734667265			SA	SAB	PHL	8544.4290.90
CAB-USB3-10	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 10 m	201.50	EC003015	698593	4549734667227			SA	SAB	PHL	8544.4290.90
HR10A-7P-6S(73)	Hirose 6 Position Circular Connector Plug, Female Sockets Solder Cup Silver	11.53	EC003015	681415	4549734944557			SA	SAB	JPN	8536.9010.00
CAB-KWA-IEA	Converter, 6-pin connector to S Series pin assignment	58.35	EC003015	696471	4549734667173			SA	SAB	JPN	9031.9000.00
TP-JQA	Tripod Mount for Cube Camera	31.82	EC003015	696469	4549734667487			SA	SAB	CHN	9031.9000.00
TP-KWA2	Tripod Mount for M-Series Camera	31.82	EC003015	696470	4549734667470			SA	SAB	CHN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MicroHAWK Code Readers											
FIS-0003-0001G	MS-3 Barcode Reader, Single Line, Low Density	1283.00	EC002999	700200	4549734216517			SB	SBA	JPN	8471.6070.00
FIS-0003-0003G	MS-3 Barcode Reader, Raster, Low Density	1353.00	EC002999	700198	4549734216531			SB	SBA	JPN	8471.6070.00
FIS-0830-1004G	QX-830 Industrial Barcode Reader, Raster Line, Low Density, Serial+Ethernet	2449.00	EC002999	682355	4549734216692			SB	SBA	MYS	8471.6070.00
FIS-0830-1005G	QX-830 Scanner, Raster Line, MD, Serial & Ethernet	2449.00	EC002999	682391	4549734216708			SB	SBA	MYS	8471.6070.00
FIS-0870-1005G	QX-870 Industrial Barcode Reader, Medium Density, Sweeping Raster, Serial+Ethernet	3816.00	EC002999	682402	4549734216784			SB	SBA	MYS	8471.6070.00
V420-F000L12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1645.00	EC002999	697899	4549734573733			SB	SBA	JPN	9031.9000.00
V420-F000L12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2175.00	EC002999	697900	4549734573740			SB	SBA	JPN	9031.9000.00
V420-F000L12M-SRP	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC002999	697901	4549734573757			SB	SBA	JPN	9031.9000.00
V420-F000L12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2015.00	EC002999	691402	4549734573764			SB	SBA	JPN	9031.9000.00
V420-F000L12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC002999	697902	4549734573771			SB	SBA	JPN	9031.9000.00
V420-F000L12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2281.00	EC002999	697903	4549734573788			SB	SBA	JPN	9031.9000.00
V420-F000M03M-NNP	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1327.00	EC002999	697860	4549734573290			SB	SBA	MYS	9031.9000.00
V420-F000M03M-NNX	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	1857.00	EC002999	697861	4549734573306			SB	SBA	MYS	9031.9000.00
V420-F000M03M-SRP	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC002999	697862	4549734573313			SB	SBA	MYS	9031.9000.00
V420-F000M03M-SRX	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	1697.00	EC002999	691517	4549734573320			SB	SBA	MYS	9031.9000.00
V420-F000M03M-SWP	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC002999	697863	4549734573337			SB	SBA	MYS	9031.9000.00
V420-F000M03M-SWX	V420 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	1963.00	EC002999	697864	4549734573344			SB	SBA	MYS	9031.9000.00
V420-F000M12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1645.00	EC002999	697870	4549734573412			SB	SBA	JPN	9031.9000.00
V420-F000M12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2175.00	EC002999	697871	4549734573429			SB	SBA	JPN	9031.9000.00
V420-F000M12M-SRP	V420 Code Reader, 1.2 MP monochrome, medium view, autofocus 50-300 mm, white light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC002999	702501	4549734573436			SB	SBA	JPN	9031.9000.00
V420-F000M12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2015.00	EC002999	691331	4549734573443			SB	SBA	JPN	9031.9000.00
V420-F000M12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC002999	697872	4549734573450			SB	SBA	JPN	9031.9000.00
V420-F000M12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2281.00	EC002999	697873	4549734573467			SB	SBA	JPN	9031.9000.00
V420-F000M50C-NNP	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC002999	697878	4549734573511			SB	SBA	JPN	9031.9000.00
V420-F000M50C-NNX	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	1963.00	EC002999	697879	4549734573528			SB	SBA	JPN	9031.9000.00
V420-F000M50C-SWP	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1539.00	EC002999	697880	4549734573535			SB	SBA	JPN	9031.9000.00
V420-F000M50C-SWX	V420 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2069.00	EC002999	697881	4549734573542			SB	SBA	JPN	9031.9000.00
V420-F000N12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1645.00	EC002999	697894	4549734573672			SB	SBA	JPN	9031.9000.00
V420-F000N12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2175.00	EC002999	697895	4549734573689			SB	SBA	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V420-F000N12M-SRP	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC002999	697896	4549734573696			SB	SBA	JPN	9031.9000.00
V420-F000N12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2281.00	EC002999	691495	4549734573702			SB	SBA	JPN	9031.9000.00
V420-F000N12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC002999	697897	4549734573719			SB	SBA	JPN	9031.9000.00
V420-F000N12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2281.00	EC002999	697898	4549734573726			SB	SBA	JPN	9031.9000.00
V420-F000W03M-NNP	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1327.00	EC002999	697855	4549734573238			SB	SBA	MYS	9031.9000.00
V420-F000W03M-NNX	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	1857.00	EC002999	697856	4549734573245			SB	SBA	MYS	9031.9000.00
V420-F000W03M-SRP	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC002999	697857	4549734573252			SB	SBA	MYS	9031.9000.00
V420-F000W03M-SRX	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	1697.00	EC002999	691327	4549734573269			SB	SBA	MYS	9031.9000.00
V420-F000W03M-SWP	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC002999	697858	4549734573276			SB	SBA	MYS	9031.9000.00
V420-F000W03M-SWX	V420 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	1963.00	EC002999	697859	4549734573283			SB	SBA	MYS	9031.9000.00
V420-F000W12M-NNP	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1645.00	EC002999	697865	4549734573351			SB	SBA	JPN	9031.9000.00
V420-F000W12M-NNX	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2175.00	EC002999	697866	4549734573368			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SRP	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC002999	697867	4549734573375			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SRX	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2015.00	EC002999	691425	4549734573382			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SWP	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC002999	697868	4549734573399			SB	SBA	JPN	9031.9000.00
V420-F000W12M-SWX	V420 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2281.00	EC002999	697869	4549734573405			SB	SBA	JPN	9031.9000.00
V420-F000W50C-NNP	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC002999	697874	4549734573474			SB	SBA	JPN	9031.9000.00
V420-F000W50C-NNX	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	1963.00	EC002999	697875	4549734573481			SB	SBA	JPN	9031.9000.00
V420-F000W50C-SWP	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Serial RS-232, USB, or Ethernet over USB, IP54	1539.00	EC002999	697876	4549734573498			SB	SBA	JPN	9031.9000.00
V420-F000W50C-SWX	V420 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, X-Mode, Serial RS-232, USB, or Ethernet over USB, IP54	2069.00	EC002999	697877	4549734573504			SB	SBA	JPN	9031.9000.00
V430-F000L12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1963.00	EC002999	698178	4549734576536			SB	SBA	JPN	9031.9000.00
V430-F000L12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2493.00	EC002999	698179	4549734576543			SB	SBA	JPN	9031.9000.00
V430-F000L12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC002999	698180	4549734576550			SB	SBA	JPN	9031.9000.00
V430-F000L12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2334.00	EC002999	691738	4549734576567	#		SB	SBA	JPN	9031.9000.00
V430-F000L12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC002999	698181	4549734576574			SB	SBA	JPN	9031.9000.00
V430-F000L12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Long range, Autofocus 75-1200 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC002999	691714	4549734576581			SB	SBA	JPN	9031.9000.00
V430-F000M03M-NNP	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1645.00	EC002999	698140	4549734576093			SB	SBA	MYS	9031.9000.00
V430-F000M03M-NNX	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2175.00	EC002999	698141	4549734576109			SB	SBA	MYS	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-F000M03M-SRP	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1751.00	EC002999	698142	4549734576116			SB	SBA	MYS	9031.9000.00
V430-F000M03M-SRX	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2015.00	EC002999	691584	4549734576123	#		SB	SBA	MYS	9031.9000.00
V430-F000M03M-SWP	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1751.00	EC002999	698143	4549734576130			SB	SBA	MYS	9031.9000.00
V430-F000M03M-SWX	V430 Code Reader, 0.3 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2281.00	EC002999	698144	4549734576147			SB	SBA	MYS	9031.9000.00
V430-F000M12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1963.00	EC002999	698150	4549734576215			SB	SBA	JPN	9031.9000.00
V430-F000M12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2493.00	EC002999	698151	4549734576222			SB	SBA	JPN	9031.9000.00
V430-F000M12M-RRX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2864.00	EC002999	691702	4549734576598			SB	SBA	JPN	9031.9000.00
V430-F000M12M-RWX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3129.00	EC002999	698182	4549734576604			SB	SBA	JPN	9031.9000.00
V430-F000M12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC002999	698152	4549734576239			SB	SBA	JPN	9031.9000.00
V430-F000M12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2334.00	EC002999	691678	4549734576246	#		SB	SBA	JPN	9031.9000.00
V430-F000M12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC002999	698153	4549734576253			SB	SBA	JPN	9031.9000.00
V430-F000M12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC002999	698154	4549734576260	#		SB	SBA	JPN	9031.9000.00
V430-F000M50C-NNP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1751.00	EC002999	698158	4549734576314			SB	SBA	JPN	9031.9000.00
V430-F000M50C-NNX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2281.00	EC002999	698159	4549734576321			SB	SBA	JPN	9031.9000.00
V430-F000M50C-SWP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1857.00	EC002999	698160	4549734576338			SB	SBA	JPN	9031.9000.00
V430-F000M50C-SWX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2387.00	EC002999	691772	4549734576345			SB	SBA	JPN	9031.9000.00
V430-F000N12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1963.00	EC002999	698173	4549734576475			SB	SBA	JPN	9031.9000.00
V430-F000N12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2493.00	EC002999	698174	4549734576482			SB	SBA	JPN	9031.9000.00
V430-F000N12M-RRX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3129.00	EC002999	691671	4549734576611			SB	SBA	JPN	9031.9000.00
V430-F000N12M-RWX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3129.00	EC002999	698183	4549734576628			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC002999	698175	4549734576499			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC002999	691560	4549734576505			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC002999	698176	4549734576512			SB	SBA	JPN	9031.9000.00
V430-F000N12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC002999	698177	4549734576529			SB	SBA	JPN	9031.9000.00
V430-F000W03M-NNP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1645.00	EC002999	698135	4549734576031			SB	SBA	MYS	9031.9000.00
V430-F000W03M-NNX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2175.00	EC002999	698136	4549734576048			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SRP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1751.00	EC002999	698137	4549734576055			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SRX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2015.00	EC002999	696573	4549734576062	#		SB	SBA	MYS	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-F000W03M-SWP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1751.00	EC002999	698138	4549734576079			SB	SBA	MYS	9031.9000.00
V430-F000W03M-SWX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2281.00	EC002999	698139	4549734576086			SB	SBA	MYS	9031.9000.00
V430-F000W12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1963.00	EC002999	698145	4549734576154			SB	SBA	JPN	9031.9000.00
V430-F000W12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2493.00	EC002999	698146	4549734576161			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SRP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC002999	698147	4549734576178			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2334.00	EC002999	691755	4549734576185	#		SB	SBA	JPN	9031.9000.00
V430-F000W12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC002999	698148	4549734576192			SB	SBA	JPN	9031.9000.00
V430-F000W12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC002999	698149	4549734576208			SB	SBA	JPN	9031.9000.00
V430-F000W50C-NNP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1751.00	EC002999	698155	4549734576277			SB	SBA	JPN	9031.9000.00
V430-F000W50C-NNX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2281.00	EC002999	698156	4549734576284			SB	SBA	JPN	9031.9000.00
V430-F000W50C-SWP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1857.00	EC002999	698157	4549734576291			SB	SBA	JPN	9031.9000.00
V430-F000W50C-SWX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2387.00	EC002999	691586	4549734576307			SB	SBA	JPN	9031.9000.00
V410-HDS4608HC	V410-H HC Handheld Reader, white, wired	406.30	EC002999	699313	4549734570930			SB	SBA	MEX	8471.6070.00
V410-HDS4608SR	V410-H SR Handheld Reader, black grey, wired	358.50	EC002999	699314	4549734570923	#		SB	SBA	MEX	8471.6070.00
V410-HDS4608XD	V410-H XD Handheld Reader, black grey, wired, with X-Mode	597.50	EC002999	699312	4549734570947			SB	SBA	MEX	8471.6070.00
Code Verification Products											
9510-5-3.0	LVS-9510 Verifier, 3" FoV	8025.00	EC000000	682319	4549734217255			SB	SBB	USA	9031.9000.00
9510-5-4.0	LVS-9510 Verifier, 4" FoV	8025.00	EC000000	682357	4549734217262			SB	SBB	USA	9031.9000.00
9510-5-4.5	LVS-9510 Verifier, 4.5" FoV	8025.00	EC000000	682336	4549734217279	#		SB	SBB	USA	9031.9000.00
9510-5-6.250	LVS-9510 Verifier, 6.25" FoV	8025.00	EC000000	682386	4549734217286			SB	SBB	USA	9031.9000.00
9570-C-5	LVS-9570 Roller, 1D & 2D Codes	6100.00	EC000000	682075	4549734223928			SB	SBB	USA	9031.9000.00
9580-2D-3	LVS-9580 Handheld, 2D Barcode Verification	5865.00	EC000000	682636	4549734223942			SB	SBB	USA	9031.9000.00
9580-C-3	LVS-9580 Handheld, 1D & 2D Barcode Verification	7560.00	EC000000	682403	4549734217293			SB	SBB	USA	9031.9000.00
9585-DPM	LVS-9585 Handheld, 1D, 2D & DPM Dome and 30 degree lighting	9410.00	EC000000	682389	4549734217323	#		SB	SBB	USA	9031.9000.00
MicroHAWK Smart Cameras											
F420-F000L12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2493.00	EC003015	697140	4549734565073			SB	SBC	JPN	9031.9000.00
F420-F000L12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1645.00	EC003015	697139	4549734565066			SB	SBC	JPN	9031.9000.00
F420-F000L12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3023.00	EC003015	697141	4549734565080			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2599.00	EC003015	697143	4549734565103			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC003015	697142	4549734565097			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3129.00	EC003015	697144	4549734565110			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2599.00	EC003015	697146	4549734565134			SB	SBC	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F420-F000L12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC003015	697145	4549734565127			SB	SBC	JPN	9031.9000.00
F420-F000L12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2864.00	EC003015	696557	4549734565141			SB	SBC	JPN	9031.9000.00
F420-F000M03M-NNA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2175.00	EC003015	697079	4549734564410			SB	SBC	MYS	9031.9000.00
F420-F000M03M-NNS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1327.00	EC003015	697078	4549734564403			SB	SBC	MYS	9031.9000.00
F420-F000M03M-NNV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2705.00	EC003015	697080	4549734564427			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SRA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2281.00	EC003015	697082	4549734564441			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SRS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC003015	697081	4549734564434			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SRV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2811.00	EC003015	697083	4549734564458			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SWA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2281.00	EC003015	697085	4549734564472			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SWS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC003015	697084	4549734564465			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SWV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2546.00	EC003015	696552	4549734564489			SB	SBC	MYS	9031.9000.00
F420-F000M12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2493.00	EC003015	697095	4549734564595			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1645.00	EC003015	697094	4549734564588			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3023.00	EC003015	697096	4549734564601			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2599.00	EC003015	697098	4549734564625			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC003015	697097	4549734564618			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3129.00	EC003015	697099	4549734564632			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2599.00	EC003015	697101	4549734564656			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC003015	697100	4549734564649			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2864.00	EC003015	696554	4549734564663			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNA	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2281.00	EC003015	697108	4549734564748			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNS	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC003015	697107	4549734564731			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNV	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2811.00	EC003015	697109	4549734564755			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWA	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2387.00	EC003015	697111	4549734564779			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWS	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1539.00	EC003015	697110	4549734564762			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWV	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2652.00	EC003015	696556	4549734564786			SB	SBC	JPN	9031.9000.00
F420-F000N12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2493.00	EC003015	697131	4549734564984			SB	SBC	JPN	9031.9000.00
F420-F000N12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1645.00	EC003015	697130	4549734564977			SB	SBC	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F420-F000N12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3023.00	EC003015	697132	4549734564991			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2599.00	EC003015	697134	4549734565011			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC003015	697133	4549734565004			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3129.00	EC003015	697135	4549734565028			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2599.00	EC003015	697137	4549734565042			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC003015	697136	4549734565035			SB	SBC	JPN	9031.9000.00
F420-F000N12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3129.00	EC003015	697138	4549734565059			SB	SBC	JPN	9031.9000.00
F420-F000W03M-NNA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2175.00	EC003015	697071	4549734564328			SB	SBC	MYS	9031.9000.00
F420-F000W03M-NNS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1327.00	EC003015	697070	4549734564311			SB	SBC	MYS	9031.9000.00
F420-F000W03M-NNV	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2705.00	EC003015	697072	4549734564335			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2281.00	EC003015	697074	4549734564359			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC003015	697073	4549734564342			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRV	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2811.00	EC003015	697075	4549734564366			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SWA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2281.00	EC003015	697077	4549734564380			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SWS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC003015	697076	4549734564373			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SWV	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2546.00	EC003015	696551	4549734564397			SB	SBC	MYS	9031.9000.00
F420-F000W12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2493.00	EC003015	697087	4549734564502			SB	SBC	JPN	9031.9000.00
F420-F000W12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1645.00	EC003015	697086	4549734564496			SB	SBC	JPN	9031.9000.00
F420-F000W12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3023.00	EC003015	697088	4549734564519			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2599.00	EC003015	697090	4549734564533			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC003015	697089	4549734564526			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3129.00	EC003015	697091	4549734564540			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2599.00	EC003015	697093	4549734564564			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1751.00	EC003015	697092	4549734564557			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2864.00	EC003015	696553	4549734564571			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNA	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2281.00	EC003015	697103	4549734564687			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNS	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1433.00	EC003015	697102	4549734564670			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNV	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2811.00	EC003015	697104	4549734564694			SB	SBC	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F420-F000W50C-SWA	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2387.00	EC003015	697106	4549734564717			SB	SBC	JPN	9031.9000.00
F420-F000W50C-SWS	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1539.00	EC003015	697105	4549734564700			SB	SBC	JPN	9031.9000.00
F420-F000W50C-SWV	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	2652.00	EC003015	696555	4549734564724			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2811.00	EC003015	697443	4549734568319			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1963.00	EC003015	697442	4549734568302			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3342.00	EC003015	697444	4549734568326			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2917.00	EC003015	697446	4549734568340			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC003015	697445	4549734568333			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3448.00	EC003015	697447	4549734568357			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2917.00	EC003015	692453	4549734568371			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1803.00	EC003015	696570	4549734568364			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3182.00	EC003015	696571	4549734568388			SB	SBC	JPN	9031.9000.00
F430-F000M03M-NNA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2493.00	EC003015	697395	4549734567657			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1645.00	EC003015	697394	4549734567640			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3023.00	EC003015	697396	4549734567664			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC003015	697398	4549734567688			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1751.00	EC003015	697397	4549734567671			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3129.00	EC003015	697399	4549734567695			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC003015	692332	4549734567718			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1485.00	EC003015	696560	4549734567701			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2864.00	EC003015	696561	4549734567725			SB	SBC	MYS	9031.9000.00
F430-F000M12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2811.00	EC003015	697406	4549734567831			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1963.00	EC003015	697405	4549734567824			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3342.00	EC003015	697407	4549734567848			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3448.00	EC003015	697449	4549734568401			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC003015	697448	4549734568395			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3978.00	EC003015	697450	4549734568418			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3448.00	EC003015	692345	4549734568432			SB	SBC	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F430-F000M12M-RWS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC003015	697451	4549734568425			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3712.00	EC003015	696572	4549734568449			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2917.00	EC003015	692388	4549734567862			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC003015	697408	4549734567855			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3448.00	EC003015	697409	4549734567879			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2917.00	EC003015	692331	4549734567893			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1803.00	EC003015	696564	4549734567886			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3182.00	EC003015	696565	4549734567909			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNA	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC003015	697414	4549734567985			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNS	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1751.00	EC003015	697413	4549734567978			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNV	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3129.00	EC003015	697415	4549734567992			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWA	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2705.00	EC003015	692442	4549734568012			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWS	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1857.00	EC003015	696568	4549734568005			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWV	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3236.00	EC003015	696569	4549734568029			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2811.00	EC003015	697435	4549734568227			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1963.00	EC003015	697434	4549734568210			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3342.00	EC003015	697436	4549734568234			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RRR	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3448.00	EC003015	697453	4549734568463			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RRS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC003015	697452	4549734568456			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RRV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3978.00	EC003015	697454	4549734568470			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RWA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3448.00	EC003015	692231	4549734568494			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RWS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC003015	697455	4549734568487			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RWV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3978.00	EC003015	697456	4549734568500			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2917.00	EC003015	697438	4549734568258			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC003015	697437	4549734568241			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3448.00	EC003015	697439	4549734568265			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2917.00	EC003015	692283	4549734568289			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC003015	697440	4549734568272			SB	SBC	JPN	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F430-F000N12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3448.00	EC003015	697441	4549734568296			SB	SBC	JPN	9031.9000.00
F430-F000W03M-NNA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2493.00	EC003015	697388	4549734567565			SB	SBC	MYS	9031.9000.00
F430-F000W03M-NNS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1645.00	EC003015	697387	4549734567558			SB	SBC	MYS	9031.9000.00
F430-F000W03M-NNV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3023.00	EC003015	697389	4549734567572			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SRA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC003015	697391	4549734567596			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SRS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1751.00	EC003015	697390	4549734567589			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SRV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3129.00	EC003015	697392	4549734567602			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SWA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC003015	697393	4549734567626			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SWS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1485.00	EC003015	696558	4549734567619			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SWV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2864.00	EC003015	696559	4549734567633			SB	SBC	MYS	9031.9000.00
F430-F000W12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2811.00	EC003015	697401	4549734567749			SB	SBC	JPN	9031.9000.00
F430-F000W12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1963.00	EC003015	697400	4549734567732			SB	SBC	JPN	9031.9000.00
F430-F000W12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3342.00	EC003015	697402	4549734567756			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2917.00	EC003015	692218	4549734567770			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2069.00	EC003015	697403	4549734567763			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3448.00	EC003015	697404	4549734567787			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2917.00	EC003015	692160	4549734567800			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1803.00	EC003015	696562	4549734567794			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3182.00	EC003015	696563	4549734567817			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNA	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2599.00	EC003015	697411	4549734567923			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNS	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1751.00	EC003015	697410	4549734567916			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNV	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3129.00	EC003015	697412	4549734567930			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SWA	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2705.00	EC003015	692217	4549734567954			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SWS	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1857.00	EC003015	696566	4549734567947			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SWV	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3236.00	EC003015	696567	4549734567961			SB	SBC	JPN	9031.9000.00

Accessories for BCR/Smart Cameras

98-9000181-01	Kit, Power supply for cradle / charger, HDS-3678, A/C Power Cord Required	43.46	EC003015	684545	4549734958202			SB	SBZ	CHN	9031.9000.00
V410-A50	Presentation stand, hands free operation, V410-H	62.60	EC003015	699311	4549734570961	#		SB	SBZ	MEX	9031.9000.00
V410-WR-2M	Cable, RS-232, DB9F, TXD-2, 2 m	44.55	EC001681	699315	4549734570985			SB	SBZ	CHN	8544.4210.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V410-WUB-2M	Cable, style 3 USB, Mod plug, 2 m	44.55	EC001681	699316	4549734570978	#		SB	SBZ	CHN	8544.4210.00
61-000160-03	QX Cordset, Host, Ethernet, M12 8-pin Plug (Screw-On) to RJ45, 1 m	128.50	EC002599	682412	4549734217606			SB	SBZ	MEX	8544.4210.00
61-000163-03	QX Cordset, Host, Ethernet, M12 8-pin Plug (Screw-On) to RJ45, 3 m	133.70	EC002599	682064	4549734236775			SB	SBZ	USA	8544.4210.00
61-000163-04	Cordset, M12 8-pin Plug to RJ45 Ethernet, Right Angle Down, 3 m	133.70	EC002599	681997	4549734236782			SB	SBZ	MYS	8544.4210.00
61-000167-03	Cordset, M12 12-pin Socket to Flying Leads, Right Angle Down, 3 m	133.70	EC003015	682158	4549734236812			SB	SBZ	USA	8544.4210.00
12-9000937-01	Cradle / Charger, HDS-3678	318.80	EC003015	682210	4549734947244			SB	SBZ	CHN	8504.4055.90
12-9000953-01	Cable, RS-232, DB9 female, 2 m, straight, HDS-3600 Family	44.15	EC003015	690151	4549734440905			SB	SBZ	CHN	8544.4210.00
12-9000960-01	AC Power Cord, 2.5 m, EU, C13 Conn.	19.11	EC003015	682190	4549734947046			SB	SBZ	CHN	8544.4290.90
61-9000043-01	Cable, DB15 to Bus Power USB, MicroHAWK-30	92.10	EC003015	682392	4549734217705			SB	SBZ	USA	8544.4210.00
97-9000006-01	Power Supply, 5 V for use with 61-9000037-01 and 61-9000038-01 cables	50.25		682361	4549734217781			SB	SBZ	CHN	9031.9000.00
98-9000051-01	Kit, Window, MicroHAWK-30/40	50.25	EC003015	682085	4549734238052			SB	SBZ	USA	9031.9000.00
98-9000129-01	Kit, Polarizer, MicroHAWK 30/40, External	176.20	EC003015	682024	4549734238182			SB	SBZ	USA	9031.9000.00
98-9000200-01	LVS-9580/9585 Adjustable Stand Mounting for use with AMSCOPE BSS-140	374.20	EC003015	682330	4549734217347			SB	SBZ	USA	9031.9000.00
98-CAB0620	USB 2.0 Cable, 3 m. for LVS-958x	69.50	EC001681	682706	4549734238564			SB	SBZ	CHN	9031.9000.00
98-CAL022-01	LVS 958X HD Calibration conformance test card, Data Matrix, undated	667.50	EC003015	691026	4549734500548			SB	SBZ	USA	9031.9000.00
98-LVS0077	Validation IQ-OQ Guidelines for v.4.3 and later software (with 25 test cards)	4016.00	EC003015	682323	4549734217392			SB	SBZ	USA	9031.9000.00
98-WIN0036	Red Window Replacement, for LVS-9510 (window only)	167.30	EC003015	682099	4549734238694			SB	SBZ	USA	9031.9000.00
98-WIN0044	Clear Replacement Window for LVS-958x	58.20	EC003015	685708	4549734278096			SB	SBZ	USA	9031.9000.00
V330-AF1	V/F 3x0-F Diffuser Kit, Peel and Stick Accessory, Exterior to unit	31.82	EC003015	697628	4549734583268			SB	SBZ	USA	9031.9000.00
V330-AF2	V/F 3x0-F Polarizer Kit, Peel and Stick Accessory, Exterior to unit	31.82	EC003015	697629	4549734583275			SB	SBZ	USA	9031.9000.00
V420-AC0	V/F 420-F Kit; RS-232 Breakout (DB-15) Cable plus Power Supply	122.10	EC003015	697909	4549734555708			SB	SBZ	USA	9031.9000.00
V420-AC1	V/F 420-F Kit; USB Breakout Cable plus Power Supply	122.10	EC003015	697910	4549734555715			SB	SBZ	USA	9031.9000.00
V420-AC2	V/F 420-F Kit; USB, IO, and Power Breakout Cable plus Power Supply	185.70	EC003015	697911	4549734555722			SB	SBZ	USA	9031.9000.00
V420-WR08X-1M	V/F 420-F Cable, RS-232, USB, IO, and Power Breakout, 1 m	185.70	EC003015	697908	4549734555692			SB	SBZ	USA	8544.4290.90
V420-WR08X-1M	V/F 420-F Cable, RS-232 Breakout (DB-15) and External Power Input, 1 m	214.40	EC003015	697906	4549734555678			SB	SBZ	USA	8544.4290.90
V420-WU08X-1M	V/F 420-F Cable, USB, IO, and Power Breakout, 1 m	169.70	EC003015	697907	4549734555685			SB	SBZ	USA	8544.4290.90
V420-WUB-1M	V/F 420-F Cable, USB Breakout, 1 m	76.00	EC003015	697904	4549734555654			SB	SBZ	USA	8544.4290.90
V420-WUX-1M	V/F 420-F Cable, USB Breakout with External Power Input, 1 m	87.55	EC003015	697905	4549734555661			SB	SBZ	USA	8544.4290.90
V430-AF0R	V/F 430-F Ringlight Front Window Installation Kit	87.55	EC003015	698201	4549734555852	#		SB	SBZ	USA	9031.9000.00
V430-AF10	Front Window Installation Kit for V/F4X0-FXXXXXX-XXX	47.73	EC003015	693831	4549734600989			SB	SBZ	USA	9031.9000.00
V430-AF11	Diffuser Installation Kit for V/F4X0-FXXXXXX-XXX	58.35	EC003015	693830	4549734600996			SB	SBZ	USA	9031.9000.00
V430-AF12	Polarizer Installation Kit for V/F4X0-FXXXXXX-XXX	89.10	EC003015	693829	4549734601009			SB	SBZ	USA	9031.9000.00
V430-AF1R	V/F 4x0-F Ringlight Diffuser Installation Kit	193.10	EC003015	698202	4549734555869	#		SB	SBZ	USA	9031.9000.00
V430-AF2	V/F 4x0-F Standard Polarizer Installation Kit	87.55	EC003015	683098	4549734191968	#		SB	SBZ	USA	9031.9000.00
V430-AF2R	V/F 4x0-F Ringlight Polarizer Installation Kit	193.10	EC003015	698203	4549734555876			SB	SBZ	USA	9031.9000.00
V430-AF4	Kit, YAG Filter, F/V43XX	273.00	EC003015	702585	4549734555814			SB	SBZ	USA	9031.9000.00
V430-AF5	Kit, ESD Window, F/V43XX	89.10	EC003015	702586	4549734555821			SB	SBZ	USA	9031.9000.00
V430-AF6	V/F 4x0-F Standard Red power filter Installation Kit	87.55	EC003015	698199	4549734555838			SB	SBZ	USA	9031.9000.00
V430-AF7	V/F 4x0-F Standard Blue power filter Installation Kit	87.55	EC003015	698200	4549734555845			SB	SBZ	USA	9031.9000.00
V430-ALB	V/F 4x0-F Blue Standard Light Installation Kit	145.40	EC000348	698194	4549734555760			SB	SBZ	USA	9031.9000.00
V430-ALBR	V/F 430-F Blue Ring Light Installation Kit	215.40	EC000348	698198	4549734555807	#		SB	SBZ	USA	9031.9000.00
V430-ALI	V/F 4x0-F IR Standard Light Installation Kit	145.40	EC000348	698193	4549734555753			SB	SBZ	USA	9031.9000.00
V430-ALIR	V/F 430-F IR Ring Light Installation Kit	215.40	EC000348	698197	4549734555791	#		SB	SBZ	USA	9031.9000.00
V430-ALR	V/F 4x0-F Red Standard Light Installation Kit	145.40	EC000348	698191	4549734555739			SB	SBZ	USA	9031.9000.00
V430-ALRR	V/F 430-F Red Ring Light Installation Kit	215.40	EC000348	698195	4549734555777	#		SB	SBZ	USA	9031.9000.00
V430-ALW	V/F 4x0-F White Standard Light Installation Kit	145.40	EC000348	698192	4549734555746			SB	SBZ	USA	9031.9000.00
V430-ALWR	V/F 430-F White Ring Light Installation Kit	215.40	EC000348	698196	4549734555784	#		SB	SBZ	USA	9031.9000.00
V430-AM0	V/F 4x0-F L Bracket Adjustable Angle Mounting Kit	47.73	EC003015	683100	4549734191982	#		SB	SBZ	USA	9031.9000.00
V430-AM1	V/F 4x0-F 1/4-20 Camera Mounting Block Kit	47.73	EC003015	683101	4549734191999			SB	SBZ	USA	9031.9000.00
V430-AM2	V/F 4x0-F 4" (102 mm) Ram Mount Stand	96.55	EC003015	698204	4549734555883			SB	SBZ	USA	9031.9000.00
V430-AM3	V/F 4x0-F APG Pan and Tilt Camera Mount	120.00	EC003015	698205	4549734555890			SB	SBZ	USA	9031.9000.00
V430-AM4	V/F 4x0-F Nylon Screw and Washer Electrical Isolation Mounting Kit	36.06	EC003015	696575	4549734555906			SB	SBZ	USA	9031.9000.00
V430-AM5	V/F 4x0-F MS-4 / MINI to V/F4XX-F Adapter Plate	110.40	EC003015	696576	4549734555913			SB	SBZ	USA	9031.9000.00
V430-AM6	V/F 4x0-F Smart Ring Light to V/F4XX-F Mounting Bracket	90.15	EC003015	696577	4549734555920			SB	SBZ	USA	9031.9000.00
V430-AM7	V/F 4x0-F QX / Vision HAWK to V/F4XX-F Adapter Plate	121.00	EC003015	696574	4549734555937			SB	SBZ	USA	9031.9000.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-W8-3M	V/F 430-F M12 to Flying Leads Cable, 3 m	132.70	EC003015	683088	4549734191869	#		SB	SBZ	USA	8544.4210.00
V430-W8-5M	V/F 430-F M12 to Flying Leads Cable, 5 m	167.30	EC003015	683090	4549734191883	#		SB	SBZ	USA	8544.4210.00
V430-W8LD-3M	V/F 430-F M12 to Flying Leads Cable, right angle down, 3 m	143.30	EC003015	683092	4549734191906	#		SB	SBZ	USA	8544.4210.00
V430-W8LU-3M	V/F 430-F M12 to Flying Leads Cable, right angle up, 3 m	143.30	EC003015	683093	4549734191913	#		SB	SBZ	USA	8544.4210.00
V430-WE-1M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 1 m	97.60	EC002599	698190	4549734555647	#		SB	SBZ	USA	8544.4210.00
V430-WE-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 3 m	133.70	EC002599	683087	4549734191852	#		SB	SBZ	USA	8544.4210.00
V430-WE-5M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 5 m	167.30	EC002599	683091	4549734191890	#		SB	SBZ	USA	8544.4210.00
V430-WELD-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle down, 3 m	133.70	EC002599	683094	4549734191920	#		SB	SBZ	USA	8544.4210.00
V430-WELU-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 3 m	133.70	EC002599	683095	4549734191937	#		SB	SBZ	USA	8544.4210.00
V430-WQ-1M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 1 m	105.90	EC003015	698186	4549734555593	#		SB	SBZ	USA	8544.4290.90
V430-WQ-3M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 3 m	132.70	EC003015	698187	4549734555609	#		SB	SBZ	USA	8544.4290.90
V430-WQ-5M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 5 m	159.10	EC003015	698188	4549734555616	#		SB	SBZ	USA	8544.4290.90
V430-WQK-3M	V/F 430-F Camera to QX-1 interconnect cable with USB keyboard wedge breakout, 2.7 m	477.30	EC003015	698189	4549734555630	#		SB	SBZ	USA	8544.4290.90
V430-WQR-3M	V/F 430-F Camera to QX-1 interconnect cable with RS-232 breakout, 2.7 m	265.20	EC003015	692731	4549734555623	#		SB	SBZ	USA	8544.4210.00
V430-WR-1M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 1 m	105.90	EC003015	698184	4549734555579	#		SB	SBZ	USA	8544.4290.90
V430-WR-3M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 3 m	110.40	EC003015	698185	4549734555586	#		SB	SBZ	USA	8544.4290.90

FH Smart Camera

FHV-VDB 10M	FHV7 Power / IO Cable, straight 10 m, M12 connector	519.50	EC003015	685302	4549734282758	#		SC	SCA	CHN	8544.4290.90
FHV-VDB 2M	FHV7 Power / IO Cable, straight 2 m, M12 connector	157.80	EC003015	685299	4549734282727	#		SC	SCA	CHN	8544.4290.90
FHV-VDB 3M	FHV7 Power / IO Cable, straight 3 m, M12 connector	202.70	EC003015	685300	4549734282734	#		SC	SCA	CHN	8544.4290.90
FHV-VDB 5M	FHV7 Power / IO Cable, straight 5 m, M12 connector	295.40	EC003015	685301	4549734282741	#		SC	SCA	CHN	8544.4290.90
FHV-VDLB 10M	FHV7 Power / IO Cable, right angle 10 m, M12 connector	519.50	EC003015	685306	4549734282802	#		SC	SCA	CHN	8544.4290.90
FHV-VDLB 2M	FHV7 Power / IO Cable, right angle 2 m, M12 connector	157.80	EC003015	685303	4549734282772	#		SC	SCA	CHN	8544.4290.90
FHV-VDLB 3M	FHV7 Power / IO Cable, right angle 3 m, M12 connector	202.70	EC003015	685304	4549734282789	#		SC	SCA	CHN	8544.4290.90
FHV-VDLB 5M	FHV7 Power / IO Cable, right angle 5 m, M12 connector	295.40	EC003015	685305	4549734282796	#		SC	SCA	CHN	8544.4290.90
FHV-VFLX-GD	External Light Conversion Cable for MDMC Light	162.40	EC003015	688784	4549734496476	#		SC	SCA	JPN	8544.4290.90
FHV-VNB 10M	FHV7 Ethernet cable, straight 10 m, M12 connector	374.30	EC002599	685294	4549734282659	#		SC	SCA	CHN	8544.4210.00
FHV-VNB 20M	FHV7 Ethernet cable, straight 20 m, M12 connector	717.00	EC002599	685380	4549734282666	#		SC	SCA	CHN	8544.4210.00
FHV-VNB 2M	FHV7 Ethernet cable, straight 2 m, M12 connector	150.10	EC002599	685291	4549734282628	#		SC	SCA	CHN	8544.4210.00
FHV-VNB 3M	FHV7 Ethernet cable, straight 3 m, M12 connector	185.60	EC002599	685292	4549734282635	#		SC	SCA	CHN	8544.4210.00
FHV-VNB 5M	FHV7 Ethernet cable, straight 5 m, M12 connector	239.80	EC002599	685293	4549734282642	#		SC	SCA	CHN	8544.4210.00
FHV-VNLB 10M	FHV7 Ethernet cable, right angle 10 m, M12 connector	374.30	EC002599	685298	4549734282703	#		SC	SCA	CHN	8544.4210.00
FHV-VNLB 2M	FHV7 Ethernet cable, right angle 2 m, M12 connector	150.10	EC002599	685295	4549734282673	#		SC	SCA	CHN	8544.4210.00
FHV-VNLB 5M	FHV7 Ethernet cable, right angle 5 m, M12 connector	239.80	EC002599	685297	4549734282697	#		SC	SCA	CHN	8544.4210.00
FHV-VUB 10M	Smart Camera data unit cable, bend resistant, 10 m	671.00	EC003015	688777	4549734496162	#		SC	SCA	CHN	8544.4290.90
FHV-VUB 20M	Smart Camera data unit cable, bend resistant, 20 m	1116.00	EC003015	688778	4549734496179	#		SC	SCA	CHN	8544.4290.90
FHV-VUB 2M	Smart Camera data unit cable, bend resistant, 2 m	194.80	EC003015	688774	4549734496131	#		SC	SCA	CHN	8544.4290.90
FHV-VUB 5M	Smart Camera data unit cable, bend resistant, 5 m	351.80	EC003015	688776	4549734496155	#		SC	SCA	CHN	8544.4290.90
FHV-VULB 2M	Smart Camera data unit cable, bend resistant, right angle, 2 m	194.80	EC003015	688779	4549734496186	#		SC	SCA	CHN	8544.4290.90
FHV-VULB 3M	Smart Camera data unit cable, bend resistant, right angle, 3 m	249.00	EC003015	688780	4549734496193	#		SC	SCA	CHN	8544.4290.90
FHV-VULB 5M	Smart Camera data unit cable, bend resistant, right angle, 5 m	351.80	EC003015	688781	4549734496209	#		SC	SCA	CHN	8544.4290.90
FHV7H-C004-C	FH Vision Smart Camera, high performance, color type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	3787.00	EC003015	685333	4549734283885	#		SC	SCA	JPN	9031.8080.00
FHV7H-C016-C	FH Vision Smart Camera, high performance, color type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	4309.00	EC003015	685334	4549734283892	#		SC	SCA	JPN	9031.8080.00
FHV7H-C032-C	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, C-mount, 24 VDC, IP40	5045.00	EC003015	685335	4549734283908	#		SC	SCA	JPN	9031.8080.00
FHV7H-C032-S12-MC	FH Vision Smart Camera, high performance, color type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, motorized lens module, focal length 12 mm, multi color illuminator, 24 VDC, IP67, pre-assembled	7795.00	EC003015	685369	4549734284363	#		SC	SCA	JPN	9031.8080.00
FHV7H-C050-C	FH Vision Smart Camera, high performance, color type, 5.0 Mpix resolution, 3.45 µm pixel size, 2/3" chip size, global shutter, C-mount, 24 VDC, IP40	5825.00	EC003015	685336	4549734283915	#		SC	SCA	JPN	9031.8080.00

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FHV7H-C063R-C	FH Vision Smart Camera, high performance, color type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, C-mount, 24 VDC, IP40	4309.00	EC003015	687437	4549734283922	#		SC	SCA	JPN	9031.8080.00
FHV7H-C120R-C	FH Vision Smart Camera, high performance, color type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40	5045.00	EC003015	687438	4549734283939			SC	SCA	JPN	9031.8080.00
FHV7H-M004-C	FH Vision Smart Camera, high performance, monochrome type, 0.4 Mpix resolution, 6.9 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	3787.00	EC003015	685231	4549734282826			SC	SCA	JPN	9031.8080.00
FHV7H-M016-C	FH Vision Smart Camera, high performance, monochrome type, 1.6 Mpix resolution, 3.45 µm pixel size, 1/2.9" chip size, global shutter, C-mount, 24 VDC, IP40	4309.00	EC003015	685232	4549734282833			SC	SCA	JPN	9031.8080.00
FHV7H-M032-C	FH Vision Smart Camera, high performance, monochrome type, 3.2 Mpix resolution, 3.45 µm pixel size, 1/1.8" chip size, global shutter, C-mount, 24 VDC, IP40	5045.00	EC003015	685233	4549734282840			SC	SCA	JPN	9031.8080.00
FHV7H-M050-C	FH Vision Smart Camera, high performance, monochrome type, 5.0 Mpix resolution, 3.45 µm pixel size, 2/3" chip size, global shutter, C-mount, 24 VDC, IP40	5825.00	EC003015	685234	4549734282857	#		SC	SCA	JPN	9031.8080.00
FHV7H-M063R-C	FH Vision Smart Camera, high performance, monochrome type, 6.3 Mpix resolution, 2.4 µm pixel size, 1/1.8" chip size, rolling shutter, C-mount, 24 VDC, IP40	4309.00	EC003015	687435	4549734282864			SC	SCA	JPN	9031.8080.00
FHV7H-M120R-C	FH Vision Smart Camera, high performance, monochrome type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40	5045.00	EC003015	687436	4549734282871			SC	SCA	JPN	9031.8080.00
FHV7H-C016-S25-W-K	FHV7 Starter Kit including FHV7H-C016-S25-W, FHV-VNB 2m FHV-VDB 2m, FHV-XHD-L, FHV-XFC-C	6445.00	EC003015	688187	4549734523646			SC	SCA	JPN	9031.8080.00
FHV-LEM-H06	FHV7 Liquid lens module, 6 mm focal length	1376.00	EC003015	688770	4549734282512	#		SC	SCA	JPN	9031.9000.00
FHV-LEM-S06	FHV7 lens module, 6 mm focal length	790.50	EC003015	685283	4549734282536	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S09	FHV7 lens module, 9 mm focal length	790.50	EC003015	685284	4549734282543	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S12	FHV7 lens module, 12 mm focal length	790.50	EC003015	685285	4549734282550	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S16	FHV7 lens module, 16 mm focal length	790.50	EC003015	685286	4549734282567	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S25	FHV7 lens module, 25 mm focal length	790.50	EC003015	685287	4549734282574	#		SC	SCA	CHN	9031.9000.00
FHV-LTM-IR	FHV7 illumination module, IR, includes protection window	899.00	EC000348	687434	4549734282604			SC	SCA	JPN	9031.9000.00
FHV-LTM-MC	FHV7 illumination module, multi color Red Green Blue, IR, includes protection window	1747.00	EC000348	685290	4549734282611	#		SC	SCA	JPN	9031.9000.00
FHV-LTM-W	FHV7 illumination module, white, includes protection window	874.50	EC000348	685289	4549734282598	#		SC	SCA	JPN	9031.9000.00
FHV-SDU10	FHV7 extended data unit, Parallel interface	519.50	EC003015	688772	4549734496117			SC	SCA	JPN	9031.9000.00
FHV-SDU30	FHV7 extended data unit, EtherCAT interface	639.50	EC003015	688773	4549734496124	#		SC	SCA	JPN	9031.9000.00
FH Smart Camera accessories											
FHV-XDF	FHV7 Diffusion filter	516.50	EC003015	685307	4549734451949			SC	SCZ	JPN	9031.9000.00
FHV-XHD-L	FHV7 Waterproof hood, long, for 3Z4S-LE SV-H series	181.70	EC003015	685311	4549734451994	#		SC	SCZ	JPN	9031.9000.00
FHV-XHD-LEM	FHV7 Waterproof hood, for motorized lens modules	208.80	EC003015	685312	4549734452007	#		SC	SCZ	JPN	9031.9000.00
FHV-XHD-S	FHV7 Waterproof hood, short, for 3Z4S-LE SV-V series	185.60	EC003015	685310	4549734451987			SC	SCZ	JPN	9031.9000.00
FHV-XMT-7	Fixture for FHV7	63.60	EC003015	685313	4549734452014	#		SC	SCZ	CHN	9031.9000.00
FHV-XPL	FHV7 Polarization filter, for visible light	217.80	EC003015	685308	4549734451956	#		SC	SCZ	JPN	9031.9000.00
FHV-XPL-IR	Polarized Light Filter, for visible and IR light	617.50	EC003015	686997	4549734451963	#		SC	SCZ	JPN	9031.9000.00
FHV-XWP-HD-SL	FHV7 waterproof packing for hood	10.82	EC003015	685317	4549734452052			SC	SCZ	JPN	9031.9000.00
Accessories Inspection Non-OMRON											
C-M8-3P-10M	Cable, straight M8 connector, 3 pin, 10 m	41.15	EC003015	701358	4549734790116			SZ	SZZ	FRA	8544.4290.90
After-Sales Services											
ROBOT AS INHOUSE REMOTE ASSIST	After Sales Robotic Services - In House Remote Assistance Phone / Team Viewer, value for each 30 minutes	49.91		675866				YA	YAA	NLD	
ROBOT IN-HOUSE PRE-INSPECT	After Sales Robotic Services - Pre-inspection In-House Analysis	618.00		680519				YA	YAA	NLD	
ROBOT IN-HOUSE REPAIR	After Sales Robotic Services - In House Repair	0.03		676667				YA	YAA	NLD	
ROBOT MNT CONT COBOT BRONZE	Maintenance Contract for Cobots - Bronze - Price per robot and per year, travelling cost to be added for qty under 4pcs. https://industrial.omron.eu/en/services-support/robotic-services	800.00		689241				YA	YAA	NLD	
ROBOT MNT CONT COBOT GOLD	Maintenance Contract for Cobots - Gold - Price per robot and per year, spare parts included, minimum 3 year contract time. https://industrial.omron.eu/en/services-support/robotic-services	5000.00		689243				YA	YAA	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ROBOT MNT CONT COBOT SILVER	Maintenance Contract for Cobots - Silver - Price per robot and per year. https://industrial.omron.eu/en/services-support/robotic-services	2500.00		689242				YA	YAA	NLD	
ROBOT MNT CONT FIXED BRONZE	Maintenance Contract for Fixed Robots - Bronze – Price per robot and per year, travelling cost to be added for qty under 4pcs. https://industrial.omron.eu/en/services-support/robotic-services	800.00		685506				YA	YAA	NLD	
ROBOT MNT CONT FIXED GOLD	Maintenance Contract for Fixed Robots - Gold – Price per robot and per year, spare parts included, minimum 3 year contract time. https://industrial.omron.eu/en/services-support/robotic-services	5000.00		685508				YA	YAA	NLD	
ROBOT MNT CONT FIXED SILVER	Maintenance Contract for Fixed Robots - Silver – Price per robot and per year. https://industrial.omron.eu/en/services-support/robotic-services	2500.00		685507				YA	YAA	NLD	
ROBOT MNT CONT LD250 BRONZE	Maintenance Contract for LD250 - Bronze - Price per robot and per year, travelling cost to be added for qty under 4pcs. https://industrial.omron.eu/en/services-support/robotic-services	2500.00		695962				YA	YAA	NLD	
ROBOT MNT CONT LD250 CUSTOM	Maintenance Contract for LD250 - Customised - Price per robot and per year. https://industrial.omron.eu/en/services-support/robotic-services			695965				YA	YAA	NLD	
ROBOT MNT CONT LD250 GOLD	Maintenance Contract for LD250 - Gold - Price per robot and per year, spare parts included, minimum 3 year contract time. https://industrial.omron.eu/en/services-support/robotic-services	12500.00		695964				YA	YAA	NLD	
ROBOT MNT CONT LD250 SILVER	Maintenance Contract for LD250 - Silver - Price per robot and per year. https://industrial.omron.eu/en/services-support/robotic-services	6000.00		695963				YA	YAA	NLD	
ROBOT MNT CONT MOBILE BRONZE	Maintenance Contract for LD60 -90 - Bronze - Price per robot and per year, travelling cost to be added for qty under 4pcs. https://industrial.omron.eu/en/services-support/robotic-services	1500.00		685511				YA	YAA	NLD	
ROBOT MNT CONT MOBILE GOLD	Maintenance Contract for LD60 -90 - Gold - Price per robot and per year, spare parts included, minimum 3 year contract time. https://industrial.omron.eu/en/services-support/robotic-services	7500.00		685513				YA	YAA	NLD	
ROBOT MNT CONT MOBILE SILVER	Maintenance Contract for LD60 -90 - Silver - Price per robot and per year. https://industrial.omron.eu/en/services-support/robotic-services	3500.00		685512				YA	YAA	NLD	
TCD11 ROBOT PACK I	In House Training Pack for Robotics - eV+ programming, Vision ACESight 4 and Anyfeeder programming (5.0 days, price per person)	2250.00		693993				YA	YAA	NLD	
TCD12 ROBOT PACK II	In House Training Pack for Robotics - eV+ programming, Vision ACESight 4 and Conveyor Tracking with Vision (5.0 days, price per person)	2250.00		693994				YA	YAA	NLD	
TCD26 PROG PACKEXPERT	In House Training Course for Robot Programming - PackExpert (5 days, price per person)	2025.00		681593				YA	YAA	NLD	
TCD31 ACE SIGHT 3 BASICS	In House Training Course for Robotics - ACESight 3 Vision Basics (1.0 days, price per person)	450.00		680812				YA	YAA	NLD	
TCD32 ACE SIGHT 3 CONV TRACK	In House Training Course for Robotics - ACESight 3 Conveyor Tracking (1.0 days, price per person)	450.00		680747				YA	YAA	NLD	
TCD33 ACE SIGHT 3 VISION	In House Training Course for Robotics - ACESight 3 Vision (3.0 days, price per person)	1350.00		680806				YA	YAA	NLD	
TCD34 ACE SIGHT 3 PROG ANYFEED	In House Training Course for Robotics - ACESight 3 Programming AnyFeeder (1.0 days, price per person)	450.00		680814				YA	YAA	NLD	
TCD35 ACE4 ACESIGHT4 INT	In House Training Course for Robotics - Introduction to ACE4/ACESight 4 (1,5 days, price per person)	675.00		693992				YA	YAA	NLD	
TCD36 ACESIGHT4 CONV TRACK	In House Training Course for Robotics - ACESight 4 Conveyor Tracking (1.0 days, price per person)	450.00		693996				YA	YAA	NLD	
TCD37 ACESIGHT4 VISION	In House Training Course for Robotics - ACESight 4 Vision (3.0 days, price per person)	1350.00		693995				YA	YAA	NLD	
TCD38 ACESIGHT4 PROG ANYFEED	In House Training Course for Robotics - ACESight 4 Programming AnyFeeder (1.0 days, price per person)	450.00		693997				YA	YAA	NLD	
TCD41 MNT COBRA 350	In House Training Course for Robot Maintenance - Cobra 350 (4.0 days, price per person)	1800.00		680784				YA	YAA	NLD	
TCD42 MNT COBRA PRO	In House Training Course for Robot Maintenance - eCobra Pro (4.0 days, price per person)	1800.00		680745				YA	YAA	NLD	
TCD43 MNT COBRA S600S800	In House Training Course for Robot Maintenance - Cobra s600/s800 (4.0 days, price per person)	1800.00		680785				YA	YAA	NLD	
TCD44 MNT VIPER S650S850	In House Training Course for Robot Maintenance - Viper s650/s850 (4.0 days, price per person)	1800.00		680781				YA	YAA	NLD	
TCD45 MNT QUATTRO	In House Training Course for Robot Maintenance - Quattro (2.0 days, price per person)	900.00		680761				YA	YAA	NLD	
TCD46 MNT ANYFEEDER	In House Training Course for Robot Maintenance - AnyFeeder (1.0 days, price per person)	450.00		680805				YA	YAA	NLD	
TCD47 MNT HORNET	In House Training Course for Robot Maintenance - Hornet (2.0 days, price per person)	900.00		680808				YA	YAA	NLD	
TCD50 MNT LD60LD90	In house Training Course for Robot Maintenance - LD60 / LD90 (2.0 days, price per person)	900.00		695967				YA	YAA	NLD	
TCD51 MNT LD250	In house Training Course for Robot Maintenance - LD250 (2.0 days, price per person)	900.00		695968				YA	YAA	NLD	
TCD52 MNT HD1500	In house Training Course for Robot Maintenance - HD1500 (5.0 days, price per trainee)	2250.00		695969				YA	YAA	NLD	
ROBOT TRAINING DAY IN HOUSE	After Sales Robotic Services - Customized In-House Training for Robotics within Omron Premises. Day Rate During Office Hours (Price per trainee)	823.50		677949				YA	YAA	NLD	
ROBOT TRAINING DAY ON SITE	After Sales Robotic Services - Customized On-Site Training for Robotics within Customer Premises. Day Rate During Office Hours (Price per group, Travel cost not included)	1774.00		677948				YA	YAA	NLD	
ROBOT TRAINING HALFDAYINHOUSE	After Sales Robotic Services - Customized In-House Training for Robotics within Omron Premises. Half Day Rate During Office Hours (Price per trainee)	436.20		677951				YA	YAA	NLD	
ROBOT TRAINING HALFDAYONSITE	After Sales Robotic Services - Customized On-Site Training for Robotics within Customer Premises. Half Day Rate During Office Hours (Price per group, Travel cost not included)	872.50		677950				YA	YAA	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ROBOT AS HOUR FEE	After Sales Robotic Services - Hourly Rate for Working Days (local office working hours)	116.40		688132				YA	YAA	NLD	
ROBOT AS HOUR FEE OVT	After Sales Robotic Services - Hourly Rate for Working Days (overtime, outside local office working hours)	145.50		688133				YA	YAA	NLD	
ROBOT AS HOUR FEE WKD	After Sales Robotic Services - Hourly Rate for Weekends / Public Holidays	220.00		688134				YA	YAA	NLD	
ROBOT VIRTUAL ASSISTANCE	After Sales Robot Services - Virtual Assistance Service via Augmented Reality, value for each 30 minutes	50.00		699118				YA	YAA	NLD	
ROBOT 6MTH WRTY EXT LB COBOT	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Collaborative Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	500.00		688815				YA	YAA	NLD	
ROBOT 6MTH WRTY EXT LB ECOBRA	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor eCobra Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	484.50		675829				YA	YAA	NLD	
ROBOT 6MTH WRTY EXT LB HORNET	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Hornet Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	484.50		675828				YA	YAA	NLD	
ROBOT 6MTH WRTY EXT LB QUATTRO	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Quattro Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	484.50		675827				YA	YAA	NLD	
ROBOT 6MTH WRTY EXT LB VIPER	After Sales Robotic Services - 6 Months Warranty Extension Package for Labor Viper Robot (Labor and Travelling costs included, Warranty Extension package requires Basic and/or Registered warranty)	484.50		675826				YA	YAA	NLD	
ROBOT 6MTH WRTY EXT SP COBOT	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Collaborative Robot (Warranty extension package requires Basic and/or Registered warranty)	1200.00		688816				YA	YAA	NLD	
ROBOT 6MTH WRTY EXT SP ECOBRA	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts eCobra Robot (Warranty extension package requires Basic and/or Registered warranty)	1164.00		675825				YA	YAA	NLD	
ROBOT 6MTH WRTY EXT SP HORNET	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Hornet Robot (Warranty extension package requires Basic and/or Registered warranty)	1164.00		675824				YA	YAA	NLD	
ROBOT 6MTH WRTY EXT SP QUATTRO	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Quattro Robot (Warranty extension package requires Basic and/or Registered warranty)	1164.00		675823				YA	YAA	NLD	
ROBOT 6MTH WRTY EXT SP VIPER	After Sales Robotic Services - 6 Months Warranty Extension Package for Spare Parts Viper Robot (Warranty extension package requires Basic and/or Registered warranty)	1164.00		675822				YA	YAA	NLD	
AUTOM AS DAY ALW FAE WITHHOTEL	After Sales Application Automation Services - Daily allowance including hotel costs (service provided by local engineer)	175.00		689826				YA	YAA	NLD	
AUTOM AS DAY ALW FAE WOHOTEL	After Sales Application Automation Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00		689827				YA	YAA	NLD	
AUTOM AS DAY FEE FAE	After Sales Application Automation Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1440.00		689833				YA	YAA	NLD	
AUTOM AS HOUR FEE FAE	After Sales Application Automation Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00		689830				YA	YAA	NLD	
AUTOM AS HOUR FEE FAE OVT	After Sales Application Automation Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00		689831				YA	YAA	NLD	
AUTOM AS HOUR FEE FAE WKD	After Sales Application Automation Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00		689832				YA	YAA	NLD	
ROBOT AS DAY ALW FAE WITHHOTEL	After Sales Application Robotic Services - Daily allowance including hotel costs (service provided by local engineer)	175.00		688204				YA	YAA	NLD	
ROBOT AS DAY ALW FAE WOHOTEL	After Sales Application Robotic Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00		688205				YA	YAA	NLD	
ROBOT AS DAY FEE FAE	After Sales Application Robotic Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1440.00		689307				YA	YAA	NLD	
ROBOT AS HOUR FEE FAE	After Sales Application Robotic Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00		688215				YA	YAA	NLD	
ROBOT AS HOUR FEE FAE OVT	After Sales Application Robotic Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00		688216				YA	YAA	NLD	
ROBOT AS HOUR FEE FAE WKD	After Sales Application Robotic Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00		688217				YA	YAA	NLD	
SAFETY AS DAY ALW FAE WITHHOTEL	After Sales Application Safety Services - Daily allowance including hotel costs (service provided by local engineer)	175.00		689809				YA	YAA	NLD	
SAFETY AS DAY ALW FAE WOHOTEL	After Sales Application Safety Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00		689810				YA	YAA	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
SAFETY AS DAY FEE FAE	After Sales Application Safety Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1440.00		689816				YA	YAA	NLD	
SAFETY AS HOUR FEE FAE	After Sales Application Safety Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00		689813				YA	YAA	NLD	
SAFETY AS HOUR FEE FAE OVT	After Sales Application Safety Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00		689814				YA	YAA	NLD	
SAFETY AS HOUR FEE FAE WKD	After Sales Application Safety Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00		689815				YA	YAA	NLD	
VISION AS DAY ALW FAE WITHOTEL	After Sales Application Vision Services - Daily allowance including hotel costs (service provided by local engineer)	175.00		689791				YA	YAA	NLD	
VISION AS DAY ALW FAE WOHTEL	After Sales Application Vision Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00		689792				YA	YAA	NLD	
VISION AS DAY FEE FAE	After Sales Application Vision Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1440.00		689798				YA	YAA	NLD	
VISION AS HOUR FEE FAE	After Sales Application Vision Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00		689795				YA	YAA	NLD	
VISION AS HOUR FEE FAE OVT	After Sales Application Vision Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00		689796				YA	YAA	NLD	
VISION AS HOUR FEE FAE WKD	After Sales Application Vision Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00		689797				YA	YAA	NLD	
AUTOM AS INHOUSE REMOTE ASSIS	After Sales Automation Services - In House Remote Assistance Phone / Team Viewer, value for each 30 minutes	48.45		675884				YA	YAA	NLD	
VIRTUAL ASSISTANCE AS AUTOM	After Sales Automation Services – Virtual Assistance Service via Augmented Reality, value for each 30 minutes	50.00		696100				YA	YAA	NLD	
VIRTUAL ASSISTANCE AS ROBOT	After Sales Application Robot Services – Virtual Assistance Service via Augmented Reality, value for each 30 minutes	50.00		696102				YA	YAA	NLD	
VIRTUAL ASSISTANCE AS SAFETY	After Sales Safety Services – Virtual Assistance Service via Augmented Reality, value for each 30 minutes	50.00		696096				YA	YAA	NLD	
VIRTUAL ASSISTANCE AS VISION	After Sales Vision Services – Virtual Assistance Service via Augmented Reality, value for each 30 minutes	50.00		696098				YA	YAA	NLD	
VISION AS INHOUSE REMOTE ASSIS	After Sales Vision Services - In House Remote Assistance Phone / Team Viewer, value for each 30 minutes	48.45		675877				YA	YAA	NLD	
GCD AS DAY ALW FAE WITHHOTEL	After Sales Global Consultation Desk Services - Daily allowance including hotel costs (service provided by local engineer)	175.00		689844				YA	YAA	NLD	
GCD AS DAY ALW FAE WOHTEL	After Sales Global Consultation Desk Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00		689845				YA	YAA	NLD	
GCD AS DAY FEE FAE	After Sales Global Consultation Desk Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1440.00		689851				YA	YAA	NLD	
GCD AS HOUR FEE FAE	After Sales Global Consultation Desk Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00		689848				YA	YAA	NLD	
GCD AS HOUR FEE FAE OVT	After Sales Global Consultation Desk Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	145.50		689849				YA	YAA	NLD	
GCD AS HOUR FEE FAE WKD	After Sales Global Consultation Desk Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	267.00		689850				YA	YAA	NLD	
DELIVERY CHARGE ANYFEEDER	Price of Delivery for ANYFEEDER	300.00		681030				YA	YAA	NLD	
DELIVERY CHARGE COBOT	Price of Delivery for Cobot (from/ to OMRON - Customer)	260.00		685179				YA	YAA	NLD	
DELIVERY CHARGE COBRA 450	Price of Delivery for COBRA 450 (from/ to OMRON - Customer)	200.00		683466				YA	YAA	NLD	
DELIVERY CHARGE COBRA 500	Price of Delivery for COBRA 500 (from/ to OMRON - Customer)	200.00		685595				YA	YAA	NLD	
DELIVERY CHARGE COBRA 600/800	Price of Delivery for COBRA 600/800 (from/ to OMRON - Customer)	200.00		675890				YA	YAA	NLD	
DELIVERY CHARGE COBRA 650	Price of Delivery for COBRA 650 (from/ to OMRON - Customer)	200.00		687754				YA	YAA	NLD	
DELIVERY CHARGE COBRA S350	Price of Delivery for COBRA 350 (from/ to OMRON - Customer)	200.00		675889				YA	YAA	NLD	
DELIVERY CHARGE EXPRESS SERVICE	Price of Express Delivery, when the customer requested delivery within 24 hours	48.45		675885				YA	YAA	NLD	
DELIVERY CHARGE HD	Price of Delivery for HD Mobile Robots	550.00		695954				YA	YAA	NLD	
DELIVERY CHARGE HD BATTERY	Price of Delivery for HD Mobile Robot battery	235.00		695953				YA	YAA	NLD	
DELIVERY CHARGE HD DOCK	Price of Delivery for HD Mobile Robots charging station, docking target	300.00		695952				YA	YAA	NLD	
DELIVERY CHARGE HD DOCK POWER	Price of Delivery for HD Mobile Robots charging station, power supply	160.00		695951				YA	YAA	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
DELIVERYCHARGE HORNET	Price of Delivery for HORNET (from/ to OMRON - Customer)	200.00		675870				YA	YAA	NLD	
DELIVERY CHARGE I4-L/I4-H	Price of Delivery for Robot - i4-L/i4-H Scara (from/ to OMRON - Customer)	200.00		700118				YA	YAA	NLD	
DELIVERY CHARGE INV 160KW	Price of Delivery for High Power Inverter, SX-series, 160 to 629 kW (from/to OMRON - Customer)	360.00		685662				YA	YAA	NLD	
DELIVERY CHARGE INV 45KW	Price of Delivery for High Power Inverter, SX-series, IP54, 45 to 159 kW (from/to OMRON - Customer)	100.00		685663				YA	YAA	NLD	
DELIVERY CHARGE INV 630KW	Price of Delivery for High Power Inverter, SX-series, IP54, 630 kW or larger (from/to OMRON - Customer)	600.00		685661				YA	YAA	NLD	
DELIVERY CHARGE IX3	Price of Delivery for Robot - iX3 Delta (from/ to OMRON - Customer)	235.00		701225				YA	YAA	NLD	
DELIVERY CHARGE IX4	Price of Delivery for Robot - iX4 Delta (from/ to OMRON - Customer)	235.00		701224				YA	YAA	NLD	
DELIVERY CHARGE LS LARGE	Price of Delivery for Linear Systems fitting on three or more pallets / special cases	360.00		688653				YA	YAA	NLD	
DELIVERY CHARGE LS MEDIUM	Price of Delivery for Linear Systems fitting on two pallets	260.00		688654				YA	YAA	NLD	
DELIVERY CHARGE LS SMALL	Price of Delivery for Linear Systems fitting on a single pallet	130.00		688655				YA	YAA	NLD	
DELIVERYCHARGE MOBILE	Price of Delivery for LD60 LD90 or LD250 Mobile Robot	360.00		679655				YA	YAA	NLD	
DELIVERYCHARGE MOBILE BATTERY	Price of Delivery for LD60 LD90 or LD250 Mobile Robot battery	235.00		681452				YA	YAA	NLD	
DELIVERYCHARGE QUATTRO	Price of Delivery for QUATTRO (from/ to OMRON - Customer)	260.00		675894				YA	YAA	NLD	
DELIVERY CHARGE ROBOT X-SERIES	Price of Delivery for Robot, X-series (from/ to OMRON - Customer)	260.00		684724				YA	YAA	NLD	
DELIVERYCHARGE VIPER 650/850	Price of Delivery for VIPER 650/850 (from/ to OMRON - Customer)	200.00		675891				YA	YAA	NLD	
VAL BARCODES ON DELIVERY NOTE	Value Added Logistics - Barcodes on delivery note. Only a setup fee for registration and administration, no recurring costs.	50.00		702514				YA	YAA	NLD	
VAL BOX CONTENT LIST	Value Added Logistics - Box content list, price per box.	0.18		702518				YA	YAA	NLD	
VAL BOX LABELLING	Value Added Logistics - Box labelling, price per box.	0.38		702516				YA	YAA	NLD	
VAL ITEM LABELLING	Value Added Logistics - Item labelling, price per item.	1.82		702517				YA	YAA	NLD	
VAL MAX PALLET HEIGHT	Value Added Logistics - Maximum pallet height, price per pallet.	3.80		702515				YA	YAA	NLD	
VALUE ADDED LOGISTS SETUP FEE	Value Added Logistics - Registration and administration fee of the VAL service.	500.00		694011				YA	YAA	NLD	
FAST REPLACEMENT SERVICE FEE	Service to replace a failing product with an exchange unit without going through the standard repair process.			699128				YA	YAA	NLD	
TC131 PMAC ADV	Training Course PMAC - Technology and Advanced Motion Capabilities (price per person, per day)	400.00		682677				YA	YAA	NLD	
TC121 MNT SYSMAC	Training Course Maintenance - Sysmac Studio. Ideally suited for maintenance personnel (price per person, 2 days)	500.00		685446				YA	YAA	NLD	
TC122 MNT FIXED ROBOTS	Training Course Maintenance - Fixed Robotics in pick and place applications. Ideally suited for maintenance personnel (price per person, per day)	400.00		685447				YA	YAA	NLD	
TCD21 PROG E V+ PROF	In House Training Course for Robot Programming - eV+ Professional (4.5 days, price per person)	2025.00		680767				YA	YAA	NLD	
TCD22 PROG VIPER	In House Training Course for Robot Programming - Viper (0.5 days, price per person)	225.00		680752				YA	YAA	NLD	
TCD23 PROG ACE OPERATORS	In House Training Course for Robot Programming - ACE for Operator's (2.0 days, price per person)	900.00		680809				YA	YAA	NLD	
TCD24 PROG MOBILE ROBOTS	In House Training Course for Robot Programming - Mobile Robots (4.0 days, price per person)	1800.00		680759				YA	YAA	NLD	
TCD25 PROG ENTERPRISE MGR	In House Training Course for Robot Programming - Enterprise Manager (1.0 days, price per person)	450.00		680763				YA	YAA	NLD	
TCD27 PROG COBOT	In House Training Course for Robot Programming - Cobot Basics (2.0 days, price per person)	1000.00		696341				YA	YAA	NLD	
Pre-Sales Services											
ROBOT PS HOUR FEE	Pre Sales Robotic Services - Hourly Rate for Working Days (local office working hours)	121.20		688135				YB	YBA	NLD	
ROBOT PS HOUR FEE OVT	Pre Sales Robotic Services - Hourly Rate for Working Days (overtime, outside local office working hours)	155.30		688136				YB	YBA	NLD	
ROBOT PS HOUR FEE WKD	Pre Sales Robotic Services - Overtime Hourly Rate for Weekends / Public Holidays	242.40		688137				YB	YBA	NLD	
OSSE COBOT RISK ASSESSMENT	OMRON Safety Service Europe - Cobot Risk Assessment	3000.00		685175				YB	YBA	NLD	
OSSE COBOT RISK ASSESMT +CSD	OMRON Safety Service Europe - Cobot risk assessment and conceptual safety design (CSD). Collaborative robot applications are required by law to complete a specific design-based risk assessment. In accordance with ISO 12100, ISO 10218 and ISO/TS 15066.	3000.00		701223				YB	YBA	NLD	
AUTOM PS DAY ALW FAE WITHHOTEL	Pre Sales Application Automation Services - Daily allowance including hotel costs (service provided by local engineer)	175.00		689836				YB	YBA	NLD	
AUTOM PS DAY ALW FAE WOHOTEL	Pre Sales Application Automation Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00		689837				YB	YBA	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
AUTOM PS DAY FEE FAE	Pre Sales Application Automation Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1440.00		689842				YB	YBA	NLD	
AUTOM PS HOUR FEE FAE	Pre Sales Application Automation Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00		689839				YB	YBA	NLD	
AUTOM PS HOUR FEE FAE OVT	Pre Sales Application Automation Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00		689840				YB	YBA	NLD	
AUTOM PS HOUR FEE FAE WKD	Pre Sales Application Automation Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00		689841				YB	YBA	NLD	
ROBOT PS DAY ALW FAE WITHHOTEL	Pre Sales Application Robotic Services - Daily allowance including hotel costs (service provided by local engineer)	175.00		688206				YB	YBA	NLD	
ROBOT PS DAY ALW FAE WOHOTEL	Pre Sales Application Robotic Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00		688207				YB	YBA	NLD	
ROBOT PS DAY FEE FAE	Pre Sales Application Robotic Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1440.00		689306				YB	YBA	NLD	
ROBOT PS HOUR FEE FAE	Pre Sales Application Robotic Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00		688212				YB	YBA	NLD	
ROBOT PS HOUR FEE FAE OVT	Pre Sales Application Robotic Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00		688213				YB	YBA	NLD	
ROBOT PS HOUR FEE FAE WKD	Pre Sales Application Robotic Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00		688214				YB	YBA	NLD	
SAFETY PS DAY ALW FAE WITHHOTEL	Pre Sales Application Safety Services - Daily allowance including hotel costs (service provided by local engineer)	175.00		689819				YB	YBA	NLD	
SAFETY PS DAY ALW FAE WOHOTEL	Pre Sales Application Safety Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00		689820				YB	YBA	NLD	
SAFETY PS DAY FEE FAE	Pre Sales Application Safety Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1440.00		689824				YB	YBA	NLD	
SAFETY PS HOUR FEE FAE	Pre Sales Application Safety Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00		689822				YB	YBA	NLD	
SAFETY PS HOUR FEE FAE OVT	Pre Sales Application Safety Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00		689787				YB	YBA	NLD	
SAFETY PS HOUR FEE FAE WKD	Pre Sales Application Safety Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00		689823				YB	YBA	NLD	
VISION PS DAY ALW FAE WITHHOTEL	Pre Sales Application Vision Services - Daily allowance including hotel costs (service provided by local engineer)	175.00		689801				YB	YBA	NLD	
VISION PS DAY ALW FAE WOHOTEL	Pre Sales Application Vision Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00		689802				YB	YBA	NLD	
VISION PS DAY FEE FAE	Pre Sales Application Vision Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1440.00		689807				YB	YBA	NLD	
VISION PS HOUR FEE FAE	Pre Sales Application Vision Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00		689804				YB	YBA	NLD	
VISION PS HOUR FEE FAE OVT	Pre Sales Application Vision Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00		689805				YB	YBA	NLD	
VISION PS HOUR FEE FAE WKD	Pre Sales Application Vision Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00		689806				YB	YBA	NLD	
VIRTUAL ASSISTANCE PS AUTOM	Pre Sales Automation Services – Virtual Assistance Service via Augmented Reality, value for each 30 minutes	50.00		696099				YB	YBA	NLD	
VIRTUAL ASSISTANCE PS ROBOT	Pre Sales Application Robot Services – Virtual Assistance Service via Augmented Reality, value for each 30 minutes	50.00		696103				YB	YBA	NLD	
VIRTUAL ASSISTANCE PS SAFETY	Pre Sales Safety Services – Virtual Assistance Service via Augmented Reality, value for each 30 minutes	50.00		696095				YB	YBA	NLD	
VIRTUAL ASSISTANCE PS VISION	Pre Sales Vision Services – Virtual Assistance Service via Augmented Reality, value for each 30 minutes	50.00		696097				YB	YBA	NLD	
GCD PS DAY ALW FAE WITHHOTEL	Pre Sales Global Consultation Desk Services - Daily allowance including hotel costs (service provided by local engineer)	175.00		689854				YB	YBA	NLD	
GCD PS DAY ALW FAE WOHOTEL	Pre Sales Global Consultation Desk Services - Daily allowance excluding hotel costs (service provided by local engineer)	75.00		689855				YB	YBA	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
GCD PS DAY FEE FAE	Pre Sales Global Consultation Desk Services - Day rate for complete working day (Includes hour fees, travelling hours, travel expenses, travel distance fees and daily allowances. Service provided by local engineer)	1440.00		689789				YB	YBA	NLD	
GCD PS HOUR FEE FAE	Pre Sales Global Consultation Desk Services - Hourly Rate for Working Days (local office working hours, service provided by local engineer)	100.00		689785				YB	YBA	NLD	
GCD PS HOUR FEE FAE OVT	Pre Sales Global Consultation Desk Services - Hourly Rate for Working Days (overtime, outside local office working hours, service provided by local engineer)	150.00		689786				YB	YBA	NLD	
GCD PS HOUR FEE FAE WKD	Pre Sales Global Consultation Desk Services - Hourly Rate for Weekends / Public Holidays (service provided by local engineer)	275.00		689788				YB	YBA	NLD	
AUTOM PS PROOF OF CONCEPT	Automation Services Pre Sales - Prove of viability of Omron Solution for the customer application. Hourly rate for the Proof of Concept (PoC) study	150.00		675878				YB	YBA	NLD	
ROBOT FEASIBILITY STUDY	Pre Sales Robotic Services - Feasibility Study contains an On-site Study, Analysis of the viability and Case Description of a Potential Robotics solution(s).	0.02		682527				YB	YBA	NLD	
ROBOT PROOF OF CONCEPT	Pre Sales Robotic Services - Prove of viability of Omron Solution for the customer application. Hourly rate for the Proof of Concept (PoC) study	150.00		682522				YB	YBA	NLD	
VISION PS PROOF OF CONCEPT	Vision Services Pre Sales - Prove of viability of Omron Solution for the customer application. Hourly rate for the Proof of Concept (PoC) study	150.00		675871				YB	YBA	NLD	
AUTOM PS TRAINING	Automation Services Pre Sales - Daily Rate for Training	800.00		679707	4549734934169			YB	YBA	NLD	
TC01 PLC BASIC	Training Course PLC - Basic (price per person, per day)	292.00		680778				YB	YBA	NLD	
TC02 PLC ADV	Training Course PLC - Advanced (price per person, per day)	315.00		680766				YB	YBA	NLD	
TC03 PLC PROF	Training Course PLC - Professional (price per person, per day)	292.00		680758				YB	YBA	NLD	
TC04 PLC STRUCTURED TEXT	Training Course PLC - Structured text (price per person, per day)	400.00		680787				YB	YBA	NLD	
TC05 PLC SFC PROGRAMMING	Training Course PLC - Sequential Function Chart Programming (price per person, per day)	400.00		680815				YB	YBA	NLD	
TC06 PLC FUNCTION BLOCKS INT	Training Course PLC - Function Blocks Introduction (price per person, per day)	400.00		680795				YB	YBA	NLD	
TC07 PLC INT	Training Course PLC - Introduction (price per person, per day)	292.00		701030				YB	YBA	NLD	
TC11 HMI BASIC	Training Course HMI - Basic programming for NS HMIs (price per person, per day)	400.00		680780				YB	YBA	NLD	
TC12 HMI ADV	Training Course HMI - Advanced programming for NS HMIs (price per person, per day)	400.00		680797				YB	YBA	NLD	
TC13 HMI NB	Training Course HMI - NB (price per person, per day)	400.00		680810				YB	YBA	NLD	
TC21 SCADA CX-SUPERVISOR	Training Course SCADA - CX-Supervisor (price per person, per day)	315.00		680779				YB	YBA	NLD	
TC22 SCADA CX-SUPERVISOR ADV	Training Course SCADA - CX-Supervisor Advanced (price per person, per day)	400.00		680799				YB	YBA	NLD	
TC23 SCADA CX-SUPERVISOR PROF	Training Course SCADA - CX-Supervisor Professional (price per person, per day)	400.00		680753				YB	YBA	NLD	
TC25 VAR SPEED DRIVES BASIC	Training Course Inverters -Variable Speed Drives Basic (price per person, per day)	150.00		680762				YB	YBA	NLD	
TC26 VAR SPEED DRIVES ADV	Training Course Inverters - Variable Speed Drives Advanced (price per person, per day)	400.00		680751				YB	YBA	NLD	
TC27 SERVO MOTORS DRIVES INT	Training Course Servo Motors and Drives - Introduction (price per person, per day)	400.00		680816				YB	YBA	NLD	
TC31 COMPONENTS BASIC	Training Course Components - Basic (price per person, per day)	400.00		680760				YB	YBA	NLD	
TC34 PANEL BUILDING WORKSHOP	Training Course Panel Building - Technology Workshop (price per person, per day)	400.00		680803				YB	YBA	NLD	
TC37 TEMP CONTROL BASIC	Training Course Temperature Control - Basic (price per person, per day)	400.00		680783				YB	YBA	NLD	
TC38 TEMP CONTROL ADV	Training Course Temperature Control - Advanced (price per person, per day)	400.00		680744				YB	YBA	NLD	
TC46 SENSORS BASIC	Training Course Sensors - Basic (price per person, per day)	400.00		680776				YB	YBA	NLD	
TC47 SENSORS ADV	Training Course Sensors - Advanced (price per person, per day)	400.00		680788				YB	YBA	NLD	
TC51 SYSMAC CONTROL BASIC	Training Course Sysmac Studio - Basic (price per person, per day)	292.00		680801				YB	YBA	NLD	
TC52 SYSMAC CONTROL ADV	Training Course Sysmac Studio - Advanced (price per person, per day)	315.00		680792				YB	YBA	NLD	
TC53 SYSMAC NX I/O AND SAFETY	Training Course Sysmac Studio - NX I/O and Safety (price per person, per day)	315.00		680755				YB	YBA	NLD	
TC54 SYSMAC MOTION CONTROL	Training Course Sysmac Studio - Motion Control (price per person, per day)	400.00		680770				YB	YBA	NLD	
TC55 SYSMAC NA HMI	Training Course Sysmac Studio - Basic programming for NA HMIs (price per person, per day)	250.00		680771				YB	YBA	NLD	
TC56 SYSMAC SQL	Training Course Sysmac Studio - SQL Database Connectivity (price per person, per day)	400.00		680791				YB	YBA	NLD	
TC57 SYSMAC STRUCTURED TEXT	Training Course Sysmac Studio - Structured Text (price per person, per day)	292.00		681948				YB	YBA	NLD	
TC58 SYSMAC CNC	Training Course Sysmac Studio - CNC (price per person, per day)	400.00		680756				YB	YBA	NLD	
TC61 SYSMAC HMI ADV	Training Course Sysmac Studio - Advanced programming for NA HMIs (price per person, per day)	425.00		688789				YB	YBA	NLD	
TC62 SYSMAC MOTION ADV	Training Course Sysmac Studio - Motion Control Advanced (price per person, per day)	425.00		688790				YB	YBA	NLD	
TC63 SYSMAC I/O AND SAFETY ADV	Training Course Sysmac Studio - I/O and Safety Advanced (price per person, per day)	425.00		689597				YB	YBA	NLD	
TC91 NETW FIELDBUS AND EIP	Training Course Networks - Field Bus and Industrial Ethernet (price per person, per day)	400.00		680757				YB	YBA	NLD	
TC93 NETW DEVICENET	Training Course Networks - DeviceNet (price per person, per day)	400.00		680777				YB	YBA	NLD	
TC95 NETW INDUSTRIAL NETW INT	Training Course Networks - Introduction to Industrial Networks (price per person, per day)	400.00		680789				YB	YBA	NLD	

Catalog Description (Image)	Item Long Description (Web page)	2022 List Price	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
TC101 CUSTOMISED ONE-TO-ONE	Training Course Customised - One-to-One (price per person, per day)	550.00		680794					YB	YBA	NLD
TC102 CUSTOMISED ONE-TO-N	Training Course Customised - One-to-N (price per person, per day, training course for a group)	500.00		680800					YB	YBA	NLD
TC114 ROBOTICS COBOT BASIC	Training Course Robotics - Collaborative Robots (price per person, per day)	425.00		691118					YB	YBA	NLD
SAFETY PS TRAINING	Safety Services Pre Sales - Daily Rate for Training	800.00		702619					YB	YBA	NLD
TC81 SAFETY SENSORS	Training Course Safety - Sensors (price per person, per day)	400.00		680782					YB	YBA	NLD
TC82 SAFETY STANDALONE CTR	Training Course Safety - Standalone Controllers (price per person, per day)	400.00		680765					YB	YBA	NLD
TC83 SAFETY DIR 2006 42 EC	Training Course Safety - The Machinery Directive 2006/42/EC (price per person, per day)	400.00		680768					YB	YBA	NLD
TC84 SAFETY MACHINE SYSTEM	Training Course Safety - Machine Control Systems (price per person, per day)	400.00		680813					YB	YBA	NLD
TC85 SAFETY CEI EN60204-1	Training Course Safety - Electrical Equipment of Machines - CEI EN60204-1 (price per person, per day)	400.00		680775					YB	YBA	NLD
TC86 SAFETY RISK ASSESSMENT	Training Course Safety - Machine Risk Assessment (price per person, per day)	400.00		680769					YB	YBA	NLD
TC87 SAFETY BASICS CIP SAFETY	Training Course Safety - Safety Basics and CIP Safety (price per person, per day)	425.00		699031					YB	YBA	NLD
TC41 VISION SENSOR BASIC	Training Course Vision - Sensor Basics (price per person, per day)	400.00		680807					YB	YBA	NLD
TC42 VISION SYSTEMS BASIC	Training Course Vision - Systems Basic (price per person, per day)	400.00		680804					YB	YBA	NLD
TC43 VISION INT	Training Course Maintenance - Vision. Ideally suited for maintenance personnel (price per person, per day)	400.00		682518					YB	YBA	NLD
VISION PS TRAINING	Vision Services Pre Sales - Daily Rate for Training	800.00		679704	4549734934138				YB	YBA	NLD
TC01R PLC BASIC	Remote Training Course PLC - Basic (price per person)	292.00		700403					YB	YBA	NLD
TC02R PLC ADV	Remote Training Course PLC - Advanced (price per person)	315.00		700402					YB	YBA	NLD
TC101R CUSTOMISED ONE TO ONE	Remote Training Course Customised - One-to-One (price per person)	550.00		700394					YB	YBA	NLD
TC102R CUSTOMISED TO GROUP	Remote Training Course Customised - One-to-N (price per person, per day, training course for a group)	500.00		700393					YB	YBA	NLD
TC114R ROBOTICS COBOT BASIC	Remote Training Course Robotics - Collaborative Robots (price per person)	425.00		700392					YB	YBA	NLD
TC42R VISION SYSTEMS BASIC	Remote Training Course Vision - Systems Basic (price per person)	400.00		700401					YB	YBA	NLD
TC51R SYSMAC BASIC	Remote Training Course Sysmac Studio - Basic (price per person)	292.00		700400					YB	YBA	NLD
TC52R SYSMAC ADV	Remote Training Course Sysmac Studio - Advanced (price per person)	315.00		700399					YB	YBA	NLD
TC53R SYSMAC NX IO AND SAFETY	Remote Training Course Sysmac Studio - NX I/O and Safety (price per person)	315.00		700398					YB	YBA	NLD
TC54R SYSMAC MOTION CONTROL	Remote Training Course Sysmac Studio - Motion Control (price per person)	400.00		700397					YB	YBA	NLD
TC55R SYSMAC NA HMI	Remote Training Course Sysmac Studio - Basic programming for NA HMIs (price per person)	250.00		700396					YB	YBA	NLD
TC84R SAFETY MACHINE SYSTEM	Remote Training Course Safety - Machine Control Systems (price per person)	400.00		700395					YB	YBA	NLD
TC103 CUSTOMISED ON-SITE	Training Course Customised - On-site Training at Customer's Site (price/day, training course for a person or a group)	1000.00		680764					YB	YBA	NLD
ELEARNING GROUP LICENSE	eLearning through OmronLearning.com. Yearly payment to create a closed environment for group(s) with 2 levels of access rights. Includes creation of the accounts, courses selection and reports. License is active for a year and limited for 100 users.	950.00		694984					YB	YBA	NLD
ELEARNING TEST LICENSE	eLearning through OmronLearning.com. One-shot payment to create a closed environment for group(s) with 2 levels of access rights. Includes creation of the accounts, courses selection and reports. Test license is active for a calendar week.	100.00		694982					YB	YBA	NLD

Fiyatlarımızda herhangi bir ihbara gerek duymaksızın deęişiklik yapma hakkımız mahfuzdur.

İçeride görülen resim ve teknik deęerler genel bilgi amaçlıdır. Cihaz ölçüleri, montaj ve işletme verileri için, cihazla birlikte verilen işletme talimatını esas alınız.

Ürünlerimiz, prospektüslerinde belirtilen şartlar altında kullanıldığında, imalat hatalarına karşı bir yıl garantilidir. Aksi halde garanti kapsamı dışındadır.

Fiyat listemizde yer alan fiyat, ürün gibi bilgilerde yazım hataları söz konusu olduğunda, Omron Electronics Ltd.Şti.'deki bilgi ve fiyatlar geçerli olacaktır.

Fiyat listemizde bulunmayan ürünlerimiz için lütfen yetkili bayilerimiz ya da genel merkezimiz ile iletişime geçiniz.

Daha fazlasını öğrenmek ister misiniz?

OMRON TÜRKİYE

+90 (216) 556 51 30

industrial.omron.com.tr

Satış & Destek Ofisleri

Almanya

Tel: +49 (0) 2173 680 00
industrial.omron.de

Finlandiya

Tel: +358 (0) 207 464 200
industrial.omron.fi

İspanya

Tel: +34 913 777 902
industrial.omron.es

Norveç

Tel: +47 22 65 75 00
industrial.omron.no

Avusturya

Tel: +43 (0) 2236 377 800
industrial.omron.at

Fransa

Tel: +33 (0) 1 56 63 70 00
industrial.omron.fr

İsveç

Tel: +46 (0) 8 632 35 00
industrial.omron.se

Polonya

Tel: +48 22 458 66 66
industrial.omron.pl

Belçika

Tel: +32 (0) 2 466 24 80
industrial.omron.be

Güney Afrika

Tel: +27 (0)11 579 2600
industrial.omron.co.za

İsviçre

Tel: +41 (0) 41 748 13 13
industrial.omron.ch

Portekiz

Tel: +351 21 942 94 00
industrial.omron.pt

Çek Cumhuriyeti

Tel: +420 234 602 602
industrial.omron.cz

Hollanda

Tel: +31 (0) 23 568 11 00
industrial.omron.nl

İtalya

Tel: +39 02 326 81
industrial.omron.it

Rusya

Tel: +7 495 648 94 50
industrial.omron.ru

Danimarka

Tel: +45 43 44 00 11
industrial.omron.dk

İngiltere

Tel: +44 (0) 1908 258 258
industrial.omron.co.uk

Macaristan

Tel: +36 1 399 30 50
industrial.omron.hu

Diğer Omron

Temsilcileri
industrial.omron.eu